

**Independent citations to publications of Jenő Gubicza**  
**(number of independent citations: 3513)**

A. Juhász, M. Dimitrova-Lukács, G. Vörös, J. Gubicza, P. Tasnádi, P. Lukács and A. Kele: Continuous indentation on glasses and ceramics, Fortschrittsberichte der Deutschen Keramischen Gesellschaft, **9** (1994) 87-97.

1. E. Rudnayová, L. Pesek: A simple method for determining the Young's modulus of ceramics by indentation technique, Proc. of the International Conference on Deformation and Fracture in Structural PM Materials, edited by L. Parilák, H. Daming, J. Dusza, B. Weiss, IMR-SAS Kosice, Vol.2., 1996, pp. 256-261.
2. E. Rudnayová, P. Hvizdos, P. Arató, L. Pesek: Young's modulus measurement of silicon nitride ceramics by indentation methods, Key Engineering Materials **175** (2000) 335-340.

J. Gubicza: Characterization of glasses and ceramics by continuous indentation tests, Key Eng. Mater. **103** (1995) 217-220

1. G. Kaya: Production and Characterization of Self-Colored Dental Zirconia Blocks, Ceramics International **39** (2013) 511-517.
2. Riaz, M., Zia, R., Saleemi, F., Perez, R.A.: Effect of ZrO<sub>2</sub> on physiochemical properties of SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>-CaO-MgO-ZnO glass-ceramic system, Proceedings of the Pakistan Academy of Sciences **52** (2015) 255-261.

J. Gubicza, A. Juhász, P. Tasnádi, P. Arató and G. Vörös: Determination of the hardness and elastic modulus from continuous Vickers indentation test, J. Mater. Sci. **31** (1996) 3109-3114.

1. A. Flores, F. J. B. Calleja and H. R. Kricheldorf: Mechanical study of sintered aromatic polyesters as revealed by microindentation measurements, J. Mater. Sci. **33**, 14 (1998) 3567-3571.
2. C J Wu, T M Shao, A G Mu, W L Du, C Coddet: Plasma spray ceramic plunger for polymer pump, Proceedings of the International Thermal Spray Conference. 1998.05.25-1998.05.29, pp. 1043-1048.
3. J. Thurn, D. J. Morris and R.F. Cook: Depth-sensing indentation at macroscopic dimensions, J. Mater. Res. **17** (2002) 2679-2690.
4. N. Llorca-Isern, P. A. Gonzalez, C. J. Luis, I. Laborde: Severe Plastic Deformation of a commercial aluminium-lithium alloy (AA8090) by Equal Channel Angular Pressing, Mater. Sci. Forum **503-504** (2006) 871-876.
5. M. Abou Zied: Microstructure and mechanical properties of nano-crystalline Al-8 wt% Ni alloy, J. Mater. Sci. & Techn. **22** (2006) 605-610.
6. K. Kazmanli, B. Daryal and M. Urgen: Characterization of nano-composite TiN-Sb coating produced with hybrid physical vapor deposition system, Thin Solid Films **515** (2007) 3675-3680.
7. N. Ponce-Garcia, J.D.C. Figueroa, G.A. Lopez-Huape, H.E. Martinez, R. Martinez-Peniche: Study of viscoelastic properties of wheat kernels using compression load method, Cereal Chemistry **85** (2008) 667-672.
8. I.N. Orbulov, Á. Németh, J. Dobránszky: Compressive strength and hardness of metal matrix syntactic foams, Journal of Physics: Conference Series **240** (2010) art. no. 012168.

9. J.D.C. Figueroa, Z.J.E. Hernández, M.J.J. Véles, P.R. Duarte, H.E. Martínez-Flores, N. Ponce-García: Evaluation of degree of elasticity and other mechanical properties of wheat kernels, *Cereal Chemistry* **88** (2011) 12-18.
10. J.D.C. Figueroa, R.J. Pena, T. Maucher, P. Rayas-Duarte, K. Khan: Kernel elastic properties and sedimentation: Influence of high and low molecular weight glutenin allelic composition, *Cereal Chemistry* **88** (2011) 41-44.
11. J.D.C. Figueroa, R.J. Pena, P. Rayas-Duarte, K. Khan: Influence of Low-molecular Weight Glutenin Subunits on Wheat Kernel Elasticity and Sedimentation *CEREAL RESEARCH COMMUNICATIONS* **39** (2011) 237-245.
12. Z.J.E. Hernández, J.D.C. Figueroa, P. Rayas-Duarte, H.E. Martínez-Flores, V.G. Arámbula, B.G. Luna, R.J. Pena: Influence of high and low molecular weight glutenins on stress relaxation of wheat kernels and the relation to sedimentation and rheological properties, *Journal of Cereal Science* **55** (2012) 344-350.
13. Lu, Y.: Analysis of large-strain microindentation of crystalline polymers, Book Editor(s): Davim, JP, Source: *MATERIALS AND SURFACE ENGINEERING: RESEARCH AND DEVELOPMENT*, Woodhead Publishing Reviews-Mechanical Engineering, Issue: 2, Pages: 61-95 (2012)
14. Ponce-García, N., Ramírez-Wong, B., Torres-Chávez, P.I., De Dios Figueroa-Cárdenas, J., Serna-Saldívar, S.O., Cortez-Rocha, M.O.: Effect of moisture content on the viscoelastic properties of individual wheat kernels evaluated by the uniaxial compression test under small strain, *Cereal Chemistry* **90** (2013) 558-563.
15. Wagh, A; Raviprakash, Y; Manohar, R; Kamath, SD: Mechanical properties of Sm<sup>3+</sup> doped zinc fluoroborate glass, *GLASS PHYSICS AND CHEMISTRY* **41** (2015) 290-295.
16. Wagh, A., Raviprakash, Y., Upadhyaya, V., Kamath, S.D.: Composition dependent structural and optical properties of PbF<sub>2</sub>-TeO<sub>2</sub>-B<sub>2</sub>O<sub>3</sub>-Eu<sub>2</sub>O<sub>3</sub> glasses, *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy* **151** (2015) 696-706.
17. Chicot, D., N'Jock, M.Y., Roudet, F., Decoopman, X., Staia, M.H., Puchi-Cabrera, E.S.: Some improvements for determining the hardness of homogeneous materials from the work-of-indentation, *International Journal of Mechanical Sciences* **105** (2016) 279-290.
18. Wagh, A; Petwal, VC; Verma, VP; Dwivedi, J; Raviprakash, Y; Kamath, SD: Electron beam irradiation on lead fluoroborate glasses doped by europium ions, *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY* **124** (2016) 619-628.
19. Ponce-García, N; Ramirez-Wong, B; Torres-Chavez, PI; Figueroa-Cardenas, JD; Serna-Saldivar, SO; Cortez-Rocha, MO; Escalante-Aburto, A, Evaluation of viscoelastic properties of conditioned wheat kernels and their doughs using a compression test under small strain, *JOURNAL OF THE SCIENCE OF FOOD AND AGRICULTURE*, Volume: 97, Pages: 1235-1243, 2017
20. Kossman, S; Coorevits, T; Iost, A; Chicot, D, A new approach of the Oliver and Pharr model to fit the unloading curve from instrumented indentation testing, *JOURNAL OF MATERIALS RESEARCH*, Volume: 32, Issue: 12, Pages: 2230-2240
21. Yi, H., Pandeya, A., Karamchandani, A., Puri, V.M., Critical review on engineering mechanical quality of green compacts using powder properties, *KONA Powder and Particle Journal*, Volume 2018, Issue 35, 2018, Pages 32-48

J. Gubicza, A. Juhász and J. Lendvai: A new method for hardness determination from depth sensing indentation tests, *J. Mater. Res.* **11** (1996) 2964-2967.

1. S. P. Baker: Between nanoindentation and scanning force microscopy: measuring mechanical properties in the nanometer regime, *Thin Solid Films*, **308-309** (1997) 289-296.
2. C. Carney and D. Durham: Optimization of hardness by the control of microwave-power in TiN thin film deposited by electron-cyclotron-resonance assisted sputtering in a nitrogen plasma, *Journal of Vacuum and Technology A- Vacuum, Surfaces and Films*, **17**, 5 (1999) 2535-2541.
3. C. Carney and D. Durham: Establishing the relationship between process, structure and properties of thin films deposited by electron-cyclotron-resonance assisted reactive sputtering- I- Variations in hardness and roughness as a function of process parameters, *Journal of Vacuum and Technology A- Vacuum, Surfaces and Films*, **17**, 5 (1999) 2850-2858.
4. K. Tunvisut, N. P. O'Dowd and E. P. Busso: Use of scaling functions to determine mechanical properties of thin coatings from microindentation tests, *Int. Journal of Solids and Structures*, **38** (2001) 335-351.
5. V. Bursikova, V. Navratil, L. Zajickova and J. Janca: Temperature dependence of mechanical properties of DLC/Si protective coatings prepared by PECVD, *Mater. Sci. Eng. A* **324** (2002) 251-254.
6. P. Nagy, A. Csanády, B. Verő, G. Pálinkás and E. Kálmán: The combined application of nanoindentation and scanning probe microscopy to materials sciences, *Mater. Sci. Forum*, **414-415** (2003) 297-303.
7. D. J. Ma, C. W. Ong, J. Lu and J. W. He: Methodology for the evaluation of yield strength and hardening behavior of metallic materials by indentation with spherical tip, *J. Appl. Phys.* **94** (2003) 288-294.
8. M. Verdier: AFM, TEM and nanoindentation characterizations of plastic deformation in metallic multilayers, *Revue de Metallurgie-Cahiers d'Informations Techniques* **100** (2003) 535-540.
9. B. Wolf, A. Richter, V. Weihnacht: Differential and integral hardness - new aspects of quantifying load-depth-data in depth-sensing nanoindentation experiments, *Surface and Coatings Technology* **183** (2004) 141-150.
10. Ch.-H. Kim, A. H. Heuer: A high-temperature displacement-sensitive indenter for studying mechanical properties of thermal barrier coatings, *J. Mater. Res.* **19** (2004) 351-356.
11. Y.-T. Cheng, C.-M. Cheng: Scaling, dimensional analysis, and indentation measurements, *Mater. Sci. Eng. R* **44** (2004) 91-149.
12. P.M. Nagy, P. Horvath, E. Kalman, F. Kormos: Mechanical relaxation of Sn-2 protective layers evaluated by nanoindentation and AFM, *Mater. Manufacturing Processes* **20** (2005) 115-122.
13. N. Laidani, R. Bartali, M. Anderle, P. Chiggiato, G. Chuste: Carbon film deposition on polyethylene terephthalate by pulsed-plasma technology, *Diamond and Related Materials* **14** (2005) 1023-1030.
14. P.M. Nagy, P. Horváth, D. Aranyi, E. Kálmán: Relaxation issues in nanoindentation experiments, *Current Applied Physics* **6** (2006) 154-160.
15. M. Martyniuk, J. Antoszewski, B.A. Walmsley, C.A. Musca, J.M. Dell, Y.-G. Jung, B.R. Lawn, H. Huang, L. Faraone: Determination of mechanical properties of silicon nitride thin films using nanoindentation, *Proceedings of SPIE - The International Society for Optical Engineering*, **5798** (2005) 216-225.

16. M. Martyniuk, R.H. Sewell, C.A. Musca, J.M. Dell, L. Faraone: Determination of HgCdTe elasto-plastic properties using nanoindentation, *Journal of Electronic Materials*, **35** (2006) 1197-1205.
17. R. Bartali, V. Micheli, G. Gottardi, A. Vaccari, N. Laidani: Nanoindentation: Unload-to-load work ratio analysis in amorphous carbon films for mechanical properties, *Surface and Coatings Technology*, **204** (2010) 2073-2076.
18. M. Antonov, I. Hussainova: Cermets surface transformation under erosive and abrasive wear, *Tribology International*, **43** (2010) 1566-1575.
19. J. Chen, H.N. Chen, J. Chen: Evaluation of mechanical properties of structural materials by a spherical indentation based on the representative strain-an improved algorithm at great depth ratio, *ACTA METALLURGICA SINICA (ENGLISH LETTERS)* **24** (2011) 405-414.
20. D. Kawakami, K. Ohara, T. Takubo, Y. Mae, A. Ichikawa, T. Tanikawa, T. Arai: Cell hardness measurement by using two-fingered microhand with micro force sensor, *Proc. IEEE International Conference on Intelligent Robots and Systems*, San Francisco, USA, 25-30 September 2011, ISBN: 978-161284454-1, (2011) art. no. 6048411, pp. 25-30.
21. K. Ohara, D. Kawakami, T. Takubo, Y. Mae, T. Tanikawa, A. Honda, T. Arai: Dextrous cell diagnosis using two-fingered microhand with micro force sensor, *J. Micro-Nano Mech.* **7** (2012) 13-20.
22. J. Chen, H. Chen, J. Chen: Evaluation of mechanical properties of metal materials by spherical indentation based on representative strain - Characterizing of P-h curve at great depth ratio, *Jixie Qiangdu/Journal of Mechanical Strength* **34** (2012) 818-822.
23. M. Naderi, K. Sardashti, A. Sharbatian, M. Iranmanesh: An investigation into depth sensing of hardness maps by means of image processing techniques, *Proc. of 21st Conference on Measurement of Force, Mass and Torque Together with HARDMEKO 2010 and 2nd Meeting on Vibration Measurement, IMEKO TC3, TC5 and TC22 Conferences*, 21-25 November 2010, Pattaya, Thailand, (2010) Pages 159-165.
24. Hervas, I; Montagne, A; Van Gorp, A; Bentoumi, M; Thuault, A; Iost, A: Fracture toughness of glasses and hydroxyapatite: A comparative study of 7 methods by using Vickers indenter, *CERAMICS INTERNATIONAL* **42** (2016) 12740-12750.
25. Jung, HC; Kim, SW; Lee, YH; Baek, SW; Ha, MS; Shim, HJ: Investigation of effect of post weld heat treatment conditions on residual stress for ITER blanket shield blocks, *FUSION ENGINEERING AND DESIGN*, Part: A, Volume: 109, Pages: 747-751, 2016
26. Zafar, U., Hare, C., Hassanpour, A., Ghadiri, M., Ball indentation on powder beds for assessing powder flowability: Analysis of operation window, *Powder Technology*, Volume 310, 1 April 2017, Pages 300-306
27. Wong, D., Resendiz, J., Egberts, P., Park, S.S., Electrospinning of composite microbeads for tribological improvements, 2018, *Journal of Manufacturing Processes*, **34**, pp. 264-273

J. Gubicza, A. Juhász, P. Arató, P. Szommer, P. Tasnádi and G. Vörös: Elastic modulus determination from depth sensing indentation testing, *J. Mater. Sci. Letters* **15** (1996) 2141-2144.

1. E. Rudnayová, L. Pesek: A simple method for determining the Young's modulus of ceramics by indentation technique, Proc. of the International Conference on Deformation and Fracture in Structural PM Materials, edited by L. Parilák, H. Daminger, J. Dusza, B. Weiss, IMR-SAS Kosice, Vol.2., 1996, pp. 256-261.
2. V. Bursikova, V. Navratil, L. Zajickova and J. Janca: Temperature dependence of mechanical properties of DLC/Si protective coatings prepared by PECVD, Mater. Sci. Eng. A **324** (2002) 251-254.
3. P. Nagy, A. Csanády, B. Veró, G. Pálincás and E. Kálmán: The combined application of nanoindentation and scanning probe microscopy to materials sciences, Mater. Sci. Forum, **414-415** (2003) 297-303.
4. S. Tanaka, N. Fukushima, J. Matsushita, T. Akatsu, K. Niihara, E. Yasuda: Mechanical properties of SiB<sub>6</sub> addition of carbon sintered body, in Smart Materials, (Eds.: A. R. Wilson, H. Asanuma), Proceedings of SPIE (The International Society for Optical Engineering), Vol. 4234 (2001) p. 346-354.
5. I. Ohlídal, M. Ohlídal, D. Franta, V. Cudek, V. Bursíková, M. Siler: Mechanical stresses studied by optical methods in diamond-like carbon films containing Si and O, Proceedings of SPIE - The International Society for Optical Engineering **5527** (2004) 139-147.
6. I. Ohlídal, M. Ohlídal, D. Franta, V. Cudek, V. Bursikova, P. Klapetek, M. Jakl: Optical measurement of mechanical stresses in diamond-like carbon films, Eighth International Symposium on Laser Metrology, edited by R. Rodriguez-Vera, F. Mendoza-Santoyo, Proc. of SPIE (The International Society for Optical Engineering), Vol. 5776 (SPIE, Bellingham, WA, 2005) 717-728.
7. I. Ohlídal, M. Ohlídal, D. Franta, V. Cudek, V. Bursikova, P. Klapetek, K. Palenikova: Influence of technological conditions on mechanical stresses inside diamond-like carbon films, Diamond and Related Materials **14** (2005) 1835-1838.
8. T.S. Bae, T.S. Lee, K. Choi: Orthogonal properties of human trabecular bone by spherical indentation test, Key Engineering Materials **326-328** (2006) 793-796.
9. D. Chicot, F. Roudet, A. Soom, J. Lesage: Interpretation of instrumented hardness measurements on stainless steel with different surface preparations, Surface Eng. **23** (2007) 32-39.
10. N. Ponce-Garcia, J.D.C. Figueroa, G.A. Lopez-Huape, H.E. Martinez, R. Martinez-Peniche: Study of viscoelastic properties of wheat kernels using compression load method, CEREAL CHEMISTRY **85** (2008) 667-672.
11. Nagy Péter Miklós: Nano-keményiségmérés - nanoindentáció, in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 222-228., ISBN: 9789 6328 4053 6.
12. I.N. Orbulov, Á. Németh, J. Dobránszky: Compressive strength and hardness of metal matrix syntactic foams, Journal of Physics: Conference Series **240** (2010) art. no. 012168.
13. J. Zhu, W. Xiao, L. Dong, F. Teng: Research on the influence of stiffness of copolymer(N-tert-octylacrylamide / Acrylic acid / Methyl methacrylate / Butylaminoethyl Methacrylate / Hydroxypropyl Methacrylate) by Methyl methacrylate and N-tert-octylacrylamide, Advanced Materials Research **557-559** (2012) 968-972.

J. Gubicza: Determination of Young's modulus from Depth Sensing Vickers Indentation Tests, Solid State Phenomena **56** (1997) 195-200.

1. B. Passilly, R. Mevrel: Microindentation instrumentée de 20 à 900 °C sur matériaux constitutifs de barrières thermiques, *Matériaux & Techniques*, **93** (2005) 289-300.
2. B. Passilly, P. Kanoute, F.H. Leroy, R. Mevrel: High temperature instrumented microindentation: applications to thermal barrier coating constituent materials, *Phil. Mag.* **86** (2006) 5739-5752.
3. V. Cannillo, L. Esposito, E. Rambaldi, A. Sola, A. Tucci: Effect of porosity on the elastic properties of porcelainized stoneware tiles by a multi-layered model, *Ceramics International*, **35** (2009) 205-211.
4. V. Cannillo, L. Lusvarghi, F. Pierli, A. Sola,: In vitro behaviour of titania-hydroxyapatite functionally graded coatings, *Advances in Applied Ceramics* **107** (2008) 259-267.
5. Grzelak, S., Wydźgowski, L., Czoków, J., Chaberski, D., Zieliński, M., High precision  $\Delta E$  effect measurement with the use of ultrasonic-wave-time-of-flight method, *Przeglad Elektrotechniczny*, Volume 92, Issue 11, 2016, Pages 83-86

J. Gubicza, N. Rozlosnik and A. Juhász: Comment on “Indentation size effect: reality or artefact?”, *J. Mater. Sci. Letters* **16** (1997) 1904-1905.

1. A. Iost and R. Bigot: Reply to “Comment on “Indentation size effect: reality or artefact?””, *J. Mater. Sci. Letters* **17**, 22 (1998) 1889-1891.
2. D. Chicot, F. Roudet, A. Soom, J. Lesage: Interpretation of instrumented hardness measurements on stainless steel with different surface preparations, *Surface Engineering* **23** (2007) 32-39.

J. Gubicza, A. Juhász: Mechanikai tulajdonságok meghatározása a mélységérzékeny Vickers-keménységmérés módszerével, *Kohászat, Bányászati és Kohászati Lapok*, **130** (1997) 315-318.

1. K. Májlínger, J.P. Szabó: Measuring the effects of some laser parameters on the surface and near surface region of laser treated cast iron cylinder bore, *Periodica Polytechnica, Mechanical Engineering* **52** (2008) 71-76.

J. Gubicza, P. Arató, F. Wéber and A. Juhász: Elastic modulus of oxidation-formed silicon nitride composite, *J. Mater. Sci. Letters*, **17** (1998) 615-618.

1. T. Ungár: The meaning of size obtained from broadened X-ray diffraction peaks, *Adv. Eng. Mat.* **5** (2003) 323-329.

J. Gubicza, P. Arató, F. Wéber and A. Juhász: Mechanical properties of oxidized silicon nitride ceramics, *Mater. Sci. Eng.* **A259** (1999) 65-72.

1. S. P. Dodd, M. Cankurtaran, G. A. Saunders and B. James: Ultrasonic study of the temperature and pressure dependences of the elastic properties of beta-silicon nitride ceramic, *J. Mater. Sci.*, **36** (2001) 2557-2563.
2. I. C. Dragomir and T. Ungár: Contrast factors of dislocations in the hexagonal crystal system, *J. Appl. Cryst.* **35** (2002) 556-564.
3. J. B. Kiss and M. M. Berkes: Investigation of the tribological behaviour of Si<sub>3</sub>N<sub>4</sub> based ceramics, *Materialwissenschaft und Werkstofftechnik*, **34** (2003) 343-348.
4. S. Guicciardi, C. Melandri, V. Medri, A. Bellosi: Effects of testing temperature and thermal treatments on some mechanical properties of a Si<sub>3</sub>N<sub>4</sub>-TiN composite, *Mater. Sci. Eng. A* **360** (2003) 35-45.

5. T. Ungár: Characterization of ultra-fine-grain materials by X-ray diffraction peak profile analysis, in *Ultrafine Grained Materials III*, Eds. Y. T. Zhu, T. G. Langdon, R. Z. Valiev, S. I. Semiatin, D. H. Shin, T. C. Lowe, TMS (The Minerals, Metals and Materials Society), 2004, p. 37-44.
6. T. Ungár: Microstructural parameters from X-ray diffraction peak broadening, *Scripta Mater.*, **51** (2004) 777-781.
7. T. Ungár: Microstructure parameters from X-ray line profile analysis, in: *Advanced X-ray Techniques in Research and Industry*, Editor: Ashok Kumar Singh, IOS-Press, Amsterdam, The Netherlands, ISBN 1-58603-537-1 (2005) 268-286.
8. V. Medri, S. Guicciardi, V. Dupont, C. Melandri, A. Bellosi: Effects of testing temperatures and thermal treatments on flexural strength of Si<sub>3</sub>N<sub>4</sub>-MoSi<sub>2</sub>-BN composites, *Adv. Eng. Mater.* **8** (2006) 1001-1007.
9. Tu, G., Wu, S., Liu, J., Long, Y., Wang, B.: Cutting performance and wear mechanisms of Sialon ceramic cutting tools at high speed dry turning of gray cast iron, *International Journal of Refractory Metals and Hard Materials* 54 (2016) 330-334.
10. Qadir, A; Fogarassy, Z; Horvath, ZE; Balazsi, K; Balazsi, C, Effect of the oxidization of Si<sub>3</sub>N<sub>4</sub> powder on the microstructural and mechanical properties of hot isostatic pressed silicon nitride, *CERAMICS INTERNATIONAL*, Volume: 44, Issue: 12, Pages: 14601-14609, 2018

J. Gubicza and F. Wéber: Comparison of oxidation behaviour of sintered ceramics produced from various silicon nitride powders, *Mater. Sci. Eng. A* **263** (1999) 101-104.

1. M. I. L. L. Oliviera, K. Chen and J. M. F. Ferreira: Influence of powder pre-treatments on dispersion ability of aqueous silicon nitride-based suspensions, *J. Eur. Cer. Soc.* **21** (2001) 2413-2421.
2. T. Ungár: The meaning of size obtained from broadened X-ray diffraction peaks, *Adv. Eng. Mater.* **5** (2003) 323-329.
3. T. Ungár: Characterization of ultra-fine-grain materials by X-ray diffraction peak profile analysis, in *Ultrafine Grained Materials III*, Eds. Y. T. Zhu, T. G. Langdon, R. Z. Valiev, S. I. Semiatin, D. H. Shin, T. C. Lowe, TMS (The Minerals, Metals and Materials Society), 2004, p. 37-44.
4. K. Máthis, K. Nyilas, A. Axt, I. Dragomir-Cernatescu, T. Ungár and P. Lukác: The evolution of non-basal dislocations as a function of deformation temperature in pure magnesium determined by X-ray diffraction, *Acta Mater.* **52** (2004) 2889-2894.
5. T. Ungár: Microstructural parameters from X-ray diffraction peak broadening, *Scripta Mater.* **51** (2004) 777-781.
6. N. Q. Chinh, Gy. Horváth, Zs. Kovács, A. Juhász, Gy. Bérces and J. Lendvai: Kinematic and dynamic characterization of plastic instabilities occurring in nano- and microindentation tests, *Mater. Sci. Eng. A* **409** (2005) 100-107.
7. T. Ungár: Microstructure parameters from X-ray line profile analysis, in: *Advanced X-ray Techniques in Research and Industry*, Editor: Ashok Kumar Singh, IOS-Press, Amsterdam, The Netherlands, ISBN 1-58603-537-1 (2005) 268-286.
8. F. Kang, Z. Li, J.T. Wang, P. Cheng, H.Y. Wu: The activation of c+a non-basal slip in Magnesium alloys, *J. Mater. Sci.* **47** (2012) 7854-7859.
9. Ceja-Cárdenas, L., Lemus-Ruiz, J., Díaz-de La Torre, S., Bedolla-Becerril, E.: Influence of the additives amount upon SPS-sintering, metal joining, and high temperature oxidation of Si<sub>3</sub>N<sub>4</sub>-ceramics (book chapter), in: *Silicon Nitride:*

Synthesis, Properties and Applications, Nova Science Publishers, ISBN: 978-161942865-2 (2012) pp. 101-123.

J. Gubicza, J. Szépvölgyi, I. Mohai, L. Zsoldos and T. Ungár: Particle size distribution and the dislocation density determined by high resolution X-ray diffraction in nanocrystalline silicon nitride powders, *Mater. Sci. Eng. A* **280** (2000) 263-269.

1. J. I. Langford, D. Louer and P. Scardi: Effect of crystallite size distribution on X-ray diffraction line profiles and whole-powder-pattern fitting, *J. Appl. Cryst.* **33** (2000) 964-974.
2. J. I. Langford: Crystallite size from diffraction data, *IUCr Newsletter*, No24. (2000) 11-14.
3. R. Kho, C.L. Torres-Martinez, R.K. Mehra: Nanocrystal powders, in *Encyclopedia of Surface and Colloid Science* (edited by Ponisseril Somasundaran), Marcel Dekker, New York, 2004, pp. 3629-3642.
4. N. Mebarki, D. Delagnes, P. Lamesle, F. Delmas, C. Levaillant: Relationship between microstructure and mechanical properties of a 5% Cr tempered martensitic tool steel, *Mater. Sci. Eng. A* **387-389** (2004) 171-175.
5. F. Wang, G.-Q. Jin, X.-Y. Guo: Sol-gel synthesis of Si<sub>3</sub>N<sub>4</sub> nanowires and nanotubes, *Materials Letters* **60** (2006) 330-333.
6. A.K. Roy, S. Bandyopadhyay, S.B. Suresh, D. Maitra, P. Kumar, D. Wells and L. Ma: Relationship of residual stress to dislocation density in cold-worked martensitic alloy, *Mater. Sci. Eng. A* **416** (2006) 134-138.
7. H. Kumar, Siddaramaiah, R. Somashekar, S.S. Mahesh, S. Abhishek, T.N.G. Row, G.S. Kirti: Structure-property relationship of polyethylene glycol-based PU/PAN semi-interpenetrating polymer networks, *J. Appl. Polymer Sci.* **99** (2006) 177-187.
8. P.A. Rojas, A. Peñaloza, C.H. Wörner, R. Fernández, A. Zúñiga: Supersaturated Cu-Li solid solutions produced by mechanical alloying, *Journal of Alloys and Compounds* **425** (2006) 334-338.
9. G.V. Duong, N. Hanh, D.V. Linh, R. Groessinger, P. Weinberger, E. Schafner and M. Zehetbauer: Monodispersed nanocrystalline Co<sub>1-x</sub>Zn<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> particles by forced hydrolysis: Synthesis and characterization, *J. Magnetism and Magnetic Materials* **311** (2007) 46-50.
10. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, *Zeitschrift für Kristallographie* **222** (2007) 136-149.
11. M.H. Bocanegra-Bernal, B. Matovic: Dense and near-net-shape fabrication of Si<sub>3</sub>N<sub>4</sub> ceramics, *Materials Science and Engineering A* **500** (2009) 130-149.
12. D. Delagnes, F. Rézai-Aria, C. Levaillant: Influence of testing and tempering temperatures on fatigue behaviour, life and crack initiation mechanisms in a 5%Cr martensitic steel, *Procedia Engineering* **2** (2010) 427-439.
13. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009*, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
14. L. Fan, H. Wang, J. Yue: Effect of atmosphere on the crystallization of amorphous silicon nitride, *Materials Science Forum* **658** (2010) 344-347.
15. B. Ariwahjoedi, Kh. Fuad, M. Ariefin: Direct solid-state electrochemical synthesis of silicon tetrachloride from silica at ambient temperatures and pressures, *ECS Transactions* **28** (2010) 45-56.

16. B. Yahmadi, N. Kamoun, C. Guasch, R. Bennaceur: Synthesis and characterization of nanocrystallized In<sub>2</sub>S<sub>3</sub> thin films via CBD technique, *Materials Chemistry and Physics* **127** (2011) 239-247.
17. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
18. Z.Y. Lu, C. Huang, L. Pan, S. Fu: Grain-size distributions and their conversion formula under different processing methods, *Journal of Nanoelectronics and Optoelectronics* **7** (2012) 138-143.
19. T. Reier, M. Oezaslan, P. Strasser: Electrocatalytic oxygen evolution reaction (OER) on Ru, Ir, and Pt catalysts: A comparative study of nanoparticles and bulk materials, *ACS Catalysis* **2** (2012) 1765-1772.
20. N. Mujica, M.T. Cerda, R. Espinoza, J. Lisoni, F. Lund: Ultrasound as a probe of dislocation density in aluminum, *Acta Materialia* **60** (2012) 5828-5837.
21. M. Khajepour, S. Sharafi: Characterization of nanostructured Fe–Co–Si powder alloy, *Powder Technology* **232** (2012) 124-133.
22. M. Conte, C.J. Davies, D.J. Morgan, T.E. Davies, D.J. Elias, A.F. Carley, P. Johnston, G.J. Hutchings: Aqua regia activated Au/C catalysts for the hydrochlorination of acetylene, *Journal of Catalysis* **297** (2013) 128-136.
23. I.H. Tseng, C.J. Chang, C.W. Chang, H.H. Lu, M.H. Tsai: Effect of Magnetron Sputtered Silicon Nitride on the Water-Vapor-Permeation-Rate of Polyimide Thin Film, *Surface and Coatings Technology* **231** (2013) 496-500.
24. Yu, S.-H., Conte, D.E., Baek, S., Lee, D.-C., Park, S.-K., Lee, K.J., Piao, Y., Sung, Y.-E., Pinna, N.: Structure-properties relationship in iron oxide-reduced graphene oxide nanostructures for Li-ion batteries, *Advanced Functional Materials* **23** (2013) 4293-4305.
25. S. Khorasani, H. Abdizadeh, S. Heshmati-Manesh: Evaluation of structure and morphology of aluminum powder particles milled at different conditions, *Advanced Powder Technology*, **25** (2014) 599-603.
26. D. Escobar, R. Ospina, A.G. Gómez, E. Restrepo-Parra, P.J. Arango: X-ray microstructural analysis of nanocrystalline TiZrN thin films by diffraction pattern modeling, *Materials Characterization* **88** (2014) 119-126.
27. Rajat Kishor, Lopamudra Sahu, Krishna Dutta, A.K. Mondal: Assessment of dislocation density in asymmetrically cyclic loaded non-conventional stainless steel using X-ray diffraction profile analysis, *Materials Science and Engineering A*, **598** (2014) 299-303.
28. Kandemir, T; Kasatkin, I; Girgsdies, F; Zander, S; Kuhl, S; Tovar, M; Schlogl, R; Behrens, M: Microstructural and Defect Analysis of Metal Nanoparticles in Functional Catalysts by Diffraction and Electron Microscopy: The Cu/ZnO Catalyst for Methanol Synthesis, *TOPICS IN CATALYSIS*, **57** (2014) 188-206.
29. Yager, K.G., Majewski, P.W.: Metrics of graininess: Robust quantification of grain count from the non-uniformity of scattering rings, *Journal of Applied Crystallography* **47** (2014) 1855-1865.
30. Gauss, C., Souza Filho, I.R., Sandim, M.J.R., Suzuki, P.A., Ramirez, A.J., Sandim, H.R.Z.: In situ synchrotron X-ray evaluation of strain-induced martensite in AISI 201 austenitic stainless steel during tensile testing, *Materials Science and Engineering A* **651** (2016) 507-516.
31. Fattah, Z., Rezaei, M., Biabani-Ravandi, A., Irankhah, A., Arandiyani, H.R.: Synthesis, characterization and application of Co–MgO mixed oxides in oxidation of carbon monoxide, *Chemical Engineering Communications* **203** (2016) 200-209.

32. Li, O.A., Lin, C.-R., Chen, H.-Y., Hsu, H.-S., Wu, K.-W., Tseng, Y.-T., Bayukov, O.A., Edelman, I.S., Ovchinnikov, S.G., Shih, K.-Y.: Structural and magnetic properties of Fe<sub>1-x</sub>Co<sub>x</sub>Se<sub>1.09</sub> nanoparticles obtained by thermal decomposition, *Materials Research Express* 2 (2015) Article number 126501.
33. Chenari, H.M., Sánchez-Bajo, F.: Microstructural study of SnO<sub>2</sub>-based nanoparticles by X-ray diffractometry, *Materials Science in Semiconductor Processing* 49 (2016) 15-19.
34. Nabihah, M.F., Shanmugan, S.: Structural parameter and TEM analysis of beryllium oxide nanoparticles synthesized by polyacrylamide gel route, *Digest Journal of Nanomaterials and Biostructures* 11 (2016) 349-356.
35. Singh, A.K.: *Engineered Nanoparticles: Structure, Properties and Mechanisms of Toxicity*, ISBN: 978-012801406-6, Elsevier, (2015).
36. Hu, Q., Zhao, F., Fu, H., Li, K., Liu, F., Dislocation density and mechanical threshold stress in OFHC copper subjected to SHPB loading and plate impact, *Materials Science and Engineering A*, Volume 695, 17 May 2017, Pages 230-238
37. Yadav, S.D., El-Tahawy, M., Kalácska, S., Dománková, M., Yubero, D.C., Poletti, C., Characterizing dislocation configurations and their evolution during creep of a new 12% Cr steel, *Materials Characterization*, Volume 134, December 2017, Pages 387-397

T. Kemény, D. Kaptás, L. F. Kiss, J. Balogh, L. Bujdosó, J. Gubicza, T. Ungár and I. Vincze: Structure and magnetic properties of nanocrystalline (Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>90</sub>Zr<sub>7</sub>B<sub>2</sub>Cu<sub>1</sub> (0 ≤ x ≤ 0.6), *Appl. Phys. Letters*, **76** (2000) 2110-2112.

1. C. Gomez-Polo, P. Marin, L. Pascual, A. Hernando and M. Vazquez: Structural and magnetic properties of nanocrystalline Fe<sub>73.5-x</sub>Co<sub>x</sub>Si<sub>13.5</sub>B<sub>9</sub>CuNb<sub>3</sub> alloys, *Phys. Rev. B* **65**(2): 4433-+ (2002).
2. A. Amulevicius, D. Baltrunas, V. Bendikiene, A. Daugvila, R. Davidonis and K. Mazeika: Investigation of the magnetic properties of nanocrystalline Fe<sub>3</sub>O<sub>4</sub> precipitated on the surface of chitin, *Phys. Stat. Sol. A* **189** (2002) 243-252.
3. C. Gomez-Polo, J. I. Perez-Landazabal, V. Recarte, J. Campo, P. Martin, M. Lopez, A. Hernando and M. Vazquez: High-temperature magnetic behavior of FeCo-based nanocrystalline alloys, *Phys. Rev. B* **66** (1): art. no. 012401 (2002).
4. J. S. Blazquez, A. Conde and J. M. Greneche: Mossbauer study of FeCoNbBCu hitperm-type alloys, *Appl. Phys. Lett.* **81** (2002) 1612-1614.
5. J.M. Greneche: Magnetic phases in alloys and nanostructured systems, *Hyperfine Interact.* **144** (2002) 151-160.
6. M. Miglierini, M. Seberini, I. Toth, K. Vitazek: Magnetic microstructure on surface and in bulk of Nanoperm-type nanocrystalline alloys: Mossbauer effect studies, *J. Magn. Magn. Mater.* **265** (2003) 243-247.
7. J.S. Blazquez, C.-F. Conde, A. Conde, J.M. Greneche: Influence of Mn and Cu addition on the hyperfine parameters of amorphous and nanocrystalline FeCoNbB alloys, *J. Alloys and Compounds* **370** (2004) 36-42.
8. Z. Gercsi, S.N. Kane, J.M. Greneche, L.K. Varga, F. Mazaleyrat: Study of structural and magnetic properties of (Fe<sub>100-x</sub>Co<sub>x</sub>)<sub>(73.5)</sub>S<sub>-13.5</sub>B<sub>9</sub>Nb<sub>3</sub>Cu<sub>1</sub> alloys, *Proc. 2nd Seeheim Conference on Magnetism (SCM2004)*, JUN 27-JUL 01, 2004 Seeheim, GERMANY, pp. 3603-3607 (2004).
9. E. Jeadryka, M. Wojcik, P. Svec, I. Skorvanek: Nanocrystallization of FeCoZrB alloys studied by Co-59 nuclear magnetic resonance, *Appl. Phys. Lett.* **85** (2004) 2884-2886.

10. M. Miglierini: Characterization of nanocrystalline alloys by Mossbauer effect techniques, in: Functional Properties and Applications of Nanostructures; NATO Science Series, Series II: Mathematics, Physics and Chemistry (Eds.: Tsakalacos, T ; Ovidko, IA ; Vasudevan, AK); Vol.128 (2003) p.449-462.
11. R.S. Sundar, S.C. Deevi: Soft magnetic FeCo alloys: alloy development, processing, and properties, *Int. Mater. Rev.* **50** (2005) 157-192.
12. K-Q. Zhang, Q-Z. Lu: Deformation of  $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$  bulk amorphous alloy under isobaric pressure in super-cooled liquid region, *Transactions of Nonferrous Metals Society of China* **15** (2005) 612-614.
13. M. Wojcik, E. Jedryka, I. Skorvanek, P. Svec: Partitioning of Co upon the nanocrystallisation of soft magnetic FeCo(Zr, Nb)B alloys - a Co-59 NMR study, *Mater. Sci.-Poland* **24** (2006) 707-711.
14. X.B. Liang, T. Kulik, J. Ferenc, T. Erenc-Sedziak, B.S. Xu, A. Grabias and M. Kopcewicz: Mössbauer study on amorphous and nanocrystalline  $(Fe_{1-x}Co_x)_{86}Hf_7B_6Cu_1$  alloys, *Materials Characterization* **58** (2007) 143-147.
15. M. Daniil, M.A. Willard: Structure and magnetic properties of CoFeZrMBCu soft nanocrystalline alloys, *Journal of Applied Physics* **103** (2008) art. no. 07E727.
16. S.N. Kane, S.S. Khinchi, F. Mazaleyrat, Z. Gercsi, A. Gupta, L.K. Varga: Study of structural and magnetic properties of Co-substituted  $(Fe(100-x)Co(x))(78)Si(9)Nb(3)B(9)Cu(1)$  alloys, *Journal of Physics: Conference Series* **144** (2009) art. no. 12078.
17. M. Miglierini: Hyperfine interactions and crystallization kinetics of Co-substituted NANOPERM-Type alloys, *Journal of Physics: Conference Series* **217** (2010) art. no. 012092.
18. Y.Y. Jia, Z. Wang, R.M. Shi, J. Yang, H.J. Kang, T. Lin: Influence of Ni addition on structure and magnetic properties of FeCo-based Finemet-type alloys, *JOURNAL OF APPLIED PHYSICS* **109** (2011) Article Number: 073917.
19. Y.Y. Jia, Z. Wang, J. Wang, R.-m. Shi: Structure and magnetic properties of  $Ni_5(Fe_{0.5}Co_{0.5})_{68.5}Si_{13.5}Nb_3B_9Cu$  alloy, *Journal of Magnetism and Magnetic Materials* **324** (2012) 3981-3985.

J. Gubicza, J. Szépvölgyi, I. Mohai, G. Ribárik and T. Ungár: The effect of heat-treatment on the grain-size of nanodisperse plasmathermal silicon nitride powder, *J. Mater. Sci.*, **35** (2000) 3711-3717.

1. A. Borbély and I. Groma: Variance method for the evaluation of particle size and dislocation density from x-ray Bragg peaks, *Appl. Phys. Lett.* **79** (2001) 1772-1774.
2. N. Mebarki, P. Lamesle, D. Delagnes, C. Levailant, F. Delmas: RELATIONSHIP BETWEEN MICROSTRUCTURE AND MECHANICAL PROPERTIES OF A 5%CR HOTWORK TOOL STEEL, 6th International tooling conference 10th -13th September 2002, Karlstad, Sweden, pp. 737-754.
3. E. Schafler, L. Zeipper, M. J. Zehetbauer: Evolution of microstructure during thermal treatment in SPD titanium, in *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 426-432.
4. G. Vissokov, I. Grancharov, T. Tsvetanov: On the plasma-chemical synthesis of nanopowders, *Plasma Science and Technology* **5** (2003) 2039-2050.

5. I. Kurzina, F.J. Cadete Santos Aires, G. Bergeret, J.C. Bertolini: Total oxidation of methane over Pd catalysts supported on silicon nitride: Influence of support nature, *Chemical Engineering Journal* **107** (2005) 45-53.
6. Y. S. Cho, H. D. Glicksman, V. R. W. Amarakoon: "Ceramic Nanopowders" in *Encyclopedia of Nanoscience and Nanotechnology* (American Scientific Publishers), Volume 1, (2004) pp. 727-743.
7. M. B. Kerber, E. Schafler, M.J. Zehetbauer: Processing and evaluation of x-ray line profiles measured from nanostructured materials produced by severe plastic deformation, *Rev. Adv. Mater. Sci.* **10** (2005) 427-433.
8. R.A. Andrievski: Nanomaterials based on refractory carbides, nitrides and borides, *Uspekhi Khimii* **74** (2005) 1163-1175.
9. G.V. Duong, N. Hanh, D.V. Linh, R. Groessinger, P. Weinberger, E. Schafler and M. Zehetbauer: Monodispersed nanocrystalline  $\text{Co}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$  particles by forced hydrolysis: Synthesis and characterization, *J. Magnetism and Magnetic Materials* **311** (2007) 46-50.
10. Mario Birkholz: „Thin Film Analysis by X-Ray Scattering”, Wiley-VCH, (2006) ISBN 978-3-527-60759-4.
11. H. Jensen, J.H. Pedersen, J.E. Jorgensen, J.S. Pedersen, K.D. Joensen, S.B. Iversen, E.G. Sogaard: Determination of size distributions in nanosized powders by TEM, XRD, and SAXS, *J. Exp. Nanosci.* **1** (2006) 355-373.
12. R.A. Andrievski: Nanomaterials based on high-melting carbides, nitrides and borides, *Russian Chemical Reviews* **74** (2005) 1061-1072.
13. R.A. Andrievski: Nanocrystalline high-melting point carbides, borides and nitrides, in: *Nanomaterials Handbook*, ed.: Yury Gogotsi, CRC Press, Taylor and Francis Group, Boca Raton, USA, ISBN 978-0-8493-2308-9 (2006) 405-454.
14. F. Prete, L. Esposito, A. Tucci, A. Motori: Materiali ceramici nanostrutturati: Stato dell'arte, *C e Ca* **38** (2008) 33-42.
15. T. Mayer, L. Balogh, C. Solenthaler, E. Müller Gubler, S.R. Holdsworth: Dislocation density and sub-grain size evolution of 2CrMoNiWV during low cycle fatigue at elevated temperatures, *Acta Materialia* **60** (2012) 2485-2496.
16. Deka, K., Kalita, M.P.C.: Microstructural Properties of Chemically Synthesized Cubic ZnS Nanocrystals, *Brazilian Journal of Physics* **45** (2014) 36-40.
17. Rajbongshi, A; Kalita, MPC; Singh, F; Sarma, KC; Sarma, BK: Swift heavy ion-irradiation effects on microstructure, surface morphology and optical properties of PbS thin films, *APPLIED PHYSICS A-MATERIALS SCIENCE & PROCESSING* **122** (2016) Article Number: 555
18. Deka, Kuldeep; Kalita, Manos P. C., Structural, optical and ion sensing properties of 2-mercaptoethanol capped Mn-doped ZnS nanocrystals, *SUPERLATTICES AND MICROSTRUCTURES* Volume: 111 Pages: 373-384 Published: NOV 2017
19. Yu, C; Ding, J; Deng, CJ; Zhu, HX; Peng, N, The effects of sintering temperature on the morphology and physical properties of in situ Si3N4 bonded MgO-C refractory, *CERAMICS INTERNATIONAL*, Volume: 44, 2018, 1104-1109

T. Ungár, J. Gubicza, P. Hanák and I. Alexandrov: Densities and character of dislocations and size-distribution of subgrains in deformed metals by X-rays diffraction profile analysis, *Mater. Sci. Eng.* **A319-321** (2001) 274-278.

1. I. Groma and A. Borbély: X-ray peak broadening due to inhomogeneous dislocation distributions, in *Diffraction analysis of the microstructure of materials*, E. J.

- Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 287-307.
2. I. Hemmati, H.R. Madaah Hosseini and A. Kianvash: The correlations between processing parameters and magnetic properties of an iron–resin soft magnetic composite, *J. Magnetism Magnetic Mater.* **305** (2006) 147-151.
  3. P. Kameli, H. Salamati, A. Aezami: Effect of particle size on the structural and magnetic properties of  $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ , *J. Appl. Phys.* **100** (2006) Art. No. 053914.
  4. L. W. Meyer, C. Kuprin, G. Fritsche, F. Hahn: Evolution of microstrains at cyclic incremental deformation of steel 42CrMo4, *Mater. Sci. Forum* **524-525** (2006) 925-930.
  5. M.G. Glavicic and S.L. Semiatin: X-ray line-broadening investigation of deformation during hot rolling of Ti–6Al–4V with a colony-alpha microstructure, *Acta Materialia* **54** (2006) 5337-5347.
  6. C. Aguilar, V.de P. Martinez, J.M. Palacios, S. Ordonez and O. Pavez: A thermodynamic approach to energy storage on mechanical alloying of the Cu–Cr system, *Scripta Mater.* **57** (2007) 213-216.
  7. K.J. Stevens, B. Ingham, M.F. Toney, S.A. Brown, J. Partridge, A. Ayesh, F. Natali: Structure of oxidized bismuth nanoclusters, *Acta Crystallographica Section B: Structural Science* **63** (2007) 569-576.
  8. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
  9. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.
  10. C. Aguilar, P.A. Rojas, S. Ordonez, D. Guzman: X-Ray profile analysis of Cu-8wt.%Cr processed by mechanical alloying, *MATERIA-RIO DE JANEIRO* **14** (2009) 777-786.
  11. P. Mukherjee, A. Sarkar, M. Bhattacharya, N. Gayathri, P. Barat: Post-irradiated microstructural characterisation of cold-worked SS316L by X-ray diffraction technique, *Journal of Nuclear Materials* **395** (2009) 37-44.
  12. M. Hosseini, H. Danesh Manesh: Immersed friction stir welding of ultrafine grained accumulative roll-bonded Al alloy, *Materials & Design* **31** (2010) 4786-4791.
  13. R. Rahmanifard, H. Farhangi, A.J. Novinrooz, N. Afshari: Investigation of microstructural characteristics of nanocrystalline 12YWT steel during milling and subsequent annealing by X-ray diffraction line profile analysis, *JOURNAL OF MATERIALS SCIENCE* **45** (2010) 6498-6504.
  14. E.-R. Fábíán: Cold deformation effect on microstructure and on the hydrogen permeability of low carbon Al-killed steels, *Materials Science Forum* **659** (2010) 7-12.
  15. E.-R. Fábíán, P.J. Szabó: Effect of texture on hydrogen permeability in low carbon Al-killed steels, *Materials Science Forum* **659** (2010) 301-306.
  16. C. Aguilar, D. Guzman, P.A. Rojas, S. Ordonez, R. Rios: Simple thermodynamic model of the extension of solid solution of Cu–Mo alloys processed by mechanical alloying, *Materials Chemistry and Physics* **128** (2011) 539-542.
  17. S.H. Nedjad, F.H. Nasab, M.R.M. Garabagh, S.R. Damadi, M.N. Ahmadabadi: X-Ray Diffraction Study on the Strain Anisotropy and Dislocation Structure of Deformed Lath Martensite, *METALLURGICAL AND MATERIALS*

- TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE **42A** (2011) 2493-2497.
18. Z.J. Fan, Z.F. Song, D.W. Xiao, B. Chen: XRD LINE PROFILE ANALYSIS OF LY12 ALUMINUM ALLOY UNDER DYNAMIC COMPRESSIVE EXPERIMENT, *ACTA METALLURGICA SINICA* **47** (2011) 559-565.
  19. S. Morattab, K. Ranjbar, M. Reihanian: On the mechanical properties and microstructure of commercially pure Al fabricated by semi-constrained groove pressing, *Materials Science and Engineering A* **528** (2011) 6912-6918.
  20. R.A. Renzetti, H.R.Z. Sandim, R.E. Bolmaro, P.A. Suzuki, A. Möslang: X-ray evaluation of dislocation density in ODS-Eurofer steel, *Materials Science and Engineering A* **534** (2012) 142-146.
  21. V. Vlcek, R. Skála, V. Goliás, J. Drahokoupil, J. Cízek, L. Strnad, J. Ederová: Effect of natural irradiation in fluorites: Possible implications for nuclear waste management?, *Journal of Geosciences* **57** (2012) 45-52.
  22. C. Aguilar, D. Guzman, C. Iglesias: ANALISIS DE PERFILES DE DIFRACCIÓN DE RAYOS X DE DOS MATERIALES METALICOS, *Rev. LatinAm. Metal. Mat.* **33** (2013) 15-32.
  23. N. Mujica, M.T. Cerda, R. Espinoza, J. Lisoni, F. Lund: Ultrasound as a probe of dislocation density in aluminum, *Acta Materialia* **60** (2012) 5828-5837.
  24. M.R. Roshan, M. Mirzaei, S.A. Jenabali Jahromi: Microstructural characteristics and tensile properties of nano-composite Al 2014/4 wt.% Al<sub>2</sub>O<sub>3</sub> produced from machining chips, *Journal of Alloys and Compounds* **569** (2013) 111-117.
  25. M.R. Roshan, M. Soltanpour, S.A.J. Jahromi: Microstructural evolution of nanocrystalline chips particles produced via large strain machining during ball milling, *Powder Technology* **249** (2013) 134-139.
  26. Nasab, F. Hosseini; Nedjad, S. Hossein; Karimi, S.: A comparison between the dislocation structure of ball-milled iron and copper as derived from the X-ray diffraction peak profile analyses, *PHYSICS OF METALS AND METALLOGRAPHY* **114** (2013) 1069-1073.
  27. Goodarzy, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 al alloy deformed by one pass of ecap at room temperature, *Iranian Journal of Materials Science and Engineering* **11** (2014) 27-38.
  28. Brokmeier, H.-G., Avalos, M.C., Bolmaro, R.E., Maawad, E.: Surface microstructure modification in square extruded Al-Nb powder composites by shot peening, *IOP Conference Series: Materials Science and Engineering* **63** (2014) 012015
  29. De Vincentis, N.S., Avalos, M.C., Kliauga, A.M., Sordi, V.L., Schell, N., Brokmeier, H.-G., Bolmaro, R.E.: Deformation analysis on F138 austenitic stainless steel: ECAE and rolling, *IOP Conference Series: Materials Science and Engineering* **63** (2014) 012057
  30. Sánchez-Guzmán, V., Castruita-Ávila, L.G., García-Pastor, F.A.: Cellular automata model of low carbon steel recrystallization using a refined dislocation density calculation, *Thermal Process Modeling - Proceedings from the 5th International Conference on Thermal Process Modeling and Computer Simulation, ICTPMCS 2014*, (2014) pp. 172-179.
  31. Barrios, CE; Baltanas, MA; Bolmaro, R; Bonivardi, AL: Preparation and structural characterization of ZnO and CeO<sub>2</sub> nanocomposite powders as 'active catalytic supports, *POWDER TECHNOLOGY* **267** (2014) 180-192.

32. Sallel, N., Boulnat, X., Borbély, A., Béchade, J.L., Fabrègue, D., Perez, M., De Carlan, Y., Hennes, L., Mocuta, C., Thiaudière, D., Bréchet, Y.: In situ characterization of microstructural instabilities: Recovery, recrystallization and abnormal growth in nanoreinforced steel powder, *Acta Materialia* 87 (2015) 377-389.
33. Voronin, V.I., Valiev, E.Z., Berger, I.F., Goschitskii, B.N., Proskurnina, N.V., Sagaradze, V.V., Kataeva, N.F.: Neutron diffraction analysis of Cr-Ni-Mo-Ti austenitic steel after cold plastic deformation and fast neutrons irradiation, *Journal of Nuclear Materials* 459 (2015) 97-102.
34. Yoozbashi, M.N., Yazdani, S.: XRD and TEM study of bainitic ferrite plate thickness in nanostructured, carbide free bainitic steels, *Materials Chemistry and Physics* 160 (2015) 148-154.
35. Seth, P.P., Das, A., Bar, H.N., Sivaprasad, S., Basu, A., Dutta, K.: Evolution of Dislocation Density During Tensile Deformation of BH220 Steel at Different Pre-strain Conditions, *Journal of Materials Engineering and Performance* 24 (2015) 2779-2783.
36. De Vincentis, N.S., Kliauga, A., Ferrante, M., Avalos, M., Brokmeier, H.-G., Bolmaro, R.E: Evaluation of microstructure anisotropy on room and medium temperature ECAP deformed F138 steel, *Materials Characterization* 107 (2015) 98-111.
37. Zhong, Z.Y., Brokmeier, H.-G., Gan, W.M., Maawad, E., Schwebke, B., Schell, N.: Dislocation density evolution of AA 7020-T6 investigated by in-situ synchrotron diffraction under tensile load, *Materials Characterization* 108 (2015) 124-131.
38. Aydogan, E., Anderoglu, O., Maloy, S.A., Livescu, V., Gray, G.T., Perez-Bergquist, S., Williams, D.J.: Effect of shock loading on the microstructure, mechanical properties and grain boundary characteristics of HT-9 ferritic/martensitic steels, *Materials Science and Engineering A* 651 (2016) 75-82.
39. Bargujer, S.S., Suri, N.M., Belokar, R.M.: X-ray diffraction analysis of severely cold deformed hypereutectoid steel wire, *Defence Science Journal* 65 (2015) 500-507.
40. Gatina, S; Semenova, I; Leuthold, J; Valiev, R: Nanostructuring and Phase Transformations in the beta-Alloy Ti-15Mo during High-Pressure Torsion, *ADVANCED ENGINEERING MATERIALS* 17 (2015) 1742-1747.
41. Yang, H., Zhang, Y., Zhou, J., Wang, Z., Liu, J., Cen, K.: Study on CuO-CeO<sub>2</sub>/SiC catalysts in the sulfur-iodine cycle for hydrogen production, *International Journal of Energy Research* 40 (2016) 1062-1072.
42. Arechabaleta, Z., Van Liempt, P., Sietsma, J., Quantification of dislocation structures from anelastic deformation behaviour, *Acta Materialia* 115 (2016) 314-323.
43. Simm, T.H., Withers, P.J., Quinta da Fonseca, J.: An evaluation of diffraction peak profile analysis (DPPA) methods to study plastically deformed metals, *Materials and Design*, Volume 111, 5 December 2016, Pages 331-343
44. De Vincentis, N.S., Avalos, M.C., Benatti, E.A., Kliauga, A., Brokmeier, H.-G., Bolmaro, R.E., XRD and EBSD analysis of anisotropic microstructure development in cold rolled F138 stainless steel, *Materials Characterization*, Volume 123, 1 January 2017, Pages 137-152
45. Tomota, Y., Sato, S., Harjo, S., Recent progress of line-profile analyses for neutron or X-ray diffraction, *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan*, Volume 103, Issue 2, 2017, Pages 73-85

46. De Vincentis, NS; Avalos, MC; Kliauga, A; Brokmeier, HG; Bolmaro, RE, Strain path dependence of anisotropic microstructure evolution on low Stacking Fault Energy F138 steel, MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, Volume: 698, Pages: 1-11, 2017
47. Arechabaleta, Z., van Liempt, P., Sietsma, J., Unravelling dislocation networks in metals, 2018, Materials Science and Engineering A, 710, pp. 329-333
48. Shi, R., Nie, Z., Fan, Q., Wang, F., Zhou, Y., Liu, X., Correlation between dislocation-density-based strain hardening and microstructural evolution in dual phase TC6 titanium alloy, Materials Science and Engineering A, 715, 2018, Pages 101-107
49. Ha, C., Yi, S., Bohlen, J., Zhou, X., Brokmeier, H.-G., Schell, N., Letzig, D., Kainer, K.U., Deformation and recrystallization mechanisms and their influence on the microstructure development of rare earth containing magnesium sheets, Minerals, Metals and Materials Series, Volume Part F7, 2018, Pages 209-216.
50. Gatina, S.A., Semenova, I.P., Ubyyvovk, E.V., Valiev, R.Z., Phase Transformations, Strength, and Modulus of Elasticity of Ti-15Mo Alloy Obtained by High-Pressure Torsion, 2018, Inorganic Materials: Applied Research, 9(1), pp. 14-20
51. Kral, P., Dvorak, J., Sklenicka, V., Masuda, T., Horita, Z., Kucharova, K., Kvapilova, M., Svobodova, M., Microstructure and creep behaviour of P92 steel after HPT, Materials Science and Engineering A Volume 723, 18 April 2018, Pages 287-295
52. Silva, R.A., Pinto, A.L., Kuznetsov, A., Bott, I.S., Precipitation and grain size effects on the tensile strain-hardening exponents of an api x80 steel pipe after high-frequency hot-induction bending, 2018, Metals, 8(3),168
53. An, Z., Li, S., Fu, X., Study on Crystal Characteristics of Aluminum Alloy Cutting Surface by X-ray Diffraction Profile Analysis, 2017, Zhongguo Jixie Gongcheng/China Mechanical Engineering, 28(21), pp. 2632-2638
54. Sato, S., Kuroda, A., Satoh, K., Kumagai, M., Harjo, S., Tomota, Y., Saito, Y., Todoroki, H., Onuki, Y., Suzuki, S., In-situ observation of dislocation evolution in ferritic and austenitic stainless steels under tensile deformation by using neutron diffraction, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan Volume 104, Issue 4, April 2018, Pages 201-207
55. Sousa, Talita Gama de; Sordi, Vitor Luiz; Brandão, Luiz Paulo, Dislocation Density and Texture in Copper Deformed by Cold Rolling and Ecap, Materials Research Volume: 21 Issue: 1 Pages: e20170515 Published: 2017-10
56. Li, H., Cai, W., Understanding the deformation mechanism of individual phases of a dual-phase beta type titanium alloy using in situ diffraction method, 2018, Materials Science and Engineering A, 728, pp. 151-156
57. Chatterjee, S., Ghosh, A., Basu Mallick, A., Understanding the evolution of microstructural features in the in-situ intermetallic phase reinforced Al/Al<sub>3</sub>Ti nanocomposite, 2018, Materials Today: Proceedings, 5(3), pp. 10118-10130
58. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, Crystals, 8(5),212
59. Fu, XL; Lin, WX; Pan, YZ; Liu, WT, Morphology evolution and micro-mechanism of chip formation during high-speed machining, INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY, Volume: 98, Pages: 165-175, 2018

60. Wang, LJ; Zhu, YQ; Yang, H; He, Y; Xia, J; Zhang, YW; Wang, ZH, SO<sub>3</sub> decomposition over CuO-CeO<sub>2</sub> based catalysts in the sulfur-iodine cycle for hydrogen production, INTERNATIONAL JOURNAL OF HYDROGEN ENERGY, Volume: 43, 14876-14884, 2018

Z. Somogyvári, E. Sváb, Gy. Mészáros, K. Krezhov, P. Konstantinov, T. Ungár and J. Gubicza: Magnetic cation distribution in nanocrystalline Fe<sub>3</sub>O<sub>4</sub> spinel, Materials Science Forum, **378-381** (2001) 771-776.

1. J. Wang, Y. Wu, Y. Zhu: Cation distribution of MnFe<sub>2</sub>O<sub>4</sub> nanoparticles synthesized under an induced magnetic field, International Journal of Modern Physics B **21** (2007) 723-729.
2. Singh, L.H., Pati, S.S., Sales, M.J.A., Guimaraes, E.M., Oliveira, A.C., Garg, V.K.: Facile method to tune the particle size and thermal stability of magnetite nanoparticles, Journal of the Brazilian Chemical Society **26** (2015) 2214-2223.
3. Pati, SS; Singh, LH; Ochoa, JCM; Guimaraesa, EM; Sales, MJA; Coaquira, JAH; Oliveira, AC; Garg, VK: Facile approach to suppress gamma-Fe<sub>2</sub>O<sub>3</sub> to alpha-Fe<sub>2</sub>O<sub>3</sub> phase transition beyond 600 degrees C in Fe<sub>3</sub>O<sub>4</sub> nanoparticles, MATERIALS RESEARCH EXPRESS **2** (2015) Article Number: 045003

T. Ungár, J. Gubicza, G. Ribárik and T. W. Zerda: X-ray diffraction study of crystallite size-distribution and strain in carbon blacks, Proc. of MRS Fall Meeting, 2000, Boston, USA, Vol.661 (2001) KK9.2.1-KK9.2.6.

1. Choi, J., Kwen, H.D., Kim, Y.S., Choi, S.H., Lee, S.:  $\gamma$ -ray synthesis and size characterization of CdS quantum dot (QD) particles using flow and sedimentation field-flow fractionation (FFF), Microchemical Journal **117** (2014) 34-39.

J. Gubicza, G. Ribárik, G. R. Goren-Muginstein, A. R. Rosen and T. Ungár: The density and the character of dislocations in cubic and hexagonal polycrystals determined by X-ray diffraction, Mater. Sci. Eng. **A309-310** (2001) 60-63.

1. M. Abou Zied: Microstructure and mechanical properties of nano-crystalline Al-8 wt% Ni alloy, J. Mater. Sci. & Techn. **22** (2006) 605-610.
2. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, Zeitschrift fur Kristallographie **222** (2007) 136-149.
3. A. Maurel, V. Pagneux, F. Barra, F. Lund: Multiple scattering from assemblies of dislocation walls in three dimensions. Application to propagation in polycrystals, Journal of the Acoustical Society of America **121** (2007) 3418-3431.
4. M. Zemzemi, M. Hebbache, D. Zivkovic, L. Stuparevic: Does osmium carbide exist? Ab initio investigation, Materials Research Society Symposium Proceedings **987** (2007) 29-44.
5. T. Rzychon, K. Rodak: Microstructure characterization of deformed copper by XRD line broadening, Archives of Materials Science and Engineering **48** (2007) 605-608.
6. T. Kairet, M. Degrez, F. Campana, J-P. Janssen: Influence of the powder size distribution on the microstructure of cold sprayed copper coatings studied by X-ray diffraction, Proc. Thermal Spray 2007: Global Coating Solutions, Eds. B.M. Marple, M.M. Hyland, Y.-C. Lau, C.-J. Li, R.S. Lima, G. Montavon, published by ASM International, Materials Park, Ohio, USA, 2007, pp. 25-30.

7. M. Zemzemi and M. Hebbache: Ab initio investigation of osmium carbide, *International Journal of Refractory Metals and Hard Materials*, **26** (2008) 61-67.
8. M. Abou Zied, A.A. Ebnalwaled: Microstructure and hardness dependence of the pressure of nano-crystalline aluminum, *Intermetallics* **16** (2008) 745-750.
9. A.I. Gusev, A.S. Kurlov: Production of nanocrystalline powders by high-energy ball milling: model and experiment, *Nanotechnology* **19** (2008) 265302.
10. A. Eleöd, Y. Berthier, E. Lach, T. Törköly, G. Juhász: Friction-induced structural modifications of Mg and Ti surfaces, *Tribology International* **42** (2009) 690-698.
11. T. Kairet, S. Godet, M. Degrez, S. Alexandre: Properties of copper coatings obtained by cold gas dynamic spraying using helium: Influence of the oxide content of the powder, *Proceedings of the International Thermal Spray Conference*, ISBN: 978-161503004-0, *Expanding Thermal Spray Performance to New Markets and Applications - 2009 International Thermal Spray Conference*; Las Vegas, NV; 4-7 May 2009, DOI: 10.1361/cp2009itsc0225, (2009) pp. 225-230.
12. R. Sen, S. Bhattacharya, S. Das, K. Das: Effect of surfactant on the co-electrodeposition of the nano-sized ceria particle in the nickel matrix, *Journal of Alloys and Compounds*, **489** (2010) 650-658.
13. H.T. Ni, X.Y. Zhang, Y.T. Zhu: Quantitative Characterization of Partial Dislocations in Nanocrystalline Metals, *CHINESE PHYSICS LETTERS* **27** (2010) 056101.
14. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009*, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
15. M. Mhadhbi, M. Khitouni, L. Escoda, J.J. Sunol: X-ray studies of structure defects in nanostructured FeAl alloy, *Materials Letters* **64** (2010) 1802-1805.
16. R. Sen, S. Das, K. Das: Effect of Current Density on the Microstructure and Hardness of Ni-CeO<sub>2</sub> Nanocomposite Coating Synthesized by Pulse Electrodeposition Technique, *JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY* **10** (2010) 8217-8226.
17. R. Sen, S. Das, K. Das: Effect of stirring rate on the microstructure and microhardness of Ni–CeO<sub>2</sub> nanocomposite coating and investigation of the corrosion property, *Surface and Coatings Technology* **205** (2011) 3847-3855.
18. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
19. R. Sen, S. Das, K. Das: Microstructural Characterization of Nanosized Ceria Powders by X-Ray Diffraction Analysis, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **42A** (2011) 1409-1417.
20. S. Morattab, K. Ranjbar, M. Reihanian: On the mechanical properties and microstructure of commercially pure Al fabricated by semi-constrained groove pressing, *Materials Science and Engineering A* **528** (2011) 6912-6918.
21. A.S. Kurlov, A.I. Gusev: Model for Milling of Powders, *Technical Physics* **56** (2011) 975–980.
22. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
23. A. Sarkar, S. Suwas, D. Goran, J.J. Fundenberger, L.S. Toth, T. Grosdidier: Equal channel angular pressing processing routes and associated structure modification: a

- differential scanning calorimetry and X-ray line profile analysis, *POWDER DIFFRACTION* **27** (2012) 194-199.
24. A.A. Ebnalwaled, M. Abou Zied: MILLING TIME - DEPENDENT MICROSTRUCTURE AND MECHANICAL PROPERTIES OF NANOSTRUCTURED Al-Si ALLOY, *INTERNATIONAL JOURNAL OF MODERN PHYSICS B* **27** (2013) Article Number: 1350036.
  25. A.S. Kurlov, A.I. Gusev: Nanocrystalline Tungsten Carbide, in: *Tungsten Carbides*, Springer Series in Materials Science, ISBN: 978-3-319-00523-2, Volume 184, 2013, pp 109-189.
  26. J. Poetschke, V. Richter, T. Gestrich, A. Michaelis: Grain growth during sintering of tungsten carbide ceramics, *International Journal of Refractory Metals and Hard Materials*, **43**, (2014) 309-316
  27. Rajat Kishor, Lopamudra Sahu, Krishna Dutta, A.K. Mondal: Assessment of dislocation density in asymmetrically cyclic loaded non-conventional stainless steel using X-ray diffraction profile analysis, *Materials Science and Engineering A*, **598** (2014) 299-303.
  28. Miyajima, Y., Okubo, S., Abe, H., Okumura, H., Fujii, T., Onaka, S., Kato, M.: Dislocation density of pure copper processed by accumulative roll bonding and equal-channel angular pressing, *Materials Characterization* **104** (2015) 101-106.
  29. Bargujer, S.S., Suri, N.M., Belokar, R.M.: X-ray diffraction analysis of severely cold deformed hypereutectoid steel wire, *Defence Science Journal* **65** (2015) 500-507.
  30. Sun, YX; Su, W; Yang, HL; Ruan, JM: Effects of WC particle size on sintering behavior and mechanical properties of coarse grained WC-8Co cemented carbides fabricated by unmilled composite powders, *CERAMICS INTERNATIONAL* **41** (2015) 14482-14491.
  31. Sun, Y., Su, W., Yang, H., Ruan, J.: Effects of WC particle size on sintering behavior and mechanical properties of coarse grained WC-8Co cemented carbides fabricated by unmilled composite powders, *Ceramics International* **41** (2015) 14482-14491.
  32. Forouzanmehr, Nazanin; Nili-Ahmadabadi, Mahmoud; Boenisch, Matthias: The analysis of severely deformed pure Fe structure aided by X-ray diffraction profile, *PHYSICS OF METALS AND METALLOGRAPHY* Volume: 117, Pages: 624-633, 2016
  33. Afifi, M.A., Pereira, P.H.R., Wang, Y.C., Wang, Y., Li, S., Langdon, T.G., Effect of ECAP processing on microstructure evolution and dynamic compressive behavior at different temperatures in an Al-Zn-Mg alloy, *Materials Science and Engineering A*, Volume 684, 27 January 2017, Pages 617-625
  34. Hu, Q., Zhao, F., Fu, H., Li, K., Liu, F., Dislocation density and mechanical threshold stress in OFHC copper subjected to SHPB loading and plate impact, *Materials Science and Engineering A*, Volume 695, 17 May 2017, Pages 230-238
  35. Vieira, I; Klemm-Toole, J; Buchner, E; Williamson, DL; Findley, KO; De Moor, E, A Dilatometric Study of Tempering Complemented by Mossbauer Spectroscopy and other Characterization Techniques, *SCIENTIFIC REPORTS*, Volume: 7, Article Number: 17337, 2017
  36. Vieira, I, Williamson, D.L., De Moor, E., Tempering response of isothermally transformed bainitic microstructures, 2017, *Materials Science and Technology Conference and Exhibition 2017, MS and T 2017*, 1, pp. 507-516
  37. Liang, J.W., Shen, Y.F., Zhang, C.S., Feng, X.W., Wang, H.B., Sun, X., In situ neutron diffraction in quantifying deformation behaviors of nano-sized carbide

- strengthened UFG ferritic steel, *Materials Science and Engineering A* Volume 726, 30 May 2018, Pages 298-308
38. He, RG; Wang, JY; He, M; Yang, HL; Ruan, JM, Synthesis of WC composite powder with nano-cobalt coatings and its application in WC-4Co cemented carbide, *CERAMICS INTERNATIONAL*, Volume: 44, Pages: 10961-10967, 2018
  39. Chatterjee, S., Ghosh, A., Basu Mallick, A., Understanding the evolution of microstructural features in the in-situ intermetallic phase reinforced Al/Al<sub>3</sub>Ti nanocomposite, 2018, *Materials Today: Proceedings*, 5(3), pp. 10118-10130
  40. Afifi, M.A., Wang, Y.C., Pereira, P.H.R., Huang, Y., Wang, Y., Cheng, X., Li, S. Langdon, T.G., Mechanical properties of an Al-Zn-Mg alloy processed by ECAP and heat treatments, *Journal of Alloys and Compounds* Volume 769, 15 November 2018, Pages 631-639

I. Mohai, J. Szépvölgyi, I. Bertóti, M. Mohai, J. Gubicza and T. Ungár: Thermal plasma synthesis of zinc ferrite nanopowders, *Solid State Ionics*, **141-142** (2001) 163-168.

1. B. Kazinczy, L. Kotai, I. Gács, I. E. Sajo, B. Sreedhar and K. Lazar: Study of the preparation of zinc(II) ferrite and ZnO from zinc- and iron-containing industrial wastes, *Industrial and Engineering Chemistry Research*, **42** (2003) 318-322.
2. X. J. Yang, C. S. Shi and X. L. Xu: Studies and development of Nano-ZnO, *J. Inorg. Mat.* **18** (2003) 1-10.
3. N. R. Thakkar, R. G. Reddy: Thermal plasma processing of boron carbide fine powders, in *Powder Materials - Current Research and Industrial Practices III*, (Ed.: F.D.S. Marquis), TMS (The Minerals, Metals and Materials Society), (2003) p.47-60.
4. H.M. Yang, X.C. Zhang, C.H. Huang, W.G. Yang, G.Z. Qiu: Synthesis of ZnFe<sub>2</sub>O<sub>4</sub> nanocrystallites by mechanochemical reaction, *J. Phys. Chem. Solids* **65** (2004) 1329-1332.
5. S. K. Singh: Preparation of Nano Materials in R.F. Thermal Plasma, 5th International Seminar on Mineral Processing Technology (MPT-2004), Bhubaneswar, India, February 19-21, 2004, eds.: G.V. Rao, V. N. Misra, (2004) pp. 280-284.
6. P. Lee, H. Suematsu, W. Jiang, K. Yatsui: Novel method to synthesize nanosized ZnFe<sub>2</sub>O<sub>4</sub> powders, *J. Cer. Soc. Japan* **113** (2005) 663-665.
7. M.M. Amini, M. Yadavi: Influence of metal core of mixed-metal carboxylates in preparation of spinel: ZnFe<sub>2</sub>O(O<sub>2</sub>CCF<sub>3</sub>)(<sub>6</sub>) as a single-source precursor for preparation of ZnFe<sub>2</sub>O<sub>4</sub>, *Appl. Organometallic Chem.* **19** (2005) 1164-1167.
8. M. Sivakumar, T. Takami, H. Ikuta, A. Towata, K. Yasui, T. Tuziuti, T. Kozuka, D. Bhattacharya, Y. Iida: Fabrication of zinc ferrite nanocrystals by sonochemical emulsification and evaporation: Observation of magnetization and its relaxation at low temperature, *J. Phys. Chem. B* **110** (2006) 15234-15243
9. P.Y. Lee, R. Kobayashi, Y. Tokoi, H. Suematsu, W. Jiang, K. Yatsui: Synthesis of ZnFe<sub>2</sub>O<sub>4</sub> nanosized powders by pulsed wire discharge, *Powder Metallurgy and Metal Ceramics* **45** (2006) 297-300.
10. R. Swaminathan, J. Woods, S. Calvin, J. Huth, M. E. McHenry: Microstructural Evolution Model of the Sintering Behavior and Magnetic Properties of NiZn Ferrite Nanoparticles, *Advances in Science and Technology*, **45** (2006) 2337-2344.
11. H. Xue, Z. Li, Xuxu Wang and X. Fu: Facile synthesis of nanocrystalline zinc ferrite via a self-propagating combustion method, *Materials Letters* **61** (2007) 347-350.

12. M. Sorescu, L. Diamandescu and J. Wood: Synthesis and characterization of the  $x\text{ZnO}-(1-x)\alpha\text{-Fe}_2\text{O}_3$  nanoparticles system, *Journal of Physics and Chemistry of Solids* **68** (2007) 426-430.
13. P.Y. Lee, H. Suematsu, T. Nakayama, W. Jiang, K. Niihara: Synthesis of  $\text{ZnFe}_2\text{O}_4$  nanosized powders from pulsed metallic zinc and iron wire discharge in oxygen, *Journal of Magnetism and Magnetic Materials* **312** (2007) 27-31.
14. D. Vollath: Plasma Synthesis of Nanoparticles, *KONA-POWDER AND PARTICLE* **25** (2007) 39-55.
15. L. Bokányi, J. Lakatos, J. Böhm, T. Török: Do we need to decompose zinc ferrites after selective leaching of zinc oxide from the EAF dusts? In: EUROPEAN METALLURGICAL CONFERENCE EMC Vol. 2. Düsseldorf, Germany: 2007.06.11-2007.06.14. (2007) pp. 1255-1266, ISBN: 978-3-940276-04-9
16. J.M. Yang and F.S. Yen: Evolution of intermediate phases in the synthesis of zinc ferrite nanopowders prepared by the tartrate precursor method, *Journal of Alloys and Compounds* **450** (2008) 387-394.
17. D. Vollath: Plasma synthesis of nanopowders, *Journal of Nanoparticle Research, SUPPL.* **1** (2008) 39-57.
18. M. Thomas, K.C. George: Infrared and magnetic study of nanophase zinc ferrite, *INDIAN JOURNAL OF PURE & APPLIED PHYSICS* **47** (2009) 81-86.
19. J.M. Yang, K.L. Yang: An optimal low-temperature tartrate precursor method for the synthesis of monophasic nanosized  $\text{ZnFe}_2\text{O}_4$ , *JOURNAL OF NANOPARTICLE RESEARCH*, **11** (2009) 1739-1750.
20. N. Tyagi, A. Kumar, S. Chaudhry, S. Ray, G.D. Varma: Synthesis of 1-D nanostructures of  $\text{ZnFe}_2\text{O}_4$  and  $\text{ZnO}$  by a low cost self-catalyzed CVD method, *Advanced Materials Research* **67** (2009) 265-270.
21. B.R. Reddy, T. Sivasankar, M. Sivakumar, V.S. Moholkar: Physical facets of ultrasonic cavitation synthesis of zinc ferrite particles, *Ultrasonics Sonochemistry* **17** (2010) 416-426.
22. J.Y. Guo, X.B. Fan, R. Dolbec, S.W. Xue, J. Jurewicz, M. Boulos: Development of Nanopowder Synthesis Using Induction Plasma, *PLASMA SCIENCE & TECHNOLOGY* **12** (2010) 188-199.
23. P Hu, DA Pan, SG Zhang, JJ Tian: Preparation and Magnetic Properties of Zinc Ferrite Nanoparticles, *PROCEEDINGS OF THE 7TH NATIONAL CONFERENCE ON CHINESE FUNCTIONAL MATERIALS AND APPLICATIONS*, Hunan, CHINA, October, 2010, Editor: GM Zhao, SCI RES PUBL, IRVIN, CA, USA, ISBN: 978-1-935068-41-9, Vols. 1-3 (2010) Pages: 564-566.
24. D Sibera, J Kaszewski, D Moszynski, E Borowiak-Palen, W Lojkowski, U Narkiewicz:  $\text{ZnFe}_2\text{O}_4/\text{ZnO}$  nanoparticles obtained by coprecipitation route, XPS and TEM study, *Physica Status Solidi C-Current Topics in Solid State Physics* **7** (2010) 1420-1423.
25. P. Hu, D.-n. Pan, X.-f. Wang, J.-j. Tian, J. Wang, S.-g. Zhang, A.A. Volinsky: Fuel additives and heat treatment effects on nanocrystalline zinc ferrite phase composition, *Journal of Magnetism and Magnetic Materials* **323** (2011) 569-573.
26. P. Mahata, D. Sarma, C. Madhu, A. Sundaresen, S. Natarajan:  $\text{CoMn}_2\text{O}_4$  spinel from a MOF: synthesis, structure and magnetic studies, *DALTON TRANSACTIONS* **40** (2011) 1952-1960.
27. N.M. Deraz: Fabrication, characterization and magnetic behaviour of alumina-doped zinc ferrite nano-particles, *Journal of Analytical and Applied Pyrolysis* **91** (2011) 48-54.

28. R. Rusdi, N. Kamarulzaman, A.A.Rahman: Comparative study of Zn<sub>0.9</sub>Fe<sub>0.1</sub>O using sol-gel and combustion methods, *Malaysian Journal of Microscopy* **7** (2011) 70-74.
29. D. Sarma, P. Mahata, N. Srinatarajan: Synthesis of a mixed-metal spinel, NiMn<sub>2</sub>O<sub>4</sub>, through site-selective substitution in MOF, [(NiMn<sub>2</sub>){C<sub>6</sub>H<sub>3</sub>(COO)<sub>3</sub>]<sub>2</sub>: Synthesis, structure and magnetic studies, *Current Science* **103** (2012) 1185-1192.
30. H.A. Choudhury, A. Choudhary, M. Sivakumar, V.S. Moholkar: Mechanistic investigation of the sonochemical synthesis of zinc ferrite, *Ultrasonics Sonochemistry* **20** (2013) 294-302.
31. J.-H. Seo, M.-Y. Lee, J.-S. Kim: Radio-Frequency thermal plasma preparation of nano-sized Ni catalysts supported on MgO nano-rods for partial oxidation of methane, *Surface and Coatings Technology* **228** (2013) S91-S96.
32. A. Manikandan, J. Judith Vijaya, L. John Kennedy, M. Bououdina: Structural, optical and magnetic properties of Zn<sub>1-x</sub>Cu<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> nanoparticles prepared by microwave combustion method, *Journal of Molecular Structure* **1035** (2013) 332-340.
33. A. Manikandan, J. Judith Vijaya, L. John Kennedy, M. Bououdina: Microwave combustion synthesis, structural, optical and magnetic properties of Zn<sub>1-x</sub>Sr<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> nanoparticles, *Ceramics International* **39** (2013) 5909-5917.
34. P.K. Nayak, R. Jothiramalingam: Synthesis and characterization of zinc ferrite by XRD, VSM and electron spin resonance techniques, *International Journal of Modern Physics B* **27** (2013) art. no. 1250213.
35. Farooq, H., Raza Ahmad, M., Jamil, Y., Hafeez, A., Anwar, M.: Structural, dielectric and magnetic properties of superparamagnetic zinc ferrite nanoparticles synthesized through coprecipitation technique, *Kovove Materialy* **51** (2013) 305-310.
36. Ramachandran, M., Reddy, R.G.: Thermal plasma synthesis of SiC, *Advances in Manufacturing* **1** (2013) 50-61.
37. Das, P., Dutta, A., Bhaumik, A., Mukhopadhyay, C.: Heterogeneous ditopic ZnFe<sub>2</sub>O<sub>4</sub> catalyzed synthesis of 4H-pyrans: Further conversion to 1,4-DHPs and report of functional group interconversion from amide to ester, *Green Chemistry* **16** (2014) 1426-1435.
38. Rameshbabu, R; Ramesh, R; Kanagesan, S; Karthigeyan, A; Ponnusamy, S: One pot facile hydrothermal synthesis of superparamagnetic ZnFe<sub>2</sub>O<sub>4</sub> nanoparticles and their properties, *JOURNAL OF SOL-GEL SCIENCE AND TECHNOLOGY* **71** (2014) 147-151.
39. Anchieta, CG; Cancelier, A; Mazutti, MA; Jahn, SL; Kuhn, RC; Gundel, A; Chiavone, O; Foletto, EL: Effects of Solvent Diols on the Synthesis of ZnFe<sub>2</sub>O<sub>4</sub> Particles and Their Use as Heterogeneous Photo-Fenton Catalysts, *MATERIALS* **7** (2014) 6281-6290.
40. Rameshbabu, R; Ramesh, R; Kanagesan, S; Karthigeyan, A; Ponnusamy, S: Effect of TEA on the structural and magnetic properties of ferromagnetic ZnFe<sub>2</sub>O<sub>4</sub> nanoparticles, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS* **26** (2015) 547-553.
41. Ramachandran, M.; Reddy, R. G.: Direct reduction of magnesium oxide to magnesium using thermal plasma technology, *MINERALS & METALLURGICAL PROCESSING* **32** (2015) 30-37.
42. Debnath, K., Pramanik, A.: Heterogeneous bimetallic ZnFe<sub>2</sub>O<sub>4</sub> nanopowder catalysed facile four component reaction for the synthesis of spiro[indoline-3,2'-

- quinoline] derivatives from isatins in water medium, *Tetrahedron Letters* 56 (2015) 1654-1660.
43. Prasad, B.D., Nagabhushana, H., Thyagarajan, K., Sharma, S.C., Shivakumara, C., Gopal, N.O., Nagabhushana, B.M., Ke, S.-C., Chakradhar, R.P.S., Prabhakara, K.R.: Incorporation of Cr<sup>3+</sup> ions in tuning the magnetic and transport properties of nano zinc ferrite, *Journal of Alloys and Compounds* 657 (2016) 95-108.
  44. Zhang, B., Wang, Q., Zhang, G., Liao, S., Wang, Z., Li, G.: Preparation of Iron Nanoparticles from Iron Pentacarbonyl Using an Atmospheric Microwave Plasma, *Plasma Science and Technology* 17 (2015) 876-880.
  45. Deraz, N.M., Abd-Elkader, O.H.: Fabrication and characterization of ZnFe<sub>2</sub>O<sub>4</sub>/ZnO based anticorrosion pigments, *International Journal of Electrochemical Science* 10 (2015) 7103-7110.
  46. Baskar, G., Chandhuru, J., Sheraz Fahad, K., Praveen, A.S., Bharathi, R., Fyna, S.: Mycological synthesis and characterization of silver nanoparticles by *Aspergillus* species, *Journal of Chemical and Pharmaceutical Research* 7 (2015) 300-306.
  47. Wada, Y., Kudoh, K., Matsumoto, M., Onoe, K., Development of hydroxyapatite crystallization utilizing the contact reaction of a minute droplet with atmospheric plasmas, *Journal of Crystal Growth*, Volume 466, 15 May 2017, Pages 1-5
  48. Elwahy, A.H.M., Shaaban, M.R., Synthesis of heterocycles catalyzed by Iron oxide nanoparticles, *Heterocycles*, Volume 94, Issue 4, 2017, Pages 595-655
  49. Gorbyk, P.P., Makhno, S.M., Dubrovin, I.V., Abramov, N.V., Mishchenko, V.M., Mazurenko, R.V., Petranovska, A.L., Pilipchuk, E.V., Prokopenko, S.L., Synthesis and properties of the nanostructures absorbing microwave electromagnetic and neutron radiations, *Nanosistemi, Nanomateriali, Nanotehnologii*, Volume 15, Issue 1, 2017, Pages 47-82
  50. Gorbyk, P.P., Abramov, M.V., Dubrovin, I.V., Makhno, S.M., Turanska, S.P., Synthesis and properties of nanosized single-domain ferrite spinels, *Uspehi Fiziki Metallov* Volume 18, Issue 1, January-March 2017, Pages 59-105
  51. Erfaninia, N; Tayebbe, R; Foletto, EL; Amini, MM; Dusek, M; Zonoz, FM., Preparation of magnetically recyclable ZnFe<sub>2</sub>O<sub>4</sub> nanoparticles by easy single-step co-precipitation method and their catalytic performance in the synthesis of 2-aminothiophenes, *APPLIED ORGANOMETALLIC CHEMISTRY*, Volume: 32, Issue: 2, Article Number: e4047, 2018

J. Szépvölgyi, I. Mohai and J. Gubicza: Atmospheric ageing of nanosized silicon nitride powders, *J. Mater. Chem.* **11** (2001) 859-863.

1. T. Ungár: The meaning of size obtained from broadened X-ray diffraction peaks, *Adv. Eng. Mat.* **5** (2003) 323-329.
2. K. Máthis, K. Nyilas, A. Axt, I. Dragomir-Cernatescu, T. Ungár and P. Lukác: The evolution of non-basal dislocations as a function of deformation temperature in pure magnesium determined by X-ray diffraction, *Acta Mater.* **52** (2004) 2889-2894.
3. M. Mohai, I. Bertóti: Calculation of overlayer thickness on curved surfaces based on xps intensities, *Surface and Interface Analysis* **36** (2004) 805-808.
4. T. Ungár: Microstructural parameters from X-ray diffraction peak broadening, *Scripta Mater.*, **51** (2004) 777-781.
5. P. Vongpayabal, S. Kimura: Nano-sized silicon nitride powder synthesis via ammonolysis of SiO vapor, *Ceramic Transactions* **148** (2004) 13-20.
6. V.M. Bermudez: Wet-chemical treatment of Si<sub>3</sub>N<sub>4</sub> surfaces studied using infrared attenuated total reflection spectroscopy, *J. Electrochem. Soc.* **152** (2005) F31-F36.

7. M. Girones, Z. Borneman, R.G.H. Lammertink, M. Wessling: The role of wetting on the water flux performance of microsieve membranes, *J. Membrane Sci.* **259** (2005) 55-64.
8. P. Vongpayabal, S. Kimura: Kinetics of SiO vapor ammonolysis for nano-sized silicon nitride powder synthesis, *Powder Technology* **156** (2005) 73-82.
9. T.T.T. Hien, C. Ishizaki, K. Ishizaki: Surface structure of commercial Si<sub>3</sub>N<sub>4</sub> powders analyzed by X-ray photoelectron spectroscopy (XPS), *J. Cer. Soc. Japan* **113** (2005) 647-653.
10. T. Ungár: Microstructure parameters from X-ray line profile analysis, in: *Advanced X-ray Techniques in Research and Industry*, Editor: Ashok Kumar Singh, IOS-Press, Amsterdam, The Netherlands, ISBN 1-58603-537-1 (2005) 268-286.
11. H. Hirano, K. Sato, T. Osaka, H. Kuniyasu, T. Hattori: Damage-free ultradiluted HF/nitrogen jet spray cleaning for particle removal with minimal silicon and oxide loss, *Electrochem. Solid State Lett.* **9** (2006) G62-G65.
12. M. Sarret, C. Muller, A. Amell: Characterization of SiC and Si<sub>3</sub>N<sub>4</sub> nanoparticles and their aqueous dispersions, *J. Nanoparticle Res.* **9** (2007) 1073-1080.
13. T. Schneider K.A. Jensen: Combined single-drop and rotating drum dustiness test of fine to nanosize powders using a small drum, *Annals of Occupational Hygiene*, **52** (2008) 23-34.
14. M.H. Bocanegra-Bernal, B. Matovic: Dense and near-net-shape fabrication of Si<sub>3</sub>N<sub>4</sub> ceramics, *Materials Science and Engineering A* **500** (2009) 130-149.
15. K.A. Jensen, I.K. Koponen, P.A. Clausen, T. Schneider: Dustiness behaviour of loose and compacted Bentonite and organoclay powders: What is the difference in exposure risk?, *Journal of Nanoparticle Research* **11** (2009) 133-146.
16. T. Schneider, K.A. Jensen: Relevance of aerosol dynamics and dustiness for personal exposure to manufactured nanoparticles, *JOURNAL OF NANOPARTICLE RESEARCH* **11** (2009) 1637-1650.
17. M. Matsuoka, S. Isotani, W. Sucasaire, L.S. Zambom, K. Ogata: Chemical bonding and composition of silicon nitride films prepared by inductively coupled plasma chemical vapor deposition, *Surface and Coatings Technology* **204** (2010) 2923-2927.
18. Q.J. Cheng, S.Y. Xu, K. Ostrikov: Controlled-bandgap silicon nitride nanomaterials: deterministic nitrogenation in high-density plasmas, *JOURNAL OF MATERIALS CHEMISTRY* **20** (2010) 5853-5859.
19. L. Zhu, H.W. Teo, K.Ong, Y.H. Huang, Y.N. Hua: Time-of-flight secondary ion mass spectroscopic characterization of the nitrogen profile of shallow gate oxynitride thermally grown on a silicon substrate, *Surface and Interface Analysis* **44** (2012) 1558-1564.
20. Bocanegra-Bernal, M.H., Aguilar-Elguézabal, A., Echeberria, J.: High temperature oxidation of silicon nitride based ceramics: A review (book chapter), in: *Silicon Nitride: Synthesis, Properties and Applications*, Nova Science Publishers, ISBN: 978-161942865-2 (2012) pp. 1-31.
21. I.H. Tseng, C.J. Chang, C.W. Chang, H.H. Lu, M.H. Tsai: Effect of Magnetron Sputtered Silicon Nitride on the Water-Vapor-Permeation-Rate of Polyimide Thin Film, *Surface and Coatings Technology* **231** (2013) 496-500.
22. F. Kang, Z. Li, J.T. Wang, P. Cheng, H.Y. Wu: The activation of c+a non-basal slip in Magnesium alloys, *J. Mater. Sci.*, 2012, DOI 10.1007/s10853-012-6344-z
23. M.-H. Tsai, C.-J. Chang, H.-H. Lu, Y.-F. Liao, I.-H. Tseng: Properties of magnetron-sputtered moisture barrier layer on transparent polyimide/graphene nanocomposite film, *Thin Solid Films* **544** (2013) 324-330.

24. Das, D., Sain, B.: Rapid synthesis of nc-Si/a-SiN<sub>x</sub>:H QD thin films by plasma processing for their cost effective applications in photonic and photovoltaic devices, *RSC Advances* 5 (2015) 63572-63579.
25. Levin, M., Rojas, E., Vanhala, E., Vippola, M., Liguori, B., Kling, K.I., Koponen, I.K., Mølhave, K., Tuomi, T., Gregurec, D., Moya, S.: Influence of relative humidity and physical load during storage on dustiness of inorganic nanomaterials: implications for testing and risk assessment, *Journal of Nanoparticle Research* 17 (2015) 1-13.
26. Cadogan, CC; Goncharova, LV; Simpson, PJ; Nguyen, PH; Wang, ZQ; Sham, TK, Influence of hydrogen passivation on the luminescence of Si quantum dots embedded in Si<sub>3</sub>N<sub>x</sub>, *JOURNAL OF VACUUM SCIENCE & TECHNOLOGY B*, Volume: 34, Issue: 6, Article Number: 061202, 2016
27. Alhabill, F.N., Ayoob, R., Andritsch, T., Vaughan, A.S., Introducing particle interphase model for describing the electrical behaviour of nanodielectrics, 2018, *Materials and Design*, 158, pp. 62-73

T. Ungár, J. Gubicza, G. Ribárik and A. Borbély: Crystallite size-distribution and dislocation structure determined by diffraction profile analysis: principles and practical application to cubic and hexagonal crystals, *J. Appl. Cryst.* **34** (2001) 298-310.

1. E. Schafner, M. Zehetbauer: Measurement of screw and edge dislocation density by means of X-ray Bragg profile analysis, *Mater. Sci. Eng. A* **319-321** (2001) 220-223.
2. N. Mebarki, P. Lamesle, D. Delagnes, C. Levailant, F. Delmas: RELATIONSHIP BETWEEN MICROSTRUCTURE AND MECHANICAL PROPERTIES OF A 5%CR HOTWORK TOOL STEEL, 6th International tooling conference, 10th -13th September, 2002, Karlstad, Sweden, pp. 737-754.
3. P. Scardi and M. Leoni: Whole powder pattern modelling, *Acta Cryst. A* **58** (2002) 190-200.
4. S. Pratapa, B. O'Connor and B. Hunter: A comparative study of single-line and Rietveld strain-size evaluation procedures using MgO ceramics, *J. Appl. Cryst.* **35** (2002) 155-162.
5. N. C. Popa and D. Balzar: An analytical approximation for a size-broadened profile given by the lognormal and gamma distributions, *J. Appl. Cryst.* **35** (2002) 338-346.
6. P. Martinetto, J. Castaign, P. Walter, P. Penhoud and P. Veysiere: Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy, *J. Mat. Res.* **17** (2002) 1601-1611.
7. J. Cizek, I. Prochazka, R. Kuzel and R. K. Islamgaliev: Influence of Al<sub>2</sub>O<sub>3</sub> nanoparticles on the thermal stability of ultra-fine grained copper prepared by high pressure torsion, *Monatshefte fur Chemie*, **133** (2002) 873-887.
8. P. Chatterjee, S.P. Sen Gupta: Application of model-based approaches in X-ray line profile analysis, in: *Powder Diffraction, Proc. of 2nd International School on Powder Diffraction*, January 20-23, 2002, IACS, Kolkata, India, Ds.: S.P. Sen Gupta, P. Chatterjee, Allied Publishers Ltd., New Delhi, India, ISBN 81-7764-262-6 (2002) 126-132.
9. J. Cizek, I. Prochazka, G. Brauer, W. Anwald, R. Kuzel, M. Cieslar and R. K. Islamgaliev: Spatial distribution of defects in ultra-fine grained copper prepared by high-pressure torsion, *Phys. Stat. Sol. A* **195** (2003) 335-349.
10. R. Kuzel, J. Cizek, I. Prochazka, J. Pesicka, D. Simek, J. Kub and R. K. Islamgaliev: Structural studies of submicrocrystalline materials prepared by high-pressure

- torsion deformation, in Proc. Nano02 Conference, 19-21 November, 2002, Brno, Czech Republic (2002) p. 189-192.
11. R. Kuzel, D. Simek, J. Kub and R. K. Islamgaliev: Study of submicrocrystalline materials by conventional powder diffraction and diffuse scattering in transmitted wave, *Mater. Sci. Forum* **443-444** (2003) 111-114.
  12. M. J. Zehetbauer, H. P. Stüwe, A. Vorhauer, E. Schafner and J. Kohout: The role of hydrostatic pressure in severe plastic deformation, *Adv. Eng. Mat.* **5** (2003) 330-337.
  13. T. Ida, S. Shimazaki, H. Hibino, H. Toraya,: Diffraction peak profiles from spherical crystallites with lognormal size distribution, *J. Appl. Cryst.* **36** (2003) 1107-1115.
  14. J. Pesicka, R. Kuzel, A. Dronhofer, G. Eggeler: The evolution of dislocation density during heat treatment and creep of tempered martensite ferritic steels, *Acta Mater.* **51** (2003) 4847-4862.
  15. S.N. Dey, P. Chatterjee, S.P. Sen Gupta: Dislocation induced line-broadening in cold-worked Pb-Bi binary alloy system in the alpha-phase using X-ray powder profile analysis, *Acta Mater.* **51** (2003) 4669-4677.
  16. P. Scardi: Microstructure and lattice defect analysis of highly deformed materials by XRD line profile modelling, 19th Conference on Applied Crystallography, SEP 01-04, 2003 Cracow, POLAND, Pages: 16-21 (2004).
  17. N. Armstrong, P. Lynch: Determining the dislocation contrast factor for X-ray line profile analysis, in *Diffraction analysis of the microstructure of materials*, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 249-286.
  18. D. Balzar, N. C. Popa: Crystallite size and residual strain/stress modeling in Rietveld refinement, in *Diffraction analysis of the microstructure of materials*, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 125-145.
  19. R. Kuzel, V. Holy, M. Cernansky, J. Kubena, D. Simek, J. Kub: Study of submicrocrystalline materials by diffuse scattering in transmitted wave, in *Diffraction analysis of the microstructure of materials*, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 229-245.
  20. P. Scardi, M. Leoni: Whole Powder Pattern Modelling: theory and applications, in *Diffraction analysis of the microstructure of materials*, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 51-91.
  21. J. I. Langford: Line profile analysis: a historical overview, in *Diffraction analysis of the microstructure of materials*, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 3-13.
  22. B.H. Tian, C. Lind, E. Schafner, O. Paris: Evolution of microstructures during dynamic recrystallization and dynamic recovery in hot deformed Nimonic 80a, *Mater. Sci. Eng. A* **367** (2004) 198-204.
  23. E. Schafner, L. Zeipper, M. J. Zehetbauer: Evolution of microstructure during thermal treatment in SPD titanium, in *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 426-432.
  24. M. J. Zehetbauer, H. P. Stüwe, A. Vorhauer, E. Schafner, I. Kohout: The role of hydrostatic pressure in severe plastic deformation, in *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 435-446.

25. T. Ida: New approach to eliminate the instrumental aberrations from powder X-ray diffraction data based on a Fourier method, *The Rigaku Journal*, **20** (2003) 12-20.
26. H. Bougrab, K. Inal, H. Sabar, M. Berveiller: Periodic dislocation configuration analysis by lattice distortion evaluation: micromechanical approach and X-ray diffraction line broadening, *J. Appl. Cryst.* **37** (2004) 270-278.
27. R. Kuzel, Z. Matej , V. Cherkaska , J. Pesicka , J. Cízek , I. Procházka and R. K. Islamgaliev: Structural investigations of submicrocrystalline metals obtained by high-pressure torsion deformation, *J. Alloys and Comp.* **378** (2004) 242-247.
28. A. K. Deb, P. Chatterjee, S. P. Sen Gupta: An X-ray diffraction study on dislocation microstructure of as-prepared Al-Al<sub>2</sub>O<sub>3</sub> composites, *Acta Mater.* **52** (2004) 2755-2764.
29. Z. Budrovic, H. Van Swygenhoven, P.M. Derlet, S. Van Petegem, B. Schmitt: Plastic deformation with reversible peak broadening in nanocrystalline nickel, *Science* **304** (2004) 273-276.
30. M.J. Zehetbauer, J. Kohout, E. Schafler, F. Sachslehner, A. Dubravina: Plastic deformation of nickel under high hydrostatic pressure, *J. All. Comp.* **378** (2004) 329-334.
31. P. Chatterjee, A.K. Deb, S.P. Sen Gupta: A novel method for the determination of grain size distribution and microstrain in nanocrystalline materials from single X-ray diffraction peak, *Indian Journal of Physics and Proceedings of the Indian Association for the Cultivation of Science-Part A* **78A** (2004) 205-209.
32. N.Q. Chinh, G. Horvath, Z. Horita, T.G. Langdon: A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain, *Acta Mater.* **52** (2004) 3555-3563.
33. V. Jayan, M.Y. Khan, M. Husain: Coarsening of nano sized carbide particles in 2.25Cr-1Mo power plant steel after extended service, *Mater. Lett.* **58** (2004) 2569-2573.
34. P. Scardi, M. Leoni, R. Delhez: Line broadening analysis using integral breadth methods: a critical review, *J. Appl. Cryst.* **37** (2004) 381-390.
35. N. Armstrong, W. Kalceff, J.P. Cline, J.E. Bonevich: Bayesian inference of nanoparticle-broadened X-ray line profiles, *J. Res. Nat. Inst. Stand. Techn.* **109** (2004) 155-178.
36. N. Mebarki, D. Delagnes, P. Lamesle, F. Delmas, C. Levaillant: Relationship between microstructure and mechanical properties of a 5% Cr tempered martensitic tool steel, *Mater. Sci. Eng. A* **387-389** (2004) 171-175.
37. M. Leoni, R. DiMaggio, S. Polizzi, P. Scardi: X-ray diffraction methodology for the microstructural analysis of nanocrystalline powders: Application to cerium oxide, *J. Am. Ceram. Soc.* **87** (2004) 1133-1140.
38. E. Schafler, R. Pippan: Effect of thermal treatment on microstructure in high pressure torsion (HPT) deformed nickel, *Mater. Sci. Eng. A*, **387-389** (2004) 799-804.
39. B. B. Straumal, B. Baretzky, A. A. Mazilkin, F. Philipp, O. A. Kogtenkova, M. N. Volkov, R. Z. Valiev: Formation of nanograined structure and decomposition of supersaturated solid solution during high pressure torsion of Al-Zn and Al-Mg alloys, *Acta Mater.* **52** (2004) 4469-4478.
40. E. Dooryhee, P. Martinetto, P. Walter, M. Anne: Synchrotron X-ray analyses in art and archaeology, *Radiation Phys. Chem.* **71** (2004) 863-868.
41. D. Rafaja, V. Klemm, G. Schreiber, M. Knapp, R. Kuzel: Interference phenomena observed by X-ray diffraction in nanocrystalline thin films, *J. Appl. Cryst.* **37** (2004) 613-620.

42. J.D. Kamminga, L.J. Seijbel: Diffraction line broadening analysis if broadening is caused by both dislocations and limited crystallite size, *J. Res. Nat. Inst. Stand. Techn.* **109** (2004) 65-74.
43. D. Balzar, N. Audebrand, M.R. Daymond, A. Fitch, A. Hewat, J.I. Langford, A. Le Bail, D. Louer, O. Masson, C.N. McCowan, N.C. Popa, P.W. Stephens, B.H. Toby: Size-strain line-broadening analysis of the ceria round-robin sample, *J. Appl. Cryst.* **37** (2004) 911-924.
44. P.M. Derlet, S. Van Petegem, H. Van Swygenhoven: Calculation of x-ray spectra for nanocrystalline materials, *Phys. Rev. B* **71** (2005): Art. No. 024114.
45. J. Hershberger, O.O. Ajayi, J. Zhang, H. Yoon, G.R. Fenske: Evidence of scuffing initiation by adiabatic shear instability, *Wear* **258** (2005) 1471-1478.
46. Á. Révész: Melting behavior and origin of strain in ball-milled nanocrystalline Al powders, *J. Mater. Sci.* **40** (2005) 1643-1646.
47. S. N. Dey, P. Chatterjee, S. P. Sen Gupta: Microstructural investigation in plastically deformed and annealed copper using a microstructural model, *J. Phys. D-Applied Physics* **38** (2005) 1444-1449.
48. D. Fátay, Á. Révész, T. Spassov: Particle size and catalytic effect on the dehydrogenation of MgH<sub>2</sub>, *J. Alloys Compd.* **399** (2005) 237-241.
49. A. Cervellino, C. Giannini, A. Guagliardi, M. Ladisa: Nanoparticle size distribution estimation by a full-pattern powder diffraction analysis, *Phys. Rev. B* **72** (3) Art. No. 035412 (2005).
50. V.M. Kaganer, O. Brandt, A. Trampert, K.H. Ploog: X-ray diffraction peak profiles from threading dislocations in GaN epitaxial films, *Phys. Rev. B* **72** (4): Art. No. 045423 (2005).
51. S.N. Dey, P. Chatterjee, S.P. Sen Gupta: Study of deformation stacking faults and dislocation microstructures in Cu–1Sn–Zn alloys, *Acta Mater.* **53** (2005) 4635-4642.
52. D. Balzar, N. C. Popa: Analysing microstructure by Rietveld-refinement, *The Rigaku Journal*, **22** (2005) 16–25.
53. Mario Birkholz: „Thin Film Analysis by X-Ray Scattering”, Wiley-VCH, (2006) ISBN 978-3-527-60759-4.
54. U. Gesenhues: Structural changes in titanium dioxide nanocrystals during plastic deformation, *J. Appl. Cryst.* **38** (2005) 749-756.
55. J. Hershberger, O.O. Ajayi, G.R. Fenske: Phase transformation in nickel during tribotesting, *Scripta Materialia* **53** (2005) 1449-1453.
56. E. Schafner, A. Dubravina, B. Mingler, H. P. Karnthaler, M. Zehetbauer: On the microstructure of HPT processed Cu under variation of deformation parameters, *Mater. Sci. Forum* **503-504** (2006) 51-56.
57. E. Schafner, G. Steiner, E. Korznikova, M. Kerber and M.J. Zehetbauer: Lattice defect investigation of ECAP-Cu by means of X-ray line profile analysis, calorimetry and electrical resistometry, *Mater. Sci. Eng. A* **410-411** (2005) 169-173.
58. F. Sánchez-Bajo, A.L. Ortiz, F.L. Cumbreira: Novel analytical model for the determination of grain size distributions in nanocrystalline materials with low lattice microstrains by X-ray diffractometry, *Acta Mater.* **54** (2006) 1-10.
59. A.K. Roy, S. Bandyopadhyay, S.B. Suresh, D. Maitra, P. Kumar, D. Wells and L. Ma: Relationship of residual stress to dislocation density in cold-worked martensitic alloy, *Mater. Sci. Eng. A* **416** (2006) 134-138.
60. M. B. Kerber, E. Schafner, M.J. Zehetbauer: Processing and evaluation of x-ray line profiles measured from nanostructured materials produced by severe plastic deformation, *Rev. Adv. Mater. Sci.* **10** (2005) 427-433.

61. R. Kuzel: Dislocation line broadening, *Z. Kristallogr. Suppl.* **23** (2006) 75-81.
62. N. Armstrong, M. Leoni, P. Scardi: Considerations concerning Wilkens' theory of dislocation line-broadening, *Z. Kristallogr. Suppl.* **23** (2006) 82-86.
63. N.M. Budarina, O.F. Bojtsov, A.I. Ustinov: Influence of parameters of lognormal distribution of crystallites in the sizes on a profile of diffraction peaks, *Metallofizika i Noveishie Tekhnologii* **27** (2005) 1495-1502.
64. T. Kunieda, M. Nakai, Y. Murata, T. Koyama, M. Morinaga: Estimation of the system free energy of martensite phase in an Fe-Cr-C ternary alloy, *ISIJ International* **45** (2005) 1909-1914.
65. A.K. Deb, P. Chatterjee, S.P. Sen Gupta: Bimodal size distribution and shape anisotropy in ball-milled nano-sized alpha-Al<sub>2</sub>O<sub>3</sub>, *Materials and Manufacturing Processes* **21** (2006) 641-643.
66. S.N. Dey, P. Chatterjee, S.P. Sen Gupta: Deformation stacking fault probability and dislocation microstructure of cold worked Cu-Sn-5Zn alloys by x-ray diffraction line profile analysis, *J. Appl. Phys.* **100** (2006) art. no. 073509.
67. A.K. Deb, P. Chatterjee, S.P. Sen Gupta: Microstructural characterization of ball-milled alpha-Al<sub>2</sub>O<sub>3</sub>: bimodal size distribution and shape anisotropy, *J. Appl. Cryst.* **40** (2007) 33-39.
68. Á. Révész, D. Fátay and T. Spassov: Microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst, *Journal of Alloys and Compounds* **434-435** (2007) 725-728.
69. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, *Zeitschrift fur Kristallographie* **222** (2007) 136-149.
70. E. Schafler and M.B. Kerber: Microstructural investigation of the annealing behaviour of high-pressure torsion (HPT) deformed copper, *Mater. Sci. Eng. A* **462** (2007) 139-143.
71. C. Aguilar, S. Ordóñez, J. Marín, F. Castro and V. Martínez: Study and methods of analysis of mechanically alloyed Cu-Mo powders *Mater. Sci. Eng. A* **464** (2007) 288-294.
72. C. Aguilar, V.de P. Martinez, J.M. Palacios, S. Ordonez and O. Pavez: A thermodynamic approach to energy storage on mechanical alloying of the Cu-Cr system, *Scripta Mater.* **57** (2007) 213-216.
73. F.H. Dalla Torre, A.A. Gazder, C.F. Gu, C.H.J. Davies, E.V. Pereloma: Grain size, misorientation, and texture evolution of copper processed by equal channel angular extrusion and the validity of the Hall-Petch relationship *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38** (2007) 1080-1095.
74. M. Leoni, J. Martinez-Garcia, P. Scardi,: Dislocation effects in powder diffraction, *Journal of Applied Crystallography* **40** (2007) 719-724.
75. J. May, M. Dinkel, D. Amberger, H.W. Höppel, M. Göken: Mechanical properties, dislocation density and grain structure of ultrafine-grained aluminum and aluminum-magnesium alloys, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38 A** (2007) 1941-1945.
76. S. Kamaluddin, J.B. Rao, M.M.M. Sarcar, N.R.M.R. Bhargava: Studies on flow behavior of aluminum using vision system during cold upsetting, *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science* **38** (2007) 681-688.
77. A. Révész, D. Fátay: Hydriding kinetics of ball-milled nanocrystalline MgH<sub>2</sub> powders, *J. Mater. Res.* **22** (2007) 3144-3151.
78. T. Rzychon, K. Rodak: Microstructure characterization of deformed copper by XRD line broadening, *Archives of Materials Science and Engineering* **48** (2007) 605-608.

79. Z. Kalincsak, L. Balogh, L. Borbas, J. Takacs: Stress Analysis of Laser Marked Low Carbon Steel, in *Experimental Analysis of Nano and Engineering Materials and Structures (Proceedings of the 13th International Conference on Experimental Mechanics, Alexandroupolis, Greece, July 1–6, 2007)* Springer Netherlands (2007) pp. 631-632 (10.1007/978-1-4020-6239-1\_313).
80. H. Van Swygenhoven: Footprints of plastic deformation in nanocrystalline metals, *Mater. Sci. Eng. A* **483-484** (2008) 33-39.
81. Y.H. Zhao, Z. Horita, T.G. Langdon and Y.T. Zhu: Evolution of defect structures during cold rolling of ultrafine-grained Cu and Cu–Zn alloys: Influence of stacking fault energy, *Mater. Sci. Eng. A* **474** (2008) 342-347.
82. J. May, D. Amberger, M. Dinkel, H.W. Höppel and M. Göken: Monotonic and cyclic deformation behaviour of ultrafine-grained aluminium, *Mater. Sci. Eng. A* **483-484** (2008) 481-484.
83. W. Mekonnen, B. Arstad, H. Klette, J. C. Walmsley, R. Bredesen, H. Venvik, R. Holmestad: Microstructural characterization of self-supported 1.6  $\mu\text{m}$  Pd/Ag membranes, *J. Membrane Science* **310** (2008) 337-348.
84. B. Bacroix, R. Brenner, K. Zhu, H. Réglé, A. Wauthier, D. Chaubet, O. Castelnau: Relation between initial texture and microstructure and nucleation and growth mechanisms in metals, *Materials Science Forum* **558-559** (2007) 45-52.
85. A.R. Kilmametov, A. Khristoforov, G. Wilde, R.Z. Valiev: X-ray studies of nanostructured metals processed by severe plastic deformation, *Zeitschrift für Kristallographie, Suppl.* **26** (2007) 339-344.
86. T. Ida: New measures of sharpness for symmetric powder diffraction peak profiles, *J. Appl. Cryst.* **41** (2008) 393-401.
87. A.M. Rashidi and A. Amadeh: The effect of current density on the grain size of electrodeposited nanocrystalline nickel coatings, *Surface and Coatings Technology* **202** (2008) 3772-3776.
88. W. Luan, C. Jiang, H. Wang, J. Panardie, D. Chen: XRD investigation of thermostability of TiB<sub>2</sub>/Al deformation layer introduced by shot peening, *Mater. Sci. Eng. A* **480** (2008) 1-4.
89. N.C. Popa, D. Balzar: Size-broadening anisotropy in whole powder pattern fitting. Application to zinc oxide and interpretation of the apparent crystallites in terms of physical models, *J. Appl. Cryst.* **41** (2008) 615-627.
90. A.P. Zhilyaev, A.A. Gimazov, E.P. Soshnikova, Á. Révész, T.G. Langdon: Microstructural characteristics of nickel processed to ultrahigh strains by high-pressure torsion, *Mater. Sci. Eng. A* **489** (2008) 207-212.
91. S. Mahadevan, T. Jayakumar, B.P.C. Rao, A. Kumar, K.V. Rajkumar, B. Raj: X-ray diffraction profile analysis for characterizing isothermal aging behavior of M250 grade maraging steel, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **39** (2008) 1978-1984.
92. M. Huller J. Vlcek, M. Dinkel, H.W. Hoppel, M. Goken: Hardening and thermal stability of nanocrystalline AlMg<sub>4.8</sub> powder, *Phil. Mag.* **88** (2008) 1209-1226.
93. W.Z. Luan, C.H. Jiang, H.W. Wang: Xrd analysis of the recrystallization process of shot peened layer on in situ TiB<sub>2</sub>/6351ai composite, *ACTA METALLURGICA SINICA* **44** (2008) 671-674.
94. D. Setman, E. Schafler, E. Korznikova, M. J. Zehetbauer: The presence and nature of vacancy type defects in nanometals detained by severe plastic deformation, *Mater. Sci. Eng. A* **493** (2008) 116-122.

95. C. Aguilar, V. Martinez, S. Ordonez, O. Pavez, L. Valderrama: X-ray diffraction line profile analysis of Cu-2 wt. % Cr-6 wt. % Mo alloy mechanically alloyed, *REVISTA DE METALURGIA* **44** (2008) 243-250.
96. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
97. W. Luan, C. Jiang, H. Wang: Investigation for recrystallization behavior of shot peened layer on TiB<sub>2</sub>/6351Al composite using X-ray diffraction, *Materials Science and Engineering A* **496** (2008) 36-39.
98. W.-Z. Luan, C.-H. Jiang, H.-W. Wang, V. Ji: Microstructures of shot peened layer on TiB<sub>2</sub>/Al at elevated temperatures, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* **18** (2008) 1402-1406.
99. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.
100. S.H. Nedjad, M.-R.M. Gharabagh: Dislocation structure and crystallite size distribution in lath martensite determined by X-ray diffraction peak profile analysis, *International Journal of Materials Research* **99** (2008) 1248-1255.
101. M. Dinkel, F. Pyczak, J. May, H.W. Höppel, M. Göken: XRD profile analysis characterization of ultrafine grained Al–Mg alloys. *J. Mater. Sci.* **43** (2008) 7481-7487.
102. P. Scardi: Microstructural Properties: Lattice Defects and Domain Size Effects, in book „POWDER DIFFRACTION: THEORY AND PRACTICE”, Editors: R.E. Dinnebier, S.J.L. Billinge, ROYAL SOC CHEMISTRY, CAMBRIDGE, ENGLAND (2008) ISBN: 978-1-84755-823-7 pp. 376-413.
103. I. Lonardelli, J. Almer, G. Ischia, C. Menapace, A. Molinari: Deformation behavior in bulk nanocrystalline-ultrafine aluminum: in situ evidence of plastic strain recovery, *Scripta Mater.* **60** (2009) 520-523.
104. P. Angerer, H. Simunkova, E. Schafler, M.B. Kerber, J. Wosik, G.E. Nauer: Structure and texture of electrochemically prepared nickel layers with co-deposited zirconia nanoparticles, *Surface and Coatings Technology* **203** (2009) 1438-1443.
105. A.R. Kilmametov, G. Vaughan, A.R. Yavari, A. LeMoulec, W.J. Botta, R.Z. Valiev: Microstructure evolution in copper under severe plastic deformation detected by in situ X-ray diffraction using monochromatic synchrotron light, *Materials Science and Engineering A* **503** (2009) 10-13.
106. M. Fares, , M.Y. Debili: Structural characterization of nanostructured nickel coated carbon fibers by X-ray line broadening, *e-Journal of Surface Science and Nanotechnology* **6** (2008) 258-262.
107. E.J. Mittemeijer, U. Welzel: The "state of the art" of the diffraction analysis of crystallite size and lattice strain, *Zeitschrift fur Kristallographie* **223** (2008) 552-560.
108. M.A. Moram, M.E. Vickers: X-ray diffraction of III-nitrides, *REPORTS ON PROGRESS IN PHYSICS* **72** (2009) 036502.
109. V. Davydov, P. Lukas, P. Strunz, R. Kuzel: Evolution of internal stresses in the plain ferritic steel studied by neutron diffraction in situ upon tensile straining, *JOURNAL OF PHYSICS-CONDENSED MATTER* **21** (2009) 095407.
110. C. Aguilar, V. Martínez, L. Navea, O. Pavez, M. Santander: Thermodynamic analysis of the change of solid solubility in a binary system processed by mechanical alloying, *Journal of Alloys and Compounds* **471** (2009) 336-340.

111. J. Appa Rao, J. Babu Rao, Syed Kamaluddin, M.M.M. Sarcar, N.R.M.R. Bhargava: Studies on cold workability limits of pure copper using machine vision system and its finite element analysis, *Materials & Design*, **30** (2009) 2143-2151.
112. A.M. Rashidi, A.R. Eivani, A. Amadeh: Application of artificial neural networks to predict the grain size of nano-crystalline nickel coatings, *Computational Materials Science* **45** (2009) 499-504.
113. Robert E. Dinnebier, Simon J. L. Billinge: „Powder Diffraction: Theory and Practice” Royal Society of Chemistry (2008) ISBN 0854042318.
114. D. Rafaja, V. Klemm, C. Wustefeld, M. Motylenko, M. Dopita M. Schwarz, T. Barsukova, E. Kroke: Interference phenomena in nanocrystalline materials and their application in the microstructure analysis, *ZEITSCHRIFT FUR KRISTALLOGRAPHIE* Suppl. 27 (2008) 15-26.
115. T. Di Luccio, M. Pentimalli: Structural characterization of hybrid organic-inorganic nanocomposites: X-ray scattering and solid-state nuclear magnetic resonance spectroscopy, chapter 5 in: *Hybrid nanocomposites for nanotechnology*, ed.: L. Merhari, Springer, ISBN 978-0-387-72398-3, (2009) pp. 193-227.
116. A. D. Evans, A. King, T. Pirling, P. Peyre, P. J. Withers: Characterisation of Residual Stresses Generated by Laser Shock Peening by Neutron and Synchrotron Diffraction, in: *Engineering Against Fracture*, eds.: S. Pantelakis, C. Rodopoulos, Springer, ISBN 978-1-4020-9401-9 (2009) pp. 383-398.
117. B. Savova, D. Filkova, D. Crisan, M. Crisan, M. Raileanu, N. Dragan, A. Galtayries, J. C. Vedrine: Neodymium doped alkaline-earth oxide catalysts for propane oxidative dehydrogenation. Part I. Catalyst characterisation, *Applied Catalysis A: General*, **359** (2009) 47-54.
118. Y. Zhong, D. Ping, X. Song, F. Yin: Determination of grain size by XRD profile analysis and TEM counting in nano-structured Cu, *Journal of Alloys and Compounds*, **476** (2009) 113-117.
119. W.Z. Luan, C.H. Jiang, V. Ji, H.W. Wang: Effect of shot peening on surface mechanical properties of TiB<sub>2</sub>/Al composite, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2454-2458.
120. N.P. Gurao, S. Suwas: Deformation mechanisms during large strain deformation of nanocrystalline nickel, *APPLIED PHYSICS LETTERS* **94** (2009) 191902.
121. K. Hanafusa, A. Yamamoto, H. Ogino, S. Horii, J. Shimoyama, K. Kishio: Interpretation of X-Ray Line Profile of Polycrystalline MgB<sub>2</sub>, *IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY* **19** (2009) 2690-2693.
122. A.M. Rashidi, A. Amadeh: The effect of saccharin addition and bath temperature on the grain size of nanocrystalline nickel coatings, *Surface and Coatings Technology* **204** (2009) 353-358.
123. S. Vives, C. Meunier: Influence of the X-ray diffraction line profile analysis method on the structural and microstructural parameters determination of sol-gel TiO<sub>2</sub> powders, *Powder Diffraction* **24** (2009) 205-220.
124. C. Aguilar, P.A. Rojas, S. Ordonez, D. Guzman: X-Ray profile analysis of Cu-8wt.%Cr processed by mechanical alloying, *MATERIA-RIO DE JANEIRO* **14** (2009) 777-786.
125. Y. Li, Y.H. Zhao, V. Ortalan, W. Liu, Z.H. Zhang, R.G. Vogt, N.D. Browning, E.J. Lavernia, J.M. Schoenung: Investigation of aluminum-based nanocomposites with ultra-high strength, *Materials Science and Engineering A* **527** (2009) 305-316.
126. T.R. Bieler, T-k. Lee, K-C. Liu: Methodology for Analyzing Strain States During In Situ Thermomechanical Cycling in Individual Lead-Free Solder Joints Using Synchrotron Radiation, *Journal of Electronic Materials* **38** (2009) 2712-2719.

127. A. Rebhi, T. Makhlof, N. Njah: X-Ray diffraction analysis of 99.1% recycled aluminium subjected to equal channel angular extrusion, *Physics Procedia* **2** (2009) 1263-1270.
128. T. Kawazoe, T. Takahashi and M. Ohtsu: Evaluation of the dynamic range and spatial resolution of nonadiabatic optical near-field lithography through fabrication of Fresnel zone plates, *Applied Physics B: Lasers and Optics* **98** (2010) 5-11.
129. R. Sen, S. Bhattacharya, S. Das, K. Das: Effect of surfactant on the co-electrodeposition of the nano-sized ceria particle in the nickel matrix, *Journal of Alloys and Compounds*, **489** (2010) 650-658.
130. A. Santos-Beltrán, V. Gallegos-Orozco, R. Goytia Reyes, M. Miki-Yoshida, I. Estrada-Guel, R. Martínez-Sánchez: Mechanical and microstructural characterization of dispersion strengthened Al–C system nanocomposites, *Journal of Alloys and Compounds*, **489** (2010) 626-630.
131. C.F. Gu, C.H.J. Davies: Thermal stability of ultrafine-grained copper during high speed micro-extrusion, *Materials Science and Engineering A*, **527** (2010) 1791-1799.
132. Bob B. He: Two-dimensional X-ray diffraction, John Wiley and Sons, Inc., Hoboken, New Jersey, USA (2009) ISBN 978-0-470-22722-0.
133. A.M. Rashidi, A. Amadeh: Effect of Electroplating Parameters on Microstructure of Nanocrystalline Nickel Coatings, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY* **26** (2010) 82-86.
134. Sajó István: Nanokristályos anyagok röntgendiffrakciós vizsgálata, in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 148-152., ISBN: 9789 6328 4053 6.
135. L. Zhang, A. Grytsiv, B. Bonarski, M. Kerber, D. Setman, E. Schafler, P. Rogl, E. Bauer, G. Hilscher, M. Zehetbauer: Impact of High Pressure Torsion on the microstructure and physical properties of Pr<sub>0.67</sub>Fe<sub>3</sub>CoSb<sub>12</sub>, Pr<sub>0.71</sub>Fe<sub>3.5</sub>Ni<sub>0.5</sub>Sb<sub>12</sub>, and Ba<sub>0.06</sub>Co<sub>4</sub>Sb<sub>12</sub>, *Journal of Alloys and Compounds*, **494** (2010) 78-83.
136. D. Setman, M. B. Kerber, E. Schafler, M. J. Zehetbauer: Activation Enthalpies of Deformation-Induced Lattice Defects in Severe Plastic Deformation Nanometals Measured by Differential Scanning Calorimetry, *Metallurgical and Materials Transactions A* **41** (2010) 810-815.
137. H.T. Ni, X.Y. Zhang, Y.T. Zhu: Quantitative Characterization of Partial Dislocations in Nanocrystalline Metals, *CHINESE PHYSICS LETTERS* **27** (2010) 056101.
138. D. Delagnes, F. Rézaï-Aria, C. Levaillant: Influence of testing and tempering temperatures on fatigue behaviour, life and crack initiation mechanisms in a 5%Cr martensitic steel, *Procedia Engineering* **2** (2010) 427-439.
139. Y.B. Wang, X.Z. Liao, Y.H. Zhao, E.J. Lavernia, S.P. Ringer, Z. Horita, T.G. Langdon, Y.T. Zhu: The role of stacking faults and twin boundaries in grain refinement of a Cu–Zn alloy processed by high-pressure torsion, *Materials Science and Engineering A* **527** (2010) 4959-4966.
140. R. Kripal, A.K. Gupta, S.K. Mishra, R.K. Srivastava, A.C. Pandey, S.G. Prakash: Photoluminescence and photoconductivity of ZnS:Mn<sup>2+</sup> nanoparticles synthesized via co-precipitation method, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* **76** (2010) 523-530.
141. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME*

- International Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
142. Á. Révész, D. Fátay: Microstructural evolution of ball-milled MgH<sub>2</sub> during a complete dehydrogenation–hydrogenation cycle, *Journal of Power Sources* **195** (2010) 6997-7002.
  143. S.C. Vogel: Reduction and analysis of two-dimensional diffraction data including texture analysis, NATO Science for Peace and Security Series B: Physics and Biophysics, Editors: E. Boldyreva, P. Dera, ISBN: 978-904819257-1 (2010) pp. 123-133.
  144. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Materials Transactions* **51** (2010) 1067-1071.
  145. C. Aguilar, S. Ordonez, D. Guzman, P.A. Rojas: Mechanical alloying of Cu–xCr (x = 3, 5 and 8 wt.%) alloys, *Journal of Alloys and Compounds* **504** (2010) 102-109.
  146. F. Spieckermann, H. Wilhelm, M. Kerber, E. Schafler, G. Polt, S. Bernstorff, F. Addiego, M. Zehetbauer: Determination of lamella thickness distributions in isotactic polypropylene by X-ray line profile analysis, *Polymer* **51** (2010) 4195-4199.
  147. S.R. Aghdaee, V. Soleimanian: Effect of thickness and heat treatment on the crystallite size and dislocation density of nanostructured zinc oxide thin films, *Journal of Crystal Growth*, **312** (2010) 3050-3056.
  148. N.C. Popa, C.M. Teodorescu, S. Frunza: New analytical approximation of diffraction size broadened peak profile for spherical crystallites with a lognormal distribution, *JOURNAL OF APPLIED CRYSTALLOGRAPHY* **43** (2010) 1027-1030.
  149. N.P. Gurao, R. Kapoor, S. Suwas: Effect of Strain Rate on Evolution of the Deformation Microstructure and Texture in Polycrystalline Copper and Nickel, *Metallurgical and Materials Transactions A* **41** (2010) 2794-2804.
  150. G. Abrosimova, N. Afonikova, Y. Estrin, N. Kobelev, E. Kolyvanov: Orientation dependence of elastic properties and internal stresses in sub-microcrystalline copper produced by equal channel angular pressing, *Acta Materialia* **58** (2010) 6656-6664.
  151. V.M. Kaganer, K.K. Sabelfeld: X-ray diffraction peaks from correlated dislocations: Monte Carlo study of dislocation screening, *Acta Crystallographica Section A: Foundations of Crystallography* **66** (2010) 703-716.
  152. T.M. Holden: A Canadian perspective on engineering strain measurements by neutron diffraction, *Canadian Journal of Physics* **88** (2010) 799-808.
  153. R. Sen, S. Das, K. Das: Effect of Current Density on the Microstructure and Hardness of Ni-CeO<sub>2</sub> Nanocomposite Coating Synthesized by Pulse Electrodeposition Technique, *JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY* **10** (2010) 8217-8226.
  154. Y.H. Chen, C.H. Jiang, Z. Wang, K. Zhan: Influence of shot peening on surface-layer characteristics of a monocrystalline nickel-based superalloy, *Powder Diffraction* **25** (2010) 355-358.
  155. T. Berecz, L. Balogh: Investigation of the influence of surface strengthening technology on the material of railway car wheel axles, *Materials Science Forum* **659** (2010) 277-282.

156. V. Afshari, C. Dehghanian: The influence of pulse parameters on the microstructure of iron electrodeposits, *International Journal of Nanoscience* **9** (2010) 365-370.
157. F. Spieckermann, H. Wilhelm, E. Schafler, M. Kerber, S. Bernstorff, M.J. Zehetbauer: Plasticity and X-ray Line Profile Analysis of the semicrystalline polymer poly(3-hydroxybutyrate), *Journal of Physics: Conference Series* **240** (2010) art. no. 012146.
158. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals* **74** (2010) 806-810.
159. V.M. Kaganer, K.K. Sabelfeld: Diffraction peaks from correlated dislocations, *Zeitschrift fur Kristallographie* **225** (2010) 581-587.
160. A.M. Rashidi, A. Amadeh: A study on the aluminizing of electrodeposited nickel at 500 °C, *Iranian Journal of Materials Science and Engineering* **7** (2010) 6-13.
161. S.A.A. Akbari Mousavi, Sh. Ranjbar Bahadori: The effects of post annealing on the mechanical properties, microstructure and texture evolutions of pure copper deformed by twist extrusion process, *Materials Science and Engineering A* **528** (2011) 1242-1246.
162. N.P. Gurao, S. Suwas: Texture evolution and operative mechanisms during large-strain deformation of nanocrystalline nickel, *Philosophical Magazine* **91** (2011) 798-817.
163. M. Danaie, C. Mauer, D. Mitlin, J. Huot: Hydrogen storage in bulk Mg-Ti and Mg-stainless steel multilayer composites synthesized via accumulative roll-bonding (ARB), *International Journal of Hydrogen Energy* **36** (2011) 3022-3036.
164. Y. Chen, A. Herz, R. Kirchheim: Grain boundary segregation of carbon and formation of nanocrystalline iron-carbon alloys by ball milling, *Materials Science Forum* **667-669** (2011) 265-270.
165. S.G. Hashemi, B. Eghbali: Processing of ultrafine grained Cu-30%Zn alloy through severe plastic deformation using accumulative roll bonding, *Materials Science Forum* **667-669** (2011) 571-576.
166. C. Weidenthaler: Pitfalls in the characterization of nanoporous and nanosized materials, *NANOSCALE* **3** (2011) 792-810.
167. R. Sen, S. Das, K. Das: Effect of stirring rate on the microstructure and microhardness of Ni-CeO<sub>2</sub> nanocomposite coating and investigation of the corrosion property, *Surface and Coatings Technology* **205** (2011) 3847-3855.
168. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
169. R. Sen, S. Das, K. Das: Microstructural Characterization of Nanosized Ceria Powders by X-Ray Diffraction Analysis, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **42A** (2011) 1409-1417.
170. X. Yu, J. Zhang, L. Wang, Z. Ding, C. Jin, Y. Zhao: Comparative studies of constitutive properties of nanocrystalline and bulk iron during compressive deformation, *Acta Materialia* **59** (2011) 3384-3389.
171. K. Chen, M. Kunz, N. Tamura, H.R. Wenk: Evidence for high stress in quartz from the impact site of Vredefort, South Africa, *EUROPEAN JOURNAL OF MINERALOGY* **23** (2011) 169-178.

172. C. Aguilar, D. Guzman, P.A. Rojas, S. Ordonez, R. Rios: Simple thermodynamic model of the extension of solid solution of Cu–Mo alloys processed by mechanical alloying, *Materials Chemistry and Physics* **128** (2011) 539-542.
173. R. Mukherjee, T. Sahu, S. Sen, P. Sahu: Structural and microstructural evolution due to increasing Co substitution in Ni<sub>1-x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub>: An X-ray diffraction study using the Rietveld method, *Materials Chemistry and Physics* **128** (2011) 365-370.
174. S. Sato, E-P. Kwon, M. Imafuku, K. Wagatsuma, S. Suzuki: Microstructural characterization of high-manganese austenitic steels with different stacking fault energies, *Materials Characterization* **62** (2011) 781-788.
175. S.H. Nedjad, F.H. Nasab, M.R.M. Garabagh, S.R. Damadi, M.N. Ahmadabadi: X-Ray Diffraction Study on the Strain Anisotropy and Dislocation Structure of Deformed Lath Martensite, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **42A** (2011) 2493-2497.
176. Z.J. Fan, Z.F. Song, D.W. Xiao, B. Chen: XRD LINE PROFILE ANALYSIS OF LY12 ALUMINUM ALLOY UNDER DYNAMIC COMPRESSIVE EXPERIMENT, *ACTA METALLURGICA SINICA* **47** (2011) 559-565.
177. A. Singh, M. Dao, L. Lu, S. Suresh: Deformation, structural changes and damage evolution in nanotwinned copper under repeated frictional contact sliding, *Acta Mater.* **59** (2011) 7311-7324.
178. V. Soleimanian, S.R. Aghdaee: The influence of annealing temperature on the slip plane activity and optical properties of nanostructured ZnO films, *Applied Surface Science* **258** (2011) 1495-1504.
179. Z.H. Cong, Y. Murata: Dislocation Density of Lath Martensite in 10Cr-5W Heat-Resistant Steels, *MATERIALS TRANSACTIONS* **52** (2011) 2151-2154.
180. F. Maurer, J. Brötz, G. Miehe, S. Karim, H. Fuess: Structural characterisation of textured gold nanowires, *International Journal of Nanotechnology* **8** (2011) 855-867.
181. J.L. Lu, Z.H. Li, S.P. Jiang, P.K. Shen, L. Li: Nanostructured Tungsten Carbide/Carbon Composites Synthesized by A Microwave Heating Method as Supports of Platinum Catalysts for Methanol Oxidation, *Journal of Power Sources* **202** (2012) 56-62.
182. L. Balogh, L. Capolungo, C.N. Tome: On the measure of dislocation densities from diffraction line profiles: A comparison with discrete dislocation methods, *Acta Materialia* **60** (2012) 1467-1477.
183. X.G. Qiao, N. Gao, M.J. Starink: A model of grain refinement and strengthening of Al alloys due to cold severe plastic deformation, *Philosophical Magazine* **92** (2012) 446-470.
184. T. Mayer, L. Balogh, C. Solenthaler, E. Müller Gubler, S.R. Holdsworth: Dislocation density and sub-grain size evolution of 2CrMoNiWV during low cycle fatigue at elevated temperatures, *Acta Materialia* **60** (2012) 2485-2496.
185. S.M. Lari Baghal, A. Amadeh, M. Heydarzadeh Sohi: Investigation of mechanical properties and operative deformation mechanism in nano-crystalline Ni-Co/SiC electrodeposits, *Materials Science and Engineering A* **542** (2012) 104-112.
186. C. Aguilar, F. Castro, V. Martínez, D. Guzman, F. de las Cuevas, L. Lozada, N. Vielma: Structural study of nanocrystalline solid solution of Cu-Mo obtained by mechanical alloying, *Materials Science and Engineering A* **548** (2012) 189-194.
187. M. Iwata, Y. Sugiyama, Y. Murata, S. Takaya: Evaluation of the system free energy in FG-HAZ of mod.9Cr-1Mo steel for nuclear power plants, *Defect and Diffusion Forum* **326-328** (2012) 578-582.

188. R. Madhavan, N.P. Gurao, S. Suwas: Deformation and recrystallization texture evolution in nano-crystalline nickel, *Materials Science Forum* **715-716** (2012) 508-517.
189. S.R. Bahadori, S.A.A.A. Mousavi: The Evolution of Homogeneity in a Transverse Cross Section of Aluminum Alloy Profile Deformed by Twist Extrusion, *JOM* **64** (2012) 593-599.
190. S.M. Lari Baghal, M. Heydarzadeh Sohi, A. Amadeh: A functionally gradient nano-Ni-Co/SiC composite coating on aluminum and its tribological properties, *Surface and Coatings Technology* **206** (2012) 4032-4039.
191. C. Savall, A. Godon, J. Creus, X. Feugas: Influence of deposition parameters on microstructure and contamination of electrodeposited nickel coatings from additive-free sulphamate bath, *Surface and Coatings Technology* **206** (2012) 4394-4402.
192. M. Baalousha, J.R. Lead: Rationalizing nanomaterial sizes measured by atomic force microscopy, flow field-flow fractionation, and dynamic light scattering: Sample preparation, polydispersity, and particle structure, *Environmental Science and Technology* **46** (2012) 6134-6142.
193. R. Besmel, H. Shokrollahi: Simultaneous variations of microstructure and magnetic properties of Ni<sub>58</sub>Fe<sub>12</sub>Zr<sub>20</sub>B<sub>10</sub> nanostructure/amorphous alloy prepared by mechanical alloying, *Journal of Magnetism and Magnetic Materials* **324** (2012) 2829-2835.
194. X.H. Yu, J.Z. Zhang, Y.Y. Zhang, L.P. Wang, Y.S. Zhao: Comparative studies of yield strength and elastic compressibility between nanocrystalline and bulk cobalt, *JOURNAL OF APPLIED PHYSICS* **111** (2012) Article Number: 113506.
195. W. Woo, Z. Feng, X.-L. Wang, K. An, B. Clausen, T.A. Sisneros, J.S. Jeong: In situ neutron diffraction analysis of grain structure during friction stir processing of an aluminum alloy, *Materials Letters* **85** (2012) 29-32.
196. R.K. Khatirkar, P. Yadav, S.G. Sapate: Structural and wear characterization of heat treated En24 steel, *ISIJ International* **52** (2012) 1370-1376.
197. L. Balogh, D.W. Brown, P. Mosbrucker, F. Long, M.R. Daymond: Dislocation structure evolution induced by irradiation and plastic deformation in the Zr-2.5Nb nuclear structural material determined by neutron diffraction line profile analysis, *Acta Materialia* **60** (2012) 5567-5577.
198. M. Leoni: Information on imperfections, *NATO Science for Peace and Security Series B: Physics and Biophysics*, (2012) pp. 173-182.
199. C. Aguilar, D. Guzman, C. Iglesias: ANALISIS DE PERFILES DE DIFRACCIÓN DE RAYOS X DE DOS MATERIALES METALICOS, *Rev. LatinAm. Metal. Mat.* **33** (2013) 15-32.
200. N. Mujica, M.T. Cerda, R. Espinoza, J. Lisoni, F. Lund: Ultrasound as a probe of dislocation density in aluminum, *Acta Materialia* **60** (2012) 5828-5837.
201. H. Roy, A. Ray, K. Barat, C. Hochmuth, S. Sivaprasad, S. Tarafder, U. Glatzel, K.K. Ray: Structural variations ahead of crack tip during monotonic and cyclic fracture tests of AISI 304LN stainless steel, *Materials Science and Engineering A* **561** (2013) 88-99.
202. M.A. Guitar, K. Woll, E. Ramos-Moore, F. Mücklich: Study of grain growth and thermal stability of nanocrystalline RuAl thin films deposited by magnetron sputtering, *Thin Solid Films* **527** (2013) 1-8.
203. J. Zhao, Z. Lu, Y. Yin, C. McRae, J.A. Piper, J.M. Dawes, D. Jin, E.M. Goldys: Upconversion luminescence with tunable lifetime in NaYF<sub>4</sub>:Yb,Er nanocrystals: Role of nanocrystal size, *Nanoscale* **5** (2013) 944-952.

204. Y. Miyajima, H. Abe, T. Fujii, S. Onaka, M. Kato: Effects of Si on mechanical properties and microstructure evolution in ultrafine-grained Cu–Si alloys processed by accumulative roll bonding, *Acta Materialia* **61** (2013) 1537-1544.
205. C. Aguilar, D. Guzman, S. Ordoñez, P.A. Rojas: Estimation of energy distribution in mechanical alloying of the systems Cu-3wt.%Cr and Cu-3wt.%Mo, *Revista Latinoamericana de Metalurgia y Materiales* **33** (2013) 74-81.
206. W.B. Liu, C. Zhang, Z.X. Xia, Z.G. Yang, P.H. Wang, J.M. Chen: Strain-induced refinement and thermal stability of a nanocrystalline steel produced by surface mechanical attrition treatment, *Materials Science and Engineering A* **568** (2013) 176-183.
207. T. Blesgen: Deformation patterning in the framework of large-strain Cosserat plasticity, *MODELLING AND SIMULATION IN MATERIALS SCIENCE AND ENGINEERING* **21** (2013) Article Number: 035001.
208. T. Riedl, A. Kirchner, K. Eymann, A. Shariq, R. Schlesiger, G. Schmitz, M. Ruhnnow, B. Kieback: Elemental distribution, solute solubility and defect free volume in nanocrystalline restricted-equilibrium Cu-Ag alloys, *JOURNAL OF PHYSICS-CONDENSED MATTER* **25** (2013) Article Number: 115401.
209. Y.Z. Chen, A. Herz, Y.J. Li, C. Borchers, P. Choi, D. Raabe, R. Kirchheim: Nanocrystalline Fe-C alloys produced by ball milling of iron and graphite, *Acta Materialia* **61** (2013) 3172-3185.
210. S.M. Lari Baghal, A. Amadeh, M. Heydarzadeh Sohi: Effect of nano-SiC incorporation on mechanical properties of micro and nano-structured Ni-Co electrodeposits, *Journal of Nanoscience and Nanotechnology* **13** (2013) 1590-1593.
211. R. Pelka, W. Arabczyk: A New Method for Determining the Nanocrystallite Size Distribution in Systems Where Chemical Reaction between Solid and a Gas Phase Occurs, *JOURNAL OF NANOMATERIALS* (2013) Article Number: 645050.
212. M. Kumagai, T. Kikuchi, M. Imafuku, S.-I. Ohya: Evaluation of microstructures and mechanical properties of steel with tensile loading process using x-ray line profile analysis, *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan* **99** (2013) 366-372.
213. S. Sato, K. Wagatsuma, M. Ishikuro, E.P. Kwon, H. Tashiro, S. Suzuki: Precise Characterization of Dislocations and Cementite in Pearlitic Steels at Different Drawing Strains Using X-ray Diffraction, *ISI INTERNATIONAL* **53** (2013) 673-679.
214. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia, G.H. Gao, Y.Q. Weng: EFFECT OF SURFACE NANOCRYSTALLIZATION ON MICROSTRUCTURE AND THERMAL STABILITY OF REDUCED ACTIVATION STEEL, *ACTA METALLURGICA SINICA* **49** (2013) 707-716.
215. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia: Nanocrystallization of a quenched RAFM steel and microstructure evolution during annealing heat treatment, *Materials Science and Engineering A* **583** (2013) 61-68.
216. G. Polt, F. Spieckermann, H. Wilhelm, M.B. Kerber, E. Schafner, S. Bernstorff, M. Zehetbauer: The Role of Dislocations in  $\gamma$ -iPP under Plastic Deformation investigated by X-ray Line Profile Analysis, *Mechanics of Materials*, **67** (2013) 126-132.
217. D.W. Brown, M.A. Okuniewski, J.D. Almer, L. Balogh, B. Clausen, J.S. Okasinski, B.H. Rabin: High Energy X-ray Diffraction Measurement of Residual Stresses in a Monolithic Aluminum Clad Uranium-10wt% Molybdenum Fuel Plate Assembly, *Journal of Nuclear Materials* **441** (2013) 252-261.

218. P. Canton, P. F. Fazzini, C. Meneghini, A. Benedetti, G. Pozzi: Nanoscale Characterization of Metal Nanoclusters by Means of X-Ray Diffraction (XRD) and Transmission Electron Microscopy (TEM) Techniques, book chapter in: Metal Nanoclusters in Catalysis and Materials Science: The Issue of Size Control, Eds.: B. Corain, G. Schmid, N. Toshima, (Elsevier) 2008, ISBN: 978-0-444-53057-8.
219. A.P. Stebner, S.C. Vogel, R.D. Noebe, T. Sisneros, B. Clausen, D.W. Brown, A. Garg, L.C. Brinson: Micromechanical quantification of elastic, twinning, and slip strain partitioning exhibited by polycrystalline, monoclinic nickel-titanium during large uniaxial deformations measured via in-situ neutron diffraction, *Journal of the Mechanics and Physics of Solids* **61** (2013) 2302-2330.
220. Sh.Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructure, texture and mechanical properties of pure copper processed by ECAP and subsequent cold rolling, *Materials Science and Engineering A* **583** (2013) 36-42.
221. P.L. Mosbrucker, D.W. Brown, O. Anderoglu, L. Balogh, S.A. Maloy, T.A. Sisneros, J. Almer, E.F. Tulk, W. Morgenroth, A.C. Dippel: Neutron and X-ray Diffraction Analysis of the Effect of Irradiation Dose and Temperature on Microstructure of Irradiated HT-9 Steel, *Journal of Nuclear Materials* **443** (2013) 522-530.
222. G. Rogl, A. Grytsiv, P. Rogl, E. Royanian, E. Bauer, J. Horkey, D. Setman, E. Schafler, M. Zehetbauer: Dependence of thermoelectric behaviour on severe plastic deformation parameters: A case study on p-type skutterudite DD0.60Fe<sub>3</sub>CoSb<sub>12</sub>, *Acta Materialia* **61** (2013) 6778-6789.
223. Yu, S.-H., Conte, D.E., Baek, S., Lee, D.-C., Park, S.-K., Lee, K.J., Piao, Y., Sung, Y.-E., Pinna, N.: Structure-properties relationship in iron oxide-reduced graphene oxide nanostructures for Li-ion batteries, *Advanced Functional Materials* **23** (2013) 4293-4305.
224. Mittemeijer, E.J., Welzel, U.: Diffraction Line-Profile Analysis, in: *Modern Diffraction Methods*, ISBN: 978-352732279-4, Wiley-VCH, 2012.
225. Joshi, R.S., Singh, H.: Using X-ray diffraction for studying the effect of modulation and machining parameters on deformation level in brass particulate produced by modulation assisted machining, *Powder Diffraction* **28** (2013) S315-S326.
226. Brown, DW; Clausen, B; Sisneros, TA; Balogh, L; Beyerlein, IJ: In Situ Neutron Diffraction Measurements During Annealing of Deformed Beryllium With Differing Initial Textures, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **44A** (2013) 5665-5675.
227. R. Pelka, K. Kielbasa, W. Arabczyk: The Temperature Effect on Iron Nanocrystallites Size Distribution, *CURRENT NANOSCIENCE* **9** (2013) 711-716.
228. Wenbo Liu, Chi Zhang, Zhigang Yang, Zhixin Xia: Microstructure and thermal stability of bulk nanocrystalline alloys produced by surface mechanical attrition treatment, *Applied Surface Science*, **292** (2014) 556-562.
229. Peng Fu, Chuanhai Jiang: Residual stress relaxation and micro-structural development of the surface layer of 18CrNiMo7-6 steel after shot peening during isothermal annealing, *Materials & Design*, **56** (2014) 1034-1038.
230. Sh. Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructural homogenization of ECAPed copper through post-rolling, *Materials Science and Engineering A*, **588** (2013) 260-264.

231. Fu, P., Jiang, C., Ji, V.: Microstructural evolution and mechanical response of the surface of 18CrNiMo7-6 steel after multistep shot peening during annealing, *Materials Transactions* 54 (2013) 2180-2184.
232. Larbi, F.H., Abib, K., Khereddine, Y., Alili, B., Kawasaki, M., Bradai, D., Langdon, T.G.: DSC analysis of an ecap-deformed Cu-Ni-Si alloy, 22nd International Conference on Metallurgy and Materials, METAL 2013; Hotel Voronez Brno; Czech Republic; 15 May 2013 through 17 May 2013; 2013, Pages 1455-1460.
233. Kumagai, Masayoshi; Imafuku, Muneyuki; Ohya, Shin-ichi: Microstructural Features of Cold-Rolled Carbon Steel Evaluated by X-ray Diffraction Line Profile Analysis and Their Correlation with Mechanical Properties, *ISI INTERNATIONAL* 54 (2014) 206-211.
234. Tibor Berecz, Levente Balogh, István Mészáros, Ágoston Steinbach: The Radial Hardness-Profile and the Microstructure of Railroad Car Axle Materials Treated by Surface Rolling, Determined by Novel Examination Methods, *Materials Science and Engineering A*, 592 (2014) 95-101.
235. Kandemir, T; Kasatkin, I; Girgsdies, F; Zander, S; Kuhl, S; Tovar, M; Schlogl, R; Behrens, M: Microstructural and Defect Analysis of Metal Nanoparticles in Functional Catalysts by Diffraction and Electron Microscopy: The Cu/ZnO Catalyst for Methanol Synthesis, *TOPICS IN CATALYSIS*, 57 (2014) 188-206.
236. Goodarzy, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 Al alloy deformed by one pass of ecap at room temperature, *Iranian Journal of Materials Science and Engineering* 11 (2014) 27-38.
237. Bachmaier, A., Rathmayr, G.B., Bartosik, M., Apel, D., Zhang, Z., Pippan, R.: New insights on the formation of supersaturated solid solutions in the Cu-Cr system deformed by high-pressure torsion, *Acta Materialia* 69 (2014) 301-313.
238. R. Viswanath, H.S. Bhojya Naik, G.S. Yashavanth Kumar, P.N. Prashanth Kumar, K.N. Harish, M.C. Prabhakara, R. Praveen: Synthesis and photoluminescence enhancement of PVA capped Mn<sup>2+</sup> doped ZnS nanoparticles and observation of tunable dual emission: A new approach, *Applied Surface Science*, 301 (2014) 126-133.
239. Konstantin Istomin, Benjamin Dönges, Norbert Schell, Hans-Jürgen Christ, Ullrich Pietsch: Analysis of VHCF damage in a duplex stainless steel using hard X-ray diffraction techniques, *International Journal of Fatigue*, 66 (2014) 177-182.
240. D.W. Brown, J.D. Almer, L. Balogh, E.K. Cerreta, B. Clausen, J.P. Escobedo-Diaz, T.A. Sisneros, P.L. Mosbrucker, E.F. Tulk, S.C. Vogel: Stability of the two-phase ( $\alpha/\omega$ ) microstructure of shocked zirconium, *Acta Materialia* 67 (2014) 383-394.
241. C. Aguilar, D. Guzmán, F. Castro, V. Martínez, F. de las Cuevas, S. Lascano, T. Muthiah: Fabrication of nanocrystalline alloys Cu–Cr–Mo super saturated solid solution by mechanical alloying, *Materials Chemistry and Physics*, 146 (2014) 493-502.
242. Alireza Abdollahi, Ali Alizadeh: Comparative Studies on the microstructure and mechanical properties of bi-modal and tri-modal Al2024 based composites, *Materials Science and Engineering A* 608 (2014) 139-148.
243. Tang, Y., He, W., Wang, S., Tao, Z., Cheng, L.: New insight into the size-controlled synthesis of silver nanoparticles and its superiority in room temperature sintering, *CrystEngComm* 16 (2014) 4431-4440.

244. Shioda, Y., Fujii, S., Murata, Y., Hasegawa, Y.: Evaluation of long term creep strength of 9Cr heat resistant ferritic steel containing boron with the aid of system free energy concept, 7th International Conference on Advances in Materials Technology for Fossil Power Plants; Waikoloa, HI; United States; 22-25 October 2013, pp. 1363-1371 (2014)
245. Upadhyay, M.V., Capolungo, L., Balogh, L.: On the computation of diffraction peaks from discrete defects in continuous media: Comparison of displacement and strain-based methods, *Journal of Applied Crystallography* 47 (2014) 861-878.
246. Joshi, R.S., Srivastava, S., Singh, H.: Microstructural analysis of nanostructured aluminum alloy strips created from machining based deformation process, *Procedia CIRP* 14 (2014) 130-135.
247. Kichanov, S.E., Shevchenko, G.P., Tretyak, E.V., Kozlenko, D.P., Malashkevich, G.E., Belushkin, A.V., Savenko, B.N.: The structural and luminescent properties of Lu<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>:Ce<sup>3+</sup> + Lu<sub>2</sub>O<sub>3</sub> crystal phosphors prepared by colloid chemical synthesis, *Journal of Alloys and Compounds* 613 (2014) 238-243.
248. Sulkowski, B; Panigrahi, A; Ozaltin, K; Lewandowska, M; Mikulowski, B; Zehetbauer, M: Evolution of strength and structure during SPD processing of Ti-45Nb alloys: experiments and simulations, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 6648-6655.
249. Li, ZM; Zheng, BL; Wang, YT; Topping, T; Zhou, YZ; Valiev, RZ; Shan, AD; Lavernia, EJ: Ultrafine-grained Ti-Nb-Ta-Zr alloy produced by ECAP at room temperature, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 6656-6666.
250. Yu, D., An, K., Chen, Y., Chen, X.: Revealing the cyclic hardening mechanism of an austenitic stainless steel by real-time in situ neutron diffraction, *Scripta Materialia* 89 (2014) 45-48.
251. Ghamarian, I., Liu, Y., Samimi, P., Collins, P.C.: Development and application of a novel precession electron diffraction technique to quantify and map deformation structures in highly deformed materials - As applied to ultrafine-grained titanium, *Acta Materialia* 79 (2014) 203-215.
252. Ravinder Singh Joshi, Harpreet Singh: Characteristic studies of brass particulates fabricated by modulation assisted machining, *The International Journal of Advanced Manufacturing Technology*, 73 (2014) 1533-1542.
253. Eschke, A., Zinn, W., Marr, T., Oertel, C.-G., Skrotzki, W., Schultz, L., Eckert, J.: Local stress gradients in Ti/Al composite wires determined by two-dimensional X-ray microdiffraction, *Materials Science and Engineering A* 616 (2014) 44-54.
254. Bolmaro, R.E., De Vincentis, N.S., Benatti, E., Kliauga, A.M., Avalos, M.C., Schell, N., Brokmeier, H.-G.: Anisotropic and heterogeneous development of microstructures. combining laboratory/synchrotron X-rays and EBSD on a few SPD metallic systems, *IOP Conference Series: Materials Science and Engineering* 63 (2014) Article number 012148
255. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Microstructural evolution of precipitation-hardened  $\beta$ -type titanium alloy through high-pressure torsion, *Acta Materialia* 80 (2014) 172-182.
256. Simm, T.H., Withers, P.J., Quinta Da Fonseca, J.: Peak broadening anisotropy in deformed face-centred cubic and hexagonal close-packed alloys, *Journal of Applied Crystallography* 47 (2014) 1535-1551.
257. Santisteban, J.R., Álvarez, M.A.V., Malamud, F., Vizcaíno, P., Kockelmann, W.: Characterization of Zr-based nuclear components by TOF neutron diffraction, *Neutron News* 25 (2014) 44-47.

258. Bolmaro, R.E., Avalos, M.C., De Vincentis, N.S., Kliauga, A.M., Brokmeier, H.-G.: Assessing the power of electron back scattering diffraction characterization of deformed F-138 steel from the view point of crystal diffraction], *Practical Metallography* 51 (2014) 634-655.
259. Li, Z., Chen, D., Wang, H., Lavernia, E.J., Shan, A.: Nano-TiB<sub>2</sub> reinforced ultrafine-grained pure Al produced by flux-assisted synthesis and asymmetrical rolling, *Journal of Materials Research* 29 (2014) 2514-2524.
260. Yager, K.G., Majewski, P.W.: Metrics of graininess: Robust quantification of grain count from the non-uniformity of scattering rings, *Journal of Applied Crystallography* 47 (2014) 1855-1865.
261. Barrios, CE; Baltanas, MA; Bolmaro, R; Bonivardi, AL: Preparation and structural characterization of ZnO and CeO<sub>2</sub> nanocomposite powders as 'active catalytic supports, *POWDER TECHNOLOGY* 267 (2014) 180-192.
262. Andrei Benediktovitch, Ilya Feranchuk, Alexander Ulyanenkov: X-ray diffraction from crystals with defects, *Theoretical Concepts of X-Ray Nanoscale Analysis*, Springer Series in Materials Science Volume 183, 2014, pp 217-263.
263. Andrei Benediktovitch, Ilya Feranchuk, Alexander Ulyanenkov: X-Ray Diffraction Residual Stress Analysis in Polycrystals, *Theoretical Concepts of X-Ray Nanoscale Analysis*, Springer Series in Materials Science Volume 183, 2014, pp 265-311
264. Harzer, T.P., Djaziri, S., Raghavan, R., Dehm, G.: Nanostructure and mechanical behavior of metastable Cu-Cr thin films grown by molecular beam epitaxy, *Acta Materialia* 83 (2015) 318-332.
265. Shin, J.-H., Jeong, J., Lee, J.-W.: Microstructural evolution and the variation of tensile behavior after aging heat treatment of precipitation hardened martensitic steel, *Materials Characterization* 99 (2015) 230-237.
266. Gong, W., Tomota, Y., Harjo, S., Su, Y.H., Aizawa, K.: Effect of prior martensite on bainite transformation in nanobainite steel, *Acta Materialia* 85 (2015) 243-249.
267. Naidu, G; Jeong, S; Choi, Y; Jang, E; Hwang, TM; Vigneswaran, S: Application of vacuum membrane distillation for small scale drinking water production, *DESALINATION* 354 (2014) 53-61.
268. Apu Sarkar, Korukonda L. Murty: Microstructure–mechanical property correlation of cryo rolled Zircaloy-4, *Journal of Nuclear Materials* 456 (2015) 287–291.
269. Soleimanian, V., Aghdaee, S.R.: X-ray diffraction analysis of the effect of annealing temperature on the microstructure of magnesium oxide nanopowder, *Journal of Physics and Chemistry of Solids* 81 (2015) 1-9.
270. Salih, M.Z., Uhlarz, M., Pyczak, F., Brokmeier, H.-G., Weidenfeller, B., Al-Hamdany, N., Gan, W.M., Zhong, Z.Y., Schell, N.: The effect of magnetic annealing on crystallographic texture and magnetic properties of Fe-2.6% Si, *Journal of Magnetism and Magnetic Materials* 381 (2015) 350-359.
271. M. Borodachenkova, F. Barlat, W. Wen, A. Bastos, J.J. Grácio: A microstructure-based model for describing the material properties of Al-Zn alloys during high pressure torsion, *International Journal of Plasticity* 68 (2015) 150-163.
272. Woo, W., Huang, E.-W. , Yeh, J.-W., Choo, H., Lee, C., Tu, S.-Y.: In-situ neutron diffraction studies on high-temperature deformation behavior in a CoCrFeMnNi high entropy alloy, *Intermetallics* 62 (2015) 1-6.

273. Shi, X.H., Chen, Y.Z., Ma, X.Y., Wang, H.T., Liu, F.: Microstructural evolution of nanocrystalline Fe-Zr alloys upon annealing treatment, *Materials Characterization* 103 (2015) 58-64.
274. Wauthier-Monnin, A., Chauveau, T., Castelnau, O., Réglé, H., Bacroix, B.: The evolution with strain of the stored energy in different texture components of cold-rolled if steel revealed by high resolution X-ray diffraction, *Materials Characterization* 104 (2015) 31-41.
275. Shahzad, F; Ettinger, K; Letofsky-Papst, I; Weber, J; Knoll, P: Preparation and characterization of NiO nanoparticles, *JOURNAL OF NANO RESEARCH* 31 (2015) 93-102.
276. Ranjbar Bahadori, S., Dehghani, K.: Influence of Intermediate Annealing on the Nanostructure and Mechanical Properties of Pure Copper Processed by Equal Channel Angular Pressing and Cold Rolling, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 2796-2802.
277. Yoozbashi, M.N., Yazdani, S.: XRD and TEM study of bainitic ferrite plate thickness in nanostructured, carbide free bainitic steels, *Materials Chemistry and Physics* 160 (2015) 148-154.
278. Harte, A., Seymour, T., Francis, E.M., Frankel, P., Thompson, S.P., Jädernäs, D., Romero, J., Hallstadius, L., Preuss, M.: Advances in synchrotron x-ray diffraction and transmission electron microscopy techniques for the investigation of microstructure evolution in proton- and neutron-irradiated zirconium alloys, *Journal of Materials Research* 30 (2015) 1349-1365.
279. Benediktovitch, A., Zhylik, A., Ulyanenkova, T., Myronov, M., Ulyanenkova, A.: Characterization of dislocations in germanium layers grown on (011)- and (111)-oriented silicon by coplanar and noncoplanar X-ray diffraction, *Journal of Applied Crystallography* 48 (2015) 655-665.
280. Farrokhi, A., Samadi, A., Asadi Asadabad, M., Amiri Talischi, L.: Characterization of mechanically alloyed nano structured Fe<sub>3</sub>Al intermetallic compound by X-ray diffractometry, *Advanced Powder Technology* 26 (2015) 797-801.
281. De Vincentis, N.S., Kliauga, A., Ferrante, M., Avalos, M., Brokmeier, H.-G., Bolmaro, R.E: Evaluation of microstructure anisotropy on room and medium temperature ECAP deformed F138 steel, *Materials Characterization* 107 (2015) 98-111.
282. Shi, Z.M., Gong, W., Tomota, Y., Harjo, S., Li, J., Chi, B., Pu, J.: Study of tempering behavior of lath martensite using in situ neutron diffraction, *Materials Characterization* 107 (2015) 29-32.
283. Tanaka, K., Koike, Y., Sano, K., Tanaka, H., Machiya, S., Shobu, T., Kimachi, H.: Microstructural characterization of electrodeposited nanocrystalline nickel films by X-ray diffraction, *Zairyo/Journal of the Society of Materials Science, Japan* 64 (2015) 528-535.
284. Zhong, Z.Y., Brokmeier, H.-G., Gan, W.M., Maawad, E., Schwebke, B., Schell, N.: Dislocation density evolution of AA 7020-T6 investigated by in-situ synchrotron diffraction under tensile load, *Materials Characterization* 108 (2015) 124-131.
285. Ingham, B.: X-ray scattering characterisation of nanoparticles, *Crystallography Reviews* 21 (2015) 229-303.
286. Uvarov, V., Popov, I.: An estimation of the correctness of XRD results obtained from the analysis of materials with bimodal crystallite size distribution, *CrystEngComm* 17 (2015) 8300-8306.

287. Mori, M., Yamanaka, K., Sato, S., Tsubaki, S., Satoh, K., Kumagai, M., Imafuku, M., Shobu, T., Chiba, A.: Strengthening of biomedical Ni-free Co-Cr-Mo alloy by multipass "low-strain-per-pass" thermomechanical processing, *Acta Biomaterialia* 28 (2015) 215-224.
288. Bargujer, S.S., Suri, N.M., Belokar, R.M.: X-ray diffraction analysis of severely cold deformed hypereutectoid steel wire, *Defence Science Journal* 65 (2015) 500-507.
289. Bhuiyan, M.S., Toda, H., Peng, Z., Hang, S., Horikawa, K., Uesugi, K., Takeuchi, A., Sakaguchi, N., Watanabe, Y.: Combined microtomography, thermal desorption spectroscopy, X-ray diffraction study of hydrogen trapping behavior in 7XXX aluminum alloys, *Materials Science and Engineering A* 655 (2016) 221-228.
290. Isik, M., Niinomi, M., Cho, K., Nakai, M., Liu, H., Yilmazer, H., Horita, Z., Sato, S., Narushima, T.: Microstructural evolution and mechanical properties of biomedical Co-Cr-Mo alloy subjected to high-pressure torsion, *Journal of the Mechanical Behavior of Biomedical Materials* 59 (2016) 226-235.
291. Chen, Y.Z., Csiszár, G., Cizek, J., Shi, X.H., Borchers, C., Li, Y.J., Liu, F., Kirchheim, R.: Defect Recovery in Severely Deformed Ferrite Lamellae During Annealing and Its Impact on the Softening of Cold-Drawn Pearlitic Steel Wires, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 47 (2016) 726-738.
292. Ali, M., Remalli, N., Yehya, F., Chaudhary, A.K., Srikanth, V.V.S.S.: Picosecond laser induced fragmentation of coarse Cu<sub>2</sub>O particles into nanoparticles in liquid media, *Applied Surface Science* 357 (2015) 1601-1605.
293. Marinca, T.F., Chicinaş, H.F., Neamţu, B.V., Isnard, O., Pascuta, P., Lupu, N., Stoian, G., Chicinas, I.: Mechano-synthesis, structural, thermal and magnetic characteristics of oleic acid coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *Materials Chemistry and Physics* 171 (2016) 336-345.
294. Chenari, H.M., Sánchez-Bajo, F.: Microstructural study of SnO<sub>2</sub>-based nanoparticles by X-ray diffractometry, *Materials Science in Semiconductor Processing* 49 (2016) 15-19.
295. Tomchik, C., Almer, J., Anderoglu, O., Balogh, L., Brown, D.W., Clausen, B., Maloy, S.A., Sisneros, T.A., Stubbins, J.F.: High energy X-ray diffraction study of the relationship between the macroscopic mechanical properties and microstructure of irradiated HT-9 steel, *Journal of Nuclear Materials* 475 (2016) 46-56.
296. Eskandari, MJ; Asadabad, MA; Tafrihi, R; Shafyei, A: Evolution of Nanostructure in Al 1050 Sheet Deformed by Cryo-cross-rolling, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* 25 (2016) 1643-1649.
297. Basu, I., Chen, M., Loeck, M., Al-Samman, T., Molodov, D.A.: Determination of grain boundary mobility during recrystallization by statistical evaluation of electron backscatter diffraction measurements, *Materials Characterization*, 117 (2016) 99-112.
298. Choudhury, N.: Chemically deposited nanocrystalline PbS: effect of substrates, *Indian Journal of Physics* 90 (2016) 283-287.
299. Liss, K.-D., Chen, K.: Frontiers of synchrotron research in materials science, *MRS Bulletin* 41 (2016) 435-444.
300. Isik, M., Niinomi, M., Liu, H., Cho, K., Nakai, M., Horita, Z., Sato, S., Narushima, T., Yilmazer, H., Nagasako, M.: Grain refinement mechanism and evolution of dislocation structure of Co-Cr-Mo alloy subjected to high-pressure torsion, *Materials Transactions*, Volume 57, Issue 7, 2016, Pages 1109-1118.

301. Toth, L.S., Gu, C.F., Beausir, B., Fundenberger, J.J., Hoffman, M.: Geometrically necessary dislocations favor the Taylor uniform deformation mode in ultra-fine-grained polycrystals, *Acta Materialia*, Volume 117, 15 September 2016, Pages 35-42
302. Anilkumar, M., Bindu, K.R., Sneha Saj, A., Anila, E.I., Enhanced biocompatibility of ZnS:Mn quantum dots encapsulated with Aloe vera extract for therapeutic applications, *Chinese Physics B*, Volume 25, Issue 8, August 2016, Article number 088103
303. Wang, Y., Tomota, Y., Harjo, S., Gong, W., Ohmura, T.: In-situ neutron diffraction during tension-compression cyclic deformation of a pearlite steel, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 522-530
304. Neslušán, M., Čížek, J., Kolařík, K., Minárik, P., Čilliková, M., Melikhova, O.: Monitoring of grinding burn via Barkhausen noise emission in case-hardened steel in large-bearing production, *Journal of Materials Processing Technology*, Volume 240, 1 February 2017, Pages 104-117
305. Majewski, P.W., Yager, K.G: Rapid ordering of block copolymer thin films, *Journal of Physics Condensed Matter*, Volume 28, Issue 40, 18 August 2016, Article number 403002
306. Mohammed, Gh; El-Gamal, S.: Effects of gamma-irradiation and Deformation Temperature on Tensile Properties of Pb-2 mass% Sb Alloy, *JOURNAL OF IRON AND STEEL RESEARCH INTERNATIONAL* Volume: 23 Issue: 7 Pages: 733-738 Published: JUL 2016
307. Akama, D., Tsuchiyama, T., Takaki, S.: Change in dislocation characteristics with cold working in ultralow-carbon martensitic steel, *ISIJ International*, Volume 56, Issue 9, 2016, Pages 1675-1680
308. Murata, Y.: Formation mechanism of lath martensite in steels, *Journal of the Japan Institute of Metals*, Volume 80, Issue 11, 2016, Pages 669-683
309. Karimi, M., Toroghinejad, M.R., Dutkiewicz, J.: Nanostructure formation during accumulative roll bonding of commercial purity titanium, *Materials Characterization*, Volume 122, 1 December 2016, Pages 98-103
310. Sharma, A., Mohan, S., Suwas, S.: The influence of deposition temperature on the structure, microstructure, morphology and magnetic properties of sputter deposited nickel thin films, *Thin Solid Films*, Volume 619, 30 November 2016, Pages 91-101
311. Plotnikova, Yu.M., Braude, I.S., Moskalenko, V.A., X-ray parameters of nanocrystalline microstructure titanium obtained by cryodeformation, *Fizika Nizkikh Temperatur*, Volume 42, Issue 12, December 2016, Pages 1503-1511
312. Kawasaki, T., Harjo, S., Gong, W., Aizawa, K., Line profile analyses of a martensitic steel during continuous and stepwise tensile deformations, *Journal of Physics: Conference Series*, Volume 746, Issue 1, 10 October 2016, Article number 012044, 6th European Conference on Neutron Scattering, ECNS 2015; Zaragoza; Spain; 30 August 2015 through 4 September 2015; Code 124367
313. Harjo, S., Kawasaki, T., Gong, W., Aizawa, K, Dislocation Characteristics in Lath Martensitic Steel by Neutron Diffraction, *Journal of Physics: Conference Series*, Volume 746, Issue 1, 10 October 2016, Article number 012046, 6th European Conference on Neutron Scattering, ECNS 2015; Zaragoza; Spain; 30 August 2015 through 4 September 2015; Code 124367
314. De Vincentis, N.S., Avalos, M.C., Benatti, E.A., Kliauga, A., Brokmeier, H.-G., Bolmaro, R.E., XRD and EBSD analysis of anisotropic microstructure development

- in cold rolled F138 stainless steel, *Materials Characterization*, Volume 123, 1 January 2017, Pages 137-152
315. Brown, DW; Okuniewski, MA; Sisneros, TA; Clausen, B; Moore, GA; Balogh, L, Neutron diffraction measurement of residual stresses, dislocation density and texture in Zr-bonded U-10Mo "mini" fuel foils and plates, *JOURNAL OF NUCLEAR MATERIALS*, Volume: 482, Pages: 63-74, Published: DEC 15 2016
316. Jacques, Alain, From Modeling of Plasticity in Single-Crystal Superalloys to High-Resolution X-rays Three-Crystal Diffractometer Peaks Simulation, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 47A Issue: 12 Pages: 5783-5797 Published: DEC 2016
317. Ahmmed, KF; Balogh, L; Idrees, Y; Yu, HB; Long, F; Daymond, MR, Quantitative characterization of the microstructure of heat-treated Zr-Excel by neutron line profile analysis, *JOURNAL OF APPLIED CRYSTALLOGRAPHY*, Volume: 49, Pages: 1609-1623, 2016
318. Bokuchava, G.D., Petrov, P., Papushkin, I.V., Application of neutron stress diffractometry for studies of residual stresses and microstrains in reactor pressure vessel surveillance specimens reconstituted by beam welding methods, *Journal of Surface Investigation*, Volume 10, Issue 6, 1 November 2016, Pages 1143-1153
319. Eremin, A., Pustovgar, A., Pashkevich, S., Ivanova, I., Golotina, A., Determination of Calcium Sulfate Hemihydrate Modification by X-ray Diffraction Analysis, *Procedia Engineering*, Volume 165, 2016, Pages 1343-1347.
320. Plotnikova, Y.M., Braude, I.S., Moskalenko, V.A., X-ray parameters of a nanocrystalline titanium microstructure, obtained via cryodeformation, *Low Temperature Physics*, Volume 42, Issue 12, 1 December 2016, Pages 1175-1180
321. Urata, Y.M., Watanabe, N., Nagae, Y., Evaluation of long term creep strength of MOD. 9Cr heat resistant ferritic steel with the aid of system free energy concept, *Advances in Materials Technology for Fossil Power Plants - Proceedings of the 8th International Conference on Advances in Materials Technology for Fossil Power Plants; Albufeira, Algarve; Portugal; 11 October 2016 through 14 October 2016; Code 127227*, 2016, Pages 486-493
322. Jaworska, L., Olszowka-Myalska, A., Cygan, S., Figiel, P., Karolus, M., Cyboron, J., The influence of tungsten carbide contamination from the milling process on PCD materials oxidation, *International Journal of Refractory Metals and Hard Materials*, Volume 64, 1 April 2017, Pages 60-65
323. Tomota, Y., Sato, S., Harjo, S., Recent progress of line-profile analyses for neutron or X-ray diffraction, *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan*, Volume 103, Issue 2, 2017, Pages 73-85
324. Chen, M., Li, X., Ji, G., Wu, Y., Chen, Z., Baekelant, W., Vanmeensel, K., Wang, H., Kruth, J.-P., Novel composite powders with uniform TiB<sub>2</sub> nano-particle distribution for 3D printing, Volume 7, Issue 3, 2017, Article number 250
325. Kumar, R., Bakshi, S.R., Joardar, J., Parida, S., Raja, V.S., Singh Raman, R.K., Structural evolution during milling, annealing, and rapid consolidation of nanocrystalline Fe-10Cr-3Al powder, *Materials*, Volume 10, Issue 3, 2017, Article number 272
326. Kaszukur, Z., Zielinski, M., Juszczak, W., The real background and peak asymmetry in diffraction on nanocrystalline metals, *Journal of Applied Crystallography*, Volume 50, 2017, Pages 585-593

327. Hu, Q., Zhao, F., Fu, H., Li, K., Liu, F., Dislocation density and mechanical threshold stress in OFHC copper subjected to SHPB loading and plate impact, *Materials Science and Engineering A*, Volume 695, 17 May 2017, Pages 230-238
328. Urbina, C., Gispert-Guirado, F., Ferrando, F., De la Flor, S., Quantitative analysis of the microstructure in NiTi wires by Synchrotron X-ray diffraction: An approach to the cause of the Two Way Shape Memory Effect, *Journal of Alloys and Compounds*, Volume 712, 25 July 2017, Pages 833-847
329. Pelka, Rafal, A method of determining nanoparticle size distribution in iron ammonia synthesis catalyst by measuring mass changes during the nitriding process, *CATALYSIS TODAY* Volume: 286 Pages: 118-123 Published: MAY 15 2017
330. Sharma, A; Chhangani, S; Madhavan, R; Suwas, S, Correlation between crystallographic texture, microstructure and magnetic properties of pulse electrodeposited nanocrystalline Nickel-Cobalt alloys, *JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS*, Volume: 434, Pages: 68-77, 2017
331. Wilk, Bartłomiej; Pelka, Rafal; Arabczyk, Walerian, Study of the Iron Catalyst for Ammonia Synthesis by Chemical Potential Programmed Reaction Method, *JOURNAL OF PHYSICAL CHEMISTRY C* Volume: 121 Issue: 15 Pages: 8548-8556 Published: APR 20 2017
332. Fattah-alhosseini, M; Keshavarz, MK; Mazaheri, Y; Ansari, AR; Karimi, M, Strengthening mechanisms of nano-grained commercial pure titanium processed by accumulative roll bonding, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING*, Volume: 693, 2017, Pages: 164-169
333. Khodabakhshi, F., Simchi, A., The role of microstructural features on the electrical resistivity and mechanical properties of powder metallurgy Al-SiC-Al<sub>2</sub>O<sub>3</sub> nanocomposites, *Materials and Design*, Volume 130, 2017, Pages 26-36
334. Magalhães, D.C., Kliauga, A.M., Ferrante, M., Sordi, V.L., Microstructure, accumulated strain, and mechanical behavior of AA6061 Al alloy severely deformed at cryogenic temperatures, *IOP Conference Series: Materials Science and Engineering*, 194(1), 2017, 012027
335. Cavazos-Cavazos, D., Contreras-Torres, F.F., Determination of contrast factors for cubic slip-systems and their application in the microstructural characterization of binary Fm3m materials, *Journal of Physics and Chemistry of Solids*, 2017, 110, pp. 36-42
336. Wang, H; Capolungo, L; Clausen, B; Tome, CN, A crystal plasticity model based on transition state theory, *INTERNATIONAL JOURNAL OF PLASTICITY*, Volume: 93, 2017, Pages: 251-268
337. Liu, T.K., Wu, Z., Stoica, A.D., Xie, Q., Wu, W., Gao, Y.F., Bei, H., An, K., Twinning-mediated work hardening and texture evolution in CrCoFeMnNi high entropy alloys at cryogenic temperature, *Materials and Design*, Volume 131, 5 October 2017, Pages 419-427
338. Moskalenko, V.A., Smirnov, A.R., Plotnikova, Y.M., Braude, I.S., Smolianets, R.V., Fundamentals of titanium nanocrystalline structure creation by cryomechanical grain fragmentation, *Materials Science and Engineering A*, 2017, 700, pp. 707-713
339. Woo, W., Ohnuma, M., Wang, X.-L., Engineering, in: *Applications Experimental Methods in the Physical Sciences*, 49, pp. 683-737, 2017

340. Ren, Y., Liu, T., Li, Y., Hu, H., Effect of La inoculation on composition, content, granularity and mechanical properties of in-situ Al-30 wt%Mg<sub>2</sub>Si Composite, *Materials Science and Engineering A*, 2017 , 704, pp. 119-127
341. Jo, K.-R., Seo, E.-J., Hand Sulistiyo, D., Kim, J.-K., Kim, S.-W., De Cooman, B.C., On the plasticity mechanisms of lath martensitic steel, *Materials Science and Engineering A*, 704, 17 September 2017, Pages 252-261
342. Salinas, V; Aguilar, C; Espinoza-Gonzalez, R; Lund, F; Mujica, N, In situ monitoring of dislocation proliferation during plastic deformation using ultrasound, *INTERNATIONAL JOURNAL OF PLASTICITY*, Volume: 97, Pages: 178-193, 2017
343. Yamanaka, K; Mori, M; Sato, S; Chiba, A, Stacking-fault strengthening of biomedical Co-Cr-Mo alloy via multipass thermomechanical processing, *SCIENTIFIC REPORTS*, Volume: 7, Article Number: 10808, 2017
344. Delshadmanesh, M., Khatibi, G., Ghomsheh, M.Z., Lederer, M., Zehetbauer, M., Danninger, H., Influence of microstructure on fatigue of biocompatible  $\beta$ -phase Ti-45Nb, *Materials Science and Engineering A* Volume 706, 26 October 2017, Pages 83-94
345. Tomota, Y., Sato, S., Uchida, M., Xu, P.G., Harjo, S., Gong, W., Kawasaki, T., Quantitative evaluation of texture and dislocations during annealing after hot deformation in austenitic steel using neutron diffraction, *Materials Science Forum* Volume 905 MSF, 2017, Pages 25-30, 8th International Conference on Mechanical Stress Evaluation by Neutrons and Synchrotron Radiation, MECA SENS 2015; Grenoble; France; 28 September 2015 through 2 October 2015; Code 196849
346. Bajda, S., Ratuszek, W., Krzyzanowski, M., Retraint, D., Inhomogeneity of plastic deformation in austenitic stainless steel after surface mechanical attrition treatment, 2017, *Surface and Coatings Technology*, 329, pp. 202-211
347. Bahramyan, M., Hossein Nedjad, S., X-ray diffraction line broadening analysis of nanostructured nickel powder, 2017, *Physics of Metals and Metallography*, 118(9), pp. 839-845
348. Oikawa, K., Su, Y.H., Tomota, Y., Kawasaki, T., Shinohara, T., Kai, T., Hiroi, K., Zhang, S.Y., Parker, J.D., Sato, H., Kiyonagi, Y., A Comparative Study of the Crystallite Size and the Dislocation Density of Bent Steel Plates using Bragg-edge Transmission Imaging, TOF Neutron Diffraction and EBSD, *Physics Procedia*, Volume 88, 2017, Pages 34-41.
349. Sun, C., Hai, X., Xi, S., Fan, Z., Li, P., Wang, W., New insights of solid-state alloying and amorphous-nanocrystalline cyclic phase transitions during Cr-40wt.%Mo powder milling, *Journal of Alloys and Compounds* Volume 731, 15 January 2018, Pages 667-677
350. Staresinic, D; Dominko, D; Rakic, IS; Milat, O; Ristic, D; Ivanda, M; Radic, TM; Clement, A; Saint-Paul, M; Kozlov, ME; Biljakovic, K, Fractal nature of hard carbon prepared from C-60 fullerene, *CARBON*, Volume: 124, Pages: 708-721, 2017
351. Tomota, Y; Sekido, N; Xu, PG; Kawasaki, T; Harjo, S; Tanaka, M; Shinohara, T; Su, YH; Taniyama, A, Comparison of the Measurements of Austenite Volume Fraction by Various Methods for Mn-Si-C Steel, *TETSU TO HAGANE-JOURNAL OF THE IRON AND STEEL INSTITUTE OF JAPAN*, Volume: 103, Pages: 16-24, 2017

352. Harjo, S; Tsuchida, N; Abe, J; Gong, W, Martensite phase stress and the strengthening mechanism in TRIP steel by neutron diffraction, SCIENTIFIC REPORTS, Volume: 7, Article Number: 15149, 2017
353. Long, F.; Balogh, L.; Daymond, M. R., Evolution of dislocation density in a hot rolled Zr-2.5Nb alloy with plastic deformation studied by neutron diffraction and transmission electron microscopy, PHILOSOPHICAL MAGAZINE Volume: 97 Issue: 31 Pages: 2888-2914 Published: 2017
354. Zhang, WJ; Yang, GZ; Wang, XS; Jiang, LT; Jiang, F; Li, GL; Zhang, ZY; Jiang, XQ, Magnetically Controlled Growth-Factor-Immobilized Multilayer Cell Sheets for Complex Tissue, ADVANCED MATERIALS, Volume: 29, Issue: 43, Article Number: 1703795, 2017
355. Khodabakhshi, F., Gerlich, A.P., Accumulative fold-forging (AFF) as a novel severe plastic deformation process to fabricate a high strength ultra-fine grained layered aluminum alloy structure, Materials Characterization 136, 2018, pp. 229-239
356. Schuster, R; Schafler, E; Schell, N; Kunz, M; Abart, R, Microstructure of calcite deformed by high-pressure torsion: An X-ray line profile study, TECTONOPHYSICS, Volume: 721, Pages: 448-461, 2017
357. Murata, Y., Formation mechanism of lath martensite in steels, 2018 Materials Transactions, 59(2), pp. 151-164
358. K.S.P., Manoratne, C.H., Pitawala, H.M.T.G.A., Rajapakse, R.M.G., The composition, unit cell parameters and microstructure of quartz during phase transformation from  $\alpha$  to  $\beta$  as examined by in-situ high-temperature X-ray powder diffraction Karunadasa, 2018, Journal of Physics and Chemistry of Solids, 117, pp. 131-138
359. Ha, C., Yi, S., Bohlen, J., Zhou, X., Brokmeier, H.-G., Schell, N., Letzig, D., Kainer, K.U., Deformation and recrystallization mechanisms and their influence on the microstructure development of rare earth containing magnesium sheets, Minerals, Metals and Materials Series, Volume Part F7, 2018, Pages 209-216.
360. Wu, S.H., Zhang, P., Shao, D., Cheng, P.M., Kuang, J., Wu, K., Zhang, J.Y., Liu, G., Sun, J., Grain size-dependent Sc microalloying effect on the yield strength-pitting corrosion correlation in Al-Cu alloys, Materials Science and Engineering A, Volume 721, 4 April 2018, Pages 200-214
361. Brown, DW; Adams, DP; Balogh, L; Carpenter, JS; Clausen, B; King, G; Reedlunn, B; Palmer, TA; Maguire, MC; Vogel, SC, In Situ Neutron Diffraction Study of the Influence of Microstructure on the Mechanical Response of Additively Manufactured 304L Stainless Steel, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, Volume: 48A, 6055-6069, 2017
362. Dobatkin, S.V., Skrotzki, W., Rybalchenko, O.V., Terent'ev, V.F., Belyakov, A.N., Prosvirnin, D.V., Raab, G.I., Zolotarev, E.V., Structural changes in metastable austenitic steel during equal channel angular pressing and subsequent cyclic deformation, Materials Science and Engineering A Volume 723, 18 April 2018, Pages 141-147
363. Sutapa, I.W., Wahid Wahab, A., Taba, P., Nafie, N.L., Dislocation, crystallite size distribution and lattice strain of magnesium oxide nanoparticles, 2018, Journal of Physics: Conference Series, 979(1), 012021
364. Shan, GB; Chen, YZ; Gong, MM; Dong, H; Li, B; Liu, F, Influence of Al<sub>2</sub>O<sub>3</sub> particle pinning on thermal stability of nanocrystalline Fe, JOURNAL OF

365. Jiang, S.Y., Wang, R.H., Manipulating nanostructure to simultaneously improve the electrical conductivity and strength in microalloyed Al-Zr conductors, 2018, *Scientific Reports*, 8(1),6202
366. Karunadasa, K.S.P., Manoratne, C.H., Pitawala, H.M.T.G.A., Rajapakse, R.M.G., Relative stability of hydrated/anhydrous products of calcium chloride during complete dehydration as examined by high-temperature X-ray powder diffraction, 2018, *Journal of Physics and Chemistry of Solids*, 120, pp. 167-172
367. Kim, J., Bae, G., Lee, C., Characteristics of kinetic sprayed Ta in terms of the deposition behavior, microstructural evolution and mechanical properties: Effect of strain-rate-dependent response of Ta at high temperature, 2018, *Materials Characterization*, 141, pp. 49-58
368. Chen, L., Ren, X., Zhou, W., Tong, Z., Adu-Gyamfi, S., Ye, Y., Ren, Y., Evolution of microstructure and grain refinement mechanism of pure nickel induced by laser shock peening, *Materials Science and Engineering A* Volume 728, 13 June 2018, Pages 20-29
369. Li, H., Cai, W., Understanding the deformation mechanism of individual phases of a dual-phase beta type titanium alloy using in situ diffraction method, 2018, *Materials Science and Engineering A*, 728, pp. 151-156
370. Sutapa, I.W., Wahab, A.W., Taba, P., Nafie, N.L., Synthesis and structural profile analysis of the MgO nanoparticles produced through the sol-gel method followed by annealing process, 2018, *Oriental Journal of Chemistry*, 34(2), pp. 1016-1025
371. Kliauga, AM; Sordi, VL; De Vincentis, NS; Bolmaro, RE; Schell, N; Brokmeier, HG, Severe Plastic Deformation by Equal Channel Angular Pressing and Rolling: The Influence of the Deformation Path on Strain Distribution, *ADVANCED ENGINEERING MATERIALS*, Volume: 20, Article Number: 1700055, 2018
372. Scardi, P., Ermrich, M., Fitch, A., Huang, E.-W., Jardin, R., Kuzel, R., Leineweber, A., Mendoza Cuevas, A., Misture, S.T., Rebuffi, L., Schimpf, C., Size-strain separation in diffraction line profile analysis, *Journal of Applied Crystallography*, 51, 2018, Pages 831-843
373. Reid, A., Martinez, I., Marshall, M., Minniti, T., Kabra, S., Kockelmann, W., Connolley, T., Mostafavi, M., Mapping of axial plastic zone for roller bearing overloads using neutron transmission imaging, *Materials and Design* Volume 156, 15 October 2018, Pages 103-112
374. Murasawa, K., Takamura, M., Kumagai, M., Ikeda, Y., Suzuki, H., Otake, Y., Hama, T., Suzuki, S., Determination approach of dislocation density and crystallite size using a convolutional multiple whole profile software, *Materials Transactions* Volume 59, Issue 7, 2018, Pages 1135-1141
375. Ichikawa, R.U., Roca, A.G., López-Ortega, A., Estrader, M., Peral, I., Turrillas, X., Nogués, J., Combining X-Ray Whole Powder Pattern Modeling, Rietveld and Pair Distribution Function Analyses as a Novel Bulk Approach to Study Interfaces in Heteronanostructures: Oxidation Front in FeO/Fe<sub>3</sub>O<sub>4</sub> Core/Shell Nanoparticles as a Case Study, *Small*, Volume 14, Issue 30, 26 July 2018, Article number 1800804
376. Balogh, L., Long, F., Yao, Z., Preuss, M., Daymond, M.R., Quantifying irradiation defects in zirconium alloys: A comparison between transmission electron microscopy and whole-pattern diffraction line-profile analysis, 2018, *ASTM Special Technical Publication*, STP 1597, pp. 691-724

377. Ambriz-Torres, JM; Granados-Martinez, FG; Contreras-Navarrete, JD; Gutierrez-Garcia, CJ; Garcia-Ruiz, DL; Mondragon-Sanchez, MD; Hernandez-Cristobal, O; Arredondo-Leon, Y; Garcia-Gonzalez, L; Zamora-Peredo, L; Domratheva-Lvova, L, Carbon nanotubes and carbon nanobeads synthesis by one-pot chemical vapor deposition method: morphology and crystallinity, *MATERIALS RESEARCH EXPRESS*, Volume: 5, Issue: 8, Article Number: 085008, 2018
378. Chen, Y.Z., Wang, K., Shan, G.B., Ceguerra, A.V., Huang, L.K., Dong, H., Cao, L.F., Ringer, S.P., Liu, F., Grain size stabilization of mechanically alloyed nanocrystalline Fe-Zr alloys by forming highly dispersed coherent Fe-Zr-O nanoclusters, *Acta Materialia*, Volume 158, 1 October 2018, Pages 340-353
379. Bertin, N., Cai, W., Energy of periodic discrete dislocation networks, 2018, *Journal of the Mechanics and Physics of Solids*, 121, pp. 133-146
380. Cao, Y., Ni, S., Liao, X., Song, M., Zhu, Y., Structural evolutions of metallic materials processed by severe plastic deformation, 2018, *Materials Science and Engineering R: Reports*, 133, pp. 1-59
381. Rogl, G., Grytsiv, A., Anbalagan, R., Bursik, J., Kerber, M., Schafler, E., Zehetbauer, M., Bauer, E., Rogl, P., Direct SPD-processing to achieve high-ZT skutterudites, *Acta Materialia*, Volume 159, 15 October 2018, Pages 352-363
382. Bacroix, B., Queyreau, S., Chaubet, D., Siv, E., Chauveau, T., The influence of the cube component on the mechanical behaviour of copper polycrystalline samples in tension, 2018, *Acta Materialia*, 160, pp. 121-136
383. Lee, C., Song, G., Gao, M.C., Feng, R., Chen, P., Brechtel, J., Chen, Y., An, K., Guo, W., Poplawsky, J.D., Li, S., Samaei, A.T., Chen, W., Hu, A., Choo, H., Liaw, P.K., Lattice distortion in a strong and ductile refractory high-entropy alloy, *Acta Materialia*, Volume 160, November 2018, Pages 158-172

J. Gubicza, G. Ribárik, I. Bakonyi and T. Ungár: Crystallite-size distribution and dislocation structure in nanocrystalline HfNi<sub>5</sub> determined by X-ray diffraction profile analysis, *J. Nanosci. and Nanotechn.* **1** (2001) 343-348.

1. E. Schafler, M. Zehetbauer: Characterization of nanostructured materials by X-ray Line Profile Analysis, *Rev. Adv. Mater. Sci.* **10** (2005) 28-33.
2. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, *Zeitschrift fur Kristallographie* **222** (2007) 136-149.
3. M. Dinkel, F. Pyczak, J. May, H.W. Höppel, M. Göken: XRD profile analysis characterization of ultrafine grained Al-Mg alloys. *J. Mater. Sci.* **43** (2008) 7481-7487.
4. A. Rezvanifar, M. Zandrahimi: Evaluation of dislocation structure and crystallite size in worn Al-Si alloy by X-ray diffraction, *Iranian Journal of Materials Science and Engineering* **7** (2010) 32-38.
5. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
6. Y.L. Cheong, F.K. Yam, I.K. Chin, Z. Hassan: X-ray analysis of nanoporous TiO<sub>2</sub> synthesized by electrochemical anodization, *Superlattices and Microstructures* **64** (2013) 37-43.
7. Xu, J., Liu, W., Xu, S., Munroe, P., Xie, Z.-H., Mechanical and electrochemical properties of Al alloyed D8m-Ta<sub>5</sub>Si<sub>3</sub> nanocrystalline coatings, 2018, *Journal of Alloys and Compounds*, 749, pp. 406-423

8. Sutapa, I.W., Wahid Wahab, A., Taba, P., Nafie, N.L., Dislocation, crystallite size distribution and lattice strain of magnesium oxide nanoparticles, 2018, Journal of Physics: Conference Series, 979(1),012021
9. Irfan, H.; Racik, Mohamed K.; Anand, S., Microstructural evaluation of CoAl<sub>2</sub>O<sub>4</sub> nanoparticles by Williamson-Hall and size-strain plot methods, JOURNAL OF ASIAN CERAMIC SOCIETIES Volume: 6 Issue: 1 Pages: 54-62 Published: 2018
10. Sutapa, I.W., Wahab, A.W., Taba, P., Nafie, N.L., Synthesis and structural profile analysis of the MgO nanoparticles produced through the sol-gel method followed by annealing process, 2018, Oriental Journal of Chemistry, 34(2), pp. 1016-1025

G. Ribárik, T. Ungár and J. Gubicza: MWP-fit: a program for Multiple Whole Profile fitting of diffraction profiles by ab-initio theoretical functions, J. Appl. Cryst. **34** (2001) 669-676.

1. P. W. Stephens, A. Huq: Anisotropic Peak Broadening in High Resolution Data on RbC<sub>60</sub>, IUCr Newsletter, No.26. (2001) 9-11.
2. E. Schafler, A. Dubravina and Z. Kovács: Defect characterization of equal channel angular pressed Cu by selective annealing treatment, in Ultrafine Grained Materials II; Edited by Y. T. Zhu, T. G. Langdon, R. S. Mishra, S. L. Semiatin, M. J. Saran and T. C. Lowe. TMS (The Minerals, Metals and Materials Society), (2002) p. 605-613.
3. I. Groma and A. Borbély: X-ray peak broadening due to inhomogeneous dislocation distributions, in Diffraction analysis of the microstructure of materials, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 287-307.
4. J. Pesicka, R. Kuzel, A. Dronhofer, G. Eggeler: The evolution of dislocation density during heat treatment and creep of tempered martensite ferritic steels, Acta Mater. **51** (2003) 4847-4862.
5. N. Audebrand, D. Louer: Microstructure of nanocrystalline powders from line profile analysis, Mat. Sci. Forum, **443-444** (2004) 71-76.
6. J.-D. Kamminga, L. J. Seijbel, R. Delhez: Determination of non-uniform dislocation distributions in polycrystalline materials, in Diffraction analysis of the microstructure of materials, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 309-331.
7. N. Armstrong, P. Lynch: Determining the dislocation contrast factor for X-ray line profile analysis, in Diffraction analysis of the microstructure of materials, E. J. Mittemeijer, P. Scardi (Eds.), Springer-Verlag, Berlin, Heidelberg (2004) p. 249-286.
8. E. Schafler, L. Zeipper, M. J. Zehetbauer: Evolution of microstructure during thermal treatment in SPD titanium, in Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 426-432.
9. A. K. Deb, P. Chatterjee, S. P. Sen Gupta: An X-ray diffraction study on dislocation microstructure of as-prepared Al-Al<sub>2</sub>O<sub>3</sub> composites, Acta Mater. **52** (2004) 2755-2764.
10. M. J. Zehetbauer, J. Kohout, E. Schafler, F. Sachslehner, A. Dubravina: Plastic deformation of nickel under high hydrostatic pressure, J. All. Comp. **378** (2004) 329-334.

11. P. Scardi, M. Leoni, R. Delhez: Line broadening analysis using integral breadth methods: a critical review, *J. Appl. Cryst.* **37** (2004) 381-390.
12. M. Leoni, R. DiMaggio, S. Polizzi, P. Scardi: X-ray diffraction methodology for the microstructural analysis of nanocrystalline powders: Application to cerium oxide, *J. Am. Ceram. Soc.* **87** (2004) 1133-1140.
13. E. Schafler, R. Pippa: Effect of thermal treatment on microstructure in high pressure torsion (HPT) deformed nickel, *Mater. Sci. Eng. A*, **387-389** (2004) 799-804.
14. B. B. Straumal, B. Baretzky, A. A. Mazilkin, F. Philipp, O. A. Kogtenkova, M. N. Volkov, R. Z. Valiev: Formation of nanograined structure and decomposition of supersaturated solid solution during high pressure torsion of Al-Zn and Al-Mg alloys, *Acta Mater.* **52** (2004) 4469-4478.
15. G. Krállics, M. Horváth, A. Fodor: Influence of ECAP routes on mechanical properties of a nanocrystalline aluminium alloy, *Periodica Polytechnica* **48** (2004) 145-150.
16. A. Dubravina, M.J. Zehetbauer, E. Schafler, I.V. Alexandrov: Correlation between domain size obtained by X-ray Bragg profile analysis and macroscopic flow stress in severely plastically deformed copper, *Mater. Sci. Eng. A*, **387-389** (2004) 817-821.
17. J. Hershberger, O.O. Ajayi, J. Zhang, H. Yoon, G.R. Fenske: Evidence of scuffing initiation by adiabatic shear instability, *Wear* **258** (2005) 1471-1478.
18. S. N. Dey, P. Chatterjee, S. P. Sen Gupta: Microstructural investigation in plastically deformed and annealed copper using a microstructural model, *J. Phys. D-Applied Physics* **38** (2005) 1444-1449.
19. I. Dragomir-Cernatescu, M. Gheorghe, N. Thadhani, R. Snyder: Dislocation densities and character evolution in copper deformed by rolling under liquid nitrogen from X-ray peak profile analysis, *Powder Diffraction* **20** (2005) 109-111.
20. I.C. Dragomir, M. Gheorghe, N. Thadhani and R.L. Snyder: X-ray peak profile analysis of crystallite size distribution and dislocation type and density evolution in nano-structured Cu obtained by deformation at liquid nitrogen temperature, *Mater. Sci. Eng. A* **402** (2005) 158-162.
21. E. Schafler, M. Zehetbauer: Characterization of nanostructured materials by X-ray Line Profile Analysis, *Rev. Adv. Mater. Sci.* **10** (2005) 28-33.
22. S.N. Dey, P. Chatterjee, S.P. Sen Gupta: Study of deformation stacking faults and dislocation microstructures in Cu-1Sn-Zn alloys, *Acta Mater.* **53** (2005) 4635-4642.
23. H. Somashekarappa, S.S. Mahesh, R. Somashekar, Sangappa: Variation in crystallite shape ellipsoid in non-mulberry silk fibres, *Indian J. Fibre and Textile Res.* **30** (2005) 309-314.
24. E. Schafler, A. Dubravina, B. Mingler, H. P. Karnthaler, M. Zehetbauer: On the microstructure of HPT processed Cu under variation of deformation parameters, *Mater. Sci. Forum* **503-504** (2006) 51-56.
25. Sangappa, S.S. Mahesh, R. Somashekar, G. Subramanya: Analysis of diffraction line profile from silk fibers using various distribution functions, *Journal of Polymer Research* **12** (2005) 465-472.
26. E. Schafler, G. Steiner, E. Korznikova, M. Kerber and M.J. Zehetbauer: Lattice defect investigation of ECAP-Cu by means of X-ray line profile analysis, calorimetry and electrical resistometry, *Mater. Sci. Eng. A* **410-411** (2005) 169-173.

27. H. Kumar, Siddaramaiah, R. Somashekar, S.S. Mahesh, S. Abhishek, T.N.G. Row, G.S. Kini: Structure-property relationship of polyethylene glycol-based PU/PAN semi-interpenetrating polymer networks, *J. Appl. Polymer Sci.* **99** (2006) 177-187.
28. M. B. Kerber, E. Schafler, M.J. Zehetbauer: Processing and evaluation of x-ray line profiles measured from nanostructured materials produced by severe plastic deformation, *Rev. Adv. Mater. Sci.* **10** (2005) 427-433.
29. R. Kuzel: Dislocation line broadening, *Z. Kristallogr. Suppl.* **23** (2006) 75-81.
30. N. Armstrong, M. Leoni, P. Scardi: Considerations concerning Wilkens' theory of dislocation line-broadening, *Z. Kristallogr. Suppl.* **23** (2006) 82-86.
31. M. Slouf, R. Kuzel, Z. Matej: Preparation and characterization of isometric gold nanoparticles with pre-calculated size, *Z. Kristallogr. Suppl.* **23** (2006) 319-324.
32. F.G. Souza, Jr, B.G. Soares, G.L. Mantovani, A. Manjunath, H. Somashekarappa, R. Somashekar and Siddaramaiah: Blends of styrene butadiene styrene TRI block copolymer/polyaniline-Characterization by WAXS, *Polymer* **47** (2006) 2163-2171.
33. V. Naik, R. Naik, H. Somashekarappa, S.S. Mahesh, R. Somashekar: Variation of crystallite size of  $Al_{1-x}In_xN$  for different values of x and band gap, *Bulletin Mater. Sci.* **29** (2006) 29-34.
34. A. Jain, S. Abhishek, Sangappa, S.S. Mahesh, R. Somashekar: Crystallite size and shape in Twaron fibers heat treated at different temperatures using WAXS, *J. Appl. Polymer Sci.* **100** (2006) 4910-4916.
35. D. Simek, R. Kuzel, D. Rafaja: Reciprocal-space mapping for simultaneous determination of texture and stress in thin films, *J. Appl. Cryst.* **39** (2006) 487-501.
36. D. Louer, N. Audebrand: Microstructure analysis of nanocrystalline powders by x-ray diffraction, *Acta Physica Polonica A* **102** (2002) 45-56.
37. S.N. Dey, P. Chatterjee, S.P. Sen Gupta: Deformation stacking fault probability and dislocation microstructure of cold worked Cu-Sn-5Zn alloys by x-ray diffraction line profile analysis, *J. Appl. Phys.* **100** (2006) art. no. 073509.
38. H. Jensen, J.H. Pedersen, J.E. Jorgensen, J.S. Pedersen, K.D. Joensen, S.B. Iversen, E.G. Sogaard: Determination of size distributions in nanosized powders by TEM, XRD, and SAXS, *J. Exp. Nanosci.* **1** (2006) 355-373.
39. Mario Birkholz: „Thin Film Analysis by X-Ray Scattering”, Wiley-VCH, (2006) ISBN 978-3-527-60759-4.
40. Gy. Krállics, M. Horváth, J. Nyír: Forming and machining of the nano-crystalline alloys, Proceedings of Second International Conference on Multi-Material Micro Manufacture, 20-22 September, 2006, Grenoble, France, eds.:W. Menz, S. Dimov, B. Fillon, 2006, pp. 175-178, Elsevier.
41. H. Kumar, Siddaramaiah, R. Somashekar and S.S. Mahesh, Microcrystalline parameters of polyurethane/polymethyl methacrylate semi interpenetrating polymer networks by WAXS, *Mater. Sci. Eng. A* **447** (2007) 58-64.
42. A.K. Deb, P. Chatterjee, S.P. Sen Gupta: Microstructural characterization of ball-milled alpha-Al<sub>2</sub>O<sub>3</sub>: bimodal size distribution and shape anisotropy, *J. Appl. Cryst.* **40** (2007) 33-39.
43. H. Kumar, Siddaramaiah, R. Somashekar and S.S. Mahesh: Physico-mechanical and WAXS studies of PU/PS semi interpenetrating polymer networks, *European Polymer Journal* **43** (2007) 611-619.
44. Á. Révész, D. Fátay and T. Spassov: Microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst, *Journal of Alloys and Compounds* **434-435** (2007) 725-728.
45. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, *Zeitschrift fur Kristallographie* **222** (2007) 136-149.

46. P. Scardi, M. Leoni, M.R. D'Incau: Whole Powder Pattern Modelling of cubic metal powders deformed by high energy milling, *Zeitschrift fur Kristallographie* **222** (2007) 129-135.
47. E. Schafler and M.B. Kerber: Microstructural investigation of the annealing behaviour of high-pressure torsion (HPT) deformed copper, *Mater. Sci. Eng. A* **462** (2007) 139-143.
48. M. Leoni, J. Martinez-Garcia, P. Scardi,: Dislocation effects in powder diffraction, *Journal of Applied Crystallography* **40** (2007) 719-724.
49. J. May, M. Dinkel, D. Amberger, H.W. Hoppel, M. Goken: Mechanical properties, dislocation density and grain structure of ultrafine-grained aluminum and aluminum-magnesium alloys, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38 A** (2007) 1941-1945.
50. R. Somashekar: Line profile analysis and crystal structure of fibers, *Journal of the Indian Institute of Science* **87** (2007) 213-219.
51. D. Setman, E. Schafler, E. Korznikova, M. J. Zehetbauer: The presence and nature of vacancy type defects in nanometals detained by severe plastic deformation, *Mater. Sci. Eng. A* **493** (2008) 116-122.
52. J. May, D. Amberger, M. Dinkel, H.W. Höppel and M. Göken: Monotonic and cyclic deformation behaviour of ultrafine-grained aluminium, *Materials Science and Engineering A* **483-484** (2008) 481-484.
53. H. Kumar, Siddaramaiah, R. Somashekar, S.S. Mahesh, A. Manjunath: Nanocrystallite regions of guar gum filled PU/PAN composites before and after biodegradation using WAXS, *J. Appl. Polymer Sci.* **108** (2008) 2762-2771.
54. A.P. Zhilyaev, A.A. Gimazov, E.P. Soshnikova, Á. Révész, T.G. Langdon: Microstructural characteristics of nickel processed to ultrahigh strains by high-pressure torsion, *Mater. Sci. Eng. A* **489** (2008) 207-212.
55. V. Davydov, P. Lukás, P. Strunz, R. Kuzel,: Single-line diffraction profile analysis method used for evaluation of microstructural parameters in the plain ferritic steel upon tensile straining, *Materials Science Forum* **571-572** (2008) 181-188.
56. M. Huller J. Vlcek, M. Dinkel, H.W. Hoppel, M. Goken: Hardening and thermal stability of nanocrystalline AlMg4.8 powder, *Phil. Mag.* **88** (2008) 1209-1226.
57. Sangappa, Demappa T, Mahadevaiah, S. Ganesh, S. Divakara, R. Somashekar: Microstructural parameters in electron-irradiated hydroxypropyl methylcellulose films using X-ray line profile analysis, *J. Appl. Polymer Sci.* **109** (2008) 3983-3990.
58. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
59. M. Dinkel, F. Pyczak, J. May, H. Werner Höppel, M. Göken: XRD profile analysis characterization of ultrafine grained Al–Mg alloys. *J. Mater. Sci.* **43** (2008) 7481-7487.
60. Sangappa, T. Demappa, Mahadevaiah, S. Ganesh, S. Divakara, Manjunath Pattabi, R. Somashekar: Physical and thermal properties of 8 MeV electron beam irradiated HPMC polymer films, *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **266** (2008) 3975-3980.
61. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.

62. S.H. Nedjad, M.-R.M. Gharabagh: Dislocation structure and crystallite size distribution in lath martensite determined by X-ray diffraction peak profile analysis, *International Journal of Materials Research* **99** (2008) 1248-1255.
63. P. Parameswara, T. Demappa, T.N.G. Row, R. Somashekar: Microstructural Parameters of Hydroxypropyl-methylcellulose Films Using X-ray Data, *IRANIAN POLYMER JOURNAL* **17** (2008) 821-829.
64. Robert E. Dinnebier, Simon J. L. Billinge: „Powder Diffraction: Theory and Practice” Royal Society of Chemistry (2008) ISBN 0854042318.
65. R. Kuzel, V. Cherkaska, Z. Matej, M. Janecek, J. Cizek, M. Dopita: Structural studies of submicrocrystalline copper and copper composites by different methods, *ZEITSCHRIFT FUR KRISTALLOGRAPHIE Suppl.* **27** (2008) 73-80.
66. R. Kuzel, L. Nichtova, Z. Matej, J. Sicha, J. Musil: Magnetron deposited TiO<sub>2</sub> thin films - crystallization and temperature dependence of microstructure and phase composition, *ZEITSCHRIFT FUR KRISTALLOGRAPHIE Suppl.* **27** (2008) 287-294.
67. O.M. Samir, A. Manjunath, P. Parameswara, H. Somashekarappa, R. Somashekar: Micro-structural Parameters of Polymer Materials using WAXS data: Bimodals Crystal Size Distribution, *JOURNAL OF POLYMER MATERIALS* **25** (2008) 529-540.
68. P. Angerer, H. Simunkova, E. Schafler, M.B. Kerber, J. Wosik, G.E. Nauer: Structure and texture of electrochemically prepared nickel layers with co-deposited zirconia nanoparticles, *Surface and Coatings Technology* **203** (2009) 1438-1443.
69. V. Davydov, P. Lukas, P. Strunz, R. Kuzel: Evolution of internal stresses in the plain ferritic steel studied by neutron diffraction in situ upon tensile straining, *JOURNAL OF PHYSICS-CONDENSED MATTER* **21** (2009) 095407.
70. F. Hofmann, X. Song, S. Eve, S.P. Collins, A.M. Korsunsky: Synchrotron based reciprocal space mapping and dislocation substructure analysis, *Materials Letters* **63** (2009) 1077-1081.
71. N.P. Gurao, S. Suwas: Deformation mechanisms during large strain deformation of nanocrystalline nickel, *APPLIED PHYSICS LETTERS* **94** (2009) 191902.
72. L. Zhang, A. Grytsiv, M. Kerber, P. Rogl, E. Bauer, M.J. Zehetbauer, J. Wosik, G.E. Nauer: MmFe<sub>4</sub>Sb<sub>12</sub>- and CoSb<sub>3</sub>-based nano-skutterudites prepared by ball milling: Kinetics of formation and transport properties, *Journal of Alloys and Compounds*, **481** (2009) 106-115.
73. Z. Matej, R. Kuzel, M. Dopita, M. Janecek, J. Cizek, T. Brunátová: XRD profile analysis of ECAP Cu and Cu+Zr samples, *Int. J. Mat. Res.* **100** (2009) 880-883.
74. A.S. Osipov, S. Nauyoks, T.W. Zerda, O.I. Zaporozhets: Rapid sintering of nano-diamond compacts, *Diamond and Related Materials* **9** (2009) 1061-1064.
75. P. Lukas, P. Strunz, V. Davydov, R. Kuzel: Evaluation of substructure parameters by peak profile analysis of high-resolution neutron diffraction spectra, *POWDER DIFFRACTION* **24** (2009) S26-S30.
76. S. Divakara, S. Madhu, R. Somashekar: Stacking faults and microstructural parameters in non-mulberry silk fibres, *PRAMANA-JOURNAL OF PHYSICS* **73** (2009) 927-938.
77. A. Rebhi, T. Makhlof, N. Njah: X-Ray diffraction analysis of 99.1% recycled aluminium subjected to equal channel angular extrusion, *Physics Procedia* **2** (2009) 1263-1270.
78. Sangappa, S.Asha, G. Sanjeev, G. Subramanya, P. Parameswara, R.Somashekar: Microstructural parameters in 8 MeV electron-irradiated Bombyx mori silk fibers by wide-angle x-ray scattering studies (WAXS), *AIP Conference Proceedings*,

- International Conference on Neutron and X-ray Scattering 2009, ICNX2009, Kuala Lumpur; 29 June - 1 July 2009, Vol. 1202 (2009) Pages 32-39, ISSN: 0094243X, ISBN: 978-073540739-8, DOI: 10.1063/1.3295605.
79. Z Matej, L Nichtova, R Kuzel: MICROSTRUCTURAL CHARACTERIZATION OF NANOCRYSTALLINE POWDERS AND THIN FILMS BY X-RAY POWDER DIFFRACTION, Proc. of 1st NANOCON International Conference, Location: Roznov pod Radhostem, CZECH REPUBLIC, Date: OCT 20-22, 2009, Publisher: TANGER LTD, OSTRAVA, CZECH REPUBLIC, ISBN: 978-80-87294-13-0 (2009) Pages: 53-60.
  80. Sangappa, S. Asha, G. Sanjeev, G. Subramanya, P. Parameswara, R. Somashekar: Microstructural Parameters in Electron-Irradiated C108 Silk Fibers by Wide-Angle X-Ray Scattering Studies, JOURNAL OF APPLIED POLYMER SCIENCE **115** (2010) 2183-2189.
  81. E. Schafler: Effects of releasing the hydrostatic pressure on the nanostructure after severe plastic deformation of Cu, Scripta Mater. **62** (2010) 423-426.
  82. L. Zhang, A. Grytsiv, M. Kerber, P. Rogl, E. Bauer, M. Zehetbauer: Thermoelectric performance of mischmetal skutterudites  $MmFe_{4-x}Co_xSb_{12}$  at elevated temperatures, Journal of Alloys and Compounds **490** (2010) 19-25.
  83. X. Song, S.Y. Zhang, A.M. Korsunsky: STRAIN GRADIENT POLYCRYSTAL PLASTICITY ANALYSIS: FE MODELING AND SYNCHROTRON X-RAY DIFFRACTION, INTERNATIONAL JOURNAL OF MODERN PHYSICS B **24** (2010) 10-17.
  84. F. Hofmann, B. Abbey, X. Song, I. Dolbnya, A.M. Korsunsky: INTRAGRANULAR LATTICE MISORIENTATION MAPPING BY SYNCHROTRON X-RAY MICRO-BEAMS: LAUE VS ENERGY-RESOLVED LAUE VS MONOCHROMATIC RECIPROCAL SPACE ANALYSIS, INTERNATIONAL JOURNAL OF MODERN PHYSICS B **24** (2010) 279-287.
  85. S. Biswas, S.S. Dhinwal, S. Suwas: Room-temperature equal channel angular extrusion of pure magnesium, Acta Materialia, **58** (2010) 3247-3261.
  86. L. Zhang, A. Grytsiv, B. Bonarski, M. Kerber, D. Setman, E. Schafler, P. Rogl, E. Bauer, G. Hilscher, M. Zehetbauer: Impact of High Pressure Torsion on the microstructure and physical properties of  $Pr_{0.67}Fe_3CoSb_{12}$ ,  $Pr_{0.71}Fe_{3.5}Ni_{0.5}Sb_{12}$ , and  $Ba_{0.06}Co_4Sb_{12}$ , Journal of Alloys and Compounds, **494** (2010) 78-83.
  87. D. Setman, M. B. Kerber, E. Schafler, M. J. Zehetbauer: Activation Enthalpies of Deformation-Induced Lattice Defects in Severe Plastic Deformation Nanometals Measured by Differential Scanning Calorimetry, Metallurgical and Materials Transactions A **41** (2010) 810-815.
  88. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
  89. Z. Matej, R. Kuzel, L. Nichtova: XRD total pattern fitting applied to study of microstructure of  $TiO_2$  films, POWDER DIFFRACTION **25** (2010) 125-131.
  90. A.M. Korsunsky, F. Hofmann, X. Song, S. Eve, S.P. Collins: Probing Deformation Substructure by Synchrotron X-ray Diffraction and Dislocation Dynamics Modelling, JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY **10** (2010) 5935-5950.

91. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Materials Transactions* **51** (2010) 1067-1071.
92. F. Spieckermann, H. Wilhelm, M. Kerber, E. Schafner, G. Polt, S. Bernstorff, F. Addiego, M. Zehetbauer: Determination of lamella thickness distributions in isotactic polypropylene by X-ray line profile analysis, *Polymer* **51** (2010) 4195-4199.
93. N.P. Gurao, R. Kapoor, S. Suwas: Effect of Strain Rate on Evolution of the Deformation Microstructure and Texture in Polycrystalline Copper and Nickel, *Metallurgical and Materials Transactions A* **41** (2010) 2794-2804.
94. G. Rogl, A. Grytsiv, P. Rogl, E. Bauer, M.B. Kerber, M. Zehetbauer, S. Puchegger: Multifilled nanocrystalline p-type didymium – Skutterudites with  $ZT > 1.2$ , *Intermetallics* **18** (2010) 2435-2444.
95. F. Spieckermann, H. Wilhelm, E. Schafner, M. Kerber, S. Bernstorff, M.J. Zehetbauer: Plasticity and X-ray Line Profile Analysis of the semicrystalline polymer poly(3-hydroxybutyrate), *Journal of Physics: Conference Series* **240** (2010) art. no. 012146.
96. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals* **74** (2010) 806-810.
97. S.A.A. Akbari Mousavi, Sh. Ranjbar Bahadori: The effects of post annealing on the mechanical properties, microstructure and texture evolutions of pure copper deformed by twist extrusion process, *Materials Science and Engineering A* **528** (2011) 1242-1246.
98. N.P. Gurao, S. Suwas: Texture evolution and operative mechanisms during large-strain deformation of nanocrystalline nickel, *Philosophical Magazine* **91** (2011) 798-817.
99. M. Danaie, C. Mauer, D. Mitlin, J. Huot: Hydrogen storage in bulk Mg-Ti and Mg-stainless steel multilayer composites synthesized via accumulative roll-bonding (ARB), *International Journal of Hydrogen Energy* **36** (2011) 3022-3036.
100. G. Rogl, M. Zehetbauer, M. Kerber, P. Rogl, E. Bauer: Impact of ball milling and high-pressure torsion on the microstructure and thermoelectric properties of p- and n-type Sb-based skutterudites, *Materials Science Forum* **667-669** (2011) 1089-1094.
101. E. Schafner: Effect of hydrostatic pressure on the microstructure and mechanical properties during and after High Pressure Torsion, *Materials Science Forum* **667-669** (2011) 657-664.
102. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007
103. Sangappa, S. Asha, P. Parameswara, R. Somashekar: Changes in microstructural parameters of NB4D2 silk fibres due to electron irradiation: X-ray line profile analysis, *BULLETIN OF MATERIALS SCIENCE* **34** (2011) 1583-1590.
104. Z. Huang, Z. Yu, Z. Huang, Y. Zhu, B. Xu, L. Yuan: Evolutionary stages and dynamic mechanisms of thematic cultural tourist areas: A case study of Lingshan Scenic Area in Wuxi, *Acta Geographica Sinica* **66** (2011) 831-841.
105. S.R. Aghdaee, V. Soleimani, B. Tayebi: Effect of Al doping on the microstructural, optical and electrical properties of ZnO films, *Superlattices and Microstructures* **51** (2012) 149-162.

106. G. Rogl, D. Setman, E. Schafler, J. Horky, M. Kerber, M. Zehetbauer, M. Falmbigl, P. Rogl, E. Royanian, E. Bauer: High-pressure torsion, a new processing route for thermoelectrics of high ZTs by means of severe plastic deformation, *Acta Materialia* **60** (2012) 2146-2157.
107. S.R. Aghdaee, V. Soleimani: Anisotropic line broadening in nanocrystalline cadmium sulfide prepared by hydrothermal reaction, *Journal of Crystal Growth* **341** (2012) 66-71.
108. T. Mayer, L. Balogh, C. Solenthaler, E. Müller Gubler, S.R. Holdsworth: Dislocation density and sub-grain size evolution of 2CrMoNiWV during low cycle fatigue at elevated temperatures, *Acta Materialia* **60** (2012) 2485-2496.
109. Sangappa, S. Asha, R. Somashekar, G. Sanjeev: Quantification of degradation and surface morphology of NB7 silk fibers irradiated by 8 MeV electron beam using XRD and SEM techniques, *Fibers and Polymers* **13** (2012) 224-230.
110. R. Madhavan, N.P. Gurao, S. Suwas: Deformation and recrystallization texture evolution in nano-crystalline nickel, *Materials Science Forum* **715-716** (2012) 508-517.
111. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
112. S.R. Bahadori, S.A.A.A. Mousavi: The Evolution of Homogeneity in a Transverse Cross Section of Aluminum Alloy Profile Deformed by Twist Extrusion, *JOM* **64** (2012) 593-599.
113. F. Spieckermann, G. Polt, H. Wilhelm, M. Kerber, E. Schafler, M.J. Zehetbauer: The role of dislocations for the plastic deformation of semicrystalline polymers as investigated by multireflection X-ray line profile analysis, *Journal of Applied Polymer Science* **125** (2012) 4150-4154.
114. G. Rogl, Z. Aabdin, E. Schafler, J. Horky, D. Setman, M. Zehetbauer, M. Kriegisch, O. Eibl, A. Grytsiv, E. Bauer, M. Reinecker, W. Schranz, P. Rogl: Effect of HPT processing on the structure, thermoelectric and mechanical properties of Sr<sub>0.07</sub>Ba<sub>0.07</sub>Yb<sub>0.07</sub>Co<sub>4</sub>Sb<sub>12</sub>, *Journal of Alloys and Compounds* **537** (2012) 183-189.
115. A. Sarkar, S. Suwas, D. Goran, J.J. Fundenberger, L.S. Toth, T. Grosdidier: Equal channel angular pressing processing routes and associated structure modification: a differential scanning calorimetry and X-ray line profile analysis, *POWDER DIFFRACTION* **27** (2012) 194-199.
116. R. Kuzel, J. Cizek, M. Novotny: On X-ray diffraction study of microstructure of ZnO thin nanocrystalline films with strong preferred grain orientation, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **44** (2013) 45-57.
117. R. Kuzel, J. Bursik: On X-Ray Diffraction Study of Preferred Grain Orientations in Polycrystalline Thin Films – Multicomponent Texture in KTaO<sub>3</sub> Films, *Thin Solid Films* **530** (2013) 2-8.
118. A.V. Podolskiy, C. Mangler, E. Schafler, E.D. Tabachnikova, M.J. Zehetbauer: Microstructure and mechanical properties of high purity nanostructured titanium processed by high pressure torsion at temperatures 300 and 77 K, *JOURNAL OF MATERIALS SCIENCE* **48** (2013) 4689-4697.
119. M.R. Roshan, M. Mirzaei, S.A. Jenabali Jahromi: Microstructural characteristics and tensile properties of nano-composite Al 2014/4 wt.% Al<sub>2</sub>O<sub>3</sub> produced from machining chips, *Journal of Alloys and Compounds* **569** (2013) 111-117.

120. Sangappa, B. Lakshmeesha Rao, S. Asha, S. Ganesh, R. Somashekar, T. Reddy: Effects of high energy electrons on physical and tensile properties of non-mulberry silk fibers, *Fibers and Polymers* **14** (2013) 1032-1039.
121. L.S.C. Raptopoulos, G.A. Castello-Branco, C.M.B. Bacaltchuk, I. Dragomir-Cernatescu, H. Garmestani: Evolution and prediction of texture in commercially pure warm rolled Titanium, *Materials Science Forum* **758** (2013) 99-105.
122. G. Polt, F. Spieckermann, H. Wilhelm, M.B. Kerber, E. Schafner, S. Bernstorff, M. Zehetbauer: The Role of Dislocations in  $\gamma$ -iPP under Plastic Deformation investigated by X-ray Line Profile Analysis, *Mechanics of Materials*, **67** (2013) 126-132.
123. Sh.Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructure, texture and mechanical properties of pure copper processed by ECAP and subsequent cold rolling, *Materials Science and Engineering A* **583** (2013) 36-42.
124. M.R. Roshan, M. Soltanpour, S.A.J. Jahromi: Microstructural evolution of nanocrystalline chips particles produced via large strain machining during ball milling, *Powder Technology* **249** (2013) 134-139.
125. D. Setman, M. Kerber, H. Bahmanpour, J. Horkey, R.O. Scattergood, C.C. Koch, Michael J. Zehetbauer: Nature and density of lattice defects in ball milled nanostructured copper, *Mechanics of Materials*, **67** (2013) 59-64.
126. G. Rogl, A. Grytsiv, P. Rogl, E. Royanian, E. Bauer, J. Horkey, D. Setman, E. Schafner, M. Zehetbauer: Dependence of thermoelectric behaviour on severe plastic deformation parameters: A case study on p-type skutterudite DD0.60Fe3CoSb12, *Acta Materialia* **61** (2013) 6778-6789.
127. D. Chateigner: *Combined Analysis*, John Wiley & Sons, (2013) ISBN: 978-184821198-8
128. Mittemeijer, E.J., Welzel, U.: *Diffraction Line-Profile Analysis*, in: *Modern Diffraction Methods*, ISBN: 978-352732279-4, Wiley-VCH, 2012.
129. Sarkar, A., Alsabbagh, A.H., Murty, K.L.: Investigation of microstructure and mechanical properties of low dose neutron irradiated HT-9 steel, *Annals of Nuclear Energy* **65** (2014) 91-96.
130. Sh. Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructural homogenization of ECAPed copper through post-rolling, *Materials Science and Engineering A*, **588** (2013) 260-264
131. V. Soleimani, M. Mojtahedi, M. Goodarzi, M.R. Aboutalebi: Characterization of crystallite size, dislocation characteristics and stacking faults in nanostructured mechanically alloyed Cu-Fe system using an advanced X-ray diffraction analysis method, *Journal of Alloys and Compounds* **590** (2014) 565-571.
132. Goodarzi, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 Al alloy deformed by one pass of ECAP at room temperature, *Iranian Journal of Materials Science and Engineering* **11** (2014) 27-38.
133. Sarkar, A., Alsabbagh, A.H., Murty, K.L.: Effect of low dose neutron irradiation on tensile behavior of HT-9 steel at room temperature, *Proc. 143rd Annual Meeting and Exhibition, TMS 2014; San Diego, CA; United States; 16-20 February 2014*, pp. 147-154.
134. Sulkowski, B; Panigrahi, A; Ozaltin, K; Lewandowska, M; Mikulowski, B; Zehetbauer, M: Evolution of strength and structure during SPD processing of Ti-45Nb alloys: experiments and simulations, *JOURNAL OF MATERIALS SCIENCE* **49** (2014) 6648-6655.

135. Alkhezraji, H., Salih, M.Z., Zhong, Z., Mhaede, M., Brokmeier, H.-G., Wagner, L., Schell, N.: Estimation of dislocation density in cold-rolled commercially pure titanium by using synchrotron diffraction, *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science* 45 (2014) 1557-1564.
136. Benediktovitch, A., Ulyanenkova, T., Ulyanenkov, A.: Resolution function for X-ray powder diffraction in a noncoplanar measurement geometry with the detector arm having two degree of freedom, *Journal of Applied Crystallography* 47 (2014) 1298-1303.
137. Kaganer, V.M., Sabelfeld, K.K.: Strain distributions and diffraction peak profiles from crystals with dislocations, *Acta Crystallographica Section A: Foundations and Advances* 70 (2014) 457-471.
138. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Microstructural evolution of precipitation-hardened  $\beta$ -type titanium alloy through high-pressure torsion, *Acta Materialia* 80 (2014) 172-182.
139. Kim, J.G., Latypov, M.I., Lee, D.J., Jeong, H.-G., Lee, J.B., Lee, S., Kim, H.S.: Plastic Deformation Behavior and Microstructural Evolution of Al-Core/Cu-Sheath Composites in Multi-Pass Caliber Rolling, *Metallurgical and Materials Transactions A* 46 (2014) 260-269.
140. Soleimani, V., Saeedi, M., Mokhtari, A.: The influence of heat treatment on the crystallite size, dislocation density, stacking faults probability and optical band gap of nanostructured cadmium sulfide films, *Materials Science in Semiconductor Processing* 30 (2015) 118-127.
141. Soleimani, V., Abedi, M., Aghdaee, S.R.: Microstructure evaluation of nanocrystalline MgO powders using the advanced X-ray line profile analysis, *Journal of Crystal Growth* 411 (2015) 4-11.
142. Voronin, V.I., Valiev, E.Z., Berger, I.F., Goschitskii, B.N., Proskurnina, N.V., Sagaradze, V.V., Kataeva, N.F.: Neutron diffraction analysis of Cr-Ni-Mo-Ti austenitic steel after cold plastic deformation and fast neutrons irradiation, *Journal of Nuclear Materials* 459 (2015) 97-102.
143. Tang, Y., Chen, Z., Borbély, A., Ji, G., Zhong, S.Y., Schryvers, D., Ji, V., Wang, H.W.: Quantitative study of particle size distribution in an in-situ grown Al-TiB<sub>2</sub> composite by synchrotron X-ray diffraction and electron microscopy, *Materials Characterization* 102 (2015) 131-136.
144. Kriegner, D., Matěj, Z., Kužel, R., Holý, V.: Powder diffraction in bragg-brentano geometry with straight linear detectors, *Journal of Applied Crystallography* 48 (2015) 613-618.
145. Matej, Z.; Kadlecova, A; Janecek, M; Matejova, L; Dopita, M; Kuzel, R: Refining bimodal microstructure of materials with MSTRUCT, *POWDER DIFFRACTION* 29 (2014) S35-S41.
146. Máthis, K., Čapek, J., Clausen, B., Krajňák, T., Nagarajan, D.: Investigation of the dependence of deformation mechanisms on solute content in polycrystalline Mg-Al magnesium alloys by neutron diffraction and acoustic emission, *Journal of Alloys and Compounds* 642 (2015) 185-191.
147. HajyAkbari, F., Sietsma, J., Böttger, A.J., Santofimia, M.J.: An improved X-ray diffraction analysis method to characterize dislocation density in lath martensitic structures, *Materials Science and Engineering A* 639 (2015) 208-218.
148. Ranjbar Bahadori, S., Dehghani, K.: Influence of Intermediate Annealing on the Nanostructure and Mechanical Properties of Pure Copper Processed by Equal Channel Angular Pressing and Cold Rolling, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 2796-2802.

149. Harte, A., Seymour, T., Francis, E.M., Frankel, P., Thompson, S.P., Jädernäs, D., Romero, J., Hallstadius, L., Preuss, M.: Advances in synchrotron x-ray diffraction and transmission electron microscopy techniques for the investigation of microstructure evolution in proton- and neutron-irradiated zirconium alloys, *Journal of Materials Research* 30 (2015) 1349-1365.
150. De Vincentis, N.S., Kliauga, A., Ferrante, M., Avalos, M., Brokmeier, H.-G., Bolmaro, R.E: Evaluation of microstructure anisotropy on room and medium temperature ECAP deformed F138 steel, *Materials Characterization* 107 (2015) 98-111.
151. Polt, G., Spieckermann, F., Wilhelm, H., Fischer, C., Schafner, E., Bernstorff, S., Zehetbauer, M.: Crystalline plasticity in isotactic polypropylene below and above the glass transition temperature, *Express Polymer Letters* 9 (2015) 894-900.
152. Yelsukov, E.P., Kolodkin, D.A., El'kin, I.A., Ul'yanov, A.L., Porsev, V.E.: The mechanism and kinetics of initial stage of mechanical alloying in Si(Al, Mg, Cr)99 57Fe1 binary systems, *Colloid Journal* 77 (2015) 608-613.
153. Kostorz, G.: X-ray and Neutron Scattering (Book Chapter), *Physical Metallurgy: Fifth Edition, Volume 1*, (2014) 1227-1316.
154. Li, Z., Sun, Y., Lavernia, E.J., Shan, A.: Mechanical Behavior of Ultrafine-Grained Ti-6Al-4V Alloy Produced by Severe Warm Rolling: The Influence of Starting Microstructure and Reduction Ratio, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 5047-5057.
155. Liang, Z.Y., Li, Y.Z., Huang, M.X.: The respective hardening contributions of dislocations and twins to the flow stress of a twinning-induced plasticity steel, *Scripta Materialia* 112 (2016) 28-31.
156. Li, J., Hitch, M.: Characterization of the microstructure of mechanically-activated olivine using X-ray diffraction pattern analysis, *Minerals Engineering* 86 (2016) 24-33.
157. Hegedűs, Z., Meka, S.R., Mittemeijer, E.J.: Crystallite growth in nanocrystalline tungsten; Rate determining mechanism and the role of contaminations, *Acta Materialia* 105 (2016) 232-243.
158. Isik, M., Niinomi, M., Liu, H., Cho, K., Nakai, M., Horita, Z., Sato, S., Narushima, T., Yilmazer, H., Nagasako, M.: Grain refinement mechanism and evolution of dislocation structure of Co-Cr-Mo alloy subjected to high-pressure torsion, *Materials Transactions, Volume 57, Issue 7, 2016, Pages 1109-1118*.
159. Simm, T.H., Withers, P.J., Quinta da Fonseca, J.: An evaluation of diffraction peak profile analysis (DPPA) methods to study plastically deformed metals, *Materials and Design, Volume 111, 5 December 2016, Pages 331-343*
160. Sharma, A., Mohan, S., Suwas, S.: The influence of deposition temperature on the structure, microstructure, morphology and magnetic properties of sputter deposited nickel thin films, *Thin Solid Films, Volume 619, 30 November 2016, Pages 91-101*
161. Vinogradov, A., Máthis, K., Acoustic Emission as a Tool for Exploring Deformation Mechanisms in Magnesium and Its Alloys In Situ, *JOM, Volume 68, Issue 12, 1 December 2016, Pages 3057-3062*
162. Liang, Z.Y., Li, Y.Z., Wang, X., Liu, R.D., Huang, M.X., Revealing the individual hardening effects of twins, dislocations, grain boundaries and solid solution in a twinning-induced plasticity steel, *Materials Science Forum, Volume 879, 2017, Pages 2489-2494*
163. Ahmmed, KF; Balogh, L; Idrees, Y; Yu, HB; Long, F; Daymond, MR, Quantitative characterization of the microstructure of heat-treated Zr-Excel by

- neutron line profile analysis, *JOURNAL OF APPLIED CRYSTALLOGRAPHY*, Volume: 49, Pages: 1609-1623, 2016
164. Balogh, L., Long, F., Daymond, M.R., Contrast factors of irradiation-induced dislocation loops in hexagonal materials, *Journal of Applied Crystallography*, Volume 49, Issue 6, 1 December 2016, Pages 2184-2200
  165. Tomota, Y., Sato, S., Harjo, S., Recent progress of line-profile analyses for neutron or X-ray diffraction, *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan*, Volume 103, Issue 2, 2017, Pages 73-85
  166. Sharma, A; Chhangani, S; Madhavan, R; Suwas, S, Correlation between crystallographic texture, microstructure and magnetic properties of pulse electrodeposited nanocrystalline Nickel-Cobalt alloys, *JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS*, Volume: 434, Pages: 68-77, 2017
  167. Cavazos-Cavazos, D., Contreras-Torres, F.F., Determination of contrast factors for cubic slip-systems and their application in the microstructural characterization of binary Fm3m materials, *Journal of Physics and Chemistry of Solids*, 2017, 110, pp. 36-42
  168. Ameri, A.A.H., Elewa, N.N., Ashraf, M., Escobedo-Diaz, J.P., General methodology to estimate the dislocation density from microhardness measurements, *Materials Characterization* 131 (2017) pp. 324-330
  169. Delshadmanesh, M., Khatibi, G., Ghomsheh, M.Z., Lederer, M., Zehetbauer, M., Danninger, H., Influence of microstructure on fatigue of biocompatible  $\beta$ -phase Ti-45Nb, *Materials Science and Engineering A* Volume 706, 26 October 2017, Pages 83-94
  170. Čížek, J., Hruška, P., Vlasák, T., Vlček, M., Janeček, M., Minárik, P., Krajňák, T., Šlapáková, M., Dopita, M., Kužel, R., Kmječ, T., Kim, J.G., Kim, H.-S., Microstructure development of ultra fine grained Mg-22 wt%Gd alloy prepared by high pressure torsion, *Materials Science and Engineering A*, Volume 704, 17 September 2017, Pages 181-191
  171. Spieckermann, F., Polt, G., Wilhelm, H., Kerber, M.B., Schafler, E., Reinecker, M., Soprunyuk, V., Bernstorff, S., Zehetbauer, M., Dislocation Movement Induced by Molecular Relaxations in Isotactic Polypropylene, *Macromolecules* Volume 50, Issue 17, 12 September 2017, Pages 6362-6368
  172. Arechabaleta, Z., van Liempt, P., Sietsma, J., Unravelling dislocation networks in metals, 2018, *Materials Science and Engineering A*, 710, pp. 329-333
  173. Manojkumar, R; Mahadevan, S; Mukhopadhyay, CK; Rao, BPC, Aging behavior of 17-4 PH stainless steel studied using XRD/LPA for separating the influence of precipitation and dislocations on microstrain, *JOURNAL OF MATERIALS RESEARCH*, Volume: 32, 4263-4271, 2017
  174. Schuster, R; Schafler, E; Schell, N; Kunz, M; Abart, R, Microstructure of calcite deformed by high-pressure torsion: An X-ray line profile study, *TECTONOPHYSICS*, Volume: 721, Pages: 448-461, 2017
  175. Neslušán, M., Čížek, J., Zgútová, K., Kejzlar, P., Šramek, J., Čapek, J., Hruška, P., Melikhova, O., Microstructural transformation of a rail surface induced by severe thermoplastic deformation and its non-destructive monitoring via Barkhausen noise, *Wear*, Volume 402-403, 15 May 2018, Pages 38-48
  176. Kim, J.G., Baek, S.M., Lee, H.H., Chin, K.-G., Lee, S., Kim, H.S., Suppressed deformation instability in the twinning-induced plasticity steel-cored three-layer steel sheet, *Acta Materialia*, Volume 147, 1 April 2018, Pages 304-312

177. Ameri, A.A.H., Elewa, N.N., Ashraf, M., Escobedo-Diaz, J.P., Hazell, P.J., Estimation of Dislocation Density in Metals from Hardness Measurements, 2017, Minerals, Metals and Materials Series, Part F7, pp. 441-449
178. Das Bakshi, S; Sinha, D; Chowdhury, SG; Mahashabde, VV, Surface and sub-surface damage of 0.20 wt% C-martensite during three-body abrasion, WEAR, Volume: 394, 2018, Pages: 217-227
179. Wu, S.H., Zhang, P., Shao, D., Cheng, P.M., Kuang, J., Wu, K., Zhang, J.Y., Liu, G., Sun, J., Grain size-dependent Sc microalloying effect on the yield strength-pitting corrosion correlation in Al-Cu alloys, Materials Science and Engineering A, Volume 721, 4 April 2018, Pages 200-214
180. Vlasenko, S., Benediktovitch, A., Ulyanenkov, A., Uglov, V., Abadias, G., O'Connell, J., van Vuuren, A.J., Microstructure Characterization of Multilayer Thin Coatings ZrN/Si<sub>3</sub>N<sub>4</sub> by X-Ray Diffraction Using Noncoplanar Measurement Geometry, Physica Status Solidi (A) Applications and Materials Science Volume 215, Issue 5, 7 March 2018, Article number 1700670
181. Cizek, J., Characterization of lattice defects in metallic materials by positron annihilation spectroscopy: A review, JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY Volume: 34 Issue: 4 Pages: 577-598 Published: APR 2018
182. Dutta, A; Gayathri, N; Neogy, S; Mukherjee, P, Microstructural characterisation of proton irradiated niobium using X-ray diffraction technique, PHILOSOPHICAL MAGAZINE, Volume: 98, Issue: 12, Pages: 1031-1052, 2018
183. Kliauga, AM; Sordi, VL; De Vincentis, NS; Bolmaro, RE; Schell, N; Brokmeier, HG, Severe Plastic Deformation by Equal Channel Angular Pressing and Rolling: The Influence of the Deformation Path on Strain Distribution, ADVANCED ENGINEERING MATERIALS, Volume: 20, Article Number: 1700055, 2018
184. Das Bakshi, S., Sinha, D., Ghosh Chowdhury, S., Anisotropic broadening of XRD peaks of  $\alpha'$ -Fe: Williamson-Hall and Warren-Averbach analysis using full width at half maximum (FWHM) and integral breadth (IB), 2018, Materials Characterization, 142, pp. 144-153
185. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, Crystals, 8(5),212
186. Shamsujjoha, M., Agnew, S.R., Fitz-Gerald, J.M., Moore, W.R., Newman, T.A., High Strength and Ductility of Additively Manufactured 316L Stainless Steel Explained, 2018, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 49(7), pp. 3011-3027
187. Bahl, S., Aleti, B.T., Suwas, S., Chatterjee, K., Establishing the microstructure-strengthening correlation in severely deformed surface of titanium, 2018, Philosophical Magazine, 98(23), pp. 2095-2119
188. Murasawa, K., Takamura, M., Kumagai, M., Ikeda, Y., Suzuki, H., Otake, Y., Hama, T., Suzuki, S., Determination approach of dislocation density and crystallite size using a convolutional multiple whole profile software, Materials Transactions Volume 59, Issue 7, 2018, Pages 1135-1141
189. Rogl, G., Grytsiv, A., Anbalagan, R., Bursik, J., Kerber, M., Schafner, E., Zehetbauer, M., Bauer, E., Rogl, P., Direct SPD-processing to achieve high-ZT skutterudites, Acta Materialia, Volume 159, 15 October 2018, Pages 352-363

J. Gubicza, J. Szépvölgyi, I. Mohai and T. Ungár: X-ray line profile analysis on nanodisperse silicon nitride ceramics Mater. Sci. Forum **378-381** (2001) 729-734.

1. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
2. Maiti, SKR; Sarkar, S; Wani, MDF; Das, PK: Mechanical and Tribological Performance of Graphite/Silicon Nitride Composites: A Comparison between Pressureless and Spark Plasma Sinter Processing, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **46A** (2015) 5719-5726.

T. Ungár, J. Gubicza, G. Ribárik, P. Hanák: Dislocation structure and crystallite size distribution in plastically deformed metals determined by diffraction peak profile analysis, *J. Engng. Mat. and Techn.* **124** (2001) 2-6.

1. T. Wejrzanowski, K. J. Kurzydowski: Stereology of grains in nano-crystals, *Solid State Phenomena* **94** (2003) 221-228.
2. H. Yamagishi, M. Fukuhara: Determination of cyclic-tension fatigue of Al-4Cu-1Mg alloy using ultrasonic shear waves, *Mater. Transactions* **48** (2007) 550-555.
3. H. Yamagishi, M. Fukuhara: ACOUSTIC CHARACTERISTICS OF FATIGUED ALUMINUM ALLOY USING ULTRASONIC SHEAR WAVES, *Proc. International Conference on NDE for Safety held at European NDT Days in Prague*, Editor: P. Mazal, Prague, CZECH REPUBLIC, NOV 07-09, 2007, Pages: 291-300 (2007).
4. H. Yamagishi, M. Fukuhara: ACOUSTIC CHARACTERISTICS OF FATIGUED ALUMINUM ALLOY USING ULTRASONIC SHEAR WAVES, *Proc. 4th International Workshop of NDT Experts - NDT in Progress held at European NDT Days in Prague 2007*, Editor: P. Mazal, Prague, CZECH REPUBLIC, NOV 05-07, 2007, Pages: 233-242 (2007).
5. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
6. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.
7. K.J. Kurzydowski: STEREOLOGY OF NANOMATERIALS, *Proc. 10th European Congress of Stereology and Image Analysis Location: Milan, ITALY, JUN 22-26, 2009*, Editors: V. Capasso, G. Aletti, A. Micheletti, (2009) Pages: 36-41.
8. B. Paik, A. Walton, V. Mann, D. Book, I.P. Jones, I.R. Harris: Microstructure of ball milled MgH<sub>2</sub> powders upon hydrogen cycling: An electron microscopy study, *International Journal of Hydrogen Energy* **35** (2010) 9012-9020.
9. T. Wejrzanowski, M. Lewandowska, K.J. Kurzydowski: Stereology of nano-materials, *Image Analysis and Stereology* **29** (2010) 1-12.
10. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
11. R.K. Dutta, R.H. Petrov, R. Delhez, M.J.M. Hermans, I.M. Richardson, A.J. Böttger: The effect of tensile deformation by in situ ultrasonic treatment on the microstructure of low-carbon steel, *Acta Materialia* **61** (2013) 1592-1602.
12. Mittemeijer, E.J., Welzel, U.: *Diffraction Line-Profile Analysis*, in: *Modern Diffraction Methods*, ISBN: 978-352732279-4, Wiley-VCH, 2012.

13. Goodarzy, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 Al alloy deformed by one pass of ecap at room temperature, *Iranian Journal of Materials Science and Engineering* 11 (2014) 27-38.
14. Mirzaei, M., Roshan, M.R., Jenabali Jahromi, S.A.: Microstructure and mechanical properties relation in cold rolled Al 2024 alloy determined by X-ray line profile analysis, *Materials Science and Engineering A* 620 (2014) 44-49.
15. Yoozbashi, M.N., Yazdani, S.: XRD and TEM study of bainitic ferrite plate thickness in nanostructured, carbide free bainitic steels, *Materials Chemistry and Physics* 160 (2015) 148-154.
16. Uday, M.B., Ahmad-Fauzi, M.N., Noor, A.M., Rajoo, S.: An insight into microstructural evolution during plastic deformation in AA6061 alloy after friction welding with alumina-YSZ composite, *Mechanics of Materials* 91 (2015) 50-63.
17. Anand, K.K., Mahato, B., Haase, C., Kumar, A., Ghosh Chowdhury, S., Correlation of defect density with texture evolution during cold rolling of a Twinning-Induced Plasticity (TWIP) steel, 2018, *Materials Science and Engineering A*, 711, pp. 69-77

T. Ungár, J. Gubicza, G. Ribárik, C. Pantea and T. W. Zerda: Microstructure of carbon blacks determined by X-ray diffraction profile analysis, *Carbon*, **40** (2002) 929-937.

1. S. Bernès, M. M. Dávila-Jiménez, M. P. Elizalde-González, S. Jiménez-Sandoval, M. C. Rivera-Morales and C. Vázquez-López: Validating the use of CarboPack C for chromatographic studies: morphological, crystallographic, spectroscopic and adsorption characterization, *Mater. Chem. Phys.* **85** (2004) 347-352.
2. B.L. French, J.J. Wang, M.Y. Zhu, B.C. Holloway: Structural characterization of carbon nanosheets via x-ray scattering, *J. Appl. Phys.* **97** (11) Art. No. 114317 (2005).
3. F. Jaouen, F. Charretier, J.P. Dodelet: Fe-based catalysts for oxygen reduction in PEMFCs - Importance of the disordered phase of the carbon support, *J. Electrochem. Soc.* **153** (2006) A689-A698.
4. L. J. Kennedy, J. J. Vijaya, G. Sekaran, J. Joseph, J. D. Rani, J. Pragasa: Bulk preparation and characterization of mesoporous carbon nanotubes by catalytic decomposition of cyclohexane on sol-gel prepared Ni-Mo-Mg oxide catalyst, *Materials Letters* **60** (2006) 3735-3740.
5. G. A. Zickler, B. Smarsly, N. Gierlinger, H. Peterlik, O. Paris: A reconsideration of the relationship between the crystallite size  $L_a$  of carbons determined by X-ray diffraction and Raman spectroscopy, *Carbon* **44** (2006) 3239-3246.
6. A. Braun B.S. Mun, F.E. Huggins G.P. Huffman: Carbon speciation of diesel exhaust and urban particulate matter NIST standard reference materials with C(1s) NEXAFS spectroscopy, *Env. Sci. Techn.* **41** (2007) 173-178.
7. Y. Bouhadda, D. Bormann, E. Sheu, D. Bendedouch, A. Krallafa and M. Daaou: Characterization of Algerian Hassi-Messaoud asphaltene structure using Raman spectrometry and X-ray diffraction, *Fuel* **86** (2007) 1855-1864.
8. A.E. Fischer, M.A. Lowe, G.M. Swain,: Preparation and electrochemical characterization of carbon paper modified with a layer of boron-doped nanocrystalline diamond, *Journal of the Electrochemical Society* **154** (2007) 61-67.
9. Y. Takeichi, A. Wibowo, M. Kawamura, M. Uemura: Effect of morphology of carbon black fillers on the tribological properties of fibrillated PTFE, *Wear* **264** (2008) 308-315.

10. M.J. Watt-Smith, S.P. Rigby, T.R. Ralph, F.C. Walsh: Characterisation of porous carbon electrode materials used in proton exchange membrane fuel cells via gas adsorption, *Journal of Power Sources* **184** (2008) 29-37.
11. S. Yamakawa, K. Okazaki-Maeda, M. Kohyama, S. Hyodo: Phase-field model for deposition process of platinum nanoparticles on carbon substrate, *Journal of Physics: Conference Series* **100** (2008) art. no. 072042.
12. A. Rebhi, T. Makhlof, N. Njah: X-Ray diffraction analysis of 99.1% recycled aluminium subjected to equal channel angular extrusion, *Physics Procedia* **2** (2009) 1263-1270.
13. I. Herrmann, U.I. Kramm, S. Fiechter, V. Bruser, H. Kersten, P. Bogdanoff: Comparative Study of the Carbonisation of CoTMPP by Low Temperature Plasma and Heat Treatment, *PLASMA PROCESSES AND POLYMERS* **7** (2010) 515-526.
14. F.C. Tai, C. Wei, S.H. Chang, W.S. Chen: Raman and X-ray diffraction analysis on unburned carbon powder refined from fly ash, *Journal of Raman Spectroscopy* **41** (2010) 933-937.
15. A. Mahmoodi, M. Ghoranneviss, M. Mojtahedzadeh, S.H.H. Hosseini, M. Eshghabadi: Investigation of the effective parameters in the growth of carbon nanotubes by thermal chemical vapour deposition method, *JOURNAL OF EXPERIMENTAL NANOSCIENCE* **6** (2011) 399-408.
16. A. Mahmoodi, M. Ghoranneviss, D. Hanifeh, Kh. Mehrani, M. Rahbar Zareh: Effect of electron beam bombarding of the catalyst layer on the growth of carbon nanostructures by TCVD method, *Advanced Materials Research* **264-265** (2011) 1324-1328.
17. N. Cornea: Factors Influencing the Self-ignition and Combustion Process of Carbon Black, *REVISTA DE CHIMIE* **62** (2011) 923-925.
18. Takeichi, Y.: Effect of carbon black fillers on the tribological properties of PTFE (Chapter), in: *Carbon Black: Production, Properties and Uses*, ISBN: 978-161209535-6, Nova Science Publishers (2011), pp. 137-156.
19. Z.H. Jiang, J. Jin, C.F. Xiao, X. Li: Effect of surface modification of carbon black (CB) on the morphology and crystallization of poly(ethylene terephthalate)/CB masterbatch, *COLLOIDS AND SURFACES A-PHYSICOCHEMICAL AND ENGINEERING ASPECTS* **395** (2012) 105-115.
20. N. Hauptman, A. Vesel, V. Ivanovski, M. K. Gunde: Electrical conductivity of carbon black pigments, *Dyes and Pigments*, **95** (2012) 1-7.
21. D.M. Mihut, K. Lozano, S.C. Tidrow, H. Garcia: Electromagnetic Interference Shielding Effectiveness of Nanoreinforced Polymer Composites Deposited with Conductive Metallic Thin Films, *Thin Solid Films* **520** (2012) 6547-6550.
22. J.H. Kang, I.A. Marshall, M.N. Torrico, C.R. Taylor, J. Ely, A.Z. Henderson, J.-W. Kim, G. Sauti, L.J. Gibbons, C. Park, S.E. Lowther, P.T. Lillehei, R.G. Bryant: Nanostructured solar irradiation control materials for solar energy Conversion, *Proceedings of SPIE - The International Society for Optical Engineering*, Volume 8471, 2012, Article number: 847107, Next Generation (Nano) Photonic and Cell Technologies for Solar Energy Conversion III; San Diego, CA; 12-14 August 2012.
23. A.N. Mohan, B. Manoj: Synthesis and Characterization of Carbon Nanospheres from Hydrocarbon Soot, *INTERNATIONAL JOURNAL OF ELECTROCHEMICAL SCIENCE* **7** (2012) 9537-9549.
24. L. Pahalagedara, H. Sharma, C.-H. Kuo, S. Dharmarathna, A. Joshi, S. Suib, A.B. Mhadeshwar: Influence of particle size and microstructure on the oxidation behavior of carbon blacks and diesel soot, *Proceedings of 2012 AIChE Annual Meeting*, 28 October-2 November 2012, Pittsburgh, PA (2012).

25. E. Ebner, D. Burow, J. Panke, A. Börger, A. Feldhoff, P. Atanassova, J. Valenciano, M. Wark, E. Rühl: Carbon blacks for lead-acid batteries in micro-hybrid applications – Studied by transmission electron microscopy and Raman spectroscopy, *Journal of Power Sources* **222** (2013) 554-560.
26. Y. Ouyang, H.M. Shi, R.W. Fu, D.C. Wu: Highly Monodisperse Microporous Polymeric and Carbonaceous Nanospheres with Multifunctional Properties, *SCIENTIFIC REPORTS* **3** (2013) Article Number: 1430.
27. L. Jong: Reinforcement effect of biomass carbon and protein in elastic biocomposites, *Polymer Composites* **34** (2013) 697-706.
28. A.N. Mohan, B. Manoj, J. John, A.V. Ramya: Structural Characterization of Paraffin Wax Soot and Carbon Black by XRD, *ASIAN JOURNAL OF CHEMISTRY* **25** (2013) S76-S78.
29. V. Asokan, P. Kosinski, T. Skodvin, V. Myrseth: Characterization of carbon black modified by maleic acid, *Frontiers of Materials Science* **7** (2013) 302-307.
30. R. Krishnan, J. John, B. Manoj: Raman spectroscopy investigation of camphor Soot: Spectral analysis and structural information, *International Journal of Electrochemical Science* **8** (2013) 9421-9428.
31. Lee, C; Choi, R; Kwak, E; Lee, H; Lee, I; Seo, J; Kim, H; Kim, Y: Resorcinol-functionalized carbon nanoparticles with a stick-out nanostructure for stable hydrogen bonding with polyester microfibers, *RSC ADVANCES* **3** (2013) 19440-19447.
32. Yun, K.-S., Kim, B.-R., Noh, E., Jung, H.-J., Oh, H.-J., Kang, W.-S. , Jung, S.-C., Myung, S.-T., Kim, S.-J.: Microstructural effect of carbon blacks for the application in lithium ion batteries, *Japanese Journal of Applied Physics* **52** (2013) art. no. 11NM01.
33. Yun, KS; Kim, BR; Kang, WS; Jung, SC; Myung, ST; Kim, SJ: Preparation of Carbon Blacks by Liquid Phase Plasma (LPP) Process, *JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY*, **13** (2013) 7381-7385.
34. Hatipoglu, M., Cesaro, S.N., Ajo, D.: Comparative fourier transform infrared investigation of oltu-stone (Natural Carbon Black) and jet, *Spectroscopy Letters* **47** (2014) 161-167.
35. Alam, M.K., Islam, M.T., Mina, M.F., Gafur, M.A.: Structural, mechanical, thermal, and electrical properties of carbon black reinforced polyester resin composites, *Journal of Applied Polymer Science* **131** (2014) 40421.
36. Mahmoodi, A., Ghoranneviss, M., Mehrani, K.: Electron beam reduction method for preparing the catalyst layer in the growth of carbon nanotubes, *Molecular Crystals and Liquid Crystals* **591** (2014) 19-24.
37. Barbera, K; Frusteri, L; Italiano, G; Spadaro, L; Frusteri, F; Perathoner, S; Centi, G: Low-temperature graphitization of amorphous carbon nanospheres, *CHINESE JOURNAL OF CATALYSIS* **35** (2014) 869-876.
38. Ohrman, OGW; Molinder, R; Weiland, F; Johansson, AC: Analysis of Trace Compounds Generated by Pressurized Oxygen Blown Entrained Flow Biomass Gasification, *ENVIRONMENTAL PROGRESS & SUSTAINABLE ENERGY* **33** (2014) 699-705.
39. Bulusheva, L.G., Tur, V.A., Fedorovskaya, E.O., Asanov, I.P., Pontiroli, D., Riccò, M.c, Okotrub, A.V.: Structure and supercapacitor performance of graphene materials obtained from brominated and fluorinated graphites, *Carbon* **78** (2014) 137-146.

40. Jong, Lei; Peterson, Steven C.; Jackson, Michael A.: Utilization of Porous Carbons Derived from Coconut Shell and Wood in Natural Rubber, *JOURNAL OF POLYMERS AND THE ENVIRONMENT* 22 (2014) 289-297.
41. Manoj, B.: Characterization of nano-crystalline carbon from camphor and diesel by x-ray diffraction technique, *Asian Journal of Chemistry* 26 (2014) 4553-4556.
42. Xie, Z.-L., Huang, X., Titirici, M.-M., Taubert, A.: Mesoporous graphite nanoflakes via ionothermal carbonization of fructose and their use in dye removal, *RSC Advances* 4 (2014) 37423-37430.
43. Dudek, Magdalena; Sitarz, Maciej; Tomczyk, Piotr: Effect of structural properties of carbon-based fuels on efficiency of direct carbon fuel cells, *JOURNAL OF SOLID STATE ELECTROCHEMISTRY* 18 (2014) 3023-3032.
44. Stojmenović, M., Momčilović, M., Gavrilov, N., Pašti, I.A., Mentus, S., Jokić, B., Babić, B.: Incorporation of Pt, Ru and Pt-Ru nanoparticles into ordered mesoporous carbons for efficient oxygen reduction reaction in alkaline media, *Electrochimica Acta* 153 (2014) 130-139.
45. Sepp, S., Nerut, J., Vaarmets, K., Kanarbik, R., Härk, E., Lust, E.: The impact of Pt-nanocluster deposition and Nafion® content on the oxygen electroreduction kinetics on molybdenum carbide derived carbon synthesized at 1000°C, *ECS Transactions* 61 (2014) 37-50.
46. Dopita, M; Emmel, M; Salomon, A; Rudolph, M; Matej, Z; Aneziris, CG; Rafaja, D: Temperature evolution of microstructure of turbostratic high melting coal-tar synthetic pitch studied using wide-angle X-ray scattering method, *CARBON* 81 (2015) 272-283.
47. Qi, X., Blizanac, B., DuPasquier, A., Lal, A., Niehoff, P., Placke, T., Oljaca, M., Li, J., Winter, M.: Influence of thermal treated carbon black conductive additive on the performance of high voltage spinel Cr-doped LiNi<sub>0.5</sub>Mn<sub>1.5</sub>O<sub>4</sub> composite cathode electrode, *Journal of the Electrochemical Society* 162 (2015) A339-A343.
48. Chen, Y., Pan, F., Wang, S., Liu, B., Zhang, J.: Theoretical estimation on the percolation threshold for polymer matrix composites with hybrid fillers, *Composite Structures* 124 (2015) 292-299.
49. Li, K., Vasiliu, M., McAlpin, C.R., Yang, Y., Dixon, D.A., Voorhees, K.J., Batzle, M., Liberatore, M.W., Herring, A.M.: Further insights into the structure and chemistry of the Gilsonite asphaltene from a combined theoretical and experimental approach in Memoriam of Dr. Michael Batzle, who was a geophysicist and a great scholar to have worked with, *Fuel* 157 (2015) 16-20.
50. Philippe Serp, Bruno Machado: Classification, structure and bulk properties of nanostructured carbon materials, in: *Nanostructured Carbon Materials for Catalysis*, RSC Catalysis Series, 2015, Pages 46-66, ISBN: 978-1-84973-909-2
51. Pašti, I.A., Gavrilov, N.M., Dobrota, A.S., Momčilović, M., Stojmenović, M., Topalov, A., Stanković, D.M., Babić, B., Ćirić-Marjanović, G., Mentus, S.V.: The Effects of a Low-Level Boron, Phosphorus, and Nitrogen Doping on the Oxygen Reduction Activity of Ordered Mesoporous Carbons, *Electrocatalysis* 6 (2015) 498-511.
52. Khutia, M., Joshi, G.M., Tambe, P.: Quality factor of Melt blend processed polypropylene/poly (acrylonitrile-butadiene-styrene)/ conducting carbon black blends, *International Journal of Plastics Technology* 19 (2015) 381-387.
53. Volynkin, Andrey; Ronning, Magnus; Blekkan, Edd Anders: The Role of Carbon Support for Propane Dehydrogenation Over Platinum Catalysts, *TOPICS IN CATALYSIS* 58 (2015) 854-865.

54. Zanata, C.R., Fernández, P.S., Troiani, H.E., Soldati, A.L., Landers, R., Camara, G.A., Carvalho, A.E., Martins, C.A.: Rh-decorated PtIrOx nanoparticles for glycerol electrooxidation: Searching for a stable and active catalyst, *Applied Catalysis B: Environmental* 181 (2016) 445-455.
55. Phattharasupakun, N., Wutthiprom, J., Chiochan, P., Suktha, P., Suksomboon, M., Kalasina, S., Sawangphruk, M.: Turning conductive carbon nanospheres into nanosheets for high-performance supercapacitors of MnO<sub>2</sub> nanorods, *Chemical Communications* 52 (2016) 2585-2588.
56. Vu, D.-L., Lee, C.-G.: Oxidation of ash-free coal from sub-bituminous and bituminous coals in a direct carbon fuel cell, *Korean Journal of Chemical Engineering* 33 (2016) 507-513.
57. Andreev, Y.G., Bruce, P.G.: Size and shape of graphene layers in commercial carbon blacks established by Debye refinement, *Journal of Applied Crystallography* 49 (2016) 24-30.
58. Adel, M; El-Maghraby, A; El-Shazly, O; El-Wahidy, EF; Mohamed, MAA.: Synthesis of few-layer graphene-like nanosheets from glucose: New facile approach for graphene-like nanosheets large-scale production, *JOURNAL OF MATERIALS RESEARCH* 31 (2016) 455-467.
59. Rao, K.S., Chaudhary, A.K., Yehya, F.: Investigation of solid carbon blacks using pulsed photoacoustic and double resonant Raman spectroscopy for the identification of trinitrotoluene, *Sensors and Actuators, B: Chemical* 231 (2016) 830-836.
60. Lazzarini, A., Piovano, A., Pellegrini, R., Leofanti, G., Agostini, G., Rudić, S., Chierotti, M.R., Gobetto, R., Battiato, A., Spoto, G., Zecchina, A., Lamberti, C., Groppo, E.: A comprehensive approach to investigate the structural and surface properties of activated carbons and related Pd-based catalysts, *Catalysis Science and Technology* 6 (2016) 4910-4922.
61. Deerattrakul, V., Dittanet, P., Sawangphruk, M., Kongkachuichay, P.: CO<sub>2</sub> hydrogenation to methanol using Cu-Zn catalyst supported on reduced graphene oxide nanosheets, *Journal of CO<sub>2</sub> Utilization* 16 (2016) 104-113.
62. Lazarević-Pašti, T.D., Pašti, I.A., Jokić, B., Babić, B.M., Vasić, V.M.: Heteroatom-doped mesoporous carbons as efficient adsorbents for removal of dimethoate and omethoate from water, *RSC Advances* 6 (2016) 62128-62139.
63. Satheeshkumar, V., Narayanan, R.G.: Experimental evaluation and prediction of formability of adhesive bonded steel sheets at different adhesive properties, *Journal of Testing and Evaluation*, Volume 44, Issue 3, May 2016, Pages 1294-1306.
64. Mathur, R.B., *Carbon nanomaterials: Synthesis, structure, properties and applications*, 2016, *Carbon Nanomaterials: Synthesis, Structure, Properties and Applications*, pp. 1-266
65. Dong, P., Maneerung, T., Ng, W.C., Zhen, X., Dai, Y., Tong, Y.W., Ting, Y.-P., Koh, S.N., Wang, C.-H., Neoh, K.G.: Chemically treated carbon black waste and its potential applications, *Journal of Hazardous Materials*, Volume 321, 5 January 2017, Pages 62-72
66. Reichert, F., Pérez-Mas, A.M., Barreda, D., Blanco, C., Santamaria, R., Kuttner, C., Fery, A., Langhof, N., Krenkel, W.: Influence of the carbonization temperature on the mechanical properties of thermoplastic polymer derived C/C-SiC composites, *Journal of the European Ceramic Society*, Volume 37, Issue 2, 1 February 2017, Pages 523-529
67. Maggio, M., Acocella, M.R., Guerra, G., Intercalation compounds of oxidized carbon black, *RSC Advances*, Volume 6, Issue 107, 2016, Pages 105565-105572

68. Ferraro, G., Fratini, E., Rausa, R., Fiaschi, P., Baglioni, P.: Multiscale Characterization of Some Commercial Carbon Blacks and Diesel Engine Soot, *Energy and Fuels*, Volume 30, Issue 11, 17 November 2016, Pages 9859-9866
69. Rallini, M., Kenny, J.M., Nanofillers in Polymers (Book Chapter), *Modification of Polymer Properties*, 2016, Pages 47-86
70. Wang, SJ; Cole, IS; Zhao, DY; Li, Q, Quasi-Continuously Tuning the Size of Graphene Quantum Dots via an Edge-Etching Mechanism, *MRS ADVANCES*, Volume: 1, Issue: 20, Pages: 1459-1467, 2016
71. Dey, M.K., Satpati, A.K., Functionalised carbon nano spheres modified electrode for simultaneous determination of dopamine and uric acid, *Journal of Electroanalytical Chemistry*, Volume 787, 15 February 2017, Pages 95-102
72. Dutta, P.K., Mitra, S., Efficient sodium storage: Experimental study of anode with additive-free ether-based electrolyte system, *Journal of Power Sources*, Volume 349, 1 May 2017, Pages 152-162
73. Wang, XJ; He, ZZ; Shi, YC; Li, BT, Nitrogen-Doped Ordered Mesoporous Carbon as Metal-Free Catalyst for Power Generation in Single Chamber Microbial Fuel Cells, *JOURNAL OF THE ELECTROCHEMICAL SOCIETY*, Volume: 164, 2017, Pages: F620-F627
74. Calegari, F., de Souza, L.P., Barsan, M.M., Brett, C.M.A., Marcolino-Junior, L.H., Bergamini, M.F., Construction and evaluation of carbon black and poly(ethylene co-vinyl)acetate (EVA) composite electrodes for development of electrochemical (bio)sensors, *Sensors and Actuators, B: Chemical* Volume 253, December 2017, Pages 10-18
75. Bakir, M., Meyer, J.L., Economy, J., Jasiuk, I., Aromatic thermosetting copolyester nanocomposite foams: High thermal and mechanical performance lightweight structural materials, *Polymer* 123, 2017, pp. 311-320
76. Lim, Y; Lee, C; Choi, H; Bae, J, Fabrication of electrically conductive substrates using copper nanoparticles-deposited carbon black, *JOURNAL OF COMPOSITE MATERIALS*, Volume: 51, Pages: 2597-2605, 2017
77. Lazzarini, Andrea, Activated carbons for applications in catalysis: the point of view of a physical-chemist, *RENDICONTI LINCEI-SCIENZE FISICHE E NATURALI* Volume: 28 Supplement: 1 Pages: 29-42 Published: JUL 2017
78. Masala, A., Vitillo, J.G., Mondino, G., Martra, G., Blom, R., Grande, C.A., Bordiga, S., Conductive ZSM-5-Based Adsorbent for CO<sub>2</sub> Capture: Active Phase vs Monolith, *Industrial and Engineering Chemistry Research* Volume 56, Issue 30, 2 August 2017, Pages 8485-8498
79. Sudachom, N., Warakulwit, C., Prapainainar, C., Witoon, T., Prapainainar, P., One step NaBH<sub>4</sub> reduction of Pt-Ru-Ni catalysts on different types of carbon supports for direct ethanol fuel cells: Synthesis and characterization, 2017, *Ranliao Huaxue Xuebao/Journal of Fuel Chemistry and Technology*, 45(5), pp. 596-607
80. Wutthiprom, Juthaporn; Phattharasupakun, Nutthaphon; Sawangphruk, Montree, Turning Carbon Black to Hollow Carbon Nanospheres for Enhancing Charge Storage Capacities of LiMn<sub>2</sub>O<sub>4</sub>, LiCoO<sub>2</sub>, LiNiMnCoO<sub>2</sub>, and LiFePO<sub>4</sub> Lithium-Ion Batteries, *ACS OMEGA* Volume: 2 Issue: 7 Pages: 3730-3738 Published: JUL 2017
81. Kazemizadeh, F., Malekfar, R., One step synthesis of porous graphene by laser ablation: A new and facile approach, 2018, *Physica B: Condensed Matter*, 530, pp. 236-241

82. Swapna, M.S., Beryl, C., Reshma, S.S., Chandran, V., Vishnu, V.S., Radhamany, P.M., Sankararaman, S., Ultraviolet Protection Action of Carbon Nanoparticles in Leaves, *BioNanoScience*, Volume 7, Issue 4, 1 December 2017, Pages 583-587
83. Tarasova, E.Y., Kuznetsov, S.I., Panin, A.S., Nefedov, S.A., X-Ray diffraction line profile analysis of the microstructure of micro- and nanosized alumina particles, *Bulletin of the Russian Academy of Sciences: Physics* 81(11), 2017, pp. 1363-1369
84. Liu, Y., Zheng, H., Liu, M., High performance strain sensors based on chitosan/carbon black composite sponges, 2018, *Materials and Design*, 141, pp. 276-285
85. Macías-Ferrer, D., Melo-Banda, J.A., Silva-Rodrigo, R., Páramo-García, U., Verde-Gómez, J.Y., Del-Angel-Vicente, P., Synthesis of micro/nanostructured carbon from refined sugar and its electrochemical performance, *International Journal of Electrochemical ScienceOpen Access* Volume 13, Issue 1, 1 January 2018, Pages 708-718
86. Swapna, M. S.; Sankararaman, S., Fractal analysis - a surrogate technique for material characterization, *NANOSYSTEMS-PHYSICS CHEMISTRY MATHEMATICS* Volume: 8 Issue: 6 Pages: 809-815 Published: DEC 2017
87. do Rêgo, U.A., Lopes, T., Bott-Neto, J.L., Tanaka, A.A., Ticianelli, E.A., Oxygen reduction electrocatalysis on transition metal-nitrogen modified tungsten carbide nanomaterials, 2018, *Journal of Electroanalytical Chemistry*, 810, pp. 222-231
88. Ravula, S., Larm, N.E., Liu, Y., Atwood, J.L., Baker, S.N., Baker, G.A., Ionothermal synthesis of magnetically-retrievable mesoporous carbons from alkyne-appended ionic liquids and demonstration of their use in selective dye removal, *New Journal of Chemistry* Volume 42, Issue 3, 2018, Pages 1979-1986
89. Swapna, M.S., Saritha Devi, H.V., Raj, V., Sankararaman, S., Fractal and spectroscopic analysis of soot from internal combustion engines, 2018, *European Physical Journal Plus*, 133(3), 106
90. Seyed-Talebi, S.M., Kazeminezhad, I., Nematpour, M., Synthesis and characterization of Ag@Carbon core-shell spheres as a novel catalyst for room temperature N-arylation reaction, 2018, *Journal of Catalysis*, 361, pp. 339-346
91. Al-Hetlani, E., Amin, M.O., Madkour, M., Nazeer, A.A., CeO<sub>2</sub>-CB nanocomposite as a novel SALDI substrate for enhancing the detection sensitivity of pharmaceutical drug molecules in beverage samples, 2018, *Talanta*, 185, pp. 439-445
92. Gavrilov, N., Momčilović, M., Dobrota, A.S., Stanković, D.M., Jokić, B., Babić, B., Skorodumova, N.V., Mentus, S.V., Pašti, I.A., A study of ordered mesoporous carbon doped with Co and Ni as a catalyst of oxygen reduction reaction in both alkaline and acidic media, *Surface and Coatings Technology*, Volume 349, 15 September 2018, Pages 511-521
93. Alfaramawi, K., Optical characteristics of butyl rubber loaded with general purpose furnace (GPF) carbon black, *MATERIALS RESEARCH EXPRESS* Volume: 5 Issue: 6 Article Number: 066202 Published: JUN 2018
94. Rao, K.S., Chaudhary, A.K., Raman and time-resolved pulsed photoacoustic spectroscopy of solid trinitrotoluene in graphite mixture: For identification of double resonant optical phonon signatures, 2019, *Optics and Laser Technology*, 109, pp. 149-156
95. Phattharasupakun, N., Wutthiprom, J., Ma, N., Chanlek, N., Sawangphruk, M., Sodium-ion diffusion and charge transfer kinetics of sodium-ion hybrid capacitors using bio-derived hierarchical porous carbon, 2018, *Electrochimica Acta*, 286, pp. 55-64

D. Kaptás, L. F. Kiss, J. Balogh, J. Gubicza, T. Kemény and I. Vincze: Superparamagnetic relaxation in nanocrystalline Fe<sub>80</sub>Zr<sub>7</sub>B<sub>12</sub>Cu<sub>1</sub> alloys, *Hyperfine Interactions*, **141/142** (2002) 175-179.

1. T. Ungár: The meaning of size obtained from broadened X-ray diffraction peaks, *Adv. Eng. Mat.* **5** (2003) 323-329.
2. T. Ungár: Characterization of ultra-fine-grain materials by X-ray diffraction peak profile analysis, in *Ultrafine Grained Materials III*, Eds. Y. T. Zhu, T. G. Langdon, R. Z. Valiev, S. I. Semiatin, D. H. Shin, T. C. Lowe, TMS (The Minerals, Metals and Materials Society), (2004) p. 37-44.
3. T. Ungár: Microstructural parameters from X-ray diffraction peak broadening, *Scripta Mater.*, **51** (2004) 777-781.
4. T. Ungár: Microstructure parameters from X-ray line profile analysis, in: *Advanced X-ray Techniques in Research and Industry*, Editor: Ashok Kumar Singh, IOS-Press, Amsterdam, The Netherlands, ISBN 1-58603-537-1 (2005) 268-286.

T. Ungár and J. Gubicza: Grain size, size-distribution and dislocation structure from diffraction peak profile analysis, *Proc. of Second International Symposium on Ultrafine Grained Materials, The 2002 TMS Annual Meeting, 17-21 February, 2002, Seattle, WA, US.* eds.: Y.T. Zhu, T. G. Langdon, R. S. Mishra, S. L. Semiatin, M. J. Saran and T. C. Lowe, (2002) 595-604.

1. A. Dubravina, M.J. Zehetbauer, E. Schafler, I.V. Alexandrov: Correlation between domain size obtained by X-ray Bragg profile analysis and macroscopic flow stress in severely plastically deformed copper, *Mater. Sci. Eng. A*, **387-389** (2004) 817-821.
2. B. Paik, I.P. Jones, A. Walton, V. Mann, D. Book, I.R. Harris: Evolution of microstructure in MgH<sub>2</sub> powder particles during high energy ball milling and hydrogen cycling, *Journal of Alloys and Compounds*, **492** (2010) 515-520.
3. M. Hosseini, H. Danesh Manesh: Immersed friction stir welding of ultrafine grained accumulative roll-bonded Al alloy, *Materials & Design* **31** (2010) 4786-4791.
4. A. Yazdani, E. Salahinejad: Evolution of reinforcement distribution in Al-B4C composites during accumulative roll bonding, *Materials & Design* **32** (2011) 3137-3142.
5. M.A. Guitar, K. Woll, E. Ramos-Moore, F. Mücklich: Study of grain growth and thermal stability of nanocrystalline RuAl thin films deposited by magnetron sputtering, *Thin Solid Films* **527** (2013) 1-8.
6. M.A. Guitar, H. Aboufadel, C. Pauly, P. Leibenguth, S. Migot, F. Mücklich: Production of single-phase intermetallic films from Ru-Al multilayers, *Surface and Coatings Technology*, **244** (2014) 210-216.
7. N. Roushdy, A.A.M. Farag, M. Abdel Rafea, O. El-Shazly, E.F. El-Wahidy: Influence of cadmium content on dip coated nanocrystalline Zn<sub>1-x</sub>Cd<sub>x</sub>S (0 ≤ x ≤ 0.9) on the microstructure characteristics and their heterojunction applications, *Superlattices and Microstructures*, **2013**, <http://dx.doi.org.scoepesprx.elsevier.com/10.1016/j.spmi.2013.07.008>

C. Pantea, J. Gubicza, T. Ungár, G. Voronin and T. W. Zerda: Dislocation density and graphitization of diamond crystals, *Phys. Rev. B* **66** (9): art. no. 094106 (2002).

1. G. Machado, D.N. Guerra, D. Leinen, J.R. Ramos-Barrado, R.E. Marotti and E.A. Dalchiele: Indium doped zinc oxide thin films obtained by electrodeposition, *Thin Solid Films* **490** (2005) 124-131.
2. D.J. Barber, H.-R. Wenk, G. Hirth, D.L. Kohlstedt: Dislocations in Minerals, In: J. P. Hirth and L. Kubin, editors: *Dislocations in Solids*, Vol 16, Chapter 95, Elsevier B.V., The Netherlands: North-Holland, ISBN:978-0-444-53285-5, (2010), pp. 171-232.
3. SV Kidalov, FM Shakhov: Thermal Conductivity of Diamond Composites, *MATERIALS* **2** (2009) 2467-2495.
4. F. El Atrassi, F. Brunet, M. Bouybaouene, C. Chopin, G. Chazot: Melting textures and microdiamonds preserved in graphite pseudomorphs from the Beni Bousera peridotite massif, Morocco, *EUROPEAN JOURNAL OF MINERALOGY* **23** (2011) 157-168.
5. S. Liu, J.-L. Liu, C.-M. Li, J.-C. Guo, L.-X. Chen, J.-J. Wei, L.-F. Hei, F.-X. Lu: The mechanical enhancement of chemical vapor deposited diamond film by plasma low-pressure/high-temperature treatment, *Carbon* **65** (2013) 365-370.
6. Khmel'nitsky, R.A. , Gippius, A.A.: Transformation of diamond to graphite under heat treatment at low pressure, *Phase Transitions* **87** (2014) 175-192.
7. Welch, J.O., Li, P., Chaudhary, A., Edgington, R., Jackman, R.B.: The influence of surface functionalisation on the electrical properties and thermal stability of nanodiamonds, *Journal of Applied Physics* **116** (2014) 133705.
8. Korsakov, A.V., Zhimulev, E.I., Mikhailenko, D.S., Demin, S.P., Kozmenko, O.A.: Graphite pseudomorphs after diamonds: An experimental study of graphite morphology and the role of H<sub>2</sub>O in the graphitisation process, *Lithos* **236-237** (2015) 16-26.
9. Cho, H.J., Tam, J., Kovylina, M., Kim, Y.-J., Erb, U.: Thermal conductivity of bulk nanocrystalline nickel-diamond composites produced by electrodeposition, *Journal of Alloys and Compounds* Volume 687, 5 December 2016, Pages 570-578
10. Cho, H.J., Kim, Y.-J., Erb, U., Thermal conductivity of copper-diamond composite materials produced by electrodeposition and the effect of TiC coatings on diamond particles, 2018, *Composites Part B: Engineering*, **155**, pp. 197-203

T. Ungár and J. Gubicza: Dislocation structure and crystallite size-distribution in hexagonal nanomaterials from X-ray peak profile analysis, *Zeitschrift fur Metallkunde* **93** (2002) 694-698.

1. Z. Li: Characterization of Different Shaped Nanocrystallites using X-ray Diffraction Line Profiles, *PARTICLE & PARTICLE SYSTEMS CHARACTERIZATION* **28** (2012) 19-24.

J. Gubicza, I. C. Dragomir, G. Ribárik, Y. T. Zhu, R. Z. Valiev and T. Ungár: Microstructure of severely deformed titanium from X-ray diffraction profile analysis, *Materials Science Forum*, **414-415** (2003) 229-234.

1. E. Schafner, L. Zeipper, M. J. Zehetbauer: Evolution of microstructure during thermal treatment in SPD titanium, in *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 426-432.
2. A. Dubravina, M.J. Zehetbauer, E. Schafner, I.V. Alexandrov: Correlation between domain size obtained by X-ray Bragg profile analysis and macroscopic flow stress

- in severely plastically deformed copper, *Mater. Sci. Eng. A*, **387-389** (2004) 817-821.
3. R. Basu: Diffusion bonding and fracture in Ti6Al4V superalloy, *Arabian Journal for Sci. and Eng.* **33** (2008) 249-262.
  4. G.G. Yapici, I. Karaman: Common trends in texture evolution of ultra-fine-grained hcp materials during equal channel angular extrusion, *Materials Science and Engineering A* **503** (2009) 78-81.
  5. A. Eleöd, Y. Berthier, E. Lach, T. Törköly, G. Juhász: Friction-induced structural modifications of Mg and Ti surfaces, *Tribology International* **42** (2009) 690-698.
  6. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2* (2009) 47-56.
  7. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
  8. Falola, B.D., Suniab, I.I.: Galvanic deposition of Ti atop Al 6061 alloy, *Journal of the Electrochemical Society* **161** (2014) D107-D110
  9. Lui, EW; Palanisamy, S; Dargusch, MS; Xia, K, Oxide Dissolution and Oxygen Diffusion in Solid-State Recycled Ti-6Al-4V: Numerical Modeling, Verification by Nanoindentation, and Effects on Grain Growth and Recrystallization, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS*, 2017
  10. Ghosh, A., Brokmeier, H.-G., Al-Hamdany, N., Sinha, S., Schell, N., Gurao, N., A synchrotron X-ray and electron backscatter diffraction based investigation on deformation and failure micro-mechanisms of monotonic and cyclic loading in titanium, *Materials Science and Engineering A* Volume 726, 30 May 2018, Pages 143-153

J. Gubicza, I.C. Dragomir, G. Ribárik, S.C. Baik, Y.T. Zhu, R.Z. Valiev, T. Ungár: Dislocation structure and crystallite size-distribution in plastically deformed Ti determined by X-ray peak profile analysis, *Z Metall* **94** (2003) 1185-1188.

1. A. Eleöd, Y. Berthier, E. Lach, T. Törköly, G. Juhász: Friction-induced structural modifications of Mg and Ti surfaces, *Tribology International* **42** (2009) 690-698.
2. S.G. Hashemi, B. Eghbali: Processing of ultrafine grained Cu-30%Zn alloy through severe plastic deformation using accumulative roll bonding, *Materials Science Forum* **667-669** (2011) 571-576.
3. C.S. Meredith, A.S. Khan: Texture evolution and anisotropy in the thermo-mechanical response of UFG Ti processed via equal channel angular pressing, *International Journal of Plasticity* **30-31** (2012) 202-217.
4. Ghamarian, I., Liu, Y., Samimi, P., Collins, P.C.: Development and application of a novel precession electron diffraction technique to quantify and map deformation structures in highly deformed materials - As applied to ultrafine-grained titanium, *Acta Materialia* **79** (2014) 203-215.
5. Sitdikov, V.D., Alexandrov, I.V., Ganiev, M.M., Fakhretdinova, E.I., Raab, G.I.: Effect of temperature on the evolution of structure, crystallographic texture and the anisotropy of strength properties in the Ti grade 4 alloy during continuous ECAP, *Reviews on Advanced Materials Science* **41** (2015) 44-51.

6. Sitdikov, VD; Alexandrov, IV; Danilenko, VN; Popov, VA: X-Ray Analysis of the Ultrafine-Grained VT6 Titanium Alloy Subjected to Flat Rolling, *RUSSIAN PHYSICS JOURNAL* **58** (2015) 772-775.
7. Aleksandrov, I.V.; Sitdikov, V.D.; Danilenko, V.N.; Safin, E.V.: Evolution study of microstructure and anisotropy of strength properties of ultrafine-grained titanium alloy VT6 subjected to plane rolling, *Deformatsiya i razrushenie materialov*, Issue:1 (2016) 29-36

A. P. Zhilyaev, J. Gubicza, S. Suriñach, M. D. Baró and T. G. Langdon: Calorimetric and X-ray measurements in ultrafine-grained nickel, *Materials Science Forum* **426** (2003) 4507-4512.

1. T. Ungár: Characterization of ultra-fine-grain materials by X-ray diffraction peak profile analysis, in *Ultrafine Grained Materials III*, Eds. Y. T. Zhu, T. G. Langdon, R. Z. Valiev, S. I. Semiatin, D. H. Shin, T. C. Lowe, TMS (The Minerals, Metals and Materials Society), (2004) p. 37-44.
2. T. Ungár: Microstructural parameters from X-ray diffraction peak broadening, *Scripta Mater.*, **51** (2004) 777-781.
3. T. Ungár: Microstructure parameters from X-ray line profile analysis, in: *Advanced X-ray Techniques in Research and Industry*, Editor: Ashok Kumar Singh, IOS-Press, Amsterdam, The Netherlands, ISBN 1-58603-537-1 (2005) 268-286.
4. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
5. Z.-Z. Du, L.-Z. Wu, H.-G. Fu, Q.-J. Wang, J.-T. Wang: Study of magnetic properties of 2J4 alloy deformed by equal channel angular pressing after tempering, *Journal of Aeronautical Materials* **29** (2009) 7-12.
6. S.S. Hazra, A.A. Gazder, E.V. Pereloma: Stored energy of a severely deformed interstitial free steel, *Materials Science and Engineering A*, **524** (2009) 158-167.
7. A.A. Nazarova, R.R. Mulyukov, V.V. Rubanik, Y.V. Tsarenko, A.A. Nazarov: Effect of Ultrasonic Treatment on the Structure and Properties of Ultrafine-Grained Nickel, *PHYSICS OF METALS AND METALLOGRAPHY* **110** (2010) 574-581.
8. S.S. Hazra, A.A. Gazder, A. Carman, E.V. Pereloma: Effect of Cold Rolling on as-ECAP Interstitial Free Steel, *Metallurgical and Materials Transactions A* **42** (2011) 1334-1348.
9. A.A. Gazder, S.S. Hazra, E.V. Pereloma: Annealing behaviour and mechanical properties of severely deformed interstitial free steel, *Materials Science and Engineering A* **530** (2011) 492-503.
10. Wang, Z., Perepezko, J.H.: Interfacial mixing of nickel vanadium multilayers induced by cold rolling, *Acta Materialia* **87** (2015) 68-77.

Y.T. Zhu, J.Y. Huang, J. Gubicza, T. Ungár, Y.M. Wang, E. Ma, R.Z. Valiev: Nanostructures in Ti Processed by Severe Plastic Deformation, *J. Mater. Res.* **18** (2003) 1908-1917.

1. E. Schafler, L. Zeipper, M. J. Zehetbauer: Evolution of microstructure during thermal treatment in SPD titanium, in *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), (2004) p. 426-432.

2. Y. Ivanisenko, I. MacLaren, H. Rösner, H.-J. Fecht: HRTEM and EFTEM investigation of the eutectoid steel after severe plastic deformation, in *Ultrafine Grained Materials III*, Eds. Y. T. Zhu, T. G. Langdon, R. Z. Valiev, S. I. Semiatin, D. H. Shin, T. C. Lowe, TMS (The Minerals, Metals and Materials Society), (2004) p. 387-392.
3. F. Dalla Torre, R. Lapovok, J. Sandlin, P.F. Thomson, C.H.J. Davies, E.V. Pereloma: Microstructures and properties of copper processed by equal channel angular extrusion for 1-16 passes, *Acta Mater.* **52** (2004) 4819-4832.
4. C.H. Chen, R.M. Ren, X.J. Zhao, Y.J. Zhang: Surface nanostructures in commercial pure Ti induced by high energy shot peening, *Trans. Nonferrous Met. Soc. China*, **14** (2004) 215-218.
5. P.M. Nagy, B. Ferencz, E. Kalman, B. Djuricic, R. Sonneleitner: Morphological evolution of Ti surfaces during oxidation treatment, *Mater. Manufacturing Processes* **20** (2005) 105-114.
6. A. Ma, N. Saito, M. Takagi, Y. Nishida, H. Iwata, K. Suzuki, I. Shigematsu, A. Watazu: Effect of severe plastic deformation on tensile properties of a cast Al–11 mass% Si alloy, *Mater. Sci. Eng. A* **395** (2005) 70-76.
7. B. Mingler, V. V. Stolyarov, M. Zehetbauer, W. Lacom, H. P. Karnthaler: TEM investigations of Titanium processed by ECAP followed by cold rolling, *Mater. Sci. Forum* **503-504** (2006) 805-810.
8. L.F. Zeipper, M.J. Zehetbauer, Ch. Holzleithner: Defect based micromechanical modelling and simulation of nanoSPD CP-Ti in post-deformation, *Mater. Sci. Eng. A* **410-411** (2005) 217-221.
9. A. Vorhauer, S. Kleber and R. Pippan: Influence of processing temperature on microstructural and mechanical properties of high-alloyed single-phase steels subjected to severe plastic deformation, *Mater. Sci. Eng. A* **410-411** (2005) 281-284.
10. Y.L. Hao, R. Yang: High strength nano-structured Ti-Nb-Zr-Sn alloy, *Acta Metall. Sinica* **41** (2005) 1183-1189.
11. M. R. Shankar, B. C. Rao, S. Lee, S. Chandrasekar, A. H. King, W. D. Compton Severe plastic deformation (SPD) of titanium at near-ambient temperature, *Acta Materialia* **54** (2006) 3691-3700.
12. F. Sun, P. Rojas, A. Zúñiga, E. J. Lavernia: Nanostructure in a Ti alloy processed using a cryomilling technique, *Mater. Sci. Eng. A* **430** (2006) 90-97.
13. M. Besterici, T. Kvackaj, L. Kovác, K. Sulleiová: Nanostructures and mechanical properties developed in copper by severe plastic deformations, *Kovove Materialy* **44** (2006) 101-106.
14. L.C. Zhang, J. Xu, J. Eckert: Thermal stability and crystallization kinetics of mechanically alloyed TiC/Ti-based metallic glass matrix composite, *J. Appl. Phys.* **100** (2006) Art. No. 033514.
15. Q. Xue, G.T. Gray: Development of adiabatic shear bands in annealed 316L stainless steel: Part II. TEM studies of the evolution of microstructure during deformation localization, *Metall. Mater. Trans. A-Phys. Metall. Mater. Sci.* **37A** (2006) 2447-2458.
16. Y.P. Li, G.P. Zhang, J. Tan, B. Wu,: Direct observation of dislocation plasticity in 100 nm scale AuCu multilayers, *Applied Physics Letters* **91** (2007) art. no. 061912.
17. L.-Q. Hu, J.-F. Ma, B.-S. Xu: Surface nanocrystallization of Al-Zn-Mg alloy and its thermal stability *Cailiao Rechuli Xuebao/Transactions of Materials and Heat Treatment* **28 SUPPL.** (2007) 343-347

18. O. M. Barabash, R. I. Barabash, G. E. Ice, S. A. David, Z. Feng, J. Horton: X-ray microbeam characterization of the near surface nanostructured layer in ti after friction stir processing, *Rev. Adv. Mater. Sci.* **15** (2007) 49-55.
19. M. Wang and A. Shan: Effect of strain rate on the tensile behavior of ultra-fine grained pure aluminum, *J. Alloys Comp.* **455** (2008) L10-L14.
20. Jens-Boie Suck: *Metallic Nanocrystals and Their Dynamical Properties*, in *MATERIALS FOR TOMORROW: THEORY, EXPERIMENTS AND MODELLING* Book Series: *SPRINGER SERIES IN MATERIALS SCIENCE* Volume: 93 Pages: 147-190 Springer, Berlin Heidelberg (2007).
21. Xiaohui Zeng: "Modeling hardening and softening due to high-angle grain boundaries in crystalline solids", Cuvillier Verlag, (2007) ISBN 3867273731.
22. W. Xu, X. Wu, D. Sadedin, K. Xia: Equal channel angular consolidation and deformation of titanium based alloys, *Materials Forum* **32** (2007) 29-34.
23. V.V. Stolyarov, L. Zeipper, B. Mingler and M. Zehetbauer: Influence of post-deformation on CP-Ti processed by equal channel angular pressing, *Mater. Sci. Eng. A* **476** (2008) 98-105.
24. M. Wen, J.-F. Gu, G. Liu, Z.-B. Wang, J. Lu: Surface evolution of a gradient structured Ti in hydrogen peroxide solution, *Applied Surface Science* **254** (2008) 2905-2910.
25. C. Huang, T.G. Murthy, M.R. Shankar, R. M'Saoubi and S. Chandrasekar: Temperature rise in severe plastic deformation of titanium at small strain-rates, *Scripta Materialia*, **58** (2008) 663-666.
26. X. Zhao, W. Fu, X. Yang, T. G. Langdon: Microstructure and properties of pure titanium processed by equal-channel angular pressing at room temperature, *Scripta Materialia* **59** (2008) 542-545.
27. M. Wen, G. Liu, J. Gu, W. Guan, J. Lu: The tensile properties of titanium processed by surface mechanical attrition treatment, *Surface and Coatings Technology* **202** (2008) 4728-4733.
28. S.H. Xia, L.V. Vychigzhanina, J.T. Wang, I.V. Alexandrov, A.V. Sharafutdinov: Controllable bimodal structures in hypo-eutectoid Cu–Al alloy for both high strength and tensile ductility, *Materials Science and Engineering A*, **490** (2008) 471-476.
29. T. G. Murthy, C. Huang, M. Ravi Shankar, S. Chandrasekar, K. P. Trumble, J. P. Sullivan: Temperature Field in Severe Plastic Deformation at Small Strain Rates, *Mater. Sci. Forum* **584-586** (2008) 231-236.
30. M. Besterici, K. Sulleiova, T. Kvackaj: Fracture micromechanisms of Cu nanomaterials prepared by ECAP, *KOVOVE MATERIALY-METALLIC MATERIALS* **46** (2008) 309-311.
31. C. Mallikarjuna, S.M. Shashidhara, U.S. Mallik: Evaluation of grain refinement and variation in mechanical properties of equal-channel angular pressed 2014 aluminum alloy, *Materials & Design* **30** (2009) 1638-1642.
32. O. Ertorer, T. Topping, Y. Li, W. Moss, E. J. Lavernia: Enhanced tensile strength and high ductility in cryomilled commercially pure titanium *Scripta Mater.* **60** (2009) 586-589.
33. W. Li, W. Xu, X. Wang, Y. Rong: Measurement of microstructural parameters of nanocrystalline Fe–30 wt.%Ni alloy produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **474** (2009) 546-550.
34. I.V. Alexandrov: Continuous SPD Techniques, and Post-SPD Processing, in: *BULK NANOSTRUCTURED MATERIALS*, (WILEY–VCH), eds.: M.J. Zehetbauer and Y.T. Zhu (2009) pp. 311-324 (ISBN: 978-3-527-31524-6)

35. W. Xu, X. Wu, M. Calin, M. Stoica, J. Eckert, K. Xia: Formation of an ultrafine-grained structure during equal-channel angular pressing of a  $\beta$ -titanium alloy with low phase stability, *Scripta Materialia* **60** (2009) 1012-1015.
36. M. Wen, G. Liu, J.F. Gu, W.M. Guan, J. Lu: Dislocation evolution in titanium during surface severe plastic deformation, *APPLIED SURFACE SCIENCE* **255** (2009) 6097-6102.
37. X. Huang: Tailoring dislocation structures and mechanical properties of nanostructured metals produced by plastic deformation *Scripta Materialia* **60** (2009) 1078-1082.
38. W. Li, P. Liu, F.C. Ma, Y.H. Rong: Microstructural characterization of nanocrystalline nickel produced by surface mechanical attrition treatment, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2925-2930.
39. Y.G. Ko, D.H. Shin, C.S. Lee: Cavitation damage incorporating cavity growth in submicrometer-grained titanium alloy, *JOURNAL OF MATERIALS RESEARCH* **24** (2009) 2161-2165.
40. K. Edalati, E. Matsubara, Z. Horita: Processing Pure Ti by High-Pressure Torsion in Wide Ranges of Pressures and Strain, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **40A** (2009) 2079-2086.
41. M. Besterçi, O. Velgosova, J. Ivan, P. Hvizdos, T. Kvackaj, P. Kulu: Fracture mechanism of Al-Al<sub>4</sub>C<sub>3</sub> nanomaterials studied by "in-situ tensile test in SEM", *KOVOVE MATERIALY-METALLIC MATERIALS* **47** (2009) 221-225.
42. H. Toftegaard, X. Huang, K.C. Jorgensen, J. Holm, N. Hansen: Microstructural, mechanical and ballistic characterization of nanostructured Al sheets, Proc. 30<sup>th</sup> Riso International Symposium on Materials Science: Nanostructured metals – Fundamentals to applications, 7-11 September, 2009, Eds.: J.-C. Grivel, N. Hansen, X. Huang, D. Juul Jensen, O.V. Mishin, S.F. Nielsen, W. Pantleon, H. Toftegaard, G. Winther, T. Yu, Riso National Laboratory for Sustainable Energy, Technical University of Denmark, Roskilde, Denmark, ISBN 978-87-550-3776-2, 2009, p. 359-368.
43. W. Xu, X.L. Wu, R.B. Figueiredo, M. Stoica, M. Calin, J. Eckert, T.G. Langdon, K.N. Xia: Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion, *INTERNATIONAL JOURNAL OF MATERIALS RESEARCH* **100** (2009) 1662-1667.
44. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
45. Konczos Géza: Mechanikai tulajdonságok, in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 231-238., ISBN: 9789 6328 4053 6.
46. M. Besterçi, O. Velgosova, J. Ivan, P. Hvizdos, T. Kvackaj, P. Kulu: In situ tensile testing in SEM of Al-Al<sub>4</sub>C<sub>3</sub> nanomaterials, *Estonian Journal of Engineering* **15** (2009) 247-254.
47. Y.J. Chen, Y.J. Li, J.C. Walmsley, S. Dumoulin, P.C. Skaret, H.J. Roven: Microstructure evolution of commercial pure titanium during equal channel angular pressing, *Materials Science and Engineering A* **527** (2010) 789-796.
48. J.M. Tao, X.K. Zhu, P.Z. Wong, R.O. Scattergood, C.C. Koch: Mechanical properties of nanocrystalline Cu and Cu-Zn using tensile and shear punch tests, *Materials Science Forum* **633-634** (2010) 373-382.

49. Y.J. Chen, Y.J. Li, J.C. Walmsley, S. Dumoulin and H.J. Roven: Deformation Structures of Pure Titanium during Shear Deformation, *Metallurgical and Materials Transactions A* **41** (2010) 787-794.
50. X. Huang, N. Kamikawa, N. Hansen: Strengthening mechanisms and optimization of structure and properties in a nanostructured IF steel, *JOURNAL OF MATERIALS SCIENCE* **45** (2010) 4761-4769.
51. Y.-Z. Tian, Q.-Q. Duan, H.-J. Yang, H.-F. Zou, G. Yang, S.-D. Wu, Z.-F. Zhang: Effects of route on microstructural evolution and mechanical properties of Cu-8 Wt Pct Ag alloy processed by equal channel angular pressing, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **41** (2010) 2290-2303.
52. S. Wu, K. Fan, P. Jiang, S. Chen: Grain refinement of pure Ti during plastic deformation, *Materials Science and Engineering A* **527** (2010) 6917-6921.
53. I. Sabirov, M.T. Perez-Prado, J.M. Molina-Aldareguia, I.P. Semenova, G.Kh. Salimgareeva, R.Z. Valiev: Anisotropy of mechanical properties in high-strength ultra-fine-grained pure Ti processed via a complex severe plastic deformation route, *Scripta Materialia* **64** (2011) 69-72.
54. Y.J. Chen, Y.J. Li, J.C. Walmsley, S. Dumoulin, S.S. Gireesh, S. Armada, P.C. Skaret, H.J. Roven: Quantitative analysis of grain refinement in titanium during equal channel angular pressing, *Scripta Materialia* **64** (2011) 904-907.
55. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
56. X. Zhao, X. Wang, X. Yang, C. Wang, X. Liu: Microstructure and properties of TA1 pure titanium processed by 8 ECAP passes using a 120° die at room temperature, *Rare Metal Materials and Engineering* **40** (2011) 28-31.
57. X.-R. Yang, X.-C. Zhao, C. Wang, X.-Y. Wang, X.-Y. Liu: Microstructural evolution of CP-Ti processed by ECAP at room temperature using 120° die, *Journal of Aeronautical Materials* **31** (2011) 25-30.
58. H. Yang, P. Yang, J. Tao, C. Li, X. Zhu: The influence of stacking fault energy on the Cold-rolling Cu and Cu-Al alloy: Structure and mechanics properties, *Materials Science Forum* **683** (2011) 95-102.
59. C. Gammer, C. Mangler, H.-P. Karnthaler, C. Rentenberger: Three-dimensional analysis by electron diffraction methods of nanocrystalline materials, *Microscopy and Microanalysis* **17** (2011) 866-871.
60. F.A. Mohamed: Micrograin Superplasticity: Characteristics and Utilization, *MATERIALS* **4** (2011) 1194-1223.
61. Q.-J. Wang, P.-P. Zhang, C.-R. Liu: Principle of the continuous variable cross-section recycled extrusion (CVCE) process, *Advanced Materials Research* **418-420** (2012) 1400-1404.
62. R. Manna, N.K. Mukhopadhyay, G.V.S. Sastry: Grain refinement mechanisms operative during equal channel angular pressing of aluminum, *Materials Science Forum* **702-703** (2012) 135-138.
63. Y.J. Chen, Y.C. Chai, H.J. Roven, S.S. Gireesh, Y.D. Yu, J. Hjelen: Microstructure and mechanical properties of Al-xMg alloys processed by room temperature ECAP, *Materials Science and Engineering A* **545** (2012) 139-147.
64. K. Edalati, S. Toh, H. Iwaoka, Z. Horita: Microstructural characteristics of tungsten-base nanocomposites produced from micropowders by high-pressure torsion, *Acta Materialia* **60** (2012) 3885-3893.

65. T. Suo, Y. Chen, Y. Li, C. Wang, X. Fan: Strain rate sensitivity and deformation kinetics of ECAPed aluminum over a wide range of strain rates, *Materials Science and Engineering A* **560** (2013) 545-551.
66. Z.-Q. Zhang, L.-M. Dong, Y. Yang, S.-X. Guan, Y.-Y. Liu, R. Yang: Microstructure refinement of a dual phase titanium alloy by severe room temperature compression, *Transactions of Nonferrous Metals Society of China* **22** (2012) 2604-2608.
67. P. Luo, D.T. McDonald, S. Palanisamy, M.S. Dargusch, K. Xia: Ultrafine-grained pure Ti recycled by equal channel angular pressing with high strength and good ductility, *Journal of Materials Processing Technology* **213** (2013) 469-476.
68. T. Hu, K. Ma, T.D. Topping, J.M. Schoenung, E.J. Lavernia: Precipitation phenomena in an ultrafine-grained Al alloy, *Acta Materialia* **61** (2013) 2163-2178.
69. P. Luo, Q. Hu: A Quantified Complex Strengthening Mechanism in Solid-State Recycled Titanium, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **44A** (2013) 1651-1655.
70. T. Suo, Y. Li, F. Zhao, X. Fan, W. Guo: Compressive behavior and rate-controlling mechanisms of ultrafine grained copper over wide temperature and strain rate ranges, *Mechanics of Materials* **61** (2013) 1-10.
71. J. Wongsangam, M. Kawasaki, T.G. Langdon: A comparison of microstructures and mechanical properties in a Cu-Zr alloy processed using different SPD techniques, *JOURNAL OF MATERIALS SCIENCE* **48** (2013) 4653-4660.
72. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia, G.H. Gao, Y.Q. Weng: EFFECT OF SURFACE NANOCRYSTALLIZATION ON MICROSTRUCTURE AND THERMAL STABILITY OF REDUCED ACTIVATION STEEL, *ACTA METALLURGICA SINICA* **49** (2013) 707-716.
73. G.J. Wang, X.C. Zhao, X.R. Yang, X.Y. Liu: Texture evolution in commercially pure titanium after equal channel angular pressing at room temperature, *MATERIALS SCIENCE AND TECHNOLOGY* **29** (2013) 961-967.
74. S. Sadeghpour, A. Kermanpur, A. Najafizadeh: Influence of Ti microalloying on the formation of nanocrystalline structure in the 201L austenitic stainless steel during martensite thermomechanical treatment, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING* **584** (2013) 177-183.
75. S. Ren, C. Wen, X. Wu, Y. Gong, Y. Long, L. Cheng, X. Zhu: Influence of stacking fault energy and strain rate on the mechanical properties in Cu and Cu-Al-Zn alloys, *Materials Science and Engineering A*, **585** (2013) 174-177.
76. Kumar, R., Sastry, G.V.S., Manna, R.: Bulk ultrafine-grained AA3003 alloy processed by equal- Channel angular pressing, *Heat Treatment and Surface Engineering - Proceedings of Heat Treatment and Surface Engineering, HTSE 2013* pp. 453-464 (2013)
77. R. Zheng, Y. Sun, K. Ameyama, C. Ma: Optimizing the strength and ductility of spark plasma sintered Al 2024 alloy by conventional thermo-mechanical treatment, *Materials Science and Engineering A* **590** (2014) 147-152.
78. K. Hajizadeh, B. Eghbali, K. Topolski, K.J. Kurzydowski: Ultra-fine grained bulk CP-Ti processed by multi-pass ECAP at warm deformation region, *Materials Chemistry and Physics* **143** (2014) 1032-1038.
79. Shi, Y., Li, M., Guo, D., Ma, T., Zhang, Z., Li, X., Zhang, G., Zhang, X.: Extraordinary toughening by cryorolling in Zr, *Advanced Engineering Materials* **16** (2014) 167-170.

80. Cheng, G.-L., Zhou, Q., Xu, J.: Mechanical properties of pure Ti processed by equal channel angular pressing, *Suxing Gongcheng Xuebao/Journal of Plasticity Engineering* 21 (2014) 112-116.
81. Hajizadeh, K., Eghbali, B.: Effect of two-step severe plastic deformation on the microstructure and mechanical properties of commercial purity titanium, *Metals and Materials International* 20 (2014) 343-350.
82. Baozhuang Cai, Jingmei Tao, Wei Wang, Xincheng Yang, Yulan Gong, Lianping Cheng, Xinkun Zhu: The effect of stacking fault energy on equilibrium grain size and tensile properties of ultrafine-grained Cu-Al-Zn alloys processed by rolling, *Journal of Alloys and Compounds* 610 (2014) 224-230.
83. Shitong Zhou, Weiwei Lv, Peng Li, Yulan Gong, Jingmei Tao, Lianping Cheng, Xinkun Zhu: Mechanical properties and deformation kinetics of bulk Cu-Al-Zn alloy subjected to rolling and annealing, *Materials Science and Engineering A*, 609 (2014) 217-221.
84. Ding, H., Shin, Y.C.: Dislocation density-based grain refinement modeling of orthogonal cutting of titanium, *Journal of Manufacturing Science and Engineering, Transactions of the ASME* 136 (2014) 041003.
85. Chui, Pengfei; Sun, Kangning: Thermal stability of a nanostructured layer on the surface of 316L stainless steel, *JOURNAL OF MATERIALS RESEARCH* 29 (2014) 556-560.
86. Prokofiev, E.A., Jorge, A.M., Botta, W.J., Valiev, R.Z.: Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing, *Comprehensive Materials Processing* 3 (2014) 187-209.
87. Velgosová, O., Besterčí, M., Ivan, J., Sülleiová, K.: Influence of technological factors on dispersion strengthened materials deformation mechanism studied by 'in-situ tensile test in SEM', *International Journal of Materials and Product Technology* 49 (2014) 129-159.
88. Tang, ZB; Suo, T; Zhang, BS; Li, YL; Zhao, F; Fan, XL: Uniaxial compressive behavior of equal channel angular pressing Al at wide temperature and strain rate range, *TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA* 24 (2014) 2447-2452.
89. Marr, T; Freudenberger, J; Maier, V; Hoppel, HW; Goken, M; Schultz, L: The Strengthening Effect of Phase Boundaries in a Severely Plastically Deformed Ti-Al Composite Wire, *METALS* 4 (2014) 37-54.
90. Nowak, Z., Perzyna, P.: The identification procedure for the constitutive model of elasto-viscoplasticity describing the behaviour of nanocrystalline titanium, *Engineering Transactions* 62 (2014) 221-240.
91. Wang, J., Zhu, H., Vadiraja Sudhakar, K., Price, A.H.: Influence of equal-channel angular extrusion on impact toughness of aluminum and brass at room and low temperatures, *International Journal of Mechanical and Materials Engineering* 9 (2014) article no. 19.
92. Sun, Y., Lu, C., Yu, H., Kiet Tieu, A., Su, L., Zhao, Y., Zhu, H., Kong, C.: Nanomechanical properties of TiCN and TiCN/Ti coatings on Ti prepared by Filtered Arc Deposition, *Materials Science and Engineering A* 625 (2015) 56-64.
93. Emami, H; Edalati, K; Matsuda, J; Akiba, E; Horita, Z: Hydrogen storage performance of TiFe after processing by ball milling, *ACTA MATERIALIA* Volume: 88 Pages: 190-195 Published: APR 15 2015
94. Yin, Y.-F., Xu, W., Sun, Q.-Y., Xiao, L., Sun, J.: Deformation and fracture behavior of commercially pure titanium with gradient nano-to-micron-grained surface layer,

- Transactions of Nonferrous Metals Society of China (English Edition) 25 (2015) 738-747.
95. Guillem-Martí, J., Herranz-Díez, C., Shaffer, J.E., Gil, F.J., Manero, J.M.: Mechanical and microstructural characterization of new nickel-free low modulus  $\beta$ -type titanium wires during thermomechanical treatments, *Materials Science and Engineering A* 636 (2015) 507-515.
  96. Rodríguez-Galán, D., Sabirov, I., Segurado, J.: Temperature and strain rate effect on the deformation of nanostructured pure titanium, *International Journal of Plasticity* 70 (2015) 191-205.
  97. Zafari, A., Wei, X.S., Xu, W., Xia, K.: Formation of nanocrystalline  $\beta$  structure in metastable beta Ti alloy during high pressure torsion: The role played by stress induced martensitic transformation, *Acta Materialia* 97 (2015) 146-155.
  98. Lopes, F.P.D., Lu, C.H., Zhao, S., Monteiro, S.N., Meyers, M.A.: Room Temperature Dynamic Strain Aging in Ultrafine-Grained Titanium, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 4468-4477.
  99. Cai, B., Ren, S., Zhou, S., Li, P., Lv, W., Tao, J., Zhu, X.: Effects of stacking fault energy on the deformation mechanisms and mechanical properties of Cu and Cu alloys processed by rolling at different temperatures, *Indian Journal of Engineering and Materials Sciences* 22 (2015) 399-406.
  100. Zafari, A., Wei, X.S., Xu, W., Xia, K.: Effects of severe plastic deformation on grain refinement and martensitic transformation in a metastable  $\beta$  Ti alloy, *IOP Conference Series: Materials Science and Engineering* 89 (2015) 012055
  101. Pandey, V., Rao, G.S., Chattopadhyay, K., Santhi Srinivas, N.C., Singh, V.: Effect of surface Nanostructuring on LCF behavior of aluminum alloy 2014, *Materials Science and Engineering A* 647 (2015) 201-211.
  102. Shen, C.-C., Wang, C.-M., Chen, H.-H.: Advanced nanostructured equiaxed Ti-6Al-4V alloys prepared via an isothermal hydrogenation process, *Journal of Alloys and Compounds* 657 (2016) 794-800.
  103. Kawalko, J., Bieda, M., Sztwiertnia, K.: Microstructure of commercial purity titanium subjected to complex loading by the kobo method, *Archives of Metallurgy and Materials* 61 (2016) 31-36.
  104. Liu, WB; Ji, YZ; Tan, PK; Zang, H; He, CH; Yun, D; Zhang, C; Yang, ZG: Irradiation Induced Microstructure Evolution in Nanostructured Materials: A Review, *MATERIALS* 9 (2016) Article Number: UNSP 105
  105. Zhang, X.K., Yang, X.Y., Chen, W., Qin, J., Fouse, J.P.: Effect of stacking fault energy on mechanical properties and annealing behavior of brasses, *Journal of Alloys and Compounds* 679 (2016) 400-407.
  106. Fuloria, D., Kumar, N., Goel, S., Jayaganthan, R., Jha, S., Srivastava, D.: Tensile properties and microstructural evolution of Zircaloy-4 processed through rolling at different temperatures, *Materials and Design* 103 (2016) 40-51.
  107. Luo, Peng; Hu, Qiaodan; Wu, Xiaolin: Quantitatively Analyzing Strength Contribution vs Grain Boundary Scale Relation in Pure Titanium Subjected to Severe Plastic Deformation, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* 47A (2016) 1922-1928.
  108. Kirichek, A.V., Soloviev, D.L.: Strain hardening of metal parts with use of impulse wave, *IOP Conference Series: Materials Science and Engineering*, Volume 124, Issue 1, 2 June 2016, Article number 012159

109. Hu, N., Gao, N., Chen, Y., Starink, M.J.: Achieving homogeneous anodic TiO<sub>2</sub> nanotube layers through grain refinement of the titanium substrate, *Materials and Design*, Volume 110, 15 November 2016, Pages 346-353
110. Wang, H; Cheng, XW; Zhang, ZH; Hu, ZY; Li, SL: Microstructures and mechanical properties of bulk nanocrystalline silver fabricated by spark plasma sintering, *JOURNAL OF MATERIALS RESEARCH*, Volume: 31, Pages: 2223-2232, 2016
111. Hu, Z.-Y., Cheng, X.-W., Zhang, Z.-H., Wang, H., Li, S.-L., Korznikova, G.F., Gunderov, D.V., Wang, F.-C.: The influence of defect structures on the mechanical properties of Ti-6Al-4V alloys deformed by high-pressure torsion at ambient temperature, *Materials Science and Engineering A*, Volume 684, 27 January 2017, Pages 1-13
112. Liu, X., Zhao, X., Yang, X., Jia, J., Progress in research on creep behavior of ultrafine/nano-grained metallic materials, *Xiyou Jinshu/Chinese Journal of Rare Metals*, Volume 40, Issue 12, 1 December 2016, Pages 1282-1290
113. Wanderka, N., Bakai, S., Abou-Ras, D., Schäfer, N., Bakai, O., The impact of ultrasonic vibrations on shear banding in nanocrystalline titanium, *Materials Letters*, Volume 191, 15 March 2017, Pages 30-33
114. Li, G., Qu, S., Xie, M., Li, X., Effect of ultrasonic surface rolling at low temperatures on surface layer microstructure and properties of HIP Ti-6Al-4V alloy, *Surface and Coatings Technology*, Volume 316, 25 April 2017, Pages 75-84
115. Li, H., Liang, Y., Zhao, L., Hu, J., Han, S., Lian, J., Mapping the strain-rate and grain-size dependence of deformation behaviors in nanocrystalline face-centered-cubic Ni and Ni-based alloys, *Journal of Alloys and Compounds*, Volume 709, 30 June 2017, Pages 566-574
116. Kirichek, A.V., Barinov, S.V., Yashin, A.V., Structural heredity influence upon principles of strain wave hardening, *IOP Conference Series: Materials Science and Engineering*, Volume 177, Issue 1, 1 March 2017, Article number 012144
117. Kirichek, A.V., Barinov, S.V., Yashin, A.V., Kolontsov, S.E., The investigation of the deformation wave hardening effect on the strength of the medium and low alloy steels, *IOP Conference Series: Materials Science and Engineering*, Volume 177, Issue 1, 1 March 2017, Article number 012121
118. Fernandez-Zelaia, P., Melkote, S., Marusich, T., Usui, S., A microstructure sensitive grain boundary sliding and slip based constitutive model for machining of Ti-6Al-4V, *Mechanics of Materials*, Volume 109, 1 June 2017, Pages 67-81
119. Fuloria, D., Kumar, N., Jayaganthan, R., Jha, S.K., Srivastava, D., An investigation of effect of annealing at different temperatures on microstructures and bulk textures development in deformed Zircaloy-4, *Materials Characterization*, Volume 129, 1 July 2017, Pages 217-233
120. Popov, V.V., Stolbobsky, A.V., Popova, E.N., Effect of severe plastic deformation on the structure and properties of Ni-Cu alloys, *IOP Conference Series: Materials Science and Engineering*, 194(1), 2017, 012014
121. Eivani, A.R., Hosseini, M., Jafarian, H.R., Mousavi Anijdan, S.H., Park, N., Microstructural evolution and fatigue properties of severely deformed AA1050 aluminum alloy, *Materials Characterization* Volume 130, August 2017, Pages 204-210
122. Hajizadeh, K., Ejtemaei, S., Eghbali, B., Microstructure, hardness homogeneity, and tensile properties of 1050 aluminum processed by constrained groove pressing, *Applied Physics A: Materials Science and Processing*, 123 (2017) Article Number: 504

123. AlMotasem, A.T., Bergström, J., Gåård, A., Krakhmalev, P., Holleboom, L.J., Atomistic Insights on the Wear/Friction Behavior of Nanocrystalline Ferrite During Nanoscratching as Revealed by Molecular Dynamics, *Tribology Letters*, 2017, 65(3), Article Number: 101
124. Gencalp Irizalp, S., Saklakoglu, N., Laser peening of metallic materials (Book Chapter) in: *Comprehensive Materials Finishing*, 2016, 1-3, pp. 408-440
125. Shahmir, H., Mousavi, T., He, J., Lu, Z., Kawasaki, M., Langdon, T.G., Microstructure and properties of a CoCrFeNiMn high-entropy alloy processed by equal-channel angular pressing, *Materials Science and Engineering A* Volume 705, 29 September 2017, Pages 411-419
126. Shahmir, H., Langdon, T.G., An evaluation of the hexagonal close-packed to face-centered cubic phase transformation in a Ti-6Al-4V alloy during high-pressure torsion, *Materials Science and Engineering A*, 2017, 704, pp. 212-217
127. Popov, V. V.; Stolbovsky, A. V.; Popova, E. N., Structure of Nickel-Copper Alloys Subjected to High-Pressure Torsion to Saturation Stage, *PHYSICS OF METALS AND METALLOGRAPHY* Volume: 118 Issue: 11 Pages: 1073-1080 Published: NOV 2017
128. Bahl, S., Aleti, B.T., Suwas, S., Chatterjee, K., Surface nanostructuring of titanium imparts multifunctional properties for orthopedic and cardiovascular applications, 2018, *Materials and Design*, 144, pp. 169-181
129. Ye, Y., Kure-Chu, S.-Z., Sun, Z., Li, X., Wang, H., Tang, G., Nanocrystallization and enhanced surface mechanical properties of commercial pure titanium by electropulsing-assisted ultrasonic surface rolling, *Materials and Design* Volume 149, 5 July 2018, Pages 214-227
130. Kirichek, A.V., Barinov, S.V., Aborkin, A.V., Yashin, A.V., Zaicev, A.A., Strengthening of surface layer of material by wave deformation multi-contact loading, 2018, *IOP Conference Series: Materials Science and Engineering*, 327(4),042011
131. Ghazani, M.S., Fardi-Ilkhchy, A., Binesh, B., Finite element simulation of the T-shaped ECAP processing of round samples, 2018, *Materials Research Express*, 5(5),056510

A. P. Zhilyaev, J. Gubicza, G. Nurislamova, A. Révész, S. Surinach, M.D. Baro, T. Ungár: Microstructural characterization of ultrafine-grained nickel, *Phys. Stat. Sol. A* **198** (2003) 263-271.

1. Y.T. Zhu, T.C. Lowe, T.G. Langdon: Performance and applications of nanostructured materials produced by severe plastic deformation, *Scripta Mater.* **51** (2004) 825-830.
2. X.Z. Liao, Y.H. Zhao, Y.T. Zhu, R.Z. Valiev, D.V. Gunderov: Grain-size effect on the deformation mechanisms of nanostructured copper processed by high-pressure torsion, *J. Appl. Phys.* **96** (2004) 636-640.
3. G. Krállics, M. Horváth, A. Fodor: Influence of ECAP routes on mechanical properties of a nanocrystalline aluminium alloy, *Periodica Polytechnica* **48** (2004) 145-150.
4. Gy. Krállics, M. Horváth, J. Nyír: Forming and machining of the nano-crystalline alloys, *Proceedings of Second International Conference on Multi-Material Micro Manufacture*, 20-22 September, 2006, Grenoble, France, eds.:W. Menz, S. Dimov, B. Fillon, 2006, pp. 175-178, Elsevier.

5. N.A. Krasilnikov, W. Lojkowski, Z. Pakiela, K.J. Kurzydowski: Mechanical properties and deformation behaviour of ultra-fine grained nickel, *Diffusion and Defect Data Pt.B: Solid State Phenomena* **114** (2006) 79-84.
6. C. Huang, W.T. Nichols, D.T. O'Brien, M.F. Becker, D. Kovar, J.W. Keto: Supersonic jet deposition of silver nanoparticle aerosols: Correlations of impact conditions and film morphologies, *Journal of Applied Physics* **101** (2007) art. no. 064902.
7. W. Blum and Y.J. Li: Flow stress and creep rate of nanocrystalline Ni, *Scripta Mater.* **57** (2007) 429-431.
8. M. Shafiei, A.T. Alpas: Friction and wear mechanisms of nanocrystalline nickel in ambient and inert atmospheres, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38 A** (2007) 1621-1631.
9. M. Shafiei and A.T. Alpas: Effect of sliding speed on friction and wear behaviour of nanocrystalline nickel tested in an argon atmosphere, *Wear* **265** (2008) 429-438.
10. M. Shafiei and A.T. Alpas: Friction and wear behaviour of nanocrystalline cobalt, 2007 Proceedings of the ASME/STLE International Joint Tribology Conference, IJTC 2007 PART A (2008) 11-13.
11. M. Zoppi, W. Sieklicki, R. Molfino: Design of a microrobotic wrist for needle laparoscopic surgery, *J. Mechanical Design* **130** (2008) 102306.
12. Y.D. Yagodkin, S.V. Dobatkin: Application of electron microscopy and x-ray structural analysis for the determination of sizes of structural elements in nanocrystalline materials, *Inorganic Materials* **44** (2008) 1520-1530.
13. W. Li, W. Xu, X. Wang, Y. Rong: Measurement of microstructural parameters of nanocrystalline Fe-30 wt.%Ni alloy produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **474** (2009) 546-550.
14. A. Sarkar, A. Bhowmik and S. Suwas: Microstructural characterization of ultrafine-grain interstitial-free steel by X-ray diffraction line profile analysis, *Applied Physics A: Materials Science & Processing* **94** (2009) 943-948.
15. W. Li, P. Liu, F.C. Ma, Y.H. Rong: Microstructural characterization of nanocrystalline nickel produced by surface mechanical attrition treatment, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2925-2930.
16. G. Saada, G. Dirras: The elastic-plastic transition in nanograined polycrystals, *Int. J. Mat. Res.* **100** (2009) 767-769.
17. G. Saada and G. Dirras, Mechanical Properties of Nanograined Metallic Polycrystals. In: J. P. Hirth and L. Kubin, editors: *Dislocations in Solids*, Vol 15, Chapter 90, Elsevier B.V., The Netherlands: North-Holland, ISBN:978-0-444-53285-5, (2009), pp. 199-248.
18. A. Abdul-Latif, G.F. Dirras, S. Ramtani, A. Hocini: A new concept for producing ultrafine-grained metallic structures via an intermediate strain rate: Experiments and modeling, *International Journal of Mechanical Sciences* **51** (2009) 797-806.
19. W. Sieklicki, M. Zoppi, R.Molfino: Superelastic compliant mechanisms for needlescopic surgical wrists, Proceedings of the 2009 ASME/IFTOMM International Conference on Reconfigurable Mechanisms and Robots, King's College of London, London, United Kingdom, June 22-24, 2009, Editors: J.S. Dai, M. Zoppi, X.W. Kong, Publisher: KC EDIZIONI, GENOVA, ITALY, ISBN: 978-88-89007-37-2 (2009) pp. 401-408.
20. G. Dirras, T. Chauveau, A. Abdul-Latif, S. Ramtani, Q.-H. Bui: Microstructure characterization of high-purity aluminum processed by dynamic severe plastic deformation, *Physica Status Solidi (A) Applications and Materials Science* **207** (2010) 2233-2237.

21. A.A. Nazarova, R.R. Mulyukov, V.V. Rubanik, Y.V. Tsarenko, A.A. Nazarov: Effect of Ultrasonic Treatment on the Structure and Properties of Ultrafine-Grained Nickel, *PHYSICS OF METALS AND METALLOGRAPHY* **110** (2010) 574-581.
22. W. Li, P. Liu, F. Ma, X. Liu, Y. Rong: High-temperature surface alloying of nanocrystalline nickel produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **509** (2011) 518-522.
23. K.S. Raju, M. Ghanashyam Krishna, K.A. Padmanabhan, V. Subramanya Sarma, N.P. Gurao, G. Wilde: Microstructure evolution and hardness variation during annealing of equal channel angular pressed ultra-fine grained nickel subjected to 12 passes, *Journal of Materials Science* **46** (2011) 2662-2671.
24. S.V. Divinski, G. Reglitz, H. Rösner, Y. Estrin, G. Wilde: Ultra-fast diffusion channels in pure Ni severely deformed by equal-channel angular pressing, *Acta Materialia* **59** (2011) 1974-1985.
25. B. Raelisnia, W.J. Poole: Modelling the elastic-plastic transition of polycrystalline metals with a distribution of grain sizes, *Modelling and Simulation in Materials Science and Engineering* **20** (2012) art. no. 015015.
26. O.V. Antonova, A.Y. Volkov: Changes of microstructure and electrical resistivity of ordered Cu-40Pd (at.%) alloy under severe plastic deformation, *INTERMETALLICS* **21** (2012) 1-9.
27. J.P. Hadorn, K. Hantzsche, S.B. Yi, J. Bohlen, D. Letzig, S.R. Agnew: Effects of Solute and Second-Phase Particles on the Texture of Nd-Containing Mg Alloys, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **43A** (2012) 1363-1375.
28. W. Li, P. Liu, F.-C. Ma, X.-K. Liu, X.-H. Chen: Microstructure and properties of Fe after surface mechanical attrition treatment within Cr powder, *Jinshu Rechuli/Heat Treatment of Metals* **37** (2012) 49-52.
29. W. Li, P. Liu, F.C. Ma, X.K. Liu, X.H. Chen, D.H. He: Surface Alloying of Nanocrystalline Fe-0.45 wt Pct C Alloy Subjected to Surface Mechanical Attrition Treatment Within Cr Powders, *INTEGRATED FERROELECTRICS* **138** (2012) 58-64.
30. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
31. R. Huang, Y. Han: Structure evolution and thermal stability of SMAT-derived nanograined layer on Ti-25Nb-3Mo-3Zr-2Sn alloy at elevated temperatures, *Journal of Alloys and Compounds* **554** (2013) 1-11.
32. Laszlo S. Toth, Chengfan Gu: Ultrafine-grain metals by severe plastic deformation, *Materials Characterization* **92** (2014) 1-14.
33. Cepeda-Jiménez, C.M., Molina-Aldareguia, J.M., Carreño, F., Pérez-Prado, M.T.: Prominent role of basal slip during high-temperature deformation of pure Mg polycrystals, *Acta Materialia* **85** (2015) 1-13.
34. Kato, H., Todaka, Y., Umamoto, M., Haga, M., Sentoku, E.: Sliding wear behavior of sub-microcrystalline pure iron produced by high-pressure torsion straining, *Wear* **336-337** (2015) 58-68.
35. Sabbaghianrad, Shima; Langdon, Terence G.: An evaluation of the saturation hardness in an ultrafine-grained aluminum 7075 alloy processed using different techniques, *JOURNAL OF MATERIALS SCIENCE* **50** (2015) 4357-4365.
36. Fargas, G., Roa, J.J., Mateo, A.: Effect of shot peening on metastable austenitic stainless steels, *Materials Science and Engineering A* **641** (2015) 290-296.

37. Cabibbo, M.: Grain refinement and hardness saturation in pure Nickel subjected to a sequence of ECAP and HPT, *METALLURGIA ITALIANA*, Issue: 9 (2015) 37-48.
38. Fargas, G., Roa, J.J., Mateo, A.: Influence of pre-existing martensite on the wear resistance of metastable austenitic stainless steels, *Wear*, 364-365 (2016) 40-47.
39. Machado, P.C., Pereira, J.I., Penagos, J.J., Yonamine, T., Sinatora, A., The effect of in-service work hardening and crystallographic orientation on the micro-scratch wear of Hadfield steel, *Wear*, 2017, 376-377, pp. 1064-1073
40. Gencalp Irizalp, S., Saklakoglu, N., Laser peening of metallic materials (Book Chapter) in: *Comprehensive Materials Finishing*, 2016, 1-3, pp. 408-440
41. Sabbaghianrad, S., Torbati-Sarraf, S.A., Langdon, T.G., An investigation of the limits of grain refinement after processing by a combination of severe plastic deformation techniques: A comparison of Al and Mg alloys, 2018, *Materials Science and Engineering A*, 712, pp. 373-379

D. Fátay, E. Bastarash, K. Nyilas, S. Dobatkin, J. Gubicza and T. Ungár: X-ray diffraction study on the microstructure of Al-5.9%Mg-0.3%Sc-0.18%Zr alloy deformed by high pressure torsion, *Zeitschrift fur Metallkunde* **94** (2003) 842-847.

1. X -C. Xu, Z -Y. Liu, M -L. Tan, Y -J. Liu, C. Wu: Investigation on retrogressive phenomenon of aged precipitates caused by severe plastic deformation in al-zn-mg-cu alloy, *Transactions of Materials and Heat Treatment* **25** (2004) 71-75.
2. G.-P. Zhang: Influence of strain rate on microstructure of pure aluminum in the process of equal channel angular pressing, *Transactions of Materials and Heat Treatment* **29** (2008) 111-115.
3. A.P. Zhilyaev, T.G. Langdon: Using high-pressure torsion for metal processing: Fundamentals and applications, *Progress in Materials Science* **53** (2008) 893-979.
4. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
5. X.C. Xu, Z.Y. Liu, Y.T. Li , P. Dang, S.M. Zeng: Evolution of precipitates of Al-Cu alloy during equal-channel angular pressing at room temperature, *TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA* **18** (2008) 1047-1052.
6. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.
7. W. Li, W. Xu, X. Wang, Y. Rong: Measurement of microstructural parameters of nanocrystalline Fe-30 wt.%Ni alloy produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **474** (2009) 546-550.
8. Z.-Z. Zhang, X.-C. Xu, Z.-Y. Liu, Q.-K. Xia, S.-M. Zeng: Re-precipitate behavior of supersaturated solid solution of Al-Cu alloy caused by severe plastic deformation during subsequent deformation, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* **19** (2009) 1962-1968.
9. J. Zhang, N. Gao, M.J. Starink: Al-Mg-Cu based alloys and pure Al processed by high pressure torsion: The influence of alloying additions on strengthening, *Materials Science and Engineering A*, **527** (2010) 3472-3479.
10. Z.-Z. Zhang, X.-C. Xu, N. Hu, X. Qu, Z.-X. Chen: Re-ageing behavior of Al-Cu alloy after re-dissolution of precipitated phases caused by severe plastic

- deformation, *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* **41** (2010) 1782-1790.
11. S.G. Hashemi, B. Eghbali: Processing of ultrafine grained Cu-30%Zn alloy through severe plastic deformation using accumulative roll bonding, *Materials Science Forum* **667-669** (2011) 571-576.
  12. G.P. Zhang: Microstructure and texture evolution during equal channel angular extrusion of pure copper: Effect of strain rate, *Advanced Materials Research* **239-242** (2011) 472-476.
  13. S.H. Nedjad, F.H. Nasab, M.R.M. Garabagh, S.R. Damadi, M.N. Ahmadabadi: X-Ray Diffraction Study on the Strain Anisotropy and Dislocation Structure of Deformed Lath Martensite, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **42A** (2011) 2493-2497.
  14. M. Zandrahimi, A. Rezvanifar: The influence of dry sliding on precipitation hardening behaviors of Al-Cu-Si alloy, *Iranian Journal of Materials Science and Engineering* **9** (2012) 42-50.
  15. I. Sabirov, M.Yu. Murashkin, R.Z. Valiev: Nanostructured aluminium alloys produced by severe plastic deformation: New horizons in development, *Materials Science and Engineering A* **560** (2013) 1-24.
  16. Nasab, F. Hosseini; Nedjad, S. Hossein; Karimi, S.: A comparison between the dislocation structure of ball-milled iron and copper as derived from the X-ray diffraction peak profile analyses, *PHYSICS OF METALS AND METALLOGRAPHY* **114** (2013) 1069-1073.
  17. Szombathelyi, V., Krallics, G.: Comparison of mechanical and microstructural properties of conventional and severe plastic deformation processes, *IOP Conference Series: Materials Science and Engineering* **63** (2014) 012051.
  18. Sun, D., Gu, G., Ye, L., Zhang, X.: Effect of cold deformation and reaging on microstructures and mechanical properties of 2519A-T87 alloy plate, *Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)* **45** (2014) 4145-4151.
  19. Sitdikov, V.D., Murashkin, M.Y., Valiev, R.Z., Precipitates studies in ultrafine-grained Al alloys with enhanced strength and conductivity, *IOP Conference Series: Materials Science and Engineering*, **194**(1), 2017, 012034

J. Gubicza, D. Fátay, K. Nyilas, E. Bastarash, S. Dobatkin and T. Ungár: X-ray Peak Profile Analysis on the Microstructure of Al-5.9%Mg-0.3%Sc-0.18%Zr Alloy Deformed by High Pressure Torsion Straining, *Proc. 2<sup>nd</sup> International Conference on Nanomaterials by Severe Plastic Deformation: Fundamentals – Processing – Applications*, Wien, Austria (Dec. 9-13, 2002), ed. M.J.Zehetbauer & R.Z.Valiev, J.Wiley VCH Weinheim (Germany), p. 420-425 (2004).

1. Xia, S., Liu, Y., Lv, J., The gradient nano structure of Mg alloys, *Materials China*, Volume 35, Issue 11, 1 November 2016, Pages 825-834

T. Kemény, L. F. Kiss, D. Kaptás, J. Balogh, L. Bujdosó, J. Gubicza and I. Vincze: Superparamagnetic behaviour in different nanocrystalline fraction Fe<sub>80</sub>B<sub>12</sub>Zr<sub>7</sub>Cu alloys, *Mater. Sci. Eng. A* **375-377** (2004) 219-222.

1. T. Ungár: The meaning of size obtained from broadened X-ray diffraction peaks, *Adv. Eng. Mat.* **5** (2003) 323-329.

N. Q. Chinh, J. Gubicza, Zs. Kovács and J. Lendvai: Depth Sensing Indentation Tests in Studying Plastic Instabilities, *J. Mat. Res.* **19** (2004) 31-45.

1. Y.F. Sun, T.L. Cheung, Y.R. Wang, C.H. Shek, W.H. Li, B.C. Wei: Effect of quasicrystalline phase on the deformation behavior of  $Zr_{62}Al_{9.5}Ni_{9.5}Cu_{14}Nb_5$  bulk metallic glass, *Mater. Sci. Eng. A* **398** (2005) 22-27.
2. A. Concustell, J. Sort, G. Alcala, S. Mato, A. Gebert, J. Eckert, M.D. Baro: Plastic deformation and mechanical softening of Pd40Cu30Ni10P20 bulk metallic glass during nanoindentation, *J. Mat. Res.* **20** (2005) 2719-2725.
3. H. Li, A.H.W. Ngan, M.G. Wang: Continuous strain bursts in crystalline and amorphous metals during plastic deformation by nanoindentation, *J. Mat. Res.* **20** (2005) 3072-3081.
4. W.H. Li, T.H. Zhang, D.M. Xing, B.C. Wei, Y.R. Wang, Y.D. Dong: Instrumented indentation study of plastic deformation in bulk metallic glasses, *J. Mat. Res.* **21** (2006) 75-81.
5. C. A. Schuh: Nanoindentation studies of materials, *Materials Today* **9** (2006) 32-40.
6. U. Kölemen, O. Uzun, M.A. Aksan, N. Güclü and E. Yakinci: An analysis of load-depth data in depth-sensing microindentation experiments for intermetallic  $MgB_2$ , *J. Alloys Compd.* **415** (2006) 294-299.
7. N.K. Mukhopadhyay, P. Paufler: Micro- and nanoindentation techniques for mechanical characterisation of materials, *Int. Mater. Rev.* **51** (2006) 209-245.
8. N. Van Steenberge, J. Sort, A. Concustell, J. Das, S. Scudino, S. Suriñach, J. Eckert and M.D. Baró: Dynamic softening and indentation size effect in a Zr-based bulk glass-forming alloy, *Scripta Materialia* **56** (2007) 605-608.
9. O. Sahin, O. Uzun, U. Kölemen and N. Ucar: Analysis of ISE in dynamic hardness measurements of  $\beta$ -Sn single crystals using a depth-sensing indentation technique, *Materials Characterization* **59** (2008) 729-736.
10. C.-L. Chen, A. Richter, R.C. Thomson: Mechanical properties of intermetallic phases in multi-component Al-Si alloys using nanoindentation, *Intermetallics* **17** (2009) 634-641.
11. S.A. Firstov, S. Ignatovich, I. Zakiev: Size effect in the micro- and nanoindentation and its compensation with regard for the specific features of initial contact, *Strength of Materials*, **41** (2009) 147-155.
12. C.-M. Kuo, C.-H. Tso, C.-H. Lin: Plastic instability of Al-Mg alloys during stress rate change test, *Materials Science and Engineering A* **519** (2009) 32-37.
13. A. Jellad, S. Labdi, T. Benameur: On the hardness and the inherent ductility of chromium carbide nanostructured coatings prepared by RF sputtering, *Journal of Alloys and Compounds*, **483** (2009) 464-467.
14. J.J. Roa, E. Bartolome, B. Bozzo, X.G. Capdevila, X. Granados, M. Segarra: Nano-mechanical properties of silver-welded YBCO bulks, 9TH EUROPEAN CONFERENCE ON APPLIED SUPERCONDUCTIVITY (EUCAS 09), *Journal of Physics Conference Series*, Volume: 234, Article Number: 012034 (2010)
15. B. Gan, S. Tin: Rate dependence of the serrated flow in Ni-10Pd during high temperature instrumented microindentation, *APPLIED PHYSICS LETTERS* **100** (2012) 191902.
16. B. Gan, S. Tin: Phenomenological description and temperature dependence of serrated flow in Ni-10Pd during high temperature instrumented microindentation, *Materials Science and Engineering A* **554** (2012) 41-47.

17. J. Chen, X. Guo, Q. Tang, C. Zhuang, J. Liu, S. Wu, B.D. Beake: Nanomechanical properties of graphene on poly(ethylene terephthalate) substrate, *Carbon* **55** (2013) 144-150.
18. N. Tsyntsar, H. Cesiulis, E. Pellicer, J.-P. Celis, J. Sort: Structural, magnetic, and mechanical properties of electrodeposited cobalt-tungsten alloys: intrinsic and extrinsic interdependencies, *Electrochimica Acta* **104** (2013) 94-103.
19. Chen, J., Beake, B.D., Dong, H., Bell, G.A.: Environmental nanomechanical testing of polymers and nanocomposites, *Solid Mechanics and its Applications* 203, (2014) 63-84.
20. Ovri, Henry; Lilleodden, Erica T.: New insights into plastic instability in precipitation strengthened Al-Li alloys, *ACTA MATERIALIA* 89 (2015) 88-97.
21. Durst, K., Maier, V.: Dynamic nanoindentation testing for studying thermally activated processes from single to nanocrystalline metals, *Current Opinion in Solid State and Materials Science* 19 (2015) 340-353.
22. Bergers, L.I.J.C., Hoefnagels, J.P.M., Geers, M.G.D., On the underlying micromechanisms in time-dependent anelasticity in Al-(1 wt%)Cu thin films, *Acta Materialia*, Volume 124, 1 February 2017, Pages 47-58
23. Nguyen, N.-V., Pham, T.-H., Kim, S.-E., Characterization of strain rate effects on the plastic properties of structural steel using nanoindentation, *Construction and Building Materials*, 163, 2018, pp. 305-314
24. Datta, S; Das, M; Balla, VK; Bodhak, S; Murugesan, VK, Mechanical, wear, corrosion and biological properties of arc deposited titanium nitride coatings, *SURFACE & COATINGS TECHNOLOGY*, Volume: 344, Pages: 214-222, 2018

J. Gubicza, M. Kassem, G. Ribárik and T. Ungár: The evolution of the microstructure in mechanically alloyed Al-Mg studied by X-ray diffraction, *Mater. Sci. Eng. A* **372** (2004) 115-122.

1. Y. Kim, E.-K. Lee, J.-H. Shim, Y.W. Cho, K.B. Yoon: Mechanochemical synthesis and thermal decomposition of Mg(AlH<sub>4</sub>)<sub>2</sub>, *J. Alloys and Compounds*, **422** (2006) 283-287.
2. L. Kovarik, M.K. Miller, S.A. Court and M.J. Mills: Origin of the modified orientation relationship for S(S'')-phase in Al-Mg-Cu alloys, *Acta Materialia* **54** (2006) 1731-1740.
3. C. Aguilar, S. Ordóñez, J. Marín, F. Castro and V. Martínez: Study and methods of analysis of mechanically alloyed Cu-Mo powders *Mater. Sci. Eng. A* **464** (2007) 288-294.
4. O. Novelo-Peralta, G. González and G.A. Lara-Rodríguez: Characterization of precipitation in Al-Mg-Cu alloys by X-ray diffraction peak broadening analysis, *Materials Characterization* **59** (2008) 773-780.
5. C. Aguilar, V. Martinez, S. Ordonez, O. Pavez, L. Valderrama: X-ray diffraction line profile analysis of Cu-2 wt. % Cr-6 wt. % Mo alloy mechanically alloyed, *REVISTA DE METALURGIA* **44** (2008) 243-250.
6. A. Andreasen: Hydrogenation properties of Mg-Al alloys, *International Journal of Hydrogen Energy*, **33** (2008) 7489-7497.
7. C. Aguilar, P.A. Rojas, S. Ordonez, D. Guzman: X-Ray profile analysis of Cu-8wt.%Cr processed by mechanical alloying, *MATERIA-RIO DE JANEIRO* **14** (2009) 777-786.
8. A. Santos-Beltrán, V. Gallegos-Orozco, R. Goytia Reyes, M. Miki-Yoshida, I. Estrada-Guel, R. Martínez-Sánchez: Mechanical and microstructural

- characterization of dispersion strengthened Al–C system nanocomposites, *Journal of Alloys and Compounds*, **489** (2010) 626-630.
9. A. Rezvanifar, M. Zandrahimi: Evaluation of dislocation structure and crystallite size in worn Al-Si alloy by X-ray diffraction, *Iranian Journal of Materials Science and Engineering* **7** (2010) 32-38.
  10. Z.J. Fan, Z.F. Song, D.W. Xiao, B. Chen: XRD LINE PROFILE ANALYSIS OF LY12 ALUMINUM ALLOY UNDER DYNAMIC COMPRESSIVE EXPERIMENT, *ACTA METALLURGICA SINICA* **47** (2011) 559-565.
  11. J. Safari, G.H. Akbari, A. Shahbazkhan, M. Delshad Chermahini: Microstructural and mechanical properties of Al–Mg/Al<sub>2</sub>O<sub>3</sub> nanocomposite prepared by mechanical alloying, *Journal of Alloys and Compounds* **509** (2011) 9419-9424.
  12. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
  13. A. Sarkar, S. Suwas, D. Goran, J.J. Fundenberger, L.S. Toth, T. Grosdidier: Equal channel angular pressing processing routes and associated structure modification: a differential scanning calorimetry and X-ray line profile analysis, *POWDER DIFFRACTION* **27** (2012) 194-199.
  14. L. Balogh, D.W. Brown, P. Mosbrucker, F. Long, M.R. Daymond: Dislocation structure evolution induced by irradiation and plastic deformation in the Zr–2.5Nb nuclear structural material determined by neutron diffraction line profile analysis, *Acta Materialia* **60** (2012) 5567-5577.
  15. C. Aguilar, D. Guzman, C. Iglesias: ANALISIS DE PERFILES DE DIFRACCIÓN DE RAYOS X DE DOS MATERIALES METALICOS, *Rev. LatinAm. Metal. Mat.* **33** (2013) 15-32.
  16. Y.J. Lin, B. Yao, Z.H. Zhang, Y. Li, Y. Sohn, J.M. Schoenung, E.J. Lavernia: Strain Energy During Mechanical Milling: Part II. Experimental, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **43A** (2012) 4258-4265.
  17. J. Safari, M. Delshad Chermahini, G.H. Akbari: The effect of Mg content on microstructure and mechanical properties of Al-xMg/5Al<sub>2</sub>O<sub>3</sub> nanocomposite prepared by mechanical alloying, *Powder Technology* **234** (2013) 7-12.
  18. J. Safari, G.H. Akbari, M. Delshad Chermahini: The effect of reinforcement content and milling time on microstructure and mechanical properties of Al-10Mg/xAl<sub>2</sub>O<sub>3</sub> nanocomposites, *Materials Science and Engineering A* **569** (2013) 86-91.
  19. C. Aguilar, D. Guzman, S. Ordonez, P.A. Rojas: Estimation of energy distribution in mechanical alloying of the systems Cu-3wt.%Cr and Cu-3wt.%Mo, *Revista Latinoamericana de Metalurgia y Materiales* **33** (2013) 74-81.
  20. P. Fu, K. Zhan, C.H. Jiang: Micro-structure and surface layer properties of 18CrNiMo7-6 steel after multistep shot peening, *Materials & Design* **51** (2013) 309-314.
  21. Goodarzy, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 al alloy deformed by one pass of ecap at room temperature, *Iranian Journal of Materials Science and Engineering* **11** (2014) 27-38.
  22. D.W. Brown, J.D. Almer, L. Balogh, E.K. Cerreta, B. Clausen, J.P. Escobedo-Diaz, T.A. Sisneros, P.L. Mosbrucker, E.F. Tulk, S.C. Vogel: Stability of the two-phase ( $\alpha/\omega$ ) microstructure of shocked zirconium, *Acta Materialia* **67** (2014) 383-394.

23. Salleh, E.M., Ramakrishnan, S., Hussain, Z.: Design of experiment (DOE) study of biodegradable magnesium alloy synthesized by mechanical alloying using fractional factorial design, AIP Conference Proceedings 1602 (2014) 1196-1201.
24. Fathy, A; Wagih, A; Abd El-Hamid, M; Hassan, AA.: The effect of Mg add on morphology and mechanical properties of Al-xMg/10Al<sub>2</sub>O<sub>3</sub> nanocomposite produced by mechanical alloying, ADVANCED POWDER TECHNOLOGY 25 (2014) 1345-1350.
25. de Lira, H.M., Rodriguez, P.R., de Araujo Filho, O.O., Gonzalez, C.H., Filho, S.L.U.: Nanostructured Al powder obtained by high energy ball milling at ambient and cryogenic temperatures, Materials Science Forum 802 (2014) 125-129.
26. Wagih, A.: Mechanical properties of Al-Mg/Al<sub>2</sub>O<sub>3</sub> nanocomposite powder produced by mechanical alloying, Advanced Powder Technology 26 (2015) 253-258.
27. Wang, Hongqiao; Gu, Dongdong: Nanometric TiC reinforced AlSi10Mg nanocomposites: Powder preparation by high-energy ball milling and consolidation by selective laser melting, JOURNAL OF COMPOSITE MATERIALS 49 (2015) 1639-1651.
28. Alper Billur, C., Gerçekcioglu, E., Bozoklu, M., Saatçi, B., Ari, M., Nair, F.: The electrical, thermal conductivity, microstructure and mechanical properties of Al-Sn-Pb ternary alloys, Solid State Sciences 46 (2015) 107-115.
29. Huang, D., Liu, S., Du, Y., Sundman, B.: Modeling of the molar volume of the solution phases in the Al-Cu-Mg system, Calphad: Computer Coupling of Phase Diagrams and Thermochemistry 51 (2015) 261-271.
30. Babu, N.K., Kallip, K., Leparoux, M., AlOgab, K.A., Maeder, X., Dasilva, Y.A.R.: Influence of microstructure and strengthening mechanism of AlMg5-Al<sub>2</sub>O<sub>3</sub> nanocomposites prepared via spark plasma sintering, Materials and Design 95 (2016) 534-544.
31. Wagih, A., Fathy, A., Sebaey, T.A.: Experimental investigation on the compressibility of Al/Al<sub>2</sub>O<sub>3</sub> nanocomposites, International Journal of Materials and Product Technology 52 (2016) 312-332.
32. Wagih, A.: Synthesis of Nanocrystalline Al<sub>2</sub>O<sub>3</sub> Reinforced Al Nanocomposites by High-Energy Mechanical Alloying: Microstructural Evolution and Mechanical Properties, TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS 69 (2016) 851-857.
33. Pakseresht, A. H.; Baghbaderani, H. Ahmadian; Yazdani-Rad, R.: Role of Different Fractions of Nano-size SiC and Milling Time on the Microstructure and Mechanical Properties of Al-SiC Nanocomposites, TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS 69 (2016) 1007-1014.
34. Balogh, L., Long, F., Daymond, M.R., Contrast factors of irradiation-induced dislocation loops in hexagonal materials, Journal of Applied Crystallography, Volume 49, Issue 6, 1 December 2016, Pages 2184-2200
35. WAGIH, A., Effect of Mg addition on mechanical and thermoelectrical properties of Al-Al<sub>2</sub>O<sub>3</sub> nanocomposite, Transactions of Nonferrous Metals Society of China (English Edition), Volume 26, Issue 11, 1 November 2016, Pages 2810-2817
36. Liu, K.-Y., Yoon, Y.J., Lee, S.H., Su, P.-C., Sputtered Nanoporous PtNi Thin Film Cathodes with Improved Thermal Stability for Low Temperature Solid Oxide Fuel Cells, Electrochimica Acta, 247 (2017) pp. 558-563
37. Younes, A; Bacha, NE; Zergoug, M; Dilmi, N, Structural and Magnetic Properties of Fe-Co/Al<sub>2</sub>O<sub>3</sub> Nanocomposite Powder Produced by Mechanical Alloying,

POWDER METALLURGY AND METAL CERAMICS Volume: 56 Issue: 3-4  
Pages: 148-157, 2017

38. Beygelzimer, Y; Kulagin, R; Estrin, Y; Toth, LS; Kim, HS; Latypov, MI, Twist Extrusion as a Potent Tool for Obtaining Advanced Engineering Materials: A Review, *ADVANCED ENGINEERING MATERIALS*, Volume: 19, Article Number: 1600873, 2017
39. Maity, S., Sinha, A., Bera, S., A novel study on mechanically alloyed Al–Mg system by X-ray diffraction technique, 2018, *Nano-Structures and Nano-Objects*, 16, pp. 63-68
40. Nouri, Z., Sedighi, M., Effect of powder thixoforging process on microstructural and mechanical properties of recycled 520 aluminum alloy, 2018, *Journal of Mechanical Science and Technology*, 32(5), pp. 2003-2009
41. Wagih, A., Fathy, A., Improving compressibility and thermal properties of Al–Al<sub>2</sub>O<sub>3</sub> nanocomposites using Mg particles, 2018, *Journal of Materials Science*, 53(16), pp. 11393-11402
42. Zawrah, MF; Taha, MA; Saadallah, F; Mostafa, AG; Hassan, MY; Nasr, M, Effect of Nano-ZrO<sub>2</sub> on the Properties of Al-Al<sub>2</sub>O<sub>3</sub> Nanocomposites Prepared by Mechanical Alloying, *SILICON*, Volume: 10, Pages: 1523-1531, 2018

J. Gubicza, M. Kassem and T. Ungár: The microstructure of mechanically alloyed nanocrystalline aluminium-magnesium, *Mater. Sci. Forum* **443-444** (2004) 103-106.

1. E. David: Improvement approaches of hydrogen sorption process in magnesium, *Journal of Achievements in Materials and Manufacturing Engineering*, **17** (2006) 33-36.
2. R. Goytia-Reyes, V. Gallegos-Orozco, H. Flores-Zuniga, F. Alvarado-Hernandez, R. Huirache-Acuna, R. Martínez-Sánchez and A. Santos-Beltrán: Microstructure and properties in Al–C–Cu system produced by mechanical milling, *Journal of Alloys and Compounds* **485** (2009) 837-842.
3. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
4. Zhong, Z.Y., Brokmeier, H.-G., Gan, W.M., Maawad, E., Schwebke, B., Schell, N.: Dislocation density evolution of AA 7020-T6 investigated by in-situ synchrotron diffraction under tensile load, *Materials Characterization* 108 (2015) 124-131.

J. Szépvölgyi, I. Mohai and J. Gubicza: Studies on atmospheric ageing of nanosized silicon nitride powders, *Key Eng. Mater.* 264-268 (2004) 2311-2314.

1. Bock, R.M., McEntire, B.J., Bal, B.S., Rahaman, M.N., Boffelli, M., Pezzotti, G.: Surface modulation of silicon nitride ceramics for orthopaedic applications, *Acta Biomaterialia* 26 (2015) 318-330.
2. Alhabill, F.N., Andritsch, T., Vaughan, A.S.: Effect of the processing method on the electrical behavior of silicon nitride / epoxy nanocomposites, Annual Report - Conference on Electrical Insulation and Dielectric Phenomena, CEIDP, Volume 2015-December, 9 December 2015, Article number 7352133, Pages 511-514, IEEE Conference on Electrical Insulation and Dielectric Phenomena, CEIDP 2015; Ann Arbor; United States; 18-21 October 2015.

- Rai, D.K., Solanki, C.S., Kavaipatti, B.R., Growth of silicon nitride by nitridation of amorphous silicon at low temperature in hot-wire CVD, *Materials Science in Semiconductor Processing*, Volume 67, 15 August 2017, Pages 46-54

L. F. Kiss, D. Kaptás, J. Balogh, L. Bujdosó, T. Kemény, I. Vincze and J. Gubicza: Rigid magnetic foam-like behavior in ball-milled FeAl, *Phys. Rev. B* **70** (2004) 012408.

- M. Krasnowski, A. Grabias and T. Kulik: Phase transformations during mechanical alloying of Fe-50% Al and subsequent heating of the milling product, *J. Alloys Comp.* **424** (2006) 119-127.
- J. Nogues, E. Apinaniz, J. Sort, M. Amboage, M. d'Astuto, O. Mathon, R. Puzniak, I. Fita, J.S. Garitaonandia, S. Surinach, J.S. Munoz, M.D. Baro, F. Plazaola, F. Baudalet: Volume expansion contribution to the magnetism of atomically disordered intermetallic alloys, *Phys. Rev. B* **74** (2006) Art. No. 024407.
- K. Namiki, D. Yokoyama, Y. Yamada: Mössbauer study of iron films produced by laser ablation, *AIP Conference Proceedings* **765** (2005) 114-119.
- V. Sebastian, N. Lakshmi, K. Venugopalan: Evolution of magnetic order in mechanically alloyed Al - 1 at%Fe, *Journal of Magnetism and Magnetic Materials* **309** (2007) 153-159.
- V. Sebastian, N. Lakshmi, K. Venugopalan: Structural and magnetic properties of mechanically alloyed Fe-66 at%Al, *Intermetallics* **15** (2007) 1006-1012.
- V. Sebastian, N. Lakshmi, K. Venugopalan: Mössbauer study of incompletely alloyed nanocrystalline Fe<sub>100-x</sub>Al<sub>x</sub> prepared by high energy ball milling, *Hyperfine Interactions* **174** (2007) 127-135.
- V. Sebastian, O. P. Suwalka, N. Lakshmi, K. Venugopalan: Ferromagnetism at room temperature in ball-milled Al - 1 at.%Fe, *Indian J. Pure and Appl. Phys.* **45** (2007) 839-841.
- R. Brajpuriya, P. Sharma, S. Jani, S. Kaimal, T. Shripathi, N. Lakshmi, K. Venugopalan: Correlation between microstructure, magnetic and electronic properties of Fe<sub>1-x</sub>Al<sub>x</sub> (0.2 ≤ x ≤ 0.6) alloys produced by arc melting, *Applied Surface Science* **257** (2010) 10-16.
- Becyte, V.; Mazeika, K.; Juskenas, R.: STUDY OF THE IRON ATOM CLUSTERING IN MECHANICALLY ALLOYED Al-RICH Fe-Al MIXTURE, *LITHUANIAN JOURNAL OF PHYSICS* **54** (2014) 199-203.
- Rajan, S; Shukla, R; Kumar, A; Vyas, A; Brajpuriya, R: Structural and magnetic evolution of ball milled nanocrystalline Fe-50 at.% Al alloy, *INTERNATIONAL JOURNAL OF MATERIALS RESEARCH* **106** (2015) 114-126.
- Liu, T; Pang, Y; Kikuchi, H; Kamada, Y; Takahashi, S: Superparamagnetic property and high microwave absorption performance of FeAl@(Al, Fe)<sub>2</sub>O<sub>3</sub> nanoparticles induced by surface oxidation, *JOURNAL OF MATERIALS CHEMISTRY C* **3** (2015) 6232-6239.
- Legarra, E., Apiñaniz, E., Plazaola, F.: Influence of the order-disorder transition on the magnetic properties of Fe<sub>75</sub>Al<sub>25-x</sub>Si<sub>x</sub> alloys, *Intermetallics* **69** (2016) 35-41.
- Nambakkat, L., Application of Mössbauer Spectroscopy To Nanomagnetism (Book Chapter), in: *Mössbauer Spectroscopy: Applications in Chemistry, Biology, and Nanotechnology*, Wiley, 2013, Pages 429-454.
- Rajan, S., Shukla, R., Kumar, A., Vyas, A., Mishra, P., Brajpuriya, R., Mechanically induced phase transformation and magnetic properties of nanocrystalline Fe-50%Al alloy, *AIP Conference Proceedings*, Volume 1665, 24 June 2015, Article number 050043, 59th DAE Solid State Physics Symposium, SSPS 2014; VIT University

Vellore, Tamilnadu; India; 16 December 2014 through 20 December 2014; Code 113681

J. Gubicza, N. H. Nam, L. Balogh, R. J. Hellmig, V. V. Stolyarov, Y. Estrin and T. Ungár: Microstructure of severely deformed metals determined by X-ray peak profile analysis, *J. Alloys Compd.* **378** (2004) 248-252.

1. I.C. Dragomir, M. Gheorghe, N. Thadhani and R.L. Snyder: X-ray peak profile analysis of crystallite size distribution and dislocation type and density evolution in nano-structured Cu obtained by deformation at liquid nitrogen temperature, *Mater. Sci. Eng. A* **402** (2005) 158-162.
2. H.J. Maier, P. Gabor, N. Gupta, I. Karaman, M. Haouaoui: Cyclic stress–strain response of ultrafine grained copper, *Int. J. Fatigue* **28** (2006) 243-250.
3. H.J. Maier, P. Gabor and I. Karaman: Cyclic stress–strain response and low-cycle fatigue damage in ultrafine grained copper, *Mater. Sci. Eng. A* **410-411** (2005) 457-461.
4. H. Cao, J.Y. Min, S.D. Wu, A.P. Xian and J.K. Shang: Pinning of grain boundaries by second phase particles in equal-channel angularly pressed Cu–Fe–P alloy, *Mater. Sci. Eng. A* **431** (2006) 86-91.
5. Daymond MR: Internal stresses in deformed crystalline aggregates, *Rev. Miner. and Geochem.* **63** (2006) 427-458.
6. G.V. Duong, N. Hanh, D.V. Linh, R. Groessinger, P. Weinberger, E. Schafler and M. Zehetbauer: Monodispersed nanocrystalline  $\text{Co}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$  particles by forced hydrolysis: Synthesis and characterization, *J. Magnetism and Magnetic Materials* **311** (2007) 46-50.
7. Y. Zhang, N.R. Tao and K. Lu: Mechanical properties and rolling behaviors of nano-grained copper with embedded nano-twin bundles, *Acta Materialia* **56** (2008) 2429-2440.
8. K.J. Martinschitz, C. Kirchlechner, R. Daniel, G. Maier, C. Mitterer, J. Keckes: Temperature dependence of residual stress gradients in shot-peened steel coated with CrN, *Materials Science Forum* **571-572** (2008) 101-106.
9. D. Canadinc, H.J. Maier, P. Gabor, J. May: On the cyclic deformation response of ultrafine-grained Al–Mg alloys at elevated temperatures, *Materials Science and Engineering: A* **496** (2008) 114-120.
10. A. Sarkar, A. Bhowmik and S. Suwas: Microstructural characterization of ultrafine-grain interstitial-free steel by X-ray diffraction line profile analysis, *Applied Physics A: Materials Science & Processing* **94** (2009) 943-948.
11. A. Eleöd, Y. Berthier, E. Lach, T. Törköly, G. Juhász: Friction-induced structural modifications of Mg and Ti surfaces, *Tribology International* **42** (2009) 690-698.
12. Y.S. Li, Y. Zhang, N.R. Tao, K. Lu: Effect of the Zener–Hollomon parameter on the microstructures and mechanical properties of Cu subjected to plastic deformation, *Acta Materialia*, **57** (2009) 761-772.
13. A. Rebhi, T. Makhlof, N. Njah, Y. Champion, J.-P. Couzinié: Characterization of aluminum processed by equal channel angular extrusion: Effect of processing route, *Materials Characterization* **60** (2009) 1489-1495.
14. E. Schafler: Effects of releasing the hydrostatic pressure on the nanostructure after severe plastic deformation of Cu, *Scripta Mater.* **62** (2010) 423-426.
15. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME International*

- Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2 (2009) 47-56.
16. B. Zhang, V.P.W. Shim: Effect of strain rate on microstructure of polycrystalline oxygen-free high conductivity copper severely deformed at liquid nitrogen temperature, *Acta Materialia* **58** (2010) 6810-6827.
  17. E. Schafler: Effect of hydrostatic pressure on the microstructure and mechanical properties during and after High Pressure Torsion, *Materials Science Forum* **667-669** (2011) 657-664.
  18. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
  19. S. Morattab, K. Ranjbar, M. Reihanian: On the mechanical properties and microstructure of commercially pure Al fabricated by semi-constrained groove pressing, *Materials Science and Engineering A* **528** (2011) 6912-6918.
  20. F.-J. Shi, L.-G. Wang, T. Xu, S. Lu: Microstructure and property of ultra-fine grained copper produced by cyclic channel die compression process, *Transactions of Materials and Heat Treatment* **32** (2011) 89-93.
  21. M. Hoseini, M.H. Pourian, F. Bridier, H. Vali, J.A. Szpunar, P. Bocher: Thermal stability and annealing behaviour of ultrafine grained commercially pure titanium, *Materials Science and Engineering A* **532** (2012) 58-63.
  22. T. Makhlof, N. Njah: X-ray studies of structure defects in recycled aluminum alloy during equal channel angular extrusion: Dislocation density and stored energy, *IOP Conference Series: Materials Science and Engineering* **28** (2012) art. no. 012043.
  23. T. Makhlof, A. Rebhi, J.P. Couzinie, Y. Champion, N. Njah: Microstructural evolution of a recycled aluminum alloy deformed by equal channel angular pressing process, *INTERNATIONAL JOURNAL OF MINERALS METALLURGY AND MATERIALS* **19** (2012) 1016-1022.
  24. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
  25. F. Shi, L. Wang: Investigation of high tensile strength and high electrical conductivity pure copper fabricated by severe plastic deformation, *Zhongguo Jixie Gongcheng/China Mechanical Engineering* **23** (2012) 2106-2110.
  26. M. Hoseini, F. Bridier, P. Bocher, H. Vali, J.A. Szpunar: Thermal stability and grain growth behavior of ultrafine grained commercially pure titanium fabricated by equal channel angular pressing, *Ti 2011 - Proceedings of the 12th World Conference on Titanium* **1** (2012) 666-670.
  27. K. Hajizadeh, S. Ghobadi Alamdari, B. Eghbali: Stored energy and recrystallization kinetics of ultrafine grained titanium processed by severe plastic deformation, *Physica B: Condensed Matter* **417** (2013) 33-38.
  28. M.I.A. El Aal, E.Y. Yoon, H.S. Kim: Microstructure evolution and mechanical properties of Al-1080 processed by a combination of equal channel angular pressing and high pressure torsion, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **44** (2013) 2581-2590.
  29. Kubina, T., Dlouhý, J., Kövér, M., Hodek, J.: Study of thermal stability of ultra fine-grained commercially pure titanium wire prepared in conform equipment, *Materials Science Forum* **782** (2014) 415-420.
  30. Zemko, M., Kubina, T., Dlouhý, J., Kover, M., Hodek, J.: Technological aspects of preparation of nanostructured titanium wire using a CONFORM machine, *IOP Conference Series: Materials Science and Engineering* **63** (2014) 012049

31. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Microstructural evolution of precipitation-hardened  $\beta$ -type titanium alloy through high-pressure torsion, *Acta Materialia* 80 (2014) 172-182.
32. Voronin, V.I., Valiev, E.Z., Berger, I.F., Goschitskii, B.N., Proskurnina, N.V., Sagaradze, V.V., Kataeva, N.F.: Neutron diffraction analysis of Cr-Ni-Mo-Ti austenitic steel after cold plastic deformation and fast neutrons irradiation, *Journal of Nuclear Materials* 459 (2015) 97-102.
33. Kubina, T; Dlouhy, J; Kover, M; Domankova, M; Hodek, J: PREPARATION AND THERMAL STABILITY OF ULTRA-FINE AND NANO-GRAINED COMMERCIALY PURE TITANIUM WIRES USING CONFORM EQUIPMENT, *MATERIALI IN TEHNOLOGIJE* 49 (2015) 213-217.
34. Ebrahimi, M., Gholipour, H., Djavanroodi, F.: A study on the capability of equal channel forward extrusion process, *Materials Science and Engineering A* 650 (2016) 1-7.
35. Huang, Y., Sabbaghianrad, S., Almazrouee, A.I., Al-Fadhalah, K.J., Alhajeri, S.N., Langdon, T.G.: The significance of self-annealing at room temperature in high purity copper processed by high-pressure torsion, *Materials Science and Engineering A* 656 (2016) 55-66.
36. Isik, M., Niinomi, M., Liu, H., Cho, K., Nakai, M., Horita, Z., Sato, S., Narushima, T., Yilmazer, H., Nagasako, M.: Grain refinement mechanism and evolution of dislocation structure of Co-Cr-Mo alloy subjected to high-pressure torsion , *Materials Transactions*, Volume 57, Issue 7, 2016, Pages 1109-1118.
37. Parvin, H.; Kazeminezhad, M.: Modelling the temperature rise effect through high-pressure torsion, *MATERIALS SCIENCE AND TECHNOLOGY* Volume: 32 Issue: 12 Pages: 1218-1222 Published: 2016
38. Miyajima, Y; Okubo, S; Miyazawa, T; Adachi, H; Fujii, T: In-situ X-ray diffraction during tensile deformation of ultrafine-grained copper using synchrotron radiation, *PHILOSOPHICAL MAGAZINE LETTERS*, Volume: 96, Pages: 294-304, 2016
39. Alexandrov, IV; Sitdikov, VD; Abramova, MM; Sarkeeva, EA; Wei, KX; Wei, W: Microstructure Evolution in a Cu-0.5Cr-0.2Zr Alloy Subjected to Equal Channel Angular Pressing, Rolling or Aging, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 4303-4309, 2016
40. Yilmazer, H., Dikici, B., Niinomi, M., Nakai, M., Lui, H., Todaka, Y., Ozcivan, A.N., Electrochemical behaviors of biomedical nano-grained  $\beta$ -type titanium alloys, *Materials Science Forum*, Volume 879, 2017, Pages 2549-2554
41. Sajadifar, Seyed Vahid; Yapici, Guney Guven, Effect of Purity Levels on the High-Temperature Deformation Characteristics of Severely Deformed Titanium, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 48A Issue: 3 Pages: 999-1012 Published: MAR 2017
42. Khelfa, T; Rekik, MA; Khitouni, M; Cabrera-Marrero, JM, Structure and microstructure evolution of Al-Mg-Si alloy processed by equal-channel angular pressing, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 92, Pages: 1731-1740, 2017
43. Wang, Y., Fu, R., Jing, L., Sang, D., Li, Y., Tensile behaviors of pure copper with different fraction of nonequilibrium grain boundaries, 2018, *Materials Science and Engineering A*, 724, pp. 164-170
44. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, *Crystals*, 8(5),212

G. Ribárik, J. Gubicza, T. Ungár: Correlation between strength and microstructure of ball milled Al-Mg alloys determined by X-ray diffraction, *Mater. Sci. Eng. A* **387-389** (2004) 343-347.

1. D. Fátay, Á. Révész, T. Spassov: Particle size and catalytic effect on the dehydriding of  $\text{MgH}_2$ , *J. Alloys Compd.* **399** (2005) 237-241.
2. S. M. Umbrajkar, M. Schoenitz, S. R. Jones, E. L. Dreizin: Effect of temperature on synthesis and properties of aluminum–magnesium mechanical alloys, *J. Alloys Compd.* **402** (2005) 70-77.
3. E. Schafner, G. Steiner, E. Korznikova, M. Kerber and M.J. Zehetbauer: Lattice defect investigation of ECAP-Cu by means of X-ray line profile analysis, calorimetry and electrical resistometry, *Mater. Sci. Eng. A* **410-411** (2005) 169-173.
4. Á. Révész, D. Fátay and T. Spassov: Microstructure and hydrogen sorption kinetics of Mg nanopowders with catalyst, *Journal of Alloys and Compounds* **434-435** (2007) 725-728.
5. M. Ladisa, A. Lamura, T. Laudadio, G. Nico: Model independent pre-processing of X-ray powder diffraction profiles, *Digital Signal Processing* **17** (2007) 327-334.
6. G.V. Duong, N. Hanh, D.V. Linh, R. Groessinger, P. Weinberger, E. Schafner and M. Zehetbauer: Monodispersed nanocrystalline  $\text{Co}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$  particles by forced hydrolysis: Synthesis and characterization, *J. Magnetism and Magnetic Materials* **311** (2007) 46-50.
7. G. V. Duong, R. S. Turtelli, W.C. Nunes, E. Schafner, N. Hanh, R. Grössinger and M. Knobel: Ultrafine  $\text{Co}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$  particles synthesized by hydrolysis: Effect of thermal treatment and its relationship with magnetic properties, *Journal of Non-Crystalline Solids* **353** (2007) 805-807.
8. C. Aguilar, V.de P. Martinez, J.M. Palacios, S. Ordonez and O. Pavez: A thermodynamic approach to energy storage on mechanical alloying of the Cu–Cr system, *Scripta Mater.* **57** (2007) 213-216.
9. A. Révész, D. Fátay, T. Spassov: Hydriding kinetics of ball-milled nanocrystalline  $\text{MgH}_2$  powders, *J. Mater. Res.* **22** (2007) 3144-3151.
10. A. Révész: Hydrogen storage in nanocrystalline Mg powders, *Mater. Sci. Forum* **589** (2008) 149-154.
11. L. Zhang, A. Grytsiv, M. Kerber, P. Rogl, E. Bauer, M.J. Zehetbauer, J. Wosik, G.E. Nauer:  $\text{MmFe}_4\text{Sb}_{12}$ - and  $\text{CoSb}_3$ -based nano-skutterudites prepared by ball milling: Kinetics of formation and transport properties, *Journal of Alloys and Compounds*, **481** (2009) 106-115.
12. A. Révész: Multiparticle Reaction Function of Ball-Milled  $\text{MgH}_2$  Powders, *JAPANESE JOURNAL OF APPLIED PHYSICS* **48** (2009) 076511.
13. R. Goytia-Reyes, V. Gallegos-Orozco, H. Flores-Zuniga, F. Alvarado-Hernandez, R. Huirache-Acuna, R. Martínez-Sánchez and A. Santos-Beltrán: Microstructure and properties in Al–C–Cu system produced by mechanical milling, *Journal of Alloys and Compounds* **485** (2009) 837-842.
14. L. Zhang, A. Grytsiv, M. Kerber, P. Rogl, E. Bauer, M. Zehetbauer: Thermoelectric performance of mischmetal skutterudites  $\text{MmFe}_4-x\text{CoxSb}_{12}$  at elevated temperatures, *Journal of Alloys and Compounds* **490** (2010) 19-25.
15. L. Zhang, A. Grytsiv, B. Bonarski, M. Kerber, D. Setman, E. Schafner, P. Rogl, E. Bauer, G. Hilscher, M. Zehetbauer: Impact of High Pressure Torsion on the microstructure and physical properties of  $\text{Pr}_{0.67}\text{Fe}_3\text{CoSb}_{12}$ ,  $\text{Pr}_{0.71}\text{Fe}_3.5\text{Ni}_{0.5}\text{Sb}_{12}$ , and  $\text{Ba}_{0.06}\text{Co}_4\text{Sb}_{12}$ , *Journal of Alloys and Compounds*, **494** (2010) 78-83.

16. Á. Révész, D. Fátay: Microstructural evolution of ball-milled MgH<sub>2</sub> during a complete dehydrogenation–hydrogenation cycle, *Journal of Power Sources* **195** (2010) 6997-7002.
17. C. Aguilar, S. Ordonez, D. Guzman, P.A. Rojas: Mechanical alloying of Cu–xCr (x = 3, 5 and 8 wt.%) alloys, *Journal of Alloys and Compounds* **504** (2010) 102-109.
18. F. Spieckermann, H. Wilhelm, M. Kerber, E. Schafner, G. Polt, S. Bernstorff, F. Addiego, M. Zehetbauer: Determination of lamella thickness distributions in isotactic polypropylene by X-ray line profile analysis, *Polymer* **51** (2010) 4195-4199.
19. G. Rogl, A. Grytsiv, P. Rogl, E. Bauer, M.B. Kerber, M. Zehetbauer, S. Puchegger: Multifilled nanocrystalline p-type didymium – Skutterudites with ZT > 1.2, *Intermetallics*, **18** (2010) 2435-2444.
20. T. Berecz, L. Balogh: Investigation of the influence of surface strengthening technology on the material of railway car wheel axles, *Materials Science Forum* **659** (2010) 277-282.
21. E. Hosseini, M. Kazeminezhad: A new microstructural model based on dislocation generation and consumption mechanisms through severe plastic deformation, *Computational Materials Science* **50** (2011) 1123-1135.
22. F. Spieckermann, H. Wilhelm, E. Schafner, M. Kerber, S. Bernstorff, M.J. Zehetbauer: Plasticity and X-ray Line Profile Analysis of the semicrystalline polymer poly(3-hydroxybutyrate), *Journal of Physics: Conference Series* **240** (2010) art. no. 012146.
23. Y. Chen, A. Herz, R. Kirchheim: Grain boundary segregation of carbon and formation of nanocrystalline iron-carbon alloys by ball milling, *Materials Science Forum* **667-669** (2011) 265-270.
24. G. Rogl, M. Zehetbauer, M. Kerber, P. Rogl, E. Bauer: Impact of ball milling and high-pressure torsion on the microstructure and thermoelectric properties of p- and n-type Sb-based skutterudites, *Materials Science Forum* **667-669** (2011) 1089-1094.
25. R.S. Lei, M.P. Wang, Z. Li, H.G. Wei, W.C. Yang, Y.L. Jia, S. Gong: Structure evolution and solid solubility extension of copper-niobium powders during mechanical alloying, *Materials Science and Engineering A* **528** (2011) 4475-4481.
26. S. Sato, T. Yoshimura, Y. Takahashi, N. Yamada, K. Wagatsuma, S. Suzuki: Evolution of texture and dislocation distributions in high-ductile austenitic steel during deformation, *POWDER DIFFRACTION* **26** (2011) 129-133.
27. F. Abouhilou, H. Azzeddine, B. Mehdi, B. Alili, D. Bradai: Deformation and recrystallization texture, microstructure and kinetics of Pb-Ca-Sn alloy, *Transactions of Nonferrous Metals Society of China* **21** (2011) 1779-1784.
28. V. Soleimanian, S.R. Aghdaee: The influence of annealing temperature on the slip plane activity and optical properties of nanostructured ZnO films, *Applied Surface Science* **258** (2011) 1495-1504.
29. Rich, R., Wieligor, M., Zerda, T.W.: Microstructure of silicon carbide nanowires (Chapter) in: *Silicon Carbide: New Materials, Production Methods and Applications*, ISBN: 978-161122312-5, Nova Science Publishers (2011) pp. 109-139.
30. S.R. Aghdaee, V. Soleimanian, B. Tayebi: Effect of Al doping on the microstructural, optical and electrical properties of ZnO films, *Superlattices and Microstructures* **51** (2012) 149-162.

31. L. Balogh, L. Capolungo, C.N. Tome: On the measure of dislocation densities from diffraction line profiles: A comparison with discrete dislocation methods, *Acta Materialia* **60** (2012) 1467-1477.
32. G. Rogl, D. Setman, E. Schafler, J. Horiky, M. Kerber, M. Zehetbauer, M. Falmbigl, P. Rogl, E. Royanian, E. Bauer: High-pressure torsion, a new processing route for thermoelectrics of high ZTs by means of severe plastic deformation, *Acta Materialia* **60** (2012) 2146-2157.
33. A.K. Kanjarla, R.A. Lebensohn, L. Balogh, C.N. Tomé: Study of internal lattice strain distributions in stainless steel using a full-field elasto-viscoplastic formulation based on fast Fourier transforms, *Acta Materialia* **60** (2012) 3094-3106.
34. T. Mayer, L. Balogh, C. Solenthaler, E. Müller Gubler, S.R. Holdsworth: Dislocation density and sub-grain size evolution of 2CrMoNiWV during low cycle fatigue at elevated temperatures, *Acta Materialia* **60** (2012) 2485-2496.
35. C. Aguilar, F. Castro, V. Martínez, D. Guzman, F. de las Cuevas, L. Lozada, N. Vielma: Structural study of nanocrystalline solid solution of Cu-Mo obtained by mechanical alloying, *Materials Science and Engineering A* **548** (2012) 189-194.
36. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
37. G. Rogl, Z. Aabdin, E. Schafler, J. Horiky, D. Setman, M. Zehetbauer, M. Kriegisch, O. Eibl, A. Grytsiv, E. Bauer, M. Reinecker, W. Schranz, P. Rogl: Effect of HPT processing on the structure, thermoelectric and mechanical properties of Sr<sub>0.07</sub>Ba<sub>0.07</sub>Yb<sub>0.07</sub>Co<sub>4</sub>Sb<sub>12</sub>, *Journal of Alloys and Compounds* **537** (2012) 183-189.
38. L. Balogh, D.W. Brown, P. Mosbrucker, F. Long, M.R. Daymond: Dislocation structure evolution induced by irradiation and plastic deformation in the Zr–2.5Nb nuclear structural material determined by neutron diffraction line profile analysis, *Acta Materialia* **60** (2012) 5567-5577.
39. M. Leoni: Information on imperfections, NATO Science for Peace and Security Series B: Physics and Biophysics, (2012) pp. 173-182.
40. Y.Z. Chen, A. Herz, Y.J. Li, C. Borchers, P. Choi, D. Raabe, R. Kirchheim: Nanocrystalline Fe-C alloys produced by ball milling of iron and graphite, *Acta Materialia* **61** (2013) 3172-3185.
41. A.V. Podolskiy, C. Mangler, E. Schafler, E.D. Tabachnikova, M.J. Zehetbauer: Microstructure and mechanical properties of high purity nanostructured titanium processed by high pressure torsion at temperatures 300 and 77 K, *JOURNAL OF MATERIALS SCIENCE* **48** (2013) 4689-4697.
42. D.W. Brown, M.A. Okuniewski, J.D. Almer, L. Balogh, B. Clausen, J.S. Okasinski, B.H. Rabin: High Energy X-ray Diffraction Measurement of Residual Stresses in a Monolithic Aluminum Clad Uranium-10wt% Molybdenum Fuel Plate Assembly, *Journal of Nuclear Materials* **441** (2013) 252-261.
43. Á. Révész, M. Gajdics, T. Spassov: Microstructural evolution of ball-milled Mg–Ni powder during hydrogen sorption, *International Journal of Hydrogen Energy* **38** (2013) 8342-8349.
44. P.L. Mosbrucker, D.W. Brown, O. Anderoglu, L. Balogh, S.A. Maloy, T.A. Sisneros, J. Almer, E.F. Tulk, W. Morgenroth, A.C. Dippel: Neutron and X-ray Diffraction Analysis of the Effect of Irradiation Dose and Temperature on Microstructure of Irradiated HT-9 Steel, *Journal of Nuclear Materials* **443** (2013) 522-530.

45. D. Setman, M. Kerber, H. Bahmanpour, J. Horkey, R.O. Scattergood, C.C. Koch, Michael J. Zehetbauer: Nature and density of lattice defects in ball milled nanostructured copper, *Mechanics of Materials*, **67** (2013) 59-64.
46. G. Rogl, A. Grytsiv, P. Rogl, E. Royanian, E. Bauer, J. Horkey, D. Setman, E. Schafner, M. Zehetbauer: Dependence of thermoelectric behaviour on severe plastic deformation parameters: A case study on p-type skutterudite DD0.60Fe3CoSb12, *Acta Materialia* 61 (2013) 6778-6789.
47. A. Kobler, J. Lohmiller, J. Schafer, M. Kerber, A. Castrup, A. Kashiwar, P.A. Gruber, K. Albe, H. Hahn, C. Kubel: Deformation-induced grain growth and twinning in nanocrystalline palladium thin films, *BEILSTEIN JOURNAL OF NANOTECHNOLOGY* 4 (2013) 554-566.
48. Brown, DW; Clausen, B; Sisneros, TA; Balogh, L; Beyerlein, IJ: In Situ Neutron Diffraction Measurements During Annealing of Deformed Beryllium With Differing Initial Textures, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* 44A (2013) 5665-5675.
49. Aly, Y., Hoffman, V.K., Schoenitz, M., Dreizin, E.L.: Reactive, mechanically alloyed Al · Mg powders with customized particle sizes and compositions, *Journal of Propulsion and Power*, 30 (2014) 96-104.
50. Tibor Berecz, Levente Balogh, István Mészáros, Ágoston Steinbach: The Radial Hardness-Profile and the Microstructure of Railroad Car Axle Materials Treated by Surface Rolling, Determined by Novel Examination Methods, *Materials Science and Engineering A*, 592 (2014) 95-101.
51. V. Soleimani, M. Mojtahedi, M. Goodarzi, M.R. Aboutalebi: Characterization of crystallite size, dislocation characteristics and stacking faults in nanostructured mechanically alloyed Cu-Fe system using an advanced X-ray diffraction analysis method, *Journal of Alloys and Compounds* 590 (2014) 565-571.
52. D.W. Brown, J.D. Almer, L. Balogh, E.K. Cerreta, B. Clausen, J.P. Escobedo-Diaz, T.A. Sisneros, P.L. Mosbrucker, E.F. Tulk, S.C. Vogel: Stability of the two-phase ( $\alpha/\omega$ ) microstructure of shocked zirconium, *Acta Materialia* 67 (2014) 383-394.
53. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Nanostructure of  $\beta$ -type titanium alloys through severe plastic deformation, *Advanced Materials Letters* 5 (2014) 378-383.
54. Ádám Révész, Marcell Gajdics, Lajos K. Varga, György Krállics, László Péter, Tony Spassov: Hydrogen storage of nanocrystalline Mg–Ni alloy processed by equal-channel angular pressing and cold rolling, *International Journal of Hydrogen Energy*, 39 (2014) 9911-9917.
55. Gábor Csiszár: Evolution of the Burgers-vector population of Cu-nb multilayers with 7% (at.) He-implantation determined by X-ray diffraction, *Materials Science and Engineering A* 609 (2014) 185-194.
56. Upadhyay, M.V., Capolungo, L., Balogh, L.: On the computation of diffraction peaks from discrete defects in continuous media: Comparison of displacement and strain-based methods, *Journal of Applied Crystallography* 47 (2014) 861-878.
57. Lee, DJ; Yoon, EY; Ahn, DH; Park, BH; Park, HW; Park, LJ; Estrin, Y; Kim, HS: Dislocation density-based finite element analysis of large strain deformation behavior of copper under high-pressure torsion, *ACTA MATERIALIA* 76 (2014) 281-293.
58. Rogl, G; Grytsiv, A; Rogl, P; Bauer, E; Hoehenhofer, M; Anbalagan, R; Mallik, RC; Schafner, E: Nanostructuring of p- and n-type skutterudites reaching figures of

- merit of approximately 1.3 and 1.6, respectively, *ACTA MATERIALIA* 76 (2014) 434-448.
59. Eschke, A., Zinn, W., Marr, T., Oertel, C.-G., Skrotzki, W., Schultz, L., Eckert, J.: Local stress gradients in Ti/Al composite wires determined by two-dimensional X-ray microdiffraction, *Materials Science and Engineering A* 616 (2014) 44-54.
  60. Soleimanian, V., Abedi, M., Aghdaee, S.R.: Microstructure evaluation of nanocrystalline MgO powders using the advanced X-ray line profile analysis, *Journal of Crystal Growth* 411 (2015) 4-11.
  61. Losko, A.S., Vogel, S.C., Reiche, H.M., Nakotte, H.: A six-axis robotic sample changer for high-throughput neutron powder diffraction and texture measurements, *Journal of Applied Crystallography* 47 (2014) 2109-2112.
  62. Muh'd, IB; Talib, ZA; Zainal, Z; Chyi, JLY; Mofdal, MEE: Mechanochemical solid state synthesis and optical properties of Cd<sub>0.5</sub>Zn<sub>0.5</sub>Se nanocrystals, *JOURNAL OF MATERIALS SCIENCE* 50 (2015) 457-462.
  63. Gong, W., Tomota, Y., Harjo, S., Su, Y.H., Aizawa, K.: Effect of prior martensite on bainite transformation in nanobainite steel, *Acta Materialia* 85 (2015) 243-249.
  64. Michler, T., Naumann, J., Hock, M., Berreth, K., Balogh, M.P., Sattler, E.: Microstructural properties controlling hydrogen environment embrittlement of cold worked 316 type austenitic stainless steels, *Materials Science and Engineering A* 628 (2015) 252-261.
  65. Sato, S., Hasegawa, A., Semboshi, S., Wagatsuma, K.: Effect of Dislocations on Spinodal Decomposition, Precipitation, and Age-hardening of Cu-Ti Alloy, *High Temperature Materials and Processes* 34 (2015) 123-130.
  66. Matej, Z; Kadlecova, A; Janecek, M; Matejova, L; Dopita, M; Kuzel, R: Refining bimodal microstructure of materials with MSTRUCT, *POWDER DIFFRACTION* 29 (2014) S35-S41.
  67. Harte, A., Seymour, T., Francis, E.M., Frankel, P., Thompson, S.P., Jädernäs, D., Romero, J., Hallstadius, L., Preuss, M.: Advances in synchrotron x-ray diffraction and transmission electron microscopy techniques for the investigation of microstructure evolution in proton- and neutron-irradiated zirconium alloys, *Journal of Materials Research* 30 (2015) 1349-1365.
  68. De Vincentis, N.S., Kliauga, A., Ferrante, M., Avalos, M., Brokmeier, H.-G., Bolmaro, R.E: Evaluation of microstructure anisotropy on room and medium temperature ECAP deformed F138 steel, *Materials Characterization* 107 (2015) 98-111.
  69. Shi, Z.M., Gong, W., Tomota, Y., Harjo, S., Li, J., Chi, B., Pu, J.: Study of tempering behavior of lath martensite using in situ neutron diffraction, *Materials Characterization* 107 (2015) 29-32.
  70. Sato, S., Shobu, T., Satoh, K., Ogawa, H., Wagatsuma, K., Kumagai, M., Imafuku, M., Tashiro, H., Suzuki, S.: Distribution and anisotropy of dislocations in cold-drawn pearlitic steel wires analyzed using micro-beam X-ray diffraction, *ISIJ International* 55 (2015) 1432-1438.
  71. Ahn, D.-H., Kim, W., Yoon, E.Y., Kim, H.S.: Compressibility of hierarchic-architected agglomerates of hydrogen-reduced copper nanopowders, *Journal of Materials Science* 51 (2016) 82-95.
  72. Vlasenko, S., Benediktovitch, A., Ulyanenkova, T., Uglov, V., Skuratov, V., O'Connell, J., Neethling, J.: Evaluation of microstructural parameters of oxide dispersion strengthened steels from X-ray diffraction profiles, *Journal of Nuclear Materials* 470 (2016) 139-146.

73. Hegedűs, Z., Meka, S.R., Mittemeijer, E.J.: Crystallite growth in nanocrystalline tungsten; Rate determining mechanism and the role of contaminations, *Acta Materialia* 105 (2016) 232-243.
74. Chen, Y.Z., Csiszár, G., Cizek, J., Shi, X.H., Borchers, C., Li, Y.J., Liu, F., Kirchheim, R.: Defect Recovery in Severely Deformed Ferrite Lamellae During Annealing and Its Impact on the Softening of Cold-Drawn Pearlitic Steel Wires, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 47 (2016) 726-738.
75. Tomchik, C., Almer, J., Anderoglu, O., Balogh, L., Brown, D.W., Clausen, B., Maloy, S.A., Sisneros, T.A., Stubbins, J.F.: High energy X-ray diffraction study of the relationship between the macroscopic mechanical properties and microstructure of irradiated HT-9 steel, *Journal of Nuclear Materials* 475 (2016) 46-56.
76. Kang, J.Y., Kim, J.G., Park, H.W., Kim, H.S.: Multiscale architected materials with composition and grain size gradients manufactured using high-pressure torsion, *Scientific Reports* 6 (2016) Article number 26590
77. Sarkar, A., Kumar, A., Mukherjee, S., Sharma, S.K., Dutta, D., Pujari, P.K., Agarwal, A., Gupta, S.K., Singh, P., Chakravartty, J.K., Investigation of microstructure and mechanical properties of proton irradiated Zircaloy 2, *Journal of Nuclear Materials*, Volume 479, 1 October 2016, Pages 524-532
78. Madhavan, R., Suwas, S.: Micro-mechanisms of deformation texture evolution in nanocrystalline nickel-cobalt alloys, *Acta Materialia*, Volume 121, 1 December 2016, Pages 46-58
79. Wang, Y., Tomota, Y., Harjo, S., Gong, W., Ohmura, T.: In-situ neutron diffraction during tension-compression cyclic deformation of a pearlite steel, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 522-530
80. Neslušán, M., Čížek, J., Kolařík, K., Minárik, P., Čilliková, M., Melikhova, O.: Monitoring of grinding burn via Barkhausen noise emission in case-hardened steel in large-bearing production, *Journal of Materials Processing Technology*, Volume 240, 1 February 2017, Pages 104-117
81. Revesz, A.; Szilagyil, C.; Spassov, T.: Hydrogen sorption of magnesium plates deformed by surface mechanical attrition treatment, *BULGARIAN CHEMICAL COMMUNICATIONS* Volume: 48 Issue: 3 Pages: 469-475 Published: 2016
82. Sharma, A., Mohan, S., Suwas, S.: The influence of deposition temperature on the structure, microstructure, morphology and magnetic properties of sputter deposited nickel thin films, *Thin Solid Films*, Volume 619, 30 November 2016, Pages 91-101
83. Kawasaki, T., Harjo, S., Gong, W., Aizawa, K., Line profile analyses of a martensitic steel during continuous and stepwise tensile deformations, *Journal of Physics: Conference Series*, Volume 746, Issue 1, 10 October 2016, Article number 012044, 6th European Conference on Neutron Scattering, ECNS 2015; Zaragoza; Spain; 30 August 2015 through 4 September 2015; Code 124367
84. Harjo, S., Kawasaki, T., Gong, W., Aizawa, K., Dislocation Characteristics in Lath Martensitic Steel by Neutron Diffraction, *Journal of Physics: Conference Series*, Volume 746, Issue 1, 10 October 2016, Article number 012046, 6th European Conference on Neutron Scattering, ECNS 2015; Zaragoza; Spain; 30 August 2015 through 4 September 2015; Code 124367
85. De Vincentis, N.S., Avalos, M.C., Benatti, E.A., Kliauga, A., Brokmeier, H.-G., Bolmaro, R.E., XRD and EBSD analysis of anisotropic microstructure development in cold rolled F138 stainless steel, *Materials Characterization*, Volume 123, 1 January 2017, Pages 137-152

86. Brown, DW; Okuniewski, MA; Sisneros, TA; Clausen, B; Moore, GA; Balogh, L, Neutron diffraction measurement of residual stresses, dislocation density and texture in Zr-bonded U-10Mo "mini" fuel foils and plates, JOURNAL OF NUCLEAR MATERIALS, Volume: 482, Pages: 63-74, Published: DEC 15 2016
87. Ahmmed, KF; Balogh, L; Idrees, Y; Yu, HB; Long, F; Daymond, MR, Quantitative characterization of the microstructure of heat-treated Zr-Excel by neutron line profile analysis, JOURNAL OF APPLIED CRYSTALLOGRAPHY, Volume: 49, Pages: 1609-1623, 2016
88. Balogh, L., Long, F., Daymond, M.R., Contrast factors of irradiation-induced dislocation loops in hexagonal materials, Journal of Applied Crystallography, Volume 49, Issue 6, 1 December 2016, Pages 2184-2200
89. Soleimani, V., Chenari, H.M.: The evaluation of linear and planar defects in W-doped ZnO nanopowders, Journal of Crystal Growth, Volume 460, 15 February 2017, Pages 117-125
90. Ahn, D.-H., Kang, M., Park, L.J., Lee, S., Kim, H.S., Influences of high strain rate, low temperature, and deformation direction on microstructural evolution and mechanical properties of copper, Materials Science and Engineering A, Volume 684, 27 January 2017, Pages 567-576
91. Tomota, Y., Sato, S., Harjo, S., Recent progress of line-profile analyses for neutron or X-ray diffraction, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, Volume 103, Issue 2, 2017, Pages 73-85
92. Sharma, A; Chhangani, S; Madhavan, R; Suwas, S, Correlation between crystallographic texture, microstructure and magnetic properties of pulse electrodeposited nanocrystalline Nickel-Cobalt alloys, JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, Volume: 434, Pages: 68-77, 2017
93. Ahmmed, K.F., Balogh, L., Idrees, Y., Kerr, D., Daymond, M.R., Thermal creep behavior in heat-treated and modified textured Zr-Excel pressure tube material, Materials Science and Engineering A, Volume 698, 20 June 2017, Pages 326-340
94. Czagány, M., Baumli, P., Kaptay, G., The influence of the phosphorus content and heat treatment on the nano-micro-structure, thickness and micro-hardness of electroless Ni-P coatings on steel, Applied Surface Science Volume 423, 30 November 2017, Pages 160-169
95. Woo, W., Ohnuma, M., Wang, X.-L., Engineering, in: Applications Experimental Methods in the Physical Sciences, 49, pp. 683-737, 2017
96. De Vincentis, NS; Avalos, MC; Kliauga, A; Brokmeier, HG; Bolmaro, RE, Strain path dependence of anisotropic microstructure evolution on low Stacking Fault Energy F138 steel, MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING, Volume: 698, Pages: 1-11, 2017
97. Jo, K.-R., Seo, E.-J., Hand Sulistiyo, D., Kim, J.-K., Kim, S.-W., De Cooman, B.C., On the plasticity mechanisms of lath martensitic steel, Materials Science and Engineering A, 704, 17 September 2017, Pages 252-261
98. Kaiser, K.H., Hofmeister, C., Pedigo, A., Giri, A.K., Sohn, Y., Cho, K.C., van den Bergh, M., Majumdar, B.S., Tensile properties and microstructure of a cryomilled nanograined Al-Mg alloy near the AA5083 composition, Materials Science and Engineering A Volume 705, 29 September 2017, Pages 239-248
99. Yamanaka, K; Mori, M; Sato, S; Chiba, A, Stacking-fault strengthening of biomedical Co-Cr-Mo alloy via multipass thermomechanical processing, SCIENTIFIC REPORTS, Volume: 7, Article Number: 10808, 2017

100. Delshadmanesh, M., Khatibi, G., Ghomsheh, M.Z., Lederer, M., Zehetbauer, M., Danninger, H., Influence of microstructure on fatigue of biocompatible  $\beta$ -phase Ti-45Nb, *Materials Science and Engineering A* Volume 706, 26 October 2017, Pages 83-94
101. Tomota, Y., Sato, S., Uchida, M., Xu, P.G., Harjo, S., Gong, W., Kawasaki, T., Quantitative evaluation of texture and dislocations during annealing after hot deformation in austenitic steel using neutron diffraction, *Materials Science Forum* Volume 905 MSF, 2017, Pages 25-30 8th International Conference on Mechanical Stress Evaluation by Neutrons and Synchrotron Radiation, MECA SENS 2015; Grenoble; France; 28 September 2015 through 2 October 2015; Code 196849
102. Harjo, S., Kawasaki, T., Tomota, Y., Gong, W., Unusual plastic deformation behavior in lath martensitic steel containing high dislocation density, 2017, *Materials Science Forum*, 905, pp. 46-51
103. Sun, C., Hai, X., Xi, S., Fan, Z., Li, P., Wang, W., New insights of solid-state alloying and amorphous-nanocrystalline cyclic phase transitions during Cr-40wt.%Mo powder milling, *Journal of Alloys and Compounds* Volume 731, 15 January 2018, Pages 667-677
104. Anand, K.K., Mahato, B., Haase, C., Kumar, A., Ghosh Chowdhury, S., Correlation of defect density with texture evolution during cold rolling of a Twinning-Induced Plasticity (TWIP) steel, 2018, *Materials Science and Engineering A*, 711, pp. 69-77
105. Yadav, S.D., El-Tahawy, M., Kalácska, S., Dománková, M., Yubero, D.C., Poletti, C., Characterizing dislocation configurations and their evolution during creep of a new 12% Cr steel, *Materials Characterization*, Volume 134, December 2017, Pages 387-397
106. Long, F.; Balogh, L.; Daymond, M. R., Evolution of dislocation density in a hot rolled Zr-2.5Nb alloy with plastic deformation studied by neutron diffraction and transmission electron microscopy, *PHILOSOPHICAL MAGAZINE* Volume: 97 Issue: 31 Pages: 2888-2914 Published: 2017
107. Schuster, R; Schafler, E; Schell, N; Kunz, M; Abart, R, Microstructure of calcite deformed by high-pressure torsion: An X-ray line profile study, *TECTONOPHYSICS*, Volume: 721, Pages: 448-461, 2017
108. Schafler, E., Kerber, M.B., Spieckermann, F., Fischer, T., Schuster, R., von Baeckmann, C., In situ X-ray synchrotron profile analysis during high pressure torsion of Ti, *Minerals, Metals and Materials Series* Volume Part F8, 2017, Pages 645-651.
109. Das Bakshi, S; Sinha, D; Chowdhury, SG; Mahashabde, VV, Surface and sub-surface damage of 0.20 wt% C-martensite during three-body abrasion, *WEAR*, Volume: 394, 2018, Pages: 217-227
110. Vlasenko, S., Benediktovitch, A., Ulyanenkov, A., Uglov, V., Abadias, G., O'Connell, J., van Vuuren, A.J., Microstructure Characterization of Multilayer Thin Coatings ZrN/Si<sub>3</sub>N<sub>4</sub> by X-Ray Diffraction Using Noncoplanar Measurement Geometry, *Physica Status Solidi (A) Applications and Materials Science* Volume 215, Issue 5, 7 March 2018, Article number 1700670
111. Brown, DW; Adams, DP; Balogh, L; Carpenter, JS; Clausen, B; King, G; Reedlunn, B; Palmer, TA; Maguire, MC; Vogel, SC, In Situ Neutron Diffraction Study of the Influence of Microstructure on the Mechanical Response of Additively Manufactured 304L Stainless Steel, *METALLURGICAL AND MATERIALS*

- TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, Volume: 48A, 6055-6069, 2017
112. Dutta, A; Gayathri, N; Neogy, S; Mukherjee, P, Microstructural characterisation of proton irradiated niobium using X-ray diffraction technique, PHILOSOPHICAL MAGAZINE, Volume: 98, Issue: 12, Pages: 1031-1052, 2018
  113. Sato, S., Kuroda, A., Satoh, K., Kumagai, M., Harjo, S., Tomota, Y., Saito, Y., Todoroki, H., Onuki, Y., Suzuki, S., In-situ observation of dislocation evolution in ferritic and austenitic stainless steels under tensile deformation by using neutron diffraction, Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan Volume 104, Issue 4, April 2018, Pages 201-207
  114. Das Bakshi, S., Sinha, D., Ghosh Chowdhury, S., Anisotropic broadening of XRD peaks of  $\alpha'$ -Fe: Williamson-Hall and Warren-Averbach analysis using full width at half maximum (FWHM) and integral breadth (IB), 2018, Materials Characterization, 142, pp. 144-153
  115. Shamsujjoha, M., Agnew, S.R., Fitz-Gerald, J.M., Moore, W.R., Newman, T.A., High Strength and Ductility of Additively Manufactured 316L Stainless Steel Explained, 2018, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 49(7), pp. 3011-3027
  116. Pokharel, R., Balogh, L., Brown, D.W., Clausen, B., Gray, G.T., Livescu, V., Vogel, S.C., Takajo, S., Signatures of the unique microstructure of additively manufactured steel observed via diffraction, 2018, Scripta Materialia, 155, pp. 16-20
  117. Bahl, S., Aleti, B.T., Suwas, S., Chatterjee, K., Establishing the microstructure-strengthening correlation in severely deformed surface of titanium, 2018, Philosophical Magazine, 98(23), pp. 2095-2119
  118. Moon, J., Qi, Y., Tabachnikova, E., Estrin, Y., Choi, W.-M., Joo, S.-H., Lee, B.-J., Podolskiy, A., Tikhonovsky, M., Kim, H.S., Microstructure and Mechanical Properties of High-Entropy Alloy Co<sub>20</sub>Cr<sub>26</sub>Fe<sub>20</sub>Mn<sub>20</sub>Ni<sub>14</sub> Processed by High-Pressure Torsion at 77 K and 300 K, Scientific Reports, Volume 8, Issue 1, 1 December 2018, Article number 11074
  119. Balogh, L., Long, F., Yao, Z., Preuss, M., Daymond, M.R., Quantifying irradiation defects in zirconium alloys: A comparison between transmission electron microscopy and whole-pattern diffraction line-profile analysis, 2018, ASTM Special Technical Publication, STP 1597, pp. 691-724
  120. Kim, J.G., Um, H.Y., Kang, J.Y., Jeong, H.J., Choi, K.H., Lee, S.-H., Kim, S.-Y., Chung, J.-S., Kim, H.S., Quantitative study on yield point phenomenon of low carbon steels processed by compact endless casting and rolling, Materials Science and Engineering A, Volume 734, 12 September 2018, Pages 408-415
  121. Pokharel, R; Balogh, L; Brown, DW; Clausen, B; Gray, GT; Livescu, V; Vogel, SC; Takajo, S, Signatures of the unique microstructure of additively manufactured steel Check for observed via diffraction, SCRIPTA MATERIALIA, Volume: 155, Pages: 16-20, 2018
  122. Jamalpoor, Nasrin; Ghasemi, Mohsen; Soleimani, Vishtasb, Investigation of the role of deposition rate on optical, microstructure and ethanol sensing characteristics of nanostructured Sn doped In<sub>2</sub>O<sub>3</sub> films, MATERIALS RESEARCH BULLETIN, Volume: 106 Pages: 49-56 Published: OCT 2018
  123. Rogl, G., Grytsiv, A., Anbalagan, R., Bursik, J., Kerber, M., Schafner, E., Zehetbauer, M., Bauer, E., Rogl, P., Direct SPD-processing to achieve high-ZT skutterudites, Acta Materialia, Volume 159, 15 October 2018, Pages 352-363

D. Fátay, J. Gubicza, P. Szommer, J. Lendvai, M. Blétry, P. Guyot: Thermal stability and mechanical properties of a Zr-based bulk amorphous alloy, *Mater. Sci. Eng. A* **387-389** (2004) 1001-1004.

1. X. Wang, D.H. Lou, Z.J. Gao, L. Liu, H.M. Liang, U.F. Wang, Q. Li, M.Z. Ma: Tensile and compression properties of Zr-based bulk amorphous alloy at different temperatures, *Science in China Series E-Eng. & Mater. Sci.* **48** (2005) 489-495.
2. R. Goodall and T.W. Clyne: A critical appraisal of the extraction of creep parameters from nanoindentation data obtained at room temperature, *Acta Materialia* **54** (2006) 5489-5499.
3. M. Yan, J. Zou and J. Shen: Cooling rate effects on the microstructure and phase formation in Zr<sub>51</sub>Cu<sub>20.7</sub>Ni<sub>12</sub>Al<sub>16.3</sub> bulk metallic glass, *Science and Technology of Advanced Materials* **7** (2006) 806-811.
4. M. Yan, J. Zou and J. Shen: New crystalline phases formed in a slowly-cooled Zr-based metallic glass, *J. Alloys Comp.* **433** (2007) 120-124.
5. T. H. Hung, J. C. Huang, J. S. C. Jang, S. C. Lu: Improved thermal stability of amorphous ZrAlCuNi alloys with Si and B, *Materials Transactions* **48** (2007) 239-243.
6. M. Yan, J. Zou, J. Shen, J.-fei Sun: Compositional design and microstructure analysis of Zr-based bulk metallic glasses, *Transactions of Nonferrous Metals Society of China*, **17** (2007) 1433-1440.
7. Y. Han, M. Ma, G. Li, J. Yu, G. Liu, Q. Jing, X. Chen, Q. Wang, R. Liu: (Ni-P)/graphite composite film plated on bulk metallic glass, *Materials Letters*, **62** (2008) 1707-1710.
8. M.Z. Ma, H.T. Zong, H.Y. Wang, Y.P. Qi, S.X. Liang, A.J. Song, W.G. Zhang, Q. Wang, X.Y. Zhang, Q. Jing, G. Li, R.P. Liu: The fluidity and molding ability of glass-forming Zr-based alloy melt, *Science in China Series G-Physics Mechanics and Astronomy* **51** (2008) 438-444.
9. J. Kim, S. Yoon, H. Choi, H. Kim, H. Jo, C. Lee: In-flight CuZrTiNi particle energy tailoring in kinetic spraying deposition, *Rev. on Adv. Mater. Sci.* **18** (2008) 46-49.
10. J.S.C. Jang, S.F. Tsao, L.J. Chang, J.C. Huang, C.T. Liu: Nanocrystallization of Zr<sub>61</sub>Al<sub>7.5</sub>Cu<sub>17.5</sub>Ni<sub>10</sub>Si<sub>4</sub> metallic glass, *Intermetallics* **17** (2009) 56-64.
11. K.A. Padmanabhan, S. Balasivanandha Prabu: Reliability of Nanostructured Materials, in: *Nanostructured Materials*, Ed.: Gerhard Wilde, in series: *Frontiers of Nanoscience*, Series editor: Richard E. Palmer, Elsevier, Oxford, UK, ISBN 978-0-08-044965-4 (2009) 51-126.
12. Z.W. Hsiao, C.C. Fu, P.H. Tsai, J.S.C. Jang, S.R. Jian, J.C. Huang: Effect of nanocrystallization on the mechanical properties of the (Zr<sub>53</sub>Cu<sub>30</sub>Ni<sub>9</sub>Al<sub>8</sub>)<sub>99.5</sub>Si<sub>0.5</sub> bulk metallic glass, *Materials Science Forum* **638-642** (2010) 2933-2937.
13. M. Tao, A.H. Chokshi, R.D. Conner, G. Ravichandran, W.L. Johnson: Deformation and crystallization of Zr-based amorphous alloys in homogeneous flow regime, *J. Mater. Res.* **25** (2010) 1137-1148.
14. N. Padhy, S. Ningshen, U. Kamachi Mudali: Electrochemical and surface investigation of zirconium based metallic glass Zr<sub>59</sub>Ti<sub>3</sub>Cu<sub>20</sub>Al<sub>10</sub>Ni<sub>8</sub> alloy in nitric acid and sodium chloride media, *Journal of Alloys and Compounds* **503** (2010) 50-56.
15. M. Song, Y. Li, Y. He: Mechanical properties of three types of ZrAlNiCu metallic glasses, *Rare Metal Materials and Engineering* **40** (2011) 1836-1839.

16. Y. Wang, Z.-L. Zhan, X.-H. Yu, L. Zhang, Z. Liu, L. Li, J.-X. Liu: Effect of minor elements on the glass-forming ability of Cu-Zr-based alloys, *Cailiao Rechuli Xuebao/Transactions of Materials and Heat Treatment* **34** (2013) 12-16.
17. Wang, Y., Yu, X., Liu, Z., Zhang, L., Zhan, Z.: Effect of gadolinium content on the glass-forming ability and mechanical properties of Zr<sub>48-x</sub>Cu<sub>45</sub>Al<sub>7</sub>Gd<sub>x</sub> bulk metallic glasses, *Xiyou Jinshu Cailiao Yu Gongcheng/Rare Metal Materials and Engineering* **43** (2014) 140-144.
18. Meng, L., Yang, Y., He, N.: Nanoindentation measurement of creep stress exponent of Ti<sub>6</sub>Al<sub>4</sub>V alloy at room temperature, *Xiyou Jinshu Cailiao Yu Gongcheng/Rare Metal Materials and Engineering* **45** (2016) 617-622.

J. Gubicza, N. Q. Chinh, Z. Horita and T. G. Langdon: Effect of Mg addition on microstructure and mechanical properties of aluminum, *Mater. Sci. Eng. A* **387-389** (2004) 55-59.

1. G.A. Malygin: Mechanism of strain hardening and dislocation-structure formation in metals subjected to severe plastic deformation, *Physics of the Solid State* **48** (2006) 693-699.
2. B. Jakobsen, H.F. Poulsen, U. Lienert, X. Huang and W. Pantleon: Investigation of the deformation structure in an aluminium magnesium alloy by high angular resolution three-dimensional X-ray diffraction, *Scripta Mater.* **56** (2007) 769-772.
3. T. Ungár: Characterization of nanocrystalline materials by X-ray line profile analysis, *Journal of Materials Science* **42** (2007) 1584-1593.
4. G.A. Malygin: Simulation of the surface deformation relief of a plastically deformed crystal, *Physics of the Solid State* **49** (2007) 1460-1465.
5. P. Gabor, D. Canadinc, H.J. Maier, R.J. Hellmig, Z. Zuberova, J. Estrin: The influence of zirconium on the low-cycle fatigue response of ultrafine-grained copper, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38 A** (2007) 1916-1925.
6. S.-H. Park, H.-G. Seong, Y.H. Song, C.-H. Seo, Zulkifli, B.-Y. Hur: Influence of particles on cell structure of Al-Mg alloys foamed by melt foaming method, *Materials Science Forum* **544-545** (2007) 363-366.
7. Y. Song, S.H. Park, S.Y. Kim, C. Seo, B. Hur: A study on Al-Mg alloy foams by melt foaming method, *Diffusion and Defect Data Pt.B: Solid State Phenomena* **124-126** (2007) 1841-1844.
8. D. Canadinc, H.J. Maier, P. Gabor, J. May: On the cyclic deformation response of ultrafine-grained Al-Mg alloys at elevated temperatures, *Materials Science and Engineering: A* **496** (2008) 114-120.
9. Y. Amouyal, S.V. Divinski, L. Klinger, E. Rabkin: Grain boundary diffusion and recrystallization in ultrafine grain copper produced by equal channel angular pressing, *Acta Materialia* **56** (2008) 5500-5513.
10. W. Woo, L. Balogh, T. Ungár, H. Choo, Z. Feng: Grain structure and dislocation density measurements in a friction-stir welded aluminum alloy using X-ray peak profile analysis, *Materials Science and Engineering A* **498** (2008) 308-313.
11. Y. Estrin, A. Vinogradov: Fatigue behaviour of ultrafine grained light alloys, *Proc. of 17th European Conference on Fracture 2008: Multilevel Approach to Fracture of Materials, Components and Structures 1* (2008) pp. 169-182.
12. N.Yu. Zolotarevsky, A.N. Solonin, A.Yu. Churyumov, V.S. Zolotarevsky: Study of work hardening of quenched and naturally aged Al-Mg and Al-Cu alloys *Materials Science and Engineering A* **502** (2009) 111-117.

13. C.-L. Chen, A. Richter, R.C. Thomson: Mechanical properties of intermetallic phases in multi-component Al–Si alloys using nanoindentation, *Intermetallics* **17** (2009) 634-641.
14. O. Sitdikov, T. Sakai, H. Miura, C. Hama: Temperature effect on fine-grained structure formation in high-strength Al alloy 7475 during hot severe deformation, *Materials Science and Engineering A* **516** (2009) 180-188.
15. L. Zhang, T. Ohmura, S. Emura, N. Sekido, F.X. Yin, X.H. Min, K.Tsuzaki: Evaluation of matrix strength in ultra-fine grained pure Al by nanoindentation, *JOURNAL OF MATERIALS RESEARCH* **24** (2009) 2917-2923.
16. M.J. Starink, X.G. Qiao, J. Zhang, N. Gao: Predicting grain refinement by cold severe plastic deformation in alloys using volume averaged dislocation generation, *Acta Materialia* **57** (2009) 5796-5811.
17. A. A. Shibkov and A. E. Zolotov: Nonlinear dynamics of the spatio-temporal pattern of a macroscopically localized deformation, *JETP Letters* **90** (2009) 370-375.
18. W. Woo, Z. Feng, C.R. Hubbard, S.A. David, X.-L. Wang, B. Clausen, T. Ungár: In-situ time-resolved neutron diffraction measurements of microstructure variations during friction stir welding in a 6061-T6 aluminum alloy, *ASM Proceedings of the International Conference: Trends in Welding Research, 8th International Conference on Trends in Welding Research, Pine Mountain, GA, USA, 1-6 June 2008, Code 79048, (2009) pp. 407-412.*
19. Y. Estrin, A. Vinogradov: Fatigue behaviour of light alloys with ultrafine grain structure produced by severe plastic deformation: An overview, *International Journal of Fatigue*, **32** (2010) 898-907.
20. W. Woo, T. Ungár, Z. Feng, E. Kenik, B. Clausen: X-Ray and Neutron Diffraction Measurements of Dislocation Density and Subgrain Size in a Friction-Stir-Welded Aluminum Alloy, *Metallurgical and Materials Transactions A* **41** (2010) 1210-1216.
21. G. Dini, R. Ueji, A. Najafizadeh, S.M. Monir-Vaghefi: Flow stress analysis of TWIP steel via the XRD measurement of dislocation density *Materials Science and Engineering A*, **527** (2010) 2759-2763.
22. X.G. Qiao, M.T. Bah, J.W. Zhang, N. Gao, Z. Moktadir, M. Kraft, M.J. Starink: Microembossing of ultrafine grained Al: microstructural analysis and finite element modelling, *JOURNAL OF MICROMECHANICS AND MICROENGINEERING* **20** (2010) 105002.
23. J. Zhang, M.J. Starink, N. Gao, W. Zhou: Effect of Mg addition on strengthening of aluminium alloys subjected to different strain paths in high pressure torsion, *Materials Science and Engineering A* **528** (2011) 2093-2099.
24. T. Kunimine, T. Fujii, S. Onaka, N. Tsuji, M. Kato: Effects of Si addition on mechanical properties of copper severely deformed by accumulative roll-bonding, *Journal of Materials Science* **46** (2011) 4290-4295.
25. M.A. Mahmoud, A.F. Abd El-Rehim, M. Sobhy, R.M. Abdel Rahman: Effect of torsional oscillations on the stress–strain behavior of Al–5 wt% Mg alloy, *Materials Science and Engineering A* **528** (2011) 6026-6033.
26. D. Canadinc, T. Niendorf, H.J. Maier: A comprehensive evaluation of parameters governing the cyclic stability of ultrafine-grained FCC alloys, *Materials Science and Engineering A* **528** (2011) 6345-6355.
27. M.R. Rezaei, M.R. Toroghinejad, F. Ashrafizadeh: Production of nano-grained structure in 6061 aluminum alloy strip by accumulative roll bonding, *Materials Science and Engineering A* **529** (2011) 442-446.
28. G.A. Malygin: Strength and plasticity of nanocrystalline materials and nanosized crystals, *Physics-Uspekhi* **54** (2011) 1091-1116.

29. W.C. Liu, P.P. Zhai, C.-S. Man: Estimating local dislocation content near a grain boundary in hot deformed AA 3104 aluminum alloy, *Materials Science and Engineering A* **531** (2012) 178-181.
30. X.G. Qiao, N. Gao, M.J. Starink: A model of grain refinement and strengthening of Al alloys due to cold severe plastic deformation, *Philosophical Magazine* **92** (2012) 446-470.
31. S.N. Gurugubelli, A.V.S.S.K.S. Gupta, N.R.M.R. Bhargava: Deformational inhomogeneity in Al-2Mg and Al-8Mg alloys-microhardness study, *International Journal of Materials Engineering Innovation* **3** (2012) 32-49.
32. R. Manna, N.K. Mukhopadhyay, G.V.S. Sastry: Strengthening behavior of bulk ultra fine grained aluminum alloys, *Materials Science Forum* **710** (2012) 241-246.
33. E. Huskins, B. Cao, B. Li, K.T. Ramesh: Temperature-Dependent Mechanical Response of an UFG Aluminum Alloy at High Rates, *Experimental Mechanics* **52** (2012) 185-194.
34. S.S. Firouzabadi, M. Kazeminezhad: A modified model on solute alloying element effect in Al-Mg alloys: Mechanical properties and dislocation density evolutions, *Materials & Design* **36** (2012) 804-808.
35. Y.J. Chen, Y.C. Chai, H.J. Roven, S.S. Gireesh, Y.D. Yu, J. Hjelen: Microstructure and mechanical properties of Al-xMg alloys processed by room temperature ECAP, *Materials Science and Engineering A* **545** (2012) 139-147.
36. Y. Wang, K. Zhang, Z. Guo, N. Chen, Y. Rong: A new effect of retained austenite on ductility enhancement in high strength bainitic steel, *Materials Science and Engineering A* **552** (2012) 288-294.
37. I. Sabirov, M.Yu. Murashkin, R.Z. Valiev: Nanostructured aluminium alloys produced by severe plastic deformation: New horizons in development, *Materials Science and Engineering A* **560** (2013) 1-24.
38. K. Dám, P. Lejcek, A. Michalcová: In situ TEM investigation of microstructural behavior of superplastic Al-Mg-Sc alloy, *Materials Characterization* **76** (2013) 69-75.
39. O. Sitdikov, E. Avtokratova, T. Sakai, K. Tsuzaki: Ultrafine-grain structure formation in an Al-Mg-Sc alloy during warm ECAP, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **44** (2013) 1087-1100.
40. K. Chandra Sekhar, R. Narayanasamy, K. Velmanirajan: Experimental investigations on microstructure and formability of cryorolled AA 5052 Sheets, *Materials & Design* **53** (2014) 1064-1070.
41. Zhao, S., Meng, C., Mao, F., Hu, W., Gottstein, G.: Influence of severe plastic deformation on dynamic strain aging of ultrafine grained Al-Mg alloys, *Acta Materialia* **76** (2014) 54-67.
42. Zha, M., Li, Y.-J., Mathiesen, R., Bjørge, R., Roven, H.J.: Microstructure, hardness evolution and thermal stability of binary Al-7Mg alloy processed by ECAP with intermediate annealing, *Transactions of Nonferrous Metals Society of China (English Edition)* **24** (2014) 2301-2306.
43. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Microstructural evolution of precipitation-hardened  $\beta$ -type titanium alloy through high-pressure torsion, *Acta Materialia* **80** (2014) 172-182.
44. Pantleon, W., Wejdemann, C., Jakobsen, B., Poulsen, H.F., Lienert, U., Strain and Dislocation Gradients from Diffraction: Spatially-Resolved Local Structure and Defects, 1 January 2014, Pages 322-357, High-resolution reciprocal space mapping for characterizing deformation structures (Book Chapter)

45. Zha, M., Li, Y., Mathiesen, R.H., Bjorge, R., Roven, H.J.: Microstructure evolution and mechanical behavior of a binary Al-7Mg alloy processed by equal-channel angular pressing, *Acta Materialia* 84 (2015) 42-54.
46. Bortoleto, E.M., Souza, R.M., Cuppari, M.G.V.: Atomistic simulation of the sliding of a rigid indenter over aluminum with crystalline defects, *Tribology International* 82 (PB) (2015) 311-318.
47. Krishna, KSVBR; Sekhar, KC; Tejas, R; Krishna, NN; Sivaprasad, K; Narayanasamy, R; Venkateswarlu, K: Effect of cryorolling on the mechanical properties of AA5083 alloy and the Portevin-Le Chatelier phenomenon, *MATERIALS & DESIGN* 67 (2015) 107-117.
48. Ma, P.-C., Zhang, D., Zhuang, L.-Z., Zhang, J.-S.: Effect of alloying elements and processing parameters on the Portevin-Le Chatelier effect of Al-Mg alloys, *International Journal of Minerals, Metallurgy and Materials* 22 (2015) 175-183.
49. Gammer, C., Karnthaler, H.P., Rentenberger, C.: Unexpected grain size reduction by heating in bulk nanocrystalline FeAl, *Journal of Alloys and Compounds* 633 (2015) 384-389.
50. Bratov, V., Borodin, E.N.: Comparison of dislocation density based approaches for prediction of defect structure evolution in aluminium and copper processed by ECAP, *Materials Science and Engineering A* 631 (2015) 10-17.
51. Yang, X., Ni, S., Song, M.: Partial dislocation emission in a superfine grained Al-Mg alloy subject to multi-axial compression, *Materials Science and Engineering A* 641 (2015) 189-193.
52. Haghayeghi, R., Kapranos, P.: Microstructure evolution and mechanical properties of Al-6% Mg alloys processed by equal channel angular pressing, *Materials Science and Engineering A* 642 (2015) 84-90.
53. Qin, S., Liu, Y., Hao, Q., Wang, Y., Chen, N., Zuo, X., Rong, Y.: The Mechanism of High Ductility for Novel High-Carbon Quenching-Partitioning-Tempering Martensitic Steel, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 4047-4055.
54. Jiang, HW; Li, N; Xu, Z; Fan, ZS; Yu, HP; Liu, L: Microstructure, texture and mechanical properties of 5A02 aluminum alloy tubes under electromagnetic bulging, *MATERIALS & DESIGN* 82 (2015) 106-113.
55. Qin, SW; Liu, Y; Hao, QG; Wang, Y; Chen, NL; Zuo, XW; Rong, YH: The Mechanism of High Ductility for Novel High-Carbon Quenching-Partitioning-Tempering Martensitic Steel, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* 46A (2015) 4047-4055.
56. Yang, Xiaohui; Ni, Song; Song, Min: Partial dislocation emission in a superfine grained Al-Mg alloy subject to multi-axial compression, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING* 641 (2015) 189-193.
57. Vega, M.C.V., Bolmaro, R.E., Ferrante, M., Sordi, V.L., Kliauga, A.M.: The influence of deformation path on strain characteristics of AA1050 aluminium processed by equal-channel angular pressing followed by rolling, *Materials Science and Engineering A* 646 (2015) 154-162.
58. Bolobov, V.I., Chupin, S.A.: By applying the method equal channel angular extrusion for products submicron structure at the bulk of metal (Book Chapter), in: *Nanoscale-Arranged Systems for Nanotechnology* April 01, 2015, Pages 112-115.

59. Yang, X., Wang, D., Wu, Z., Yi, J., Ni, S., Du, Y., Song, M.: A coupled EBSD/TEM study of the microstructural evolution of multi-axial compressed pure Al and Al-Mg alloy, *Materials Science and Engineering A* 658 (2016) 16-27.
60. Chen, Y., Gao, N., Sha, G., Ringer, S.P., Starink, M.J.: Microstructural evolution, strengthening and thermal stability of an ultrafine-grained Al-Cu-Mg alloy, *Acta Materialia* 109 (2016) 202-212.
61. Kumar, S., Gandotra, S., Kumar, S., Nripjit, Tripathi, H.: Investigate the Effect of Additives on Mechanical Properties during Casting of 6351 Aluminium, *MATEC Web of Conferences*, Volume 57, 11 May 2016, Article number 03008, 4th International Conference on Advancements in Engineering and Technology, ICAET 2016; Sangrur, Punjab; India; 18-19 March 2016; Code 121655
62. Isik, M., Niinomi, M., Liu, H., Cho, K., Nakai, M., Horita, Z., Sato, S., Narushima, T., Yilmazer, H., Nagasako, M.: Grain refinement mechanism and evolution of dislocation structure of Co-Cr-Mo alloy subjected to high-pressure torsion , *Materials Transactions*, Volume 57, Issue 7, 2016, Pages 1109-1118.
63. Astarita, A., Liberini, M., Velotti, C., Sinagra, C., Squillace, A., Experimental study of the Portevin-Le Chatelier effect in AA 5754 sheets: Influence of the different rolling routes, *AIP Conference Proceedings*, Volume 1769, 19 October 2016, Article number 130007, 19th International ESAFORM Conference on Material Forming, ESAFORM 2016; Nantes; France; 27 April 2016 through 29 April 2016; Code 124421
64. Kim, B.H., Yoon, Y.O., Kim, S.K., Grain growth behavior of AlMg5 alloy fabricated by using a new Mg mother alloy containing Al<sub>2</sub>Ca during homogenization and hot compression, *Materials Science Forum*, Volume 877, 2017, Pages 328-333
65. Murashkin, M.Yu., Medvedev, A.E., Kazykhanov, V.U., Raab, G.I., Ovid'ko, I.A., Valiev, R.Z., Microstructure, strength, electrical conductivity and heat resistance of an Al-Mg-Zr alloy after ECAP-conform and cold drawing, *Reviews on Advanced Materials Science*, Volume 47, Issue 1-2, 2016, Pages 16-25
66. Hu, J., Teng, J., Ji, X., Fu, D., Zhang, W., Zhang, H., Enhanced mechanical properties of an Al-Mg-Si alloy by repetitive continuous extrusion forming process and subsequent aging treatment, *Materials Science and Engineering A*, Volume 695, 17 May 2017, Pages 35-44
67. Singh, D., Jayaganthan, R., Nageswara Rao, P., Kumar, A., Venketeswarlu, D., Effect of initial grain size on microstructure and mechanical behavior of cryorolled AA 5083, 2017, *Materials Today: Proceedings*, 4(8), pp. 7609-7617
68. Son, K.-T., Kim, M.-H., Kim, S.-W., Lee, J.-W., Hyun, S.-K., Evaluation of hot deformation characteristics in modified AA5052 using processing map and activation energy map under deformation heating, 2018, *Journal of Alloys and Compounds*, 740, pp. 96-108
69. Hegyi, AI; Ispanovity, PD; Knapek, M; Tuzes, D; Mathis, K; Chmelik, F; Dankhazi, Z; Varga, G; Groma, I, Micron-Scale Deformation: A Coupled In Situ Study of Strain Bursts and Acoustic Emission, *MICROSCOPY AND MICROANALYSIS*, Volume: 23, 2017, Pages: 1076-1081
70. Harlapur, M.D., Mallapur, D.G., Udupa, K.R., Experimental analysis of volumetric wear behavioural and mechanical properties study of as cast and 1Hr homogenized Al-25Mg2Si2Cu4Ni alloy at constant load, 2018, *AIP Conference Proceedings*, 1943,020027

71. Howeyze, M., Eivani, A.R., Arabi, H., Jafarian, H.R., Effects of deformation routes on the evolution of microstructure, texture and tensile properties of AA5052 aluminum alloy, 2018, *Materials Science and Engineering A*, 732, pp. 120-128
72. Zhang, L.J., Jiang, Z.K., Zhang, M.D., Fan, J.T., Liu, D.J., Yu, P.F., Li, G., Liu, R.P., Effect of solid carburization on the surface microstructure and mechanical properties of the equiatomic CoCrFeNi high-entropy alloy, *Journal of Alloys and Compounds* Volume 769, 15 November 2018, Pages 27-36

M. Shapaan, J. Gubicza, J. Lendvai and L.K. Varga: Crystallization behavior of  $(\text{Fe}_{100-x}\text{Co}_x)_{62}\text{Nb}_8\text{B}_{30}$  bulk amorphous alloy, *Mater. Sci. Eng. A* **375–377** (2004) 785-788.

1. A. Grabias, D. Oleszak, M. Kopcewicz and J. Latuch: Crystallization behaviour of the  $\text{Fe}_{60}\text{Co}_{10}\text{Ni}_{10}\text{Zr}_7\text{B}_{13}$  metallic glass, *Mater. Sci. Eng. A* **449-451** (2007) 552-556.
2. J. Long, P.R. Ohodnicki, D.E. Laughlin, M.E. McHenry, T. Ohkubo, K. Hono: Structural studies of secondary crystallization products of the Fe23 B6 -type in a nanocrystalline FeCoB-based alloy, *J. Appl. Phys.* **101** (2007) art. no. 09N114.
3. H.E. Khalifa, J.L. Cheney, K.S. Vecchio: Effect of Mo-Fe substitution on glass forming ability, thermal stability, and hardness of Fe-C-B-Mo-Cr-W bulk amorphous alloys, *Materials Science and Engineering A* **490** (2008) 221-228.
4. H.E. Khalifa, J.L. Cheney, K.S. Vecchio: Effect of Mo-Fe substitution on glass forming ability and thermal stability of Fe-C-B-Mo-Cr-W bulk amorphous alloys, *Journal of Non-Crystalline Solids* **354** (2008) 4550-4555.
5. H-M. Wu, C-J. Hu, H-C. Li: Formation of Co-Fe-M-B (M = Zr, Ti) amorphous powders by mechanical alloying and their magnetic properties, *Journal of Alloys and Compounds*, **483** (2009) 553-556.
6. Y.M. Sun: Structure and thermal behavior of multicomponent  $\text{Fe}_{68-x}\text{Ni}_x\text{Zr}_{15}\text{Nb}_5\text{B}_{12}$  (x = 5, 10, 15, 20) alloys, *Journal of Alloys and Compounds* **509** (2011) 499-502.
7. H. B. Fan, W. Zheng, G. Y. Wang, P. K. Liaw, J. Shen: Corrosion Behavior of  $\text{Fe}_{41}\text{Co}_7\text{Cr}_{15}\text{Mo}_{14}\text{C}_{15}\text{B}_6\text{Y}_2$  Bulk Metallic Glass in Sulfuric Acid Solutions, *Metallurgical and Materials Transactions A* **42A** (2011) 1524-1533.
8. L. Wang, Y.-S. Chao: Corrosion behaviors of bulk amorphous  $\text{Fe}_{41}\text{Co}_7\text{Cr}_{15}\text{Mo}_{14}\text{C}_{15}\text{B}_6\text{Y}_2$  alloy in NaOH solution, *Gongneng Cailiao/Journal of Functional Materials* **41** (2010) 1849-1852.
9. R. Gumeniuk, W. Schnelle, U. Burkhardt, H. Rosner, A. Leithe-Jasper: Influence of the transition-metal substitution on the physical properties of  $\text{Lu}_{2-x}\text{Ni}_2\text{B}_6$  – From Pauli-paramagnetism to weak ferromagnetism, *Intermetallics* **20** (2012) 104-109.
10. Y. Wang, Y. Wang, J. Wang, J. Wang, Z. Zheng: Crystallization behavior of  $\text{Ce}_{70-x}\text{Al}_{10}\text{Cu}_{20}\text{Co}_x$  (x = 0, 1, 3, 5 at.%) amorphous alloys, *Journal of Non-Crystalline Solids* **358** (2012) 1735-1739.
11. A.H. Taghvaei, M. Stoica, F. Mazaleyrat, K.G. Prashanth, M.S. Khoshkhoo, K. Janghorban, J. Eckert: Microstructure and magnetic properties of soft magnetic composites based on silicon resin coated  $\text{Co}_{40}\text{Fe}_{22}\text{Ta}_8\text{B}_{30}$  glassy powders, *Intermetallics* **43** (2013) 1-7.
12. Chen, Q.J. , Guo, S.B., Yang, X.J., Zhou, X.L., Hua, X.Z., Zhu, X.H., Duan, Z.: Study on corrosion resistance of fe-based amorphous coating by laser cladding in hydrochloric acid, *Physics Procedia* 50 (2013) 297-303.
13. Amir Hossein Taghvaei, Mihai Stoica, Kaikai Song, Kamal Janghorban, Jürgen Eckert: Crystallization kinetics of  $\text{Co}_{40}\text{Fe}_{22}\text{Ta}_8\text{B}_{30}$  glassy alloy with high thermal

stability and soft magnetic properties, *Journal of Alloys and Compounds*, 605 (2014) 199-207.

14. Taghvaei, A.H., Bednarčík, J., Eckert, J.: Atomic structure and thermal behavior of (Co<sub>0.65</sub>,Fe<sub>0.35</sub>)<sub>72</sub>Ta<sub>8</sub>B<sub>20</sub> metallic glass with excellent soft magnetic properties, *Intermetallics* 69 (2016) 21-27.
15. Wei, XX; Xu, W; Kang, JL; Ferry, M; Li, JF: Metastable Co<sub>23</sub>B<sub>6</sub> phase solidified from deeply undercooled Co<sub>79.3</sub>B<sub>20.7</sub> alloy melt, *JOURNAL OF MATERIALS SCIENCE* 51 (2016) 6436-6443.
16. Abbasi, S., Eslamizadeh, H., Raanaei, H., Study of synthesis, structural and magnetic properties of nanostructured (Fe<sub>67</sub>Ni<sub>33</sub>)<sub>70</sub>Ti<sub>10</sub>B<sub>20</sub> alloy, 2018, *Journal of Magnetism and Magnetic Materials*, 451, pp. 780-786

G.A. Voronin, T.W. Zerda, J. Gubicza, T. Ungár, S. N. Dub: Properties of nanostructured diamond – silicon carbide composites sintered by high-pressure infiltration technique, *J. Mater. Res.* **19** (2004) 2703-2707.

1. J. S. Park, R. Sinclair, D. Rowcliffe, M. Stern, H. Davidson: Orientation relationship in diamond and silicon carbide composites, *Diamond and Related Materials* **16** (2007) 562-565.
2. V.V.S.S. Srikanth, T. Staedler, X. Jiang: Deposition of stress-free diamond films on Si by diamond/ $\beta$ -SiC nanocomposite intermediate layers, *Diamond and Related Materials*, **18** (2009) 1326-1331.
3. SV Kidalov, FM Shakhov: Thermal Conductivity of Diamond Composites, *MATERIALS* **2** (2009) 2467-2495.
4. J.D. Belnap: Sintering of ultrahard materials, in the book *SINTERING OF ADVANCED MATERIALS: FUNDAMENTALS AND PROCESSES*, Editor: Z.Z. Fang, Book Series: Woodhead Publishing in Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-562-0 (2010) Pages: 389-414.
5. Z. Yang, X. He, M. Wu, A. Ma, R. Liu, X. Qu: Microstructural characterization of diamond/SiC composites fabricated by RVI, *Key Engineering Materials* **512-515** (2012) 1105-1110.
6. Z. Yang, X. He, M. Wu, L. Zhang, A. Ma, R. Liu, H. Hu, Y. Zhang, X. Qu: Infiltration mechanism of diamond/SiC composites fabricated by Si-vapor vacuum reactive infiltration process, *Journal of the European Ceramic Society* **33** (2013) 869-878.
7. Z.L. Yang, X.B. He, A. Ma, M. Wu, L. Zhang, R.J. Liu, H.F. Hu, Y.D. Zhang, X.H. Qu: Near Net Shape Preparation of Diamond/SiC Composites, *RARE METAL MATERIALS AND ENGINEERING* 42 (2013) 244-247.
8. Liu, Y., Hu, C., Feng, W., Men, J., Cheng, L., Zhang, L.: Microstructure and properties of diamond/SiC composites prepared by tape-casting and chemical vapor infiltration process, *Journal of the European Ceramic Society*, 34 (2014) 3489-3498.
9. Zhou, X., Wang, Y., Li, T., Li, X., Cheng, X., Dong, L., Yuan, Y., Zang, J., Lu, J., Yu, Y., Xu, X.: Fabrication of diamond-SiC-TiC composite by a spark plasma sintering-reactive synthesis method, *Journal of the European Ceramic Society* 35 (2015) 69-76.
10. Herrmann, M., Matthey, B., Kunze, S., Petasch, U.: SiC-diamond materials: Wear-resistant and versatile, *CFI Ceramic Forum International* 91 (2014) E39-E43.

11. Liu, R.J., Cao, Y.B., Yan, C.L., Zhang, C.R., He, P.B.: Preparation and characterization of diamond-silicon carbide-silicon composites by gaseous silicon vacuum infiltration process, *Journal of Superhard Materials* 36 (2014) 410-414.
12. Liu, Y., Hu, C., Men, J., Feng, W., Cheng, L., Zhang, L.: Effect of diamond content on microstructure and properties of diamond/SiC composites prepared by tape-casting and CVI process, *Journal of the European Ceramic Society* 35 (2015) 2233-2242.
13. Szutkowska, M; Jaworska, L; Boniecki, M; Stobierski, L; Rozmus, M: Mechanical behavior of diamond matrix composites with ceramic Ti-3(Si, Ge)C-2 bonding phase, *INTERNATIONAL JOURNAL OF REFRACTORY METALS & HARD MATERIALS* 49 (2015) 302-306.
14. Wang, Z.-G., Xu, L., Li, X.-H., Wang, H.-K., He, D.-W., Meng, C.-M.: Elastic property of SiC-diamond composite under hydrostatic pressure, *Gaoya Wuli Xuebao/Chinese Journal of High Pressure Physics* 29 (2015) 263-267.
15. Wang, Y., Liu, Z.T.Y., Khare, S.V., Collins, S.A., Zhang, J., Wang, L., Zhao, Y.: Thermal equation of state of silicon carbide, *Applied Physics Letters* 108 (2016) Article number 061906
16. Zhao, Z., Liu, Y., Feng, W., Zhang, Q., Cheng, L., Zhang, L., Improvement on the thermal conductivity of Diamond/CVI-SiC composites using large diamond particles, *Diamond and Related Materials*, Volume 74, 1 April 2017, Pages 1-8
17. Kitiwan, M., Katsui, H., Goto, T., Consolidation of diamond composites using silicon carbide-coated diamond powder, *Science of Advanced Materials*, Volume 9, Issue 7, 2017, Pages 1093-1098
18. Matthey, B; Kunze, S; Horner, M; Blug, B; van Geldern, M; Michaelis, A (; Herrmann, M, SiC-bonded diamond materials produced by pressureless silicon infiltration, *JOURNAL OF MATERIALS RESEARCH*, Volume: 32, Issue: 17, Pages: 3362-3371, 2017
19. Chen, C., Liu, Y., Wang, C., Nan, B., Zhao, Z., Cheng, L., Zhang, L., Microstructure and Properties of Diamond/SiC Composites Via Hot Molding Forming and CVI Densifying, *Advanced Engineering Materials*, 2018

L. F. Kiss, D. Kaptás, J. Balogh, L. Bujdosó, J. Gubicza, T. Kemény, I. Vincze: Magnetic properties of ball-milled FeAl nanograins, *phys. stat. sol. (a)* **201** (2004) 3333-3337.

1. D.P. Dutta, G. Sharma, A.K. Rajarajan, S.M. Yusuf, G.K. Dey: Study of magnetic FeAl nanoparticles synthesized using a chemical route, *Chem. Mater.* **19** (2007) 1221-1225.
2. M. Cokoja, H. Parala, A. Birkner, O. Shekhah, M.W.E. van den Berg, R.A. Fischer: Organometallic synthesis of colloidal ( $\alpha$ -/ $\beta$ -NiAl nanoparticles and selective aluminum oxidation in  $\alpha$ -Ni<sub>1-x</sub>Al<sub>x</sub> nanoalloys, *Chem. Mater.* **19** (2007) 5721-5733.
3. J.M. Guilemany, N. Cinca, L. Casas, E. Molins: Ordering and disordering processes in MA and MM intermetallic iron aluminide powders, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2152-2161.
4. Chen, HM; Zhang, L; Bao, JH; Guo, H; Tao, XM; Ouyang, YF: The effect of grain boundary energy on the amorphous forming composition range of Zr-Fe-Al ternary system, *JOURNAL OF NON-CRYSTALLINE SOLIDS* 432 (2016) 277-284.
5. Hadeif, F., Synthesis and disordering of B2 TM-Al (TM = Fe, Ni, Co) intermetallic alloys by high energy ball milling: A review, *Powder Technology*, Volume 311, 15 April 2017, Pages 556-578

J. Szépvölgyi, I. Mohai, J. Gubicza and I. Sáray: RF Thermal Plasma Synthesis of Ferrite Nanopowders from Metallurgical Wastes, *Key Eng. Mater.* **264-268** (2004) 2359-2362.

1. G. Vissokov, K. Zaharieva: Nanodispersed oxides-plasma-chemical synthesis and properties, *Plasma Sci. Techn.* **9** (2007) 603-610.
2. D. Vollath: Plasma Synthesis of Nanoparticles, *KONA-POWDER AND PARTICLE* **25** (2007) 39-55.
3. D. Vollath: Plasma synthesis of nanopowders, *Journal of Nanoparticle Research SUPPL. 1* (2008) 39-57.
4. E. Gomez, D. Amutha Rani, C.R. Cheeseman, D. Deegan, M. Wise, A.R. Boccaccini: Thermal plasma technology for the treatment of wastes: A critical review, *Journal of Hazardous Materials* **161** (2009) 614-626.
5. Predeanu, G., Mihaiescu, D.-C., Panaitescu, C.: Morphology, structure and composition of some technological wastes released from blast furnace operation, *Revista de Chimie* **66** (2015) 570-574.
6. La, P., Lei, W., Wang, X., Wei, Y., Ma, Y.: Effects of excess NaClO<sub>4</sub> on phases, size and magnetic properties of Ni-Zn ferrite powders prepared by combustion synthesis, *Ceramics International* **41** (2015) 9843-9848.
7. Hiragino, Y., Tanaka, T., Takeuchi, H., Takeuchi, A., Lin, J., Yoshida, T., Fujita, Y.: Synthesis of nitrogen-doped ZnO nanoparticles by RF thermal plasma, *Solid-State Electronics* **118** (2016) 41-45.
8. Lei, WJ; La, PQ; Wang, X; Wei, YP: Effect of NaCl diluent content on phase, size and magnetic properties of Ni<sub>0.4</sub>Zn<sub>0.6</sub>Fe<sub>2</sub>O<sub>4</sub> powders prepared by combustion synthesis, *CERAMICS INTERNATIONAL*, Volume: 42, Pages: 15913-15919, 2016

C. Pantea, J. Gubicza, T. Ungár, G.A. Voronin, N.H. Nam, T.W. Zerda: High pressure effect on dislocation density in nano-size diamond crystals, *Diam. Relat. Mater.* **13** (2004) 1753-1756.

1. Z. Sun, Y. Teng, X. Qi, K. Chen, W. Lu: Normal pressure sintering and high pressure sintering of superfine Al<sub>2</sub>O<sub>3</sub> powder with high purity, *Journal of Chemical Industry and Engineering (China)* **58** (2007) 2932-2936.
2. SV Kidalov, FM Shakhov: Thermal Conductivity of Diamond Composites, *MATERIALS* **2** (2009) 2467-2495.
3. S.V. Kidalov, F.M. Shakhov, A.Ya. Vul, A.N. Ozerin: Grain-boundary heat conductance in nanodiamond composites, *Diamond and Related Materials* **19** (2010) 976-980.
4. Makara, V.A., Steblenko, L.P., Vesna, G.V., Naumenko, S.N., Kurilyuk, A.N.: Effect of copper coatings on the crack resistance and temperature microyield point in silicon crystals, *Physics of the Solid State* **57** (2015) 349-352.
5. Philippe Serp, Bruno Machado: A molecular view of adsorption on nanostructured carbon materials, in: *Nanostructured Carbon Materials for Catalysis*, RSC Catalysis Series, 2015, pp. 67-162, ISBN: 978-1-84973-909-2
6. Korsakov, A.V., Zhimulev, E.I., Mikhailenko, D.S., Demin, S.P., Kozmenko, O.A.: Graphite pseudomorphs after diamonds: An experimental study of graphite morphology and the role of H<sub>2</sub>O in the graphitisation process, *Lithos* **236-237** (2015) 16-26.

7. Wang, Xinbo; Ji, Dong; Lu, Yanwu: Impact of pressure on transport properties of AlGaIn/GaN high electron mobility transistor, *PHYSICA E-LOW-DIMENSIONAL SYSTEMS & NANOSTRUCTURES* 74 (2015) 443-446.
8. Axet, MR; Dechy-Cabaret, O; Durand, J; Gouygou, M; Serp, P: Coordination chemistry on carbon surfaces, *COORDINATION CHEMISTRY REVIEWS* 308 (2016) 236-345.
9. Ahmmed, KF; Balogh, L; Idrees, Y; Yu, HB; Long, F; Daymond, MR, Quantitative characterization of the microstructure of heat-treated Zr-Excel by neutron line profile analysis, *JOURNAL OF APPLIED CRYSTALLOGRAPHY*, Volume: 49, Pages: 1609-1623, 2016
10. Shakhov, F.M., Abyzov, A.M., Takai, K., Boron doped diamond synthesized from detonation nanodiamond in a C-O-H fluid at high pressure and high temperature, *Journal of Solid State Chemistry*, 2017, 256, pp. 72-92
11. Fu, B.-Y., Fu, L.-Y., Poro-acoustoelastic constants based on Padé approximation, 2017, *Journal of the Acoustical Society of America*, 142(5), pp. 2890-2904

T. Ungár, J. Gubicza, G. Tichy, C. Pantea and T.W. Zerda, Size and shape of crystallites and internal stresses in carbon blacks, *Composites Part A–Appl Sci.* **36** (2005) 431-436.

1. L. Hu, S. Wang, B. Zhang, Y. Zeng: Structural changes in soot particles induced by diode laser irradiation, *Carbon* **44** (2006) 1725-1729.
2. H. R. Colón-Mercado, B. N. Popov.: Stability of platinum based alloy cathode catalysts in PEM fuel cells, *Journal of Power Sources*, **155** (2006) 253-263.
3. O.E. Haas, J.M. Simon, S. Kjelstrup, A.L. Ramstad, P. Fouquet: Quasi-elastic neutron scattering investigation of the hydrogen surface self-diffusion on polymer electrolyte membrane fuel cell catalyst support, *J. Phys. Chem. C* **112** (2008) 3121-3125.
4. S.N. Lawandy, S.F. Halim, N.A. Darwish: Structure aggregation of carbon black in ethylene-propylene diene polymer, *EXPRESS POLYMER LETTERS* **3** (2009) 152-158.
5. M. Bystrzejewski, A. Huczko, P. Kowalczyk, M. Rogala, M. Szybowicz, M.H. Rummeli, T. Gemming, H. Lange: Ultra highly selective synthesis of double-walled carbon nanotubes, *Fullerenes Nanotubes and Carbon Nanostructures* **18** (2010) 137-147.
6. J.L. Uralde, I. Ruiz, I. Santos, A. Zubillaga, P.G. Bringas, A. Okariz, T. Guraya: Automatic morphological categorisation of carbon black nano-aggregates, in: *Database and Expert Systems Applications*, P.G. Bringas, A. Hameurlain, G. Quirchmayr (Eds.), Springer-Verlag, Berlin-Heidelberg, Book series: *Lecture Notes in Computer Science* (2010) Volume 6262, pp. 185-193, ISBN:978-3-642-15250-4.
7. V.Y. Osipov, A.V. Baranov, V.A. Ermakov, T.L. Makarova, L.F. Chungong, A.I. Shames, K. Takai, T. Enoki, Y. Kaburagi, M. Endo, A.Y. Vul: Raman characterization and UV optical absorption studies of surface plasmon resonance in multishell nanographite, *DIAMOND AND RELATED MATERIALS* **20** (2011) 205-209.
8. S.T. Nguyen, D.S.L. Tan, J.-M. Lee, S.H. Chan, J.Y. Wang, X. Wang: Tb promoted Pd/C catalysts for the electrooxidation of ethanol in alkaline media, *International Journal of Hydrogen Energy* **36** (2011) 9645-9652.
9. N. Hauptman, A. Vesel, V. Ivanovski, M. K. Gunde: Electrical conductivity of carbon black pigments, *Dyes and Pigments*, **95** (2012) 1-7.

10. K. Ono, M. Yanaka, S. Tanaka, Y. Saito, H. Aoki, O. Fukuda, T. Aoki, T. Yamaguchi: Influence of furnace temperature and residence time on configurations of carbon black, *Chemical Engineering Journal* **200-202** (2012) 541-548.
11. O.A. Maslova, M.R. Ammar, G. Guimbretiere, J.-N. Rouzaud, P. Simon: Determination of crystallite size in polished graphitized carbon by Raman spectroscopy, *PHYSICAL REVIEW B* **86** (2012) 134205.
12. A. Leonardi, M. Leoni, S. Siboni, P. Scardi: Common volume functions and diffraction line profiles of polyhedral domains, *Journal of Applied Crystallography* **45** (2012) 1162-1172.
13. M. Mauro, V. Cipolletti, M. Galimberti, P. Longo, G. Guerra: Chemically reduced graphite oxide with improved shape anisotropy, *Journal of Physical Chemistry C* **116** (2012) 24809-24813.
14. K. Ono, M. Yanaka, Y. Saito, H. Aoki, O. Fukuda, T. Aoki, T. Yamaguchi: Effect of benzene–acetylene compositions on carbon black configurations produced by benzene pyrolysis, *Chemical Engineering Journal* **215–216** (2013) 128-135.
15. L.-H. Lai, S.-T. Shiue: Effects of acetylene/ammonia mixtures on the properties of carbon films prepared by thermal chemical vapor deposition, *Surface and Coatings Technology* **215** (2013) 161-169.
16. S. Limpattayanate, M. Hunsom: Effect of supports on activity and stability of Pt-Pd catalysts for oxygen reduction reaction in proton exchange membrane fuel cells, *JOURNAL OF SOLID STATE ELECTROCHEMISTRY* **17** (2013) 1221-1231.
17. V. Asokan, P. Kosinski, T. Skodvin, V. Myrseth: Characterization of carbon black modified by maleic acid, *Frontiers of Materials Science* **7** (2013) 302-307.
18. Serp, P.: Carbon (book chapter), in: *Comprehensive Inorganic Chemistry II* (Second Edition): From Elements to Applications, Volume 7 (2013) 323-369.
19. Limpattayanate, S., Hunsom, M.: Electrocatalytic activity of Pt-Pd electrocatalysts for the oxygen reduction reaction in proton exchange membrane fuel cells: Effect of supports, *Renewable Energy* **63** (2014) 205-211.
20. Hatipoglu, M., Cesaro, S.N., Ajo, D.: Comparative fourier transform infrared investigation of oltu-stone (Natural Carbon Black) and jet, *Spectroscopy Letters* **47** (2014) 161-167.
21. Kirill Bogdanov, Anatoly Fedorov, Vladimir Osipov, Toshiaki Enoki, Kazuyuki Takai, Takuya Hayashi, Victor Ermakov, Stanislav Moshkalev, Alexander Baranov: Annealing-induced structural changes of carbon onions: High-resolution transmission electron microscopy and Raman studies, *Carbon*, **73** (2014) 78-86.
22. Chen, Y., Pan, F., Wang, S., Liu, B., Zhang, J.: Theoretical estimation on the percolation threshold for polymer matrix composites with hybrid fillers, *Composite Structures* **124** (2015) 292-299.
23. Chaisubanan, N; Pruksathorn, K; Vergnes, H; Hunsom, M: Effect of the TiO<sub>2</sub> phase and loading on oxygen reduction reaction activity of PtCo/C catalysts in proton exchange membrane fuel cells, *KOREAN JOURNAL OF CHEMICAL ENGINEERING* **32** (2015) 1305-1313.
24. Dewa, K., Ono, K., Watanabe, A., Takahashi, K., Matsukawa, Y., Saito, Y., Matsushita, Y., Aoki, H., Era, K., Aoki, T., Yamaguchi, T.: Evolution of size distribution and morphology of carbon nanoparticles during ethylene pyrolysis, *Combustion and Flame* **163** (2016) 115-121.
25. Bogdanov, K.V., Osipov, V., Zhukovskaya, M.V., Jentgens, C., Treussart, F., Hayashi, T., Takai, K., Fedorov, A.V., Baranov, A.V.: Size-dependent Raman and SiV-center luminescence in polycrystalline nanodiamonds produced by shock wave synthesis, *RSC Advances* **6** (2016) 51783-51790.

26. Asokan, V., Venkatachalapathy, V., Rajavel, K., Madsen, D.N.: Microwave irradiation on carbon black: Studies on the transformation of particles into nano-balls, nano-sticks and nano-onion like structures, *Journal of Physics and Chemistry of Solids*, Volume 99, 1 December 2016, Pages 173-181
27. Jayasankar, K; Pandey, A; Mishra, BK; Das, S: Evaluation of microstructural parameters of nanocrystalline Y2O3 by X-ray diffraction peak broadening analysis, *MATERIALS CHEMISTRY AND PHYSICS*, Volume: 171, Pages: 195-200, 2016
28. Golubev, YA; Isaenko, SI; Prikhodko, AS; Borgardt, NI; Suvorova, EI: Raman spectroscopic study of natural nanostructured carbon materials: shungite vs. anthraxolite, *EUROPEAN JOURNAL OF MINERALOGY*, Volume: 38, Pages: 545-554, 2016
29. Leonardi, Alberto; Bish, David L., High-performance powder diffraction pattern simulation for large-scale atomistic models via full-precision pair distribution function computation, *JOURNAL OF APPLIED CRYSTALLOGRAPHY*, Volume: 49, Pages: 1593-2016
30. Murugasami, R; Vivekanandhan, P; Kumaran, S; Kumar, RS; Tharakan, TJ, Rapid Alloying and Nanostructuring of Silicon-Germanium Powder Mixture by Spark Plasma Sintering, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS*, Volume: 70, Pages: 855-860, 2017
31. Sharief, SA; Susantyoko, RA; Alhashem, M; Almheiri, S, Synthesis of few-layer graphene-like sheets from carbon-based powders via electrochemical exfoliation, using carbon black as an example, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, Issue: 18, Pages: 11004-11013, 2017
32. Douman, SF; Brennan, E; Iwuoha, EI; Forster, RJ, Wireless Electrochemiluminescence at Nafion-Carbon Microparticle Composite Films, *ANALYTICAL CHEMISTRY*, Volume: 89, 2017, 11614-11619
33. Khan, A., Sherazi, T.A., Khan, Y., Li, S., Naqvi, S.A.R., Cui, Z., Fabrication and characterization of polysulfone/modified nanocarbon black composite antifouling ultrafiltration membranes, *Journal of Membrane Science* Volume 554, 15 May 2018, Pages 71-82
34. Quan, Y., Liu, Q., Zhang, S., Zhang, S., Comparison of the morphology, chemical composition and microstructure of cryptocrystalline graphite and carbon black, 2018, *Applied Surface Science*, 445, pp. 335-341
35. Balogh, L., Long, F., Yao, Z., Preuss, M., Daymond, M.R., Quantifying irradiation defects in zirconium alloys: A comparison between transmission electron microscopy and whole-pattern diffraction line-profile analysis, 2018, *ASTM Special Technical Publication, STP 1597*, pp. 691-724

J. Gubicza, Gy. Krállics, I. Schiller and D. Malgin: Evolution of the Microstructure of Al 6082 Alloy during Equal-Channel Angular Pressing, *Mater. Sci. Forum* **473-474** (2005) 453-458.

1. E. Saraloglu, E. Tan, C.H. Gur: EFFECT OF ECAP AND POST-AGING PROCESSES ON 2024 ALUMINUM ALLOY, *STEEL RESEARCH INTERNATIONAL*, Sp. Iss. 2 (2008) 467-471.
2. R. Kumar, U. Dilthey, D. K. Dwivedi, S. P. Sharma and P. K. Ghosh: Welding of thin sheet of Al alloy (6082) by using Vario wire DC P-GMAW, *The International Journal of Advanced Manufacturing Technology* **42** (2009) 102-117.
3. A. Sarkar, A. Bhowmik and S. Suwas: Microstructural characterization of ultrafine-grain interstitial-free steel by X-ray diffraction line profile analysis, *Applied Physics A: Materials Science & Processing* **94** (2009) 943-948.

4. D. Lahiri, S.R. Bakshi, A.K. Keshri, Y. Liu, A. Agarwal: Dual strengthening mechanisms induced by carbon nanotubes in roll bonded aluminum composites, *Materials Science and Engineering A*, **523** (2009) 263-270.
5. Csanády Andrásné: Nagymértékű képlékeny alakítás (SPD), in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 114-118., ISBN: 9789 6328 4053 6.
6. J. Nyirő: Micromachining of micro and ultrafine-structured metals, *Periodica Polytechnica, Mechanical Engineering* **53** (2009) 81-85.
7. A. Vevecka, M. Cabibbo, T.G. Langdon: A characterization of microstructure and microhardness on longitudinal planes of an Al-Mg-Si alloy processed by ECAP, *Materials Characterization* **84** (2013) 126-133.
8. Klobes, B., Maier, K., Staab, T.E.M.: Early stage ageing effects and shallow positron traps in Al-Mg-Si alloys, *Philosophical Magazine* **95** (2015) 1414-1424.

K. Máthi, J. Gubicza and N.H. Nam: Microstructure and mechanical behavior of AZ91 Mg-alloy processed by Equal Channel Angular Pressing, *J. Alloys Comp.* **394** (2005) 194-199.

1. R.K.Islamgaliev, O.B.Kulyasova, B.Mingler, E.Schafler, G. Korb, H.P.Karntaler, M.J.Zehetbauer: The influence of the ECAP temperature on the microstructure and the mechanical properties of the AM60 magnesium alloy, *Ultrafine Grained Materials IV*. Edited by Y.T. Zhu, T.G. Langdon, Z. Horita, M.J. Zehetbauer, S.L. Semiatin, and T.C. Lowe. TMS (The Minerals, Metals & Materials Society), 2006, pp. 407-411.
2. A.H. Feng and Z.Y. Ma: Enhanced mechanical properties of Mg–Al–Zn cast alloy via friction stir processing, *Scripta Mater.* **56** (2007) 397-400.
3. H.Q. Sun, Y.-N. Shi, M.-X. Zhang, K. Lu: Plastic strain-induced grain refinement in the nanometer scale in a Mg alloy, *Acta Mater.* **55** (2007) 975-982.
4. W.J. Kim, J.D. Park, W.Y. Kim: Effect of differential speed rolling on microstructure and mechanical properties of an AZ91 magnesium alloy, *Journal of Alloys and Compounds* **460** (2008) 289-293.
5. Y.J. Li, K. Zhang, X.G. Li, X.J. Mi, B.Q. Xiong, C.L. Hu: Effects of heat treatment and plastic deformation on structure and properties of Mg-9Al-1.2Nd-0.45Y-0.7Zn Mg alloy, *Trans. Nonfer. Metals Soc. China, Part A* **17** (2007) S363-S367.
6. D.R. Fang, Q.Q. Duan, C.X. Huang, S.D. Wu, Z.F. Zhang, J.J. Li, N.Q. Zhao: Impact properties of Al-Cu alloy subjected to equal channel angular pressing, *Acta Metall. Sinica* **43** (2007) 1251-1255.
7. W. Ding, L. Jin, D. Lin, X. Zeng, D. Mao: Effect of second phase on the mechanical properties of Mg-Al-Zn alloy by equal channel angular extrusion, *Materials Science Forum* **546-549** (2007) 249-252.
8. Z.Y. Ma: Friction stir processing technology: A review, *Metall. Mater. Trans. A-Phys. Metall. Mater. Sci.* **39A** (2008) 642-658.
9. J.C. Xie, Q.A. Li, X.Q. Wang, J.H. Li: Microstructure and mechanical properties of AZ81 magnesium alloy with Y and Nd elements, *Transactions of Nonferrous Metals Society of China*, **18** (2008) 303-308.
10. A. El-Morsy, A. Ismail, M. Waly,: Microstructural and mechanical properties evolution of magnesium AZ61 alloy processed through a combination of extrusion and thermomechanical processes, *Mater. Sci. Eng. A* **486** (2008) 528-533.
11. O. Torun, A. Karabulut, B. Baksan, İ. Çelikyürek: Diffusion bonding of AZ91 using a silver interlayer, *Materials & Design* **29** (2008) 2043-2046.

12. T. Ungár, L. Balogh, G. Ribárik: Twinning, Dislocations and Grain Size in NanoSPD Materials Determined by X-Ray Diffraction, *Mater. Sci. Forum* **584-586** (2008) 571-578.
13. J.A. Del Valle, O.A. Ruano: Influence of grain size fluctuations on ductility of superplastic magnesium alloys processed by severe plastic deformation, *Materials Science and Technology* **24** (2008) 1238-1244.
14. L.F. Liu, H.L. Ding, W.J. Ding: Dynamic Precipitation of beta Phase during Extrusion Process and Its Effects on the Microstructures and Tensile Properties of AZ91 Magnesium Alloy, *RARE METAL MATERIALS AND ENGINEERING* **38** (2009) 104-109.
15. A. Eleöd, Y. Berthier, E. Lach, T. Törköly, G. Juhász: Friction-induced structural modifications of Mg and Ti surfaces, *Tribology International* **42** (2009) 690-698.
16. X. Feng, T. Al: Microstructure evolution and mechanical behavior of AZ31 Mg alloy processed by equal-channel angular pressing, *Transactions of Nonferrous Metals Society of China*, **19** (2009) 293-298.
17. J. Zhao, Z.H. Wang, S.H. Sun, D.L. Zhao, L.G. Ren, W.T. Fu: A new method of characterizing equivalent strain for equal channel angular processing, *JOURNAL OF CENTRAL SOUTH UNIVERSITY OF TECHNOLOGY* **16** (2009) 349-353.
18. J. Chen, Q.A. Li, J.H. Li, X.F. Li, K.J. Li, X.Y. Zhang: Microstructure and mechanical properties of Mg-6Al magnesium alloy with yttrium and neodymium elements, *CHINA FOUNDRY* **6** (2009) 124-128.
19. H.-X. Wang, W. Liang, Y.-P. Yin, X.-G. Zhao, J.-S. Zhang: Microstructure and mechanical properties of ultrafine grained Mg15Al alloy processed by equal-channel angular pressing, *Suxing Gongcheng Xuebao/Journal of Plasticity Engineering* **16** (2009) 161-166.
20. Z. Zhao, Q. Chen, C. Hu, D. Shu: Microstructure and mechanical properties of SPD-processed an as-cast AZ91D+Y magnesium alloy by equal channel angular extrusion and multi-axial forging, *Materials & Design*, **30** (2009) 4557-4561.
21. D.R. Ni, D. Wang, A.H. Feng, G. Yao, Z.Y. Ma: Enhancing the high-cycle fatigue strength of Mg-9Al-1Zn casting by friction stir processing, *Scripta Materialia* **61** (2009) 568-571.
22. A.H. Feng, B.L. Xiao, Z.Y. Ma, R.S. Chen: Effect of Friction Stir Processing Procedures on Microstructure and Mechanical Properties of Mg-Al-Zn Casting, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **40A** (2009) 2447-2456.
23. B. Beausir, S. Biswas, D.I. Kim, L.S. Tóth, S. Suwas: Analysis of microstructure and texture evolution in pure magnesium during symmetric and asymmetric rolling, *Acta Materialia* **57** (2009) 5061-5077.
24. W.J. Kim, H.G. Jeong, H.T. Jeong: Achieving high strength and high ductility in magnesium alloys using severe plastic deformation combined with low-temperature aging, *Scripta Materialia* **61** (2009) 1040-1043.
25. K.N. Braszczynska-Malik: Spherical shape of  $\gamma$ -Mg17Al12 precipitates in AZ91 magnesium alloy processed by equal-channel angular pressing, *Journal of Alloys and Compounds* **487** (2009) 263-268.
26. K.D. Xu, A.H. Wang, Y. Wang, X.P. Dong, X.L. Zhang, Z.W. Huang: Surface nanocrystallization mechanism of a rare earth magnesium alloy induced by HVOF supersonic microparticles bombarding, *Applied Surface Science* **256** (2009) 619-626.

27. B. Song, G. Huang, H. Li, L. Zhang, G. Huang, F. Pan: Texture evolution and mechanical properties of AZ31B magnesium alloy sheets processed by repeated unidirectional bending, *Journal of Alloys and Compounds*, **489** (2010) 475-481.
28. J. Jiang, Y. Wang, Z. Du, J. Qu, Y. Sun, S. Luo: Enhancing room temperature mechanical properties of Mg-9Al-Zn alloy by multi-pass equal channel angular extrusion, *Journal of Materials Processing Technology*, **210** (2010) 751-758.
29. Z.Y. Ma, B.L. Xiao, J. Yang, A.H. Feng: Friction stir processing: A novel approach for microstructure refinement of magnesium alloys, *Materials Science Forum* **638-642** (2010) 1191-1196.
30. S.-L. Zhang, Y.-T. Zhao, G. Chen, X.-N. Cheng, C.-J. She, X.-Y. Wang, D.-N. Wu: Effects of in situ TiB<sub>2</sub> particle on microstructures and mechanical properties of AZ91 alloy, *Journal of Alloys and Compounds*, **494** (2010) 94-97.
31. G. Zhou, X. Zeng, Q. Xu: Microstructure evolution and mechanical behavior of CNTs/ AZ31 magnesium alloy composites processed by equal channel angular pressing, *Advanced Materials Research* **97-101** (2010) 1628-1632.
32. H.X. Wang, W. Liang, J.B. Xue, X.G. Zhao, L.P. Bian, J.S. Zhang: Microstructure and Mechanical Properties of Ultrafine Grained Mg15Al Alloy Processed by Equal-channel Angular Pressing, *JOURNAL OF WUHAN UNIVERSITY OF TECHNOLOGY-MATERIALS SCIENCE EDITION* **25** (2010) 238-242.
33. L.F. Chiang, N. Nishioka, J.Y. Wang, H. Hosokawa, T. Uesugi, Y. Takigawa, K. Higashi: Effect of Tool Materials on Dynamic Friction Characteristics and Microstructural Evolution at Elevated Temperature in Extruded AZ31 Magnesium Alloy, *MATERIALS TRANSACTIONS* **51** (2010) 477-481.
34. B. Chen, D.-L. Lin, X.-Q. Zeng, C. Lu, Y.-H. Peng: High strength Mg97Y2Zn1 alloy processed by extrusion and equal channel angular pressing, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* **20** (2010) 613-619.
35. J.-C. Gao, Q. Wang, Z.-Y. Gao: Research progress in metallic surface nanocrystallization induced by surface mechanical attrition treatment, *Gongneng Cailiao/Journal of Functional Materials* **41** (2010) 741-745.
36. R. Luri, C.J.L. Perez: Analysis and modelling by finite element method of the equal channel angular extrusion pressure, *PROCEEDINGS OF THE INSTITUTION OF MECHANICAL ENGINEERS PART B-JOURNAL OF ENGINEERING MANUFACTURE* **224** (2010) 925-935.
37. R.B. Figueiredo, T.G. Langdon: Grain refinement and mechanical behavior of a magnesium alloy processed by ECAP, *JOURNAL OF MATERIALS SCIENCE* **45** (2010) 4827-4836.
38. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Materials Transactions* **51** (2010) 1067-1071.
39. C.J.L. Perez, R. Luri: Upper Bound Analysis of the ECAE Process by Considering Circular Cross-Section and Strain Hardening Materials, *JOURNAL OF MANUFACTURING SCIENCE AND ENGINEERING-TRANSACTIONS OF THE ASME* **132** (2010) 0410031-04100314.
40. Y.W. Wu, K. Wu, K.K. Deng, K.B. Nie, X.J. Wang, X.S. Hu, M.Y. Zheng: Damping capacities and tensile properties of magnesium matrix composites reinforced by graphite particles, *Materials Science and Engineering A*, **527** (2010) 6816-6821.
41. Jozef A. Helsen, Yannis Missirlis: *Biomaterials: A Tantalus Experience* (series: Biological and medical physics, biomedical engineering), Springer, Heidelberg, Dordrecht, London, New York, ISBN 978-3-642-12532-4 (2010).

42. G.R. Ebrahimi, A.R. Maldar, R. Ebrahimi, A. Davoodi: The effect of homogenization on microstructure and hot ductility behaviour of AZ91 magnesium alloy, *Kovove Materialy* **48** (2010) 277-284.
43. T. Shintani, Y. Murata, Y. Terada, M. Morinaga: Evaluation of dislocation density in a Mg-Al-Mn-Ca alloy determined by X-ray diffractometry and transmission electron microscopy, *Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals* **74** (2010) 806-810.
44. X.H. Zhang, Y.S. Cheng, S.J. Luo: Numerical simulation of temperature field of AZ91D magnesium alloy during equal channel angular extrusion, *ACTA METALLURGICA SINICA-ENGLISH LETTERS* **23** (2010) 35-40.
45. Z. Zhao, Q. Chen, H. Chao, C. Hu, S. Huang: Influence of equal channel angular extrusion processing parameters on the microstructure and mechanical properties of Mg-Al-Y-Zn alloy, *Materials & Design* **32** (2011) 575-583.
46. D. Song, A.B. Ma, J.H. Jiang, P.H. Lin, D.H. Yang, J.F. Fan: Corrosion behaviour of bulk ultra-fine grained AZ91D magnesium alloy fabricated by equal-channel angular pressing, *Corrosion Science* **53** (2011) 362-373.
47. Q. Chen, Z. Zhao, D. Shu, Z. Zhao: Microstructure and mechanical properties of AZ91D magnesium alloy prepared by compound extrusion, *Materials Science and Engineering A* **528** (2011) 3930-3934.
48. Z.Y. Zhang, H.S. Yu, S.Q. Wang, H. Yu, G.H. Min: Microstructural Evolution of Rapidly Solidified ZK60 Powders during Extrusion, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY* **27** (2011) 159-164.
49. G. Faraji, M.M. Mashhadi, H.S. Kim: Microstructure inhomogeneity in ultra-fine grained bulk AZ91 produced by accumulative back extrusion (ABE), *Materials Science and Engineering A* **528** (2011) 4312-4317.
50. D. Zhang, S. Li: Orientation dependencies of mechanical response, microstructure and texture evolution in hot compression of AZ31 magnesium alloy processed by equal channel angular extrusion, *Materials Science and Engineering A* **528** (2011) 4982-4987.
51. X.-M. Feng, T.-T. Ai: Shearing patterns of AZ31 Mg alloy processed by equal-channel angular pressing via various route, *Materials Science Forum* **682** (2011) 33-39.
52. G. Cakmak, T. Ozturk: ECAP processing and mechanical milling of Mg and Mg-Ti powders: a comparative study, *J Mater Sci* **46** (2011) 5559-5567.
53. Z. Zhang, H. Yu, G. Chen, H. Yu, C. Xu: Correlation between microstructure and tensile properties in powder metallurgy AZ91 alloys, *Materials Letters* **65** (2011) 2686-2689.
54. C.J. Luis Pérez, R. Luri: Comparative analysis of actual processing conditions in ECAE between FEM and both analytical and experimental results, *Materials and Manufacturing Processes* **26** (2011) 1147-1156.
55. Farahat, A.Z., El-Morsy, A., El-Bitar, T.A.: Microstructure and tensile properties of severely deformed Nb-microalloyed steel, *Proceedings of the 10th International Conference on Technology of Plasticity, ICTP* (2011) pp. 1208-1212.
56. L.L. Chang, J.H. Cho, S.K. Kang: Microstructure and mechanical properties of twin roll cast AM31 magnesium alloy sheet processed by differential speed rolling, *Materials & Design* **34** (2012) 746-752.
57. B. Chen, C. Lu, D.L. Lin, X.Q. Zeng: Characterization of microstructure in high strength Mg(96)Y(3)Zn(1) alloy processed by extrusion and equal channel angular pressing, *JOURNAL OF RARE EARTHS*, **29** (2011) 902-906.

58. H.-X. Wang, K.-K. Zhou, W. Liang, J.-L. Gong, X.-Q. Cao, X.-G. Zhao: Fragmentation mechanism and dynamic precipitation behavior of  $\beta$  phase in Mg15Al magnesium alloy during ECAP, *Chinese Journal of Nonferrous Metals* **21** (2011) 1794-1800.
59. T. Ungár: Dislocation densities, slip-system types and Burgers vector populations in hexagonal and cubic crystals from X-ray line profile analysis, *Materials Science Forum* **702-703** (2012) 479-484.
60. Q. Chen, D. Shu, C. Hu, Z. Zhao, B. Yuan: Grain refinement in an as-cast AZ61 magnesium alloy processed by multi-axial forging under the multitemperature processing procedure, *Materials Science and Engineering A* **541** (2012) 98-104.
61. G. Faraji, M.M. Mashhadi, H.S. Kim: Microstructural evolution of UFG magnesium alloy produced by accumulative back extrusion (ABE), *Materials and Manufacturing Processes* **27** (2012) 267-272.
62. M. Zandrahimi, A. Rezvaniyar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
63. S. Biswas, D.-I. Kim, S. Suwas: Asymmetric and symmetric rolling of Magnesium: Evolution of microstructure, texture and mechanical properties, *Materials Science and Engineering A* **550** (2012) 19-30.
64. C.-Y. Lin, H.-J. Tsai, C.-G. Chao, T.-F. Liu: Effects of equal channel angular extrusion on the microstructure and high-temperature mechanical properties of ZA85 magnesium alloy, *Journal of Alloys and Compounds*, **530** (2012) 48-55.
65. W. Pachla, A. Mazur, J. Skiba, M. Kulczyk, S. Przybysz: Development of high-strength pure magnesium and wrought magnesium alloys AZ31, AZ61, and AZ91 processed by hydrostatic extrusion with back pressure, *International Journal of Materials Research* **103** (2012) 580-589.
66. W. Pachla, A. Mazur, J. Skiba, M. Kulczyk, S. Przybysz: Wrought magnesium alloys ZM21, ZW3 and WE43 processed by hydrostatic extrusion with back pressure, *Archives of Metallurgy and Materials* **57** (2012) 485-493.
67. G.R. Ebrahimi, A.R. Maldar, H. Monajati, M. Haghshenas: Hot deformation behavior of AZ91 magnesium alloy in temperature ranging from 350°C to 425°C, *Transactions of Nonferrous Metals Society of China* **22** (2012) 2066-2071.
68. S.M. FATEMI-VARZANEH, A. ZAREI-HANZAKI, and R. VAGHAR: MICROSTRUCTURAL EVOLUTION OF AZ 31 MAGNESIUM ALLOY PROCESSED BY A NEW NOBLE SEVERE PLASTIC DEFORMATION METHOD, *International Journal of Modern Physics: Conference Series* **5** (2012) 316-324.
69. P.K. Ajeet Babu, A.S. Nilawar, P. S. Vishvakarma, Biswas, S. Suwas, G. Manivasagam: Corrosion behavior of ultra fine grain pure magnesium for automotive applications, *SAE Technical Papers* (2012) DOI: 10.4271/2012-28-0016.
70. Ajeet Babu, P.K., Nilawar, A.S., Vishvakarma, P., Biswas, S., Suwas, S., Manivasagam, G.: Corrosion Behavior of Ultra Fine Grain Pure Magnesium for Automotive Applications, *SAE International Journal of Materials and Manufacturing* **6** (2012) 99-104.
71. M. Horynová, J. Zapletal, P. Dolezal, P. Gejdos: Evaluation of fatigue life of AZ31 magnesium alloy fabricated by squeeze casting, *Materials & Design* **45** (2013) 253-264.

72. G.D. Fan, M.Y. Zheng, X.S. Hu, C. Xu, K. Wu, I.S. Golovin: Effect of heat treatment on internal friction in ECAP processed commercial pure Mg, *Journal of Alloys and Compounds* **549** (2013) 38-45.
73. B. Jóni, T. Al-Samman, S.G. Chowdhury, G. Csiszár, T. Ungár: Dislocation densities and prevailing slip-system types determined by X-ray line profile analysis in a textured AZ31 magnesium alloy deformed at different temperatures, *Journal of Applied Crystallography* **46** (2013) 55-62.
74. M.A. Jabbari Taleghani, J.M. Torralba: Hot deformation behavior and workability characteristics of AZ91 magnesium alloy powder compacts – A study using processing map, *Materials Science and Engineering A* **580** (2013) 142-149.
75. Jayalakshmi, S., Dezhi, Q., Sankaranarayanan, S., Gupta, M.: Microstructure and mechanical properties of Mg-Al alloys with in situ Al<sub>4</sub>C<sub>3</sub> phase synthesised by CO<sub>2</sub> incorporation during liquid state processing, *International Journal of Microstructure and Materials Properties* **8** (2013) 283-298.
76. Y. Yuan, A. Ma, J. Jiang, F. Lu, W. Jian, D. Song, Y.T. Zhu: Optimizing the strength and ductility of AZ91 Mg alloy by ECAP and subsequent aging, *Materials Science and Engineering A*, **588** (2013) 329-334.
77. Greger, M., Záček, D.: Developing superplasticity in A AZ91 magnesium alloy through a combination of rolling, ARB and ECAP, *Manufacturing Technology* **13** (2013) 450-454.
78. R. Jahadi, M. Sedighi, H. Jahed: ECAP effect on the micro-structure and mechanical properties of AM30 magnesium alloy, *Materials Science and Engineering A*, **593** (2014) 178-184.
79. M.H. Maghsoudi, A. Zarei-Hanzaki, H.R. Abedi: Modification of the grain structure,  $\gamma$  phase morphology and texture in AZ81 Mg alloy through accumulative back extrusion, *Materials Science and Engineering A* **595** (2014) 99-108.
80. H. Jafarzadeh, K. Abrinia, A. Babaei: Repetitive Tube Expansion and Shrinking (RTES) as a novel SPD method for fabrication of nanostructured tubes, *Materials Science and Engineering A*, **596** (2014) 194-199.
81. Chen, L.L., Li, Q.-A., Xie, J.C.: Effects of Ca and Y on microstructures and mechanical properties of magnesium alloy AZ81, *Applied Mechanics and Materials* **488** (2014) 154-157.
82. A. Babaei, M.M. Mashhadi, H. Jafarzadeh: Tube Cyclic Extrusion-Compression (TCEC) as a novel severe plastic deformation method for cylindrical tubes, *Materials Science and Engineering A*, **598** (2014) 1-6.
83. Babaei, A., Mashhadi, M.M., Jafarzadeh, H.: Tube cyclic expansion-extrusion (TCEE) as a novel severe plastic deformation method for cylindrical tubes, *Journal of Materials Science* **49** (2014) 3158-3165.
84. Chen, B., Lu, C., Lin, D., Zeng, X.: Microstructural evolution and mechanical properties of Mg 95.5Y3Zn1.5 alloy processed by extrusion and ECAP, *Metals and Materials International* **20** (2014) 285-290.
85. Chai, F., Zhang, D., Li, Y.: Effect of thermal history on microstructures and mechanical properties of AZ31 magnesium alloy prepared by friction stir processing, *Materials* **7** (2014) 1573-1589.
86. Ghandehari Ferdowsi, M.R., Mazinani, M., Ebrahimi, G.R.: Effects of Hot Rolling and Inter-stage Annealing on the Microstructure and Texture Evolution in a Partially Homogenized AZ91 Magnesium Alloy, *Materials Science and Engineering A* **606** (2014) 214-227.

87. Farahat, A.I.Z., El-Morsy, A.-W., El-Bitar, T.A.: Severe plastic deformation of large-scale Nb-microalloyed steel billet by multi-directional forging process, *Steel Research International* 85 (2014) 844-850.
88. Fintová, S., Pantělejev, L., Kunz, L.: Microstructure and mechanical properties of ultrafine-grained magnesium AZ91 alloy, *Materials Science Forum* 782 (2014) 384-389.
89. Jinghui Li, Fuguo Li, Mirza Zahid Hussain, Chengpeng Wang, Lei Wang: Microstructural evolution subjected to combined tension-torsion deformation for pure copper, *Materials Science and Engineering: A*, 610 (2014) 181-187.
90. M. Zhang, L. Zhang, S. Pang, T. Zhang: Research and Application of Rapid-solidified Mg-Zn Binary Ribbons in landfill leachate treatment, *Journal of Alloys and Compounds*, 615 (2015) S595-S598.
91. Zhang, Y., Liu, T., Ding, X., Xu, S., He, J., Chen, H., Pan, F., Lu, L.: The precipitation behavior of a pretwinned Mg-6Al-1Zn alloy and the effect on subsequent deformation, *Journal of Materials Research* 29 (2014) 2141-2146.
92. Chai, F., Zhang, D.-T., Li, Y.-Y.: Effects of heat treatment on microstructure and mechanical properties of AZ91 magnesium alloy prepared by friction stir processing, *Zhongguo Yuese Jinshu Xuebao/Chinese Journal of Nonferrous Metals* 24 (2014) 2951-2960.
93. Zhang, X., Cheng, Y.: Tensile anisotropy of AZ91 magnesium alloy by equal channel angular processing, *Journal of Alloys and Compounds* 622 (2015) 1105-1109.
94. Chaubey, A.K., Scudino, S., Prashanth, K.G., Eckert, J.: Microstructure and mechanical properties of Mg-Al-based alloy modified with cerium, *Materials Science and Engineering A* 625 (2015) 46-49.
95. Nie, K.B., Deng, K.K., Wang, X.J., Xu, F.J., Wu, K., Zheng, M.Y.: Multidirectional forging of AZ91 magnesium alloy and its effects on microstructures and mechanical properties, *Materials Science and Engineering A* 624 (2015) 157-168.
96. del Valle, J.A., Rey, P., Gesto, D., Verdera, D., Jiménez, J.A., Ruano, O.A.: Mechanical properties of ultra-fine grained AZ91 magnesium alloy processed by friction stir processing, *Materials Science and Engineering A* 628 (2015) 198-206.
97. Sepahi-Boroujeni, S., Fereshteh-Saniee, F.: The influences of the expansion equal channel angular extrusion operation on the strength and ductility of AZ80 magnesium alloy, *Materials Science and Engineering A* 636 (2015) 249-253.
98. Maury, N., Zhang, N.X., Huang, Y., Zhilyaev, A.P., Langdon, T.G.: A critical examination of pure tantalum processed by high-pressure torsion, *Materials Science and Engineering A* 638 (2015) 174-182.
99. Liu, X; Le, QC; Zhang, ZQ; Bao, L; Cui, JZ: Effects of Nd/Gd ratio on the microstructures and mechanical properties of Mg-Gd-Y-Nd-Zr alloys, *INDIAN JOURNAL OF ENGINEERING AND MATERIALS SCIENCES* 22 (2015) 14-22.
100. Pantělejev, L., Štěpánek, R., Man, O.: Thermal stability of bimodal microstructure in magnesium alloy AZ91 processed by ECAP, *Materials Characterization* 107 (2015) 167-173.
101. Kubatík, T.F., Pala, Z., Neufuss, K., Vilémová, M., Mušálek, R., Stouřil, J., Slepíčka, P., Chráska, T.: Metallurgical bond between magnesium AZ91 alloy and aluminium plasma sprayed coatings, *Surface and Coatings Technology* 282 (2015) 163-170.
102. Abaspour, S., Cáceres, C.H.: Thermodynamics-Based Selection and Design of Creep-Resistant Cast Mg Alloys, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 5972-5988.

103. Wang, H.-Y., Yu, Z.-P., Zhang, L., Liu, C.-G., Zha, M., Wang, C., Jiang, Q.-C.: Achieving high strength and high ductility in magnesium alloy using hard-plate rolling (HPR) process, *Scientific Reports* 5 (2015) 17100.
104. Bae, S.-H., Jung, K.H., Shin, Y.-C., Yoon, D.J., Kawasaki, M.: Development of mechanical properties in a CaO added AZ31 magnesium alloy processed by equal-channel angular pressing, *Materials Characterization* 112 (2016) 105-112.
105. Al-Zubaydi, A.S.J., Zhilyaev, A.P., Wang, S.C., Kucita, P., Reed, P.A.S.: Evolution of microstructure in AZ91 alloy processed by high-pressure torsion, *Journal of Materials Science* 51 (2016) 3380-3389.
106. Reshadi, F., Faraji, G., Aghdamifar, S., Yavari, P., Mashhadi, M.M.: Deformation speed and temperature effects on magnesium AZ91 during tubular channel angular pressing, *Materials Science and Technology (United Kingdom)* 31 (2015) 1879-1885.
107. Wang, M., Lu, L., Li, C., Xiao, X.H., Zhou, X.M., Zhu, J., Luo, S.N.: Deformation and spallation of a magnesium alloy under high strain rate loading, *Materials Science and Engineering A* 661 (2016) 126-131.
108. Guan, RG; Shen, YF; Zhao, ZY; Misra, RDK: Nanoscale precipitates strengthened lanthanum-bearing Mg-3Sn-1Mn alloys through continuous rheo-rolling, *SCIENTIFIC REPORTS* 6 (2016) Article Number: 23154
109. Chen, H., Liu, T., Hou, D., Shi, D.: Improving the mechanical properties of a hot-extruded AZ31 alloy by {10 1 2} twinning lamella, *Journal of Alloys and Compounds* 680 (2016) 191-197.
110. Chai, F., Zhang, D., Li, Y.: Microstructures and tensile properties of submerged friction stir processed AZ91 magnesium alloy, *Journal of Magnesium and Alloys* 3 (2015) 203-209.
111. Torabzadeh, H.; Faraji, G.; Zalnezhad, E.: Cyclic Flaring and Sinking (CFS) as a New Severe Plastic Deformation Method for Thin-walled Cylindrical Tubes, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* 69 (2016) 1217-1222.
112. Tang, L., Zhao, Y., Islamgaliev, R.K., Tsao, C.Y.A., Valiev, R.Z., Lavernia, E.J., Zhu, Y.T.: Enhanced strength and ductility of AZ80 Mg alloys by spray forming and ECAP, *Materials Science and Engineering A* 670 (2016) 280-291.
113. Zhang, X., Liu, X., Wang, J., Cheng, Y., Effect of route on tensile anisotropy in equal channel angular pressing, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 65-72
114. Yuan, Y., Ma, A., Gou, X., Jiang, J., Arhin, G., Song, D., Liu, H.: Effect of heat treatment and deformation temperature on the mechanical properties of ECAP processed ZK60 magnesium alloy, *Materials Science and Engineering A*, Volume 677, 20 November 2016, Pages 125-132
115. Khani, S., Aboutalebi, M.R., Salehi, M.T., Samim, H.R., Palkowski, H.: Microstructural development during equal channel angular pressing of as-cast AZ91 alloy, *Materials Science and Engineering A*, Volume 678, 15 December 2016, Pages 44-56
116. Asgari, M; Fereshteh-Saniee, F; Pezeshki, SM; Barati, M, Non-equal channel angular pressing (NECAP) of AZ80 Magnesium alloy: Effects of process parameters on strain homogeneity, grain refinement and mechanical properties, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING*, Volume: 678, Pages: 320-328, Published: DEC 15 2016

117. Ma, AB; Lu, FM; Zhou, Q; Jiang, JH; Song, D; Chen, JQ; Zheng, YX, Formation and Corrosion Resistance of Micro-Arc Oxidation Coating on Equal-Channel Angular Pressed AZ91D Mg Alloy, METALS, Volume: 6, Article Number: 308, 2016
118. Fata, A.; Faraji, G.; Mashhadi, M. M.; Abdolvand, H, Evaluation of Hot Tensile Behavior of Fine-Grained Mg-9Al-1Zn Alloy Tube Processed by Severe Plastic Deformation, TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS Volume: 70 Issue: 5 Pages: 1369-1376 Published: JUL 2017
119. Chang, Pei-Shan; Chao, Chuen-Guang; Liu, Tzeng-Feng, Stress Corrosion Behavior of Mg-2 mass% Sn Alloy by Equal-Channel Angular Extrusion, MATERIALS TRANSACTIONS Volume: 58 Issue: 4 Pages: 543-548 Published: 2017
120. Jia, J., Xu, Y., Yang, Y., Chen, C., Liu, W., Hu, L., Luo, J., Microstructure evolution of an AZ91D magnesium alloy subjected to intense plastic straining, Journal of Alloys and Compounds, Volume 721, 15 October 2017, Pages 347-362
121. Kashi, H.T., Bahrami, M., Karami, J.S., Faraji, G., Microstructure and mechanical properties of the ultrafine-grained copper tube produced by severe plastic deformation, Iranian Journal of Materials Science and Engineering, 2017, 14(2), pp. 32-40
122. Jahadi, R.; Sedighi, M.; Jahed, H., Effects of aluminum and copper cover tube casing on the ECAP process of AM30 magnesium alloy, MATERIALS AND MANUFACTURING PROCESSES Volume: 32 Issue: 12 Pages: 1375-1383 Published: 2017
123. Xue, Y; Yang, ZH; Zhang, ZM; Wu, YJ; Li, H, Microstructure and Mechanical Properties of AZ80 Magnesium Alloy by Cyclic Expansion-extrusion Processing, RARE METAL MATERIALS AND ENGINEERING, Volume: 46, Pages: 1983-1988, 2017
124. Liu, D., Bian, M.Z., Zhu, S.M., Chen, W.Z., Liu, Z.Y., Wang, E.D., Nie, J.F., Microstructure and tensile properties of Mg-3Al-1Zn sheets produced by hot-roller-cold-material rolling, Materials Science and Engineering A Volume 706, 26 October 2017, Pages 304-310
125. Minárik, P., Veselý, J., Král, R., Bohlen, J., Kubásek, J., Janeček, M., Stráská, J., Exceptional mechanical properties of ultra-fine grain Mg-4Y-3RE alloy processed by ECAP, Materials Science and Engineering A, Volume 708, 21 December 2017, Pages 193-198
126. Najafi, S., Eivani, A.R., Samaee, M., Jafarian, H.R., Zhou, J., A comprehensive investigation of the strengthening effects of dislocations, texture and low and high angle grain boundaries in ultrafine grained AA6063 aluminum alloy, 2018, Materials Characterization, 136, pp. 60-68
127. Rong, J., Wang, P.-Y., Zha, M., Wang, C., Xu, X.-Y., Wang, H.-Y., Jiang, Q.-C., Development of a novel strength ductile Mg-7Al-5Zn alloy with high superplasticity processed by hard-plate rolling (HPR), Journal of Alloys and Compounds Volume 738, 2018, Pages 246-254
128. Jiang, JH; Yuan, T; Shi, J; Zhang, LL; Ma, AB; Song, D, Enhanced Impact Toughness at Ambient Temperatures of Ultrafine-Grained Al-26 wt.% Si Alloy Produced by Equal-Channel Angular Pressing, JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE, Volume: 27, Issue: 5, Pages: 2131-2137, 2018
129. Vinogradov, Alexei; Serebryany, Vladimir N.; Dobatkin, Sergey V., Tailoring Microstructure and Properties of Fine Grained Magnesium Alloys by Severe Plastic

Deformation, *ADVANCED ENGINEERING MATERIALS* Volume: 20 Issue: 4  
Article Number: 1700785 Published: APR 2018

130. Chalay-Amoly, A.; Zarei-Hanzaki, A.; Fatemi, S. M., MICROSTRUCTURE AND MECHANICAL PROPERTIES OF AN AZ91 MAGNESIUM ALLOY PROCESSED THROUGH BACKWARD EXTRUSION, *ARCHIVES OF METALLURGY AND MATERIALS* Volume: 63 Issue: 1 Pages: 149-157 Published: 2018
131. Zha, M., Zhang, X.H., Zhang, H., Yao, J., Wang, C., Wang, H.Y., Feng, T.T., Jiang, Q.C., Achieving bimodal microstructure and enhanced tensile properties of Mg–9Al–1Zn alloy by tailoring deformation temperature during hard plate rolling (HPR), *Journal of Alloys and Compounds*, Volume 765, 15 October 2018, Pages 1228-1236
132. Sun, J., Yang, Z., Han, J., Liu, H., Song, D., Jiang, J., Ma, A., High strength and ductility AZ91 magnesium alloy with multi-heterogenous microstructures prepared by high-temperature ECAP and short-time aging, *Materials Science and Engineering A*, Volume 734, 12 September 2018, Pages 485-490
133. Fang, Z.-W., Xiao, Z.-Y., Zhang, D.-X., Ying, Y., Yang, X.-Y., Dynamic precipitation and its effect on grain refinement and mechanical properties in AZ61 Mg alloy during multi-directional forging under decreasing temperature conditions, 2018, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals*, 28(2), pp. 223-232

B. Baretzky, M. D. Baró, G. P. Grabovetskaya, J. Gubicza, M. B. Ivanov, Yu. R. Kolobov, T. G. Langdon, J. Lendvai, A. G. Lipnitskii, A. A. Mazilkin, A. A. Nazarov, J. Nogués, I. A. Ovidko, S. G. Protasova, G. I. Raab, Á. Révész, J. Sort, M. J. Starink, B. B. Straumal, S. Suriñach, T. Ungár, A. P. Zhilyaev: Fundamentals of interface phenomena in advanced bulk nanoscale materials, *Rev. Adv. Mater. Sci.* **9** (2005) 45-108.

1. C. Q. Sun: Size dependence of nanostructures: Impact of bond order deficiency, *Progress in Solid State Chemistry*, **35** (2007) 1-159.
2. G. Ji, T. Grosdidier, F. Bernard, S. Paris, E. Gaffet, S. Launois: Bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering, *Journal of Alloys and Compounds* **434-435** (2007) 358-361.
3. J. Ghosh, S. Mazumdar, M. Das, S. Ghatak, A.K. Basu: Microstructural characterization of amorphous and nanocrystalline boron nitride prepared by high-energy ball milling, *Materials Research Bulletin* **43** (2008) 1023-1031.
4. M. Liu, H.J. Roven, Y. Yu, J.C. Werenskiold: Deformation structures in 6082 aluminium alloy after severe plastic deformation by equal-channel angular pressing, *Mater. Sci. Eng. A* **483-484** (2008) 59-63.
5. D. Manciola, I.O. Marian, B.R.H. Misca: NANO- AND MICROPARTICLE DISTRIBUTION ON SOLID AND FLEXIBLE SUBSTRATES - PART I, *STUDIA UNIVERSITATIS BABES-BOLYAI CHEMIA* **53** (2008) 49-54.
6. W. Li, W. Xu, X. Wang, Y. Rong: Measurement of microstructural parameters of nanocrystalline Fe–30 wt.%Ni alloy produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **474** (2009) 546-550.
7. W. Li, P. Liu, F.C. Ma, Y.H. Rong: Microstructural characterization of nanocrystalline nickel produced by surface mechanical attrition treatment, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2925-2930.
8. S. Kumar, M.A. Haque, H. Gao: Notch insensitive fracture in nanoscale thin films, *Applied Physics Letters* **94** (2009) art. no. 253104.

9. Y.P. Sharkeev, E.V. Legostaeva, A.Y. Eroshenko, I.A. Khlusov, O.A. Kashin: The Structure and Physical and Mechanical Properties of a Novel Biocomposite Material, Nanostructured Titanium-Calcium-Phosphate Coating, *COMPOSITE INTERFACES* **16** (2009) 535-546.
10. R. Esparza, J. Ayala, C. Ángeles-Chávez, G. Rosas, R. Pérez: Structural transformations of Boron Nitride powders obtained by mechanical milling process, *Advanced Materials Research* **68** (2009) 101-108.
11. J. Tiza, T. Kvackaj, M. Lupták: The measurement and the interpretation of the force parameters during ECAP process, *Acta Metallurgica Slovaca* **4** (2009) 241-247.
12. Csanády Andrásné: Nagymértékű képlékeny alakítás (SPD), in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, 2009, pp. 114-118., ISBN: 9789 6328 4053 6.
13. M.A. Haque, H.D. Espinosa, H.J. Lee: MEMS for In Situ Testing-Handling, Actuation, Loading, and Displacement Measurements, *MRS BULLETIN* **35** (2010) 375-381.
14. Q.W. Wang, G.H. Fan, L. Geng, J. Zhang, Y.Z. Zhang: Wide stacking fault of aluminum for multilayered TiB<sub>2</sub>/Al-Ni composite by roll bonding process, *Materials Science and Engineering A* **534** (2012) 609-613.
15. S. Shekhar, S. Abolghasem, S. Basu, J. Cai, MR. Shankar: Effect of Severe Plastic Deformation in Machining Elucidated via Rate-Strain-Microstructure Mappings, *JOURNAL OF MANUFACTURING SCIENCE AND ENGINEERING-TRANSACTIONS OF THE ASME* **134** (2012) Number: 031008.
16. M. Cabibbo: Microstructure strengthening mechanisms in different Equal Channel Angular Pressed aluminum alloys, *Materials Science and Engineering A* **560** (2013) 413-432.
17. G.K. Rane, U. Welzel, S.R. Meka, E.J. Mittemeijer: Non-monotonic lattice parameter variation with crystallite size in nanocrystalline solids, *Acta Materialia* **61** (2013) 4524-4533.
18. Cabibbo, M., Mechanical Properties and Dislocation Boundary Mechanisms during Equal-Channel Angular Pressing (ECAP), Book Chapter, in: *Handbook of Mechanical Nanostructuring*, 2015, 1, pp. 143-162
19. Liu, WB; Ji, YZ; Tan, PK; Zang, H; He, CH; Yun, D; Zhang, C; Yang, ZG: Irradiation Induced Microstructure Evolution in Nanostructured Materials: A Review, *MATERIALS* **9** (2016) Article Number: UNSP 105
20. Zhao, Y.H., Zhu, Y.T., Lattice expansion and grain boundary excess volume of nanocrystalline Se prepared by mechanical milling, *Reviews on Advanced Materials Science*, Volume 48, Issue 1, 2017, Pages 52-61

J. Gubicza, L. Balogh, R. J. Hellmig, Y. Estrin and T. Ungár: Dislocation structure and crystallite size in severely deformed copper by X-ray peak profile analysis, *Mater. Sci. Eng. A* **400–401** (2005) 334-338.

1. C. C. Koch, K. M. Youssef, R. O. Scattergood, K. L. Murty: Artefact-free bulk nanocrystalline grain size (<100 nm) materials: the processing challenge, *Ultrafine Grained Materials IV*. Edited by Y. T. Zhu, T. G. Langdon, Z Horita, M. J. Zehetbauer, S.L. Semiatin, and T. C. Lowe. TMS (The Minerals, Metals & Materials Society), 2006, pp. 3-10.

2. Y.-B. Chen, J.-L. Zhao, Y.-L. Li, D. Song, J.-L. Wen: Preparation of ultrafine grained aluminium by continuous equal channel angular pressing, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* **16** (2006) 2054-2059.
3. F.H. Dalla Torre, A.A. Gazder, E.V. Pereloma, C.H.J. Davies: Recent progress on the study of the microstructure and mechanical properties of ECAE copper, *Journal of Materials Science* **42** (2007) 1622-1637.
4. F.H. Dalla Torre, A.A. Gazder, C.F. Gu, C.H.J. Davies, E.V. Pereloma: Grain size, misorientation, and texture evolution of copper processed by equal channel angular extrusion and the validity of the Hall-Petch relationship *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38** (2007) 1080-1095.
5. F.H. Dalla Torre, A.A. Gazder, E.V. Pereloma, C.H.J. Davies: Recent progress on the study of the microstructure and mechanical properties of ECAE copper, *Journal of Materials Science* **42** (2007) 9097-9111.
6. L. Gao, X. Cheng: Microstructure and mechanical properties of Cu–10%Al–4%Fe alloy produced by equal channel angular extrusion, *Materials & Design* **29** (2008) 904-908.
7. J. May, M. Dinkel, D. Amberger, H.W. Höppel, M. Göken: Mechanical properties, dislocation density and grain structure of ultrafine-grained aluminum and aluminum-magnesium alloys, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38 A** (2007) 1941-1945.
8. J. May, D. Amberger, M. Dinkel, H.W. Höppel and M. Göken: Monotonic and cyclic deformation behaviour of ultrafine-grained aluminium, *Materials Science and Engineering A* **483-484** (2008) 481-484.
9. M. Huller J. Vlcek, M. Dinkel, H.W. Hoppel, M. Goken: Hardening and thermal stability of nanocrystalline AlMg<sub>4.8</sub> powder, *Phil. Mag.* **88** (2008) 1209-1226.
10. N. Gao: Applications of Differential Scanning Calorimetry on Materials Subjected by Severe Plastic Deformation, *Mater. Sci. Forum* **584-586** (2008) 255-260.
11. M.R. Movaghar Garabagh, S. Hossein Nedjad, H. Shirazi, M. Iranpour Mobarekeh, M. Nili Ahmadabadi: X-ray diffraction peak profile analysis aiming at better understanding of the deformation process and deformed structure of a martensitic steel, *Thin Solid Films* **516** (2008) 8117-8124.
12. M.R. Movaghar Garabagh, S. Hossein Nedjad, M. Nili Ahmadabadi: X-ray diffraction study on a nanostructured 18Ni maraging steel prepared by equal-channel angular pressing, *Journal of Materials Science* **43** (2008) 6840-6847.
13. L.-L. Gao, X.-H.Cheng: Microstructure and tribological properties of aluminum bronze alloy produced by equal channel angular extrusion, *Shanghai Jiaotong Daxue Xuebao/Journal of Shanghai Jiaotong University* **42** (2008) 1420-1423+1428.
14. Y. Zhang, J.T. Wang, C. Cheng, J. Liu: Stored energy and recrystallization temperature in high purity copper after equal channel angular pressing, *J. Mater. Sci.* **43** (2008) 7326-7330.
15. N. Gao, M.J. Starink, T.G. Langdon: Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation, *MATERIALS SCIENCE AND TECHNOLOGY*, **25** (2009) 687-698.
16. D.J. Barber, H.-R. Wenk, G. Hirth, D.L. Kohlstedt: Dislocations in Minerals, In: J. P. Hirth and L. Kubin, editors: *Dislocations in Solids*, Vol 16, Chapter 95, Elsevier B.V., The Netherlands: North-Holland, ISBN:978-0-444-53285-5, (2010), pp. 171-232.
17. T.L. Brown, C. Saldana, T.G. Murthy, J.B. Mann, Y. Guo, L.F. Allard, A.H. King, W. D. Compton, K.P. Trumble, S. Chandrasekar: A study of the interactive effects

- of strain, strain rate and temperature in severe plastic deformation of copper, *Acta Materialia* **57** (2009) 5491-5500.
18. P. Mukherjee, A. Sarkar, M. Bhattacharya, N. Gayathri, P. Barat: Post-irradiated microstructural characterisation of cold-worked SS316L by X-ray diffraction technique, *Journal of Nuclear Materials* **395** (2009) 37-44.
  19. C.F. Gu, C.H.J. Davies: Thermal stability of ultrafine-grained copper during high speed micro-extrusion, *Materials Science and Engineering A*, **527** (2010) 1791-1799.
  20. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of ECAE-processed ultrafine-grained copper, *Proceedings of the ASME International Manufacturing Science and Engineering Conference 2009, MSEC2009, West Lafayette, USA, October 4-7, 2009, ISBN: 978-079184362-8, Vol. 2* (2009) 47-56.
  21. Y. Huang, M. Morehead: Study of machining-induced microstructure variations of nanostructured/ultrafine-grained copper using XRD, *Journal of Engineering Materials and Technology, Transactions of the ASME*, **133** (2011) 021007.
  22. S.H. Nedjad, F.H. Nasab, M.R.M. Garabagh, S.R. Damadi, M.N. Ahmadabadi: X-Ray Diffraction Study on the Strain Anisotropy and Dislocation Structure of Deformed Lath Martensite, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **42A** (2011) 2493-2497.
  23. P. Venkatachalam, S. Roy, B. Ravisankar, V.T. Paul, M. Vijayalakshmi, S. Suwas: Texture evolution in an Al-Cu alloy during equal channel angular pressing: the effect of starting microstructure, *Journal of Materials Science* **46** (2011) 6518-6527.
  24. F. Yan, H.W. Zhang, N.R. Tao, K. Lu: Quantifying the Microstructures of Pure Cu Subjected to Dynamic Plastic Deformation at Cryogenic Temperature, *Journal of Materials Science and Technology* **27** (2011) 673-679.
  25. X.Y. Yang, Z.L. Zhang, J. Wang, J. Qin, Z.Y. Chen: PREPARATION OF ULTRAFINE-GRAINED COPPER ALLOY BY ANNEALING TREATMENT AFTER MULTI-DIRECTIONAL COMPRESSION, *ACTA METALLURGICA SINICA* **47** (2011) 1561-1566.
  26. B. Tolaminejad, K. Dehghani: Microstructural characterization and mechanical properties of nanostructured AA1070 aluminum after equal channel angular extrusion, *Materials & Design* **34** (2012) 285-292.
  27. X.-T. Luo, C.-J. Li: Thermal Stability of Microstructure and Hardness of Cold-Sprayed cBN/NiCrAl Nanocomposite Coating, *JOURNAL OF THERMAL SPRAY TECHNOLOGY* **21** (2012) 578-585.
  28. M. Zandrahimi, A. Rezvaniyar: The influence of dry sliding on precipitation hardening behaviors of Al-Cu-Si alloy, *Iranian Journal of Materials Science and Engineering* **9** (2012) 42-50.
  29. A. Sarkar, S. Suwas, D. Goran, J.J. Fundenberger, L.S. Toth, T. Grosdidier: Equal channel angular pressing processing routes and associated structure modification: a differential scanning calorimetry and X-ray line profile analysis, *POWDER DIFFRACTION* **27** (2012) 194-199.
  30. Y. Miyajima, H. Abe, T. Fujii, S. Onaka, M. Kato: Effects of Si on mechanical properties and microstructure evolution in ultrafine-grained Cu-Si alloys processed by accumulative roll bonding, *Acta Materialia* **61** (2013) 1537-1544.
  31. C. Aguilar, D. Guzman, S. Ordonez, P.A. Rojas: Estimation of energy distribution in mechanical alloying of the systems Cu-3wt.%Cr and Cu-3wt.%Mo, *Revista Latinoamericana de Metalurgia y Materiales* **33** (2013) 74-81.

32. W. Li, P. Liu, Y. Zhao, F. Ma, X. Liu, X. Chen, D. He: SiN<sub>x</sub> thickness dependent morphology and mechanical properties of CrAlN/SiN<sub>x</sub> nanomultilayers, *Thin Solid Films* **534** (2013) 367-372.
33. W.-S. Lee, C.-W. Chen: High temperature impact properties and dislocation substructure of Ti-6Al-7Nb biomedical alloy, *Materials Science and Engineering A* **576** (2013) 91-100.
34. W.-S. Lee, C.-W. Chen: Dynamic mechanical properties and microstructure of Ti-6Al-7Nb biomedical alloy as function of strain rate, *MATERIALS SCIENCE AND TECHNOLOGY* **29** (2013) 1055-1064.
35. W.-S. Lee, Z.-C. Tang: High Temperature Impact Deformation and Dislocation Substructure of 6061-T6 Aluminum Alloy, *JOURNAL OF THE CHINESE SOCIETY OF MECHANICAL ENGINEERS* **34** (2013) 263-270.
36. Larbi, F.H., Abib, K., Khereddine, Y., Alili, B., Kawasaki, M., Bradai, D., Langdon, T.G.: DSC analysis of an ecap-deformed Cu-Ni-Si alloy, 22nd International Conference on Metallurgy and Materials, METAL 2013; Hotel Voronez IBRno; Czech Republic; 15 May 2013 through 17 May 2013; 2013, Pages 1455-1460.
37. Woei-Shyan Lee, Hao-Chien Kao: High temperature deformation behaviour of Haynes 188 alloy subjected to high strain rate loading, *Materials Science and Engineering A*, 594 (2014) 292-301.
38. Chengpeng Wang, Fuguo Li, Jinghui Li, Junzhe Dong, Fengmei Xue: Microstructure evolution, hardening and thermal behavior of commercially pure copper subjected to torsion deformation, *Materials Science and Engineering A*, 598 (2014) 7-14.
39. Khodabakhshi, F., Kazeminezhad, M.: Differential scanning calorimetry study of constrained groove pressed low carbon steel: Recovery, recrystallisation and ferrite to austenite phase transformation, *Materials Science and Technology (United Kingdom)* **30** (2014) 765-773.
40. Marulanda, D.M., Cuellar, J., Rojas, C., Acosta, L.M.: Microstructure and mechanical properties of cold drawn AISI 1016 steel processed by ECAP, *Universitas Scientiarum* **19** (2014) 139-146.
41. Matej, Z; Kadlecova, A; Janecek, M; Matejova, L; Dopita, M; Kuzel, R: Refining bimodal microstructure of materials with MSTRUCT, *POWDER DIFFRACTION* **29** (2014) S35-S41.
42. Shen, T.D., Xin, S.W., Sun, B.R.: Influence of annealing on the mechanical property of iron- and nickel-based nanocrystalline alloys, *Materials Science and Engineering A* **627** (2015) 139-144.
43. Hörnqvist, M., Mortazavi, N., Halvarsson, M., Ruggiero, A., Iannitti, G., Bonora, N.: Deformation and texture evolution of OFHC copper during dynamic tensile extrusion, *Acta Materialia* **89** (2015) 163-180.
44. Ahn, D.-H., Kim, W., Yoon, E.Y., Kim, H.S.: Compressibility of hierarchic-architected agglomerates of hydrogen-reduced copper nanopowders, *Journal of Materials Science* **51** (2016) 82-95.
45. Huang, Y., Sabbaghianrad, S., Almazrouee, A.I., Al-Fadhlah, K.J., Alhajeri, S.N., Langdon, T.G.: The significance of self-annealing at room temperature in high purity copper processed by high-pressure torsion, *Materials Science and Engineering A* **656** (2016) 55-66.
46. Mortazavi, N; Bonora, N; Ruggiero, A; Colliander, MH: Dynamic Recrystallization During High-Strain-Rate Tension of Copper, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **47A** (2016) 2555-2559.

47. Tolaminejad, B., Hoseini-Athar, M.M.: An investigation of microstructure and mechanical properties during ECAE of commercially pure aluminum, *Materials Science and Engineering A* **670** (2016) 146-152.
48. Forouzanmehr, Nazanin; Nili-Ahmadabadi, Mahmoud; Boenisch, Matthias: The analysis of severely deformed pure Fe structure aided by X-ray diffraction profile, *PHYSICS OF METALS AND METALLOGRAPHY* Volume: 117, Pages: 624-633, 2016
49. Parvin, H.; Kazeminezhad, M.: Modelling the temperature rise effect through high-pressure torsion, *MATERIALS SCIENCE AND TECHNOLOGY* Volume: 32 Issue: 12 Pages: 1218-1222 Published: 2016
50. Mansourzadeh, S., Hosseini, M., Salahinejad, E., Yaghtin, A.H., Cu-(B4C)p metal matrix composites processed by accumulative roll-bonding, *Progress in Natural Science: Materials International*, Volume 26, Issue 6, 1 December 2016, Pages 613-620
51. Lee, Woei-Shyan; Liang, Pao-Ting, Constitutive Modelling of Impact Flow Behaviour of 7075-T6 Aluminium Alloy, *JOURNAL OF THE CHINESE SOCIETY OF MECHANICAL ENGINEERS* Volume: 37 Issue: 6 Pages: 547-554 Published: DEC 2016
52. Tolaminejad, B., Hoseini Athar, M.M., Arabi, H., Karimi Taheri, A., Enhanced grain refinement of commercial pure copper using the ECAE of Al–Cu–Al tri-layer composite, *Engineering Science and Technology, an International Journal*, Volume 19, Issue 1, 1 March 2016, Pages 254-259
53. Mehdi, B., Kherrouba, N., Doufana, S., Badji, R., Alili, B., Evolution of the microstructural parameters of cold work ti-6-al-4v alloy, 2017, *Acta Metallurgica Slovaca*, 23(4), pp. 313-318
54. Padap, Aditya Kumar; Dwivedi, Ankit; Kumar, Narendra, Mechanical behaviour and thermal stability of multi-axially compressed copper, *MATERIALS RESEARCH EXPRESS* Volume: 5 Issue: 1 Article Number: 016502 Published: JAN 2018
55. Wu, S.H., Zhang, P., Shao, D., Cheng, P.M., Kuang, J., Wu, K., Zhang, J.Y., Liu, G., Sun, J., Grain size-dependent Sc microalloying effect on the yield strength-pitting corrosion correlation in Al-Cu alloys, *Materials Science and Engineering A*, Volume 721, 4 April 2018, Pages 200-214
56. Jiang, S.Y., Wang, R.H., Manipulating nanostructure to simultaneously improve the electrical conductivity and strength in microalloyed Al-Zr conductors, 2018, *Scientific Reports*, 8(1),6202

T. Ungár, G. Tichy, J. Gubicza, R. J. Hellmig: Correlation between subgrains and coherently-scattering-domains, *Powder Diffraction* **20** (2005) 366-375.

1. M.A. Kojdecki, E. Ruiz De Sola, F.J. Serrano, E. Delgado-Pinar, M.M. Reventós, V.J. Esteve, J.M. Amigó, J. Alarcón: Microstructural evolution of mullites produced from single-phase gels, *Journal of Applied Crystallography* **40** (2007) 260-276.
2. E. Schafler and M.B. Kerber: Microstructural investigation of the annealing behaviour of high-pressure torsion (HPT) deformed copper, *Mater. Sci. Eng. A*, **462** (2007) 139-143.
3. D. Rafaja, C. Wustefeld, M. Dopita, M. Ruzicka, V. Klemm, G. Schreiber, D. Heger, M. Sima: Internal structure of clusters of partially coherent nanocrystallites in Cr–Al–N and Cr–Al–Si–N coatings, *Surface and Coatings Technology* **201** (2007) 9476-9484.

4. D. Rafaja, M. Dopita, M. Masimov, V. Klemm, N. Wendt, W. Lengauer: Analysis of local composition gradients in the hard-phase grains of cermets using a combination of X-ray diffraction and electron microscopy, *International Journal of Refractory Metals and Hard Materials* **26** (2008) 263-275.
5. J. Wosik, R. Sonnleitner, G.E. Nauer: Characterisation of the materials and coatings microstructure using FIB and Ar<sup>+</sup>-ION etching, *Praktische Metallographie/Practical Metallography* **44** (2007) 372-384.
6. O. M. Barabash, R. I. Barabash, G. E. Ice, S. A. David, Z. Feng, J. Horton: X-ray microbeam characterization of the near surface nanostructured layer in Ti after friction stir processing, *Rev. Adv. Mater. Sci.* **15** (2007) 49-55.
7. A.P. Zhilyaev, A.A. Gimazov, E.P. Soshnikova, Á. Révész, T.G. Langdon: Microstructural characteristics of nickel processed to ultrahigh strains by high-pressure torsion, *Mater. Sci. Eng. A* **489** (2008) 207-212.
8. W. Li, W. Xu, X. Wang, Y. Rong: Measurement of microstructural parameters of nanocrystalline Fe–30 wt.%Ni alloy produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **474** (2009) 546-550.
9. A. Beck, A. Horváth, Gy. Stefler, R. Katona, O. Geszti, Gy. Tolnai, L.F. Liotta, L. Guzzi: Formation and structure of Au/TiO<sub>2</sub> and Au/CeO<sub>2</sub> nanostructures in mesoporous SBA-15, *Catalysis Today* **139** (2008) 180-187.
10. Y. Zhong, D. Ping, X. Song, F. Yin: Determination of grain size by XRD profile analysis and TEM counting in nano-structured Cu, *Journal of Alloys and Compounds* **476** (2009) 113-117.
11. Sreetama Dutta, S. Chattopadhyay, A. Sarkar, Mahuya Chakrabarti, D. Sanyal, D. Jana: Role of defects in tailoring structural, electrical and optical properties of ZnO, *Progress in Materials Science* **54** (2009) 89-136.
12. D. Rafaja, V. Klemm, C. Wustefeld, M. Motylenko, M. Dopita M. Schwarz, T. Barsukova, E. Kroke: Interference phenomena in nanocrystalline materials and their application in the microstructure analysis, *ZEITSCHRIFT FÜR KRISTALLOGRAPHIE* Suppl. 27 (2008) 15-26.
13. W. Li, P. Liu, F.C. Ma, Y.H. Rong: Microstructural characterization of nanocrystalline nickel produced by surface mechanical attrition treatment, *JOURNAL OF MATERIALS SCIENCE* **44** (2009) 2925-2930.
14. M. Shaarbaf, M.R. Toroghinejad: Evaluation of Texture and Grain Size of Nanograined Copper Produced by the Accumulative Roll Bonding Process, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **40A** (2009) 1693-1700.
15. G. Saada and G. Dirras, Mechanical Properties of Nanograined Metallic Polycrystals. In: J. P. Hirth and L. Kubin, editors: *Dislocations in Solids*, Vol 15, Chapter 90, Elsevier B.V., The Netherlands: North-Holland, ISBN:978-0-444-53285-5, (2009), pp. 199-248.
16. Csanády Andrásné: Nanoszerkezetek határfelületei és határfelületeken kialakuló nanoszerkezetek, in: *Bevezetés a nanoszerkezetű anyagok világába*, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 57-61., ISBN: 9789 6328 4053 6.
17. Csanády Andrásné: Nagymértékű képlékeny alakítás (SPD), in: *Bevezetés a nanoszerkezetű anyagok világába*, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 114-118., ISBN: 9789 6328 4053 6.
18. Sajó István: Nanokristályos anyagok röntgendiffrakciós vizsgálata, in: *Bevezetés a nanoszerkezetű anyagok világába*, (szerk.. Csanády Andrásné, Kálmán Erika,

- Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 148-152., ISBN: 9789 6328 4053 6.
19. M. Dopita, M. Janecek, R. Kuzel, H.J. Seifert, S. Dobatkin: Microstructure evolution of CuZr polycrystals processed by high-pressure torsion, *JOURNAL OF MATERIALS SCIENCE* **45** (2010) 4631-4644.
  20. W. Li, P. Liu, F. Ma, X. Liu, Y. Rong: High-temperature surface alloying of nanocrystalline nickel produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **509** (2011) 518-522.
  21. A. Yazdani, E. Salahinejad: Evolution of reinforcement distribution in Al-B4C composites during accumulative roll bonding, *Materials & Design* **32** (2011) 3137-3142.
  22. M. Samadi Khoshkhoo, S. Scudino, J. Thomas, K.B. Surreddi, J. Eckert: Grain and crystallite size evaluation of cryomilled pure copper, *Journal of Alloys and Compounds* **509** (2011) S343-S347.
  23. Z.J. Fan, Z.F. Song, D.W. Xiao, B. Chen: XRD LINE PROFILE ANALYSIS OF LY12 ALUMINUM ALLOY UNDER DYNAMIC COMPRESSIVE EXPERIMENT, *ACTA METALLURGICA SINICA* **47** (2011) 559-565.
  24. B. Akbari, M.P. Tavandashti, M. Zandrahimi: Particle size characterization of nanoparticles- a practical approach, *Iranian Journal of Materials Science and Engineering* **8** (2011) 48-56.
  25. S. Murugesan, P. Kuppusami, E. Mohandas, M. Vijayalakshmi: X-ray diffraction Rietveld analysis of cold worked austenitic stainless steel, *Materials Letters* **67** (2012) 173-176.
  26. R. Jamaati, M.R. Toroghinejad, J. Dutkiewicz, J.A. Szpunar: Investigation of nanostructured Al/Al<sub>2</sub>O<sub>3</sub> composite produced by accumulative roll bonding process, *Materials & Design* **35** (2012) 37-42.
  27. T. Mayer, L. Balogh, C. Solenthaler, E. Müller Gubler, S.R. Holdsworth: Dislocation density and sub-grain size evolution of 2CrMoNiWV during low cycle fatigue at elevated temperatures, *Acta Materialia* **60** (2012) 2485-2496.
  28. W. Li, P. Liu, F.-C. Ma, X.-K. Liu, X.-H. Chen: Microstructure and properties of Fe after surface mechanical attrition treatment within Cr powder, *Jinshu Rechuli/Heat Treatment of Metals* **37** (2012) 49-52.
  29. R. Walia, J.C. Pivin, R. Jain, R. Jayaganthan, E. Pippel, F. Singh, R. Chandra: Effect of swift heavy ion irradiation on sputter deposited SiO<sub>2</sub>/Co/Pt/SiO<sub>2</sub> multilayers, *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **280** (2012) 123-130.
  30. A. Begum, A. Hussain, A. Rahman: Effect of deposition temperature on the structural and optical properties of chemically prepared nanocrystalline lead selenide thin films, *BEILSTEIN JOURNAL OF NANOTECHNOLOGY* **3** (2012) 438-443.
  31. M. Sharma, S.K. Tripathi: Preparation and nonlinear characterization of zinc selenide nanoparticles embedded in polymer matrix, *Journal of Physics and Chemistry of Solids* **73** (2012) 1075-1081.
  32. W. Li, P. Liu, F.C. Ma, X.K. Liu, X.H. Chen, D.H. He: Surface Alloying of Nanocrystalline Fe-0.45 wt Pct C Alloy Subjected to Surface Mechanical Attrition Treatment Within Cr Powders, *INTEGRATED FERROELECTRICS* **138** (2012) 58-64.
  33. L. Balogh, D.W. Brown, P. Mosbrucker, F. Long, M.R. Daymond: Dislocation structure evolution induced by irradiation and plastic deformation in the Zr-2.5Nb

- nuclear structural material determined by neutron diffraction line profile analysis, *Acta Materialia* **60** (2012) 5567-5577.
34. S. Dutta, B.N. Ganguly: Characterization of ZnO nanoparticles grown in presence of Folic acid template, *Journal of Nanobiotechnology* **10** (2012) Article No. 29.
  35. W.B. Liu, C. Zhang, Z.X. Xia, Z.G. Yang, P.H. Wang, J.M. Chen: Strain-induced refinement and thermal stability of a nanocrystalline steel produced by surface mechanical attrition treatment, *Materials Science and Engineering A* **568** (2013) 176-183.
  36. W. Li, P. Liu, Y. Zhao, F. Ma, X. Liu, X. Chen, D. He: SiN<sub>x</sub> thickness dependent morphology and mechanical properties of CrAlN/SiN<sub>x</sub> nanomultilayers, *Thin Solid Films* **534** (2013) 367-372.
  37. A.Y. Khereddine, F.H. Larbi, M. Kawasaki, T. Baudin, D. Bradai, T.G. Langdon: An examination of microstructural evolution in a Cu-Ni-Si alloy processed by HPT and ECAP, *Materials Science and Engineering A* **576** (2013) 149-155.
  38. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia, G.H. Gao, Y.Q. Weng: EFFECT OF SURFACE NANOCRYSTALLIZATION ON MICROSTRUCTURE AND THERMAL STABILITY OF REDUCED ACTIVATION STEEL, *ACTA METALLURGICA SINICA* **49** (2013) 707-716.
  39. H.A. Shivae, A. Castellero, P. Rizzi, P. Tiberto, H.R.M. Hosseini, M. Baricco: Effects of chemical composition on nanocrystallization kinetics, microstructure and magnetic properties of finemet-type amorphous alloys, *Metals and Materials International* **19** (2013) 643-649.
  40. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia: Nanocrystallization of a quenched RAFM steel and microstructure evolution during annealing heat treatment, *Materials Science and Engineering A* **583** (2013) 61-68.
  41. M. Samadi Khoshkoo, S. Scudino, J. Thomas, T. Gemming, H. Wendrock, J. Eckert: Size evaluation of nanostructured materials, *Materials Letters* **108** (2013) 343-345.
  42. P.L. Mosbrucker, D.W. Brown, O. Anderoglu, L. Balogh, S.A. Maloy, T.A. Sisneros, J. Almer, E.F. Tulk, W. Morgenroth, A.C. Dippel: Neutron and X-ray Diffraction Analysis of the Effect of Irradiation Dose and Temperature on Microstructure of Irradiated HT-9 Steel, *Journal of Nuclear Materials* **443** (2013) 522-530.
  43. Khoshkoo, M.S., Scudino, S., Bednarcik, J., Kauffmann, A., Bahmanpour, H., Freudenberger, J., Scattergood, R., Zehetbauer, M.J., Koch, C.C., Eckert, J.: Mechanism of nanostructure formation in ball-milled Cu and Cu-3wt%Zn studied by X-ray diffraction line profile analysis, *Journal of Alloys and Compounds*, **588** (2014) 138-143.
  44. L. Wang, M. Li, J. Almer: Investigation of deformation and microstructural evolution in Grade 91 ferritic–martensitic steel by in situ high-energy X-rays, *Acta Materialia*, **62** (2014) 239-249.
  45. Hoon, J.W., Chan, K.Y., Low, C.Y.: XRD investigations on film thickness and substrate temperature effects of DC magnetron sputtered ZnO films, *Advanced Materials Research* **845** (2014) 241-245.
  46. Wenbo Liu, Chi Zhang, Zhigang Yang, Zhixin Xia: Microstructure and thermal stability of bulk nanocrystalline alloys produced by surface mechanical attrition treatment, *Applied Surface Science*, **292** (2014) 556-562.
  47. Wang, ZY; Garbe, U; Li, HJ; Wang, YB; Studer, AJ; Sun, GG; Harrison, RP; Liao, XZ; Alvarez, MAV; Santisteban, JR; Kong, C: Microstructure and texture analysis

- of delta-hydride precipitation in Zircaloy-4 materials by electron microscopy and neutron diffraction, *Journal of Applied Crystallography* 47 (2014) 303-315.
48. Tibor Berecz, Levente Balogh, István Mészáros, Ágoston Steinbach: The Radial Hardness-Profile and the Microstructure of Railroad Car Axle Materials Treated by Surface Rolling, Determined by Novel Examination Methods, *Materials Science and Engineering A*, 592 (2014) 95-101.
  49. Laszlo S. Toth, Chengfan Gu: Ultrafine-grain metals by severe plastic deformation, *Materials Characterization* 92 (2014) 1-14.
  50. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Nanostructure of  $\beta$ -type titanium alloys through severe plastic deformation, *Advanced Materials Letters* 5 (2014) 378-383.
  51. Kristin Mandel, Lutz Krüger, Christian Schimpf: Study on parameter optimisation for field-assisted sintering of fully-dense, near-nano WC-12Co, *International Journal of Refractory Metals and Hard Materials* 45 (2014) 153-159.
  52. Baranov, V.G.a, Lunev, A.V.a , Reutov, V.F.b, Tennishev, A.V.a, Isaenkova, M.G.a, Khlunov, A.V.: An attempt to reproduce high burn-up structure by ion irradiation of SIMFUEL, *Journal of Nuclear Materials* 452 (2014) 147-157.
  53. Akgul, F.A., Akgul, G., Yildirim, N., Unalan, H.E., Turan, R.: Influence of thermal annealing on microstructural, morphological, optical properties and surface electronic structure of copper oxide thin films, *Materials Chemistry and Physics* 147 (2014) 987-995.
  54. Lee, DJ; Yoon, EY; Ahn, DH; Park, BH; Park, HW; Park, LJ; Estrin, Y; Kim, HS: Dislocation density-based finite element analysis of large strain deformation behavior of copper under high-pressure torsion, *ACTA MATERIALIA* 76 (2014) 281-293.
  55. Kelgenbaeva, Z; Omurzak, E; Takebe, S; Sulaimankulova, S; Abdullaeva, Z; Iwamoto, C; Mashimo, T: Synthesis of pure iron nanoparticles at liquid-liquid interface using pulsed plasma, *JOURNAL OF NANOPARTICLE RESEARCH* 16 (2014) Article Number: 2603
  56. Szombathelyi, V., Krallics, G.: Comparison of mechanical and microstructural properties of conventional and severe plastic deformation processes, *IOP Conference Series: Materials Science and Engineering* 63 (2014) 012051.
  57. Yilmazer, H., Niinomi, M., Cho, K., Nakai, M., Hieda, J., Sato, S., Todaka, Y.: Microstructural evolution of precipitation-hardened  $\beta$ -type titanium alloy through high-pressure torsion, *Acta Materialia* 80 (2014) 172-182.
  58. Kursun, C., Gogebakan, M.: Characterization of nanostructured Mg-Cu-Ni powders prepared by mechanical alloying, *Journal of Alloys and Compounds* 619 (2015) 138-144.
  59. Kumar, H; Kumar, M; Barman, PB; Singh, RR: Stable and luminescent wurtzite CdS, ZnS and CdS/ZnS core/shell quantum dots, *APPLIED PHYSICS A-MATERIALS SCIENCE & PROCESSING* 117 (2014) 1249-1258.
  60. Dolores Martinez-Mancera, Flavio; Luis Hernandez-Lopez, Jose: Physical characterization and photoluminescence properties of thioglycolic acid-stabilized lead sulfide nanocrystals, *MATERIALS CHEMISTRY AND PHYSICS* 148 (2014) 1045-1054.
  61. Kumar, H., Barman, P.B., Singh, R.R.: Effect of size and shell: Enhanced optical and surface properties of CdS, ZnS and CdS/ZnS quantum dots, *Source of the Document Physica E: Low-Dimensional Systems and Nanostructures* 67 (2015) 168-177.

62. Freitas Cabral, A.J., Peña Serna, J., Rache Salles, B., Novak, M.A., Pinto, A.L., Rocha Remédios, C.M.: Exchange bias effect in polycrystalline NiO/NiMn<sub>2</sub>O<sub>4</sub> composite, *Journal of Alloys and Compounds* 630 (2015) 74-77.
63. Chung, C.-C., Wang, S.-W., Chen, Y.-C., Ju, C.-P., Chern Lin, J.-H.: Effect of cold rolling on structure and tensile properties of cast Ti-7.5Mo alloy, *Materials Science and Engineering A* 631 (2015) 52-66.
64. Liang, ZY; Wang, X; Huang, W; Huang, MX: Strain rate sensitivity and evolution of dislocations and twins in a twinning-induced plasticity steel, *ACTA MATERIALIA* Volume: 88 Pages: 170-179 Published: APR 15 2015
65. Liang, Z. Y.; Huang, W.; Huang, M. X.: Suppression of dislocations at high strain rate deformation in a twinning-induced plasticity steel, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING* Volume: 628 Pages: 84-88 Published: MAR 25 2015
66. Harte, A., Seymour, T., Francis, E.M., Frankel, P., Thompson, S.P., Jädernäs, D., Romero, J., Hallstadius, L., Preuss, M.: Advances in synchrotron x-ray diffraction and transmission electron microscopy techniques for the investigation of microstructure evolution in proton- and neutron-irradiated zirconium alloys, *Journal of Materials Research* 30 (2015) 1349-1365.
67. Fargas, G., Roa, J.J., Mateo, A.: Effect of shot peening on metastable austenitic stainless steels, *Materials Science and Engineering A* 641 (2015) 290-296.
68. Tozman, P., Venkatesan, M., Zickler, G.A., Fidler, J., Coey, J.M.D.: Enhanced energy product in Y-Co-Fe magnets intermediate between Nd-Fe-B and ferrite, *Applied Physics Letters* 107 (2015) 032405.
69. Bramble, M.S., Flemming, R.L., McCausland, P.J.A.: Grain size measurement from two-dimensional micro-X-ray diffraction: Laboratory application of a radial integration technique, *American Mineralogist* 100 (2015) 1899-1911.
70. Tanaka, K., Koike, Y., Sano, K., Tanaka, H., Machiya, S., Shobu, T., Kimachi, H.: Microstructural characterization of electrodeposited nanocrystalline nickel films by X-ray diffraction, *Zairyo/Journal of the Society of Materials Science, Japan* 64 (2015) 528-535.
71. Palanivelu, J., Kunjumon, M.M., Suresh, A., Nair, A., Ramalingam, C.: Green synthesis of silver nanoparticles from *Dracaena mahatma* leaf extract and its antimicrobial activity, *Journal of Pharmaceutical Sciences and Research* 7 (2015) 690-695.
72. Isik, M., Niinomi, M., Cho, K., Nakai, M., Liu, H., Yilmazer, H., Horita, Z., Sato, S., Narushima, T.: Microstructural evolution and mechanical properties of biomedical Co-Cr-Mo alloy subjected to high-pressure torsion, *Journal of the Mechanical Behavior of Biomedical Materials* 59 (2016) 226-235.
73. Shakibi Nia, N., Creus, J., Feaugas, X., Savall, C.: Influence of metallurgical parameters on the electrochemical behavior of electrodeposited Ni and Ni-W nanocrystalline alloys, *Applied Surface Science* 370 (2016) 149-159.
74. Yang, T; Guo, XP; Luo, YC: Microstructural evolution of mechanically alloyed Mo-Si-B-Zr-Y powders, *INTERNATIONAL JOURNAL OF REFRACTORY METALS & HARD MATERIALS* 56 (2016) 35-43.
75. Zhou, P., Liang, Z.Y., Liu, R.D., Huang, M.X.: Evolution of dislocations and twins in a strong and ductile nanotwinned steel, *Acta Materialia* 111 (2016) 96-107.
76. Kaur, D., Pandya, D.K.: Hydrogen co-deposition induced phase and microstructure evolution of cobalt nanowires electrodeposited in acidic baths, *Journal of the Electrochemical Society* 163 (2016) D221-D229.

77. Hao, T., Tang, H., Luo, G., Wang, X., Liu, C., Fang, Q.: Enhancement effect of inter-pass annealing during equal channel angular pressing on grain refinement and ductility of 9Cr1Mo steel, *Materials Science and Engineering A* 667 (2016) 454-458.
78. Fargas, G., Roa, J.J., Mateo, A.: Influence of pre-existing martensite on the wear resistance of metastable austenitic stainless steels, *Wear*, 364-365 (2016) 40-47.
79. Riahi, K., Messaoui, I., Cheikhrouhou-Koubaa, W., Mercone, S., Leridon, B., Koubaa, M., Cheikhrouhou, A.: Effect of synthesis route on the structural, magnetic and magnetocaloric properties of  $\text{La}_{0.78}\text{Dy}_{0.02}\text{Ca}_{0.2}\text{MnO}_3$  manganite: A comparison between sol-gel, high-energy ball-milling and solid state process, *Journal of Alloys and Compounds* Volume 688, 15 December 2016, Pages 1028-1038
80. Bhardwaj, V., Chowdhury, R., Jayaganthan, R.: Nanomechanical and microstructural characterization of sputter deposited ZnO thin films, *Applied Surface Science*, Volume 389, 15 December 2016, Pages 1023-1032.
81. Maniammal, K., Madhu, G., Biju, V.: X-ray diffraction line profile analysis of nanostructured nickel oxide: Shape factor and convolution of crystallite size and microstrain contributions, *Physica E: Low-Dimensional Systems and Nanostructures*, Volume 85, 1 January 2017, Pages 214-222.
82. Karimi, M., Toroghinejad, M.R., Dutkiewicz, J.: Nanostructure formation during accumulative roll bonding of commercial purity titanium, *Materials Characterization*, Volume 122, 1 December 2016, Pages 98-103
83. Li, Y., Li, W., Hu, J.C., Song, H.M., Jin, X.J.: Compatible strain evolution in two phases due to epsilon martensite transformation in duplex TRIP-assisted stainless steels with high hydrogen embrittlement resistance, 88 (2017) 53-69.
84. Ahmmed, KF; Balogh, L; Idrees, Y; Yu, HB; Long, F; Daymond, MR, Quantitative characterization of the microstructure of heat-treated Zr-Excel by neutron line profile analysis, *JOURNAL OF APPLIED CRYSTALLOGRAPHY*, Volume: 49, Pages: 1609-1623, 2016
85. Muller, T; Bachmaier, A; Neubauer, E; Kitzmantel, M; Pippan, R, Strong and Stable Nanocomposites Prepared by High-Pressure Torsion of Cu-Coated Fe Powders, *METALS*, Volume: 6, Issue: 10, Article Number: 228, 2016
86. Balogh, L., Long, F., Daymond, M.R., Contrast factors of irradiation-induced dislocation loops in hexagonal materials, *Journal of Applied Crystallography*, Volume 49, Issue 6, 1 December 2016, Pages 2184-2200
87. Ibrahim, N., Peterlechner, M., Emeis, F., Wegner, M., Divinski, S.V., Wilde, G., Mechanical alloying via high-pressure torsion of the immiscible Cu<sub>50</sub>Ta<sub>50</sub> system, *Materials Science and Engineering A*, Volume 685, 8 February 2017, Pages 19-30
88. Tomota, Y., Sato, S., Harjo, S., Recent progress of line-profile analyses for neutron or X-ray diffraction, *Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan*, Volume 103, Issue 2, 2017, Pages 73-85
89. Kumar, H., Kumari, A., Singh, R.R., Tunable narrow emission in ZnS/CdS/ZnS quantum well structures prepared by aqueous route, *Optical Materials*, Volume 69, 1 July 2017, Pages 23-29
90. Ghosh, P., Van Petegem, S., Van Swygenhoven, H., Chokshi, A.H., An in-situ synchrotron study on microplastic flow of electrodeposited nanocrystalline nickel, *Materials Science and Engineering A*, 2017, 701, pp. 101-110
91. Gencalp Irizalp, S., Saklakoglu, N., Laser peening of metallic materials (Book Chapter) in: *Comprehensive Materials Finishing*, 2016, 1-3, pp. 408-440

92. Delshadmanesh, M., Khatibi, G., Ghomsheh, M.Z., Lederer, M., Zehetbauer, M., Danninger, H., Influence of microstructure on fatigue of biocompatible  $\beta$ -phase Ti-45Nb, *Materials Science and Engineering A* Volume 706, 26 October 2017, Pages 83-94
93. Chouaya, H., Smari, M., Walha, I., Dhahri, E., Graça, M.P.F., Valente, M.A., The effect of bismuth on the structure, magnetic and electric properties of Co<sub>2</sub>MnO<sub>4</sub> spinel multiferroic, *Journal of Magnetism and Magnetic Materials* Volume 451, 1 April 2018, Pages 344-350
94. Monsef, R., Ghiyasiyan-Arani, M., Salavati-Niasari, M., Application of ultrasound-aided method for the synthesis of NdVO<sub>4</sub> nano-photocatalyst and investigation of eliminate dye in contaminant water, 2018, *Ultrasonics Sonochemistry*, 42, pp. 201-211
95. Long, F.; Balogh, L.; Daymond, M. R., Evolution of dislocation density in a hot rolled Zr-2.5Nb alloy with plastic deformation studied by neutron diffraction and transmission electron microscopy, *PHILOSOPHICAL MAGAZINE* Volume: 97 Issue: 31 Pages: 2888-2914 Published: 2017
96. Schuster, R; Schafler, E; Schell, N; Kunz, M; Abart, R, Microstructure of calcite deformed by high-pressure torsion: An X-ray line profile study, *TECTONOPHYSICS*, Volume: 721, Pages: 448-461, 2017
97. Jeejamol, DJ; Raj, AME; Jayakumari, K; Ravidhas, C, Optimization of CdO nanoparticles by Zr<sup>4+</sup> doping for better photocatalytic activity, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS*, Volume: 29, 2018, 97-116
98. Devi, LV; Sellaiyan, S; Sankar, S; Sivaji, K., Structural and optical investigation of combustion derived La doped copper oxide nanocrystallites, *MATERIALS RESEARCH EXPRESS*, Volume: 5, Issue: 2, Article Number: 024002, 2018
99. Klochko, N.P., Kopach, V.R., Tyukhov, I.I., Zhadan, D.O., Klepikova, K.S., Khrypunov, G.S., Petrushenko, S.I., Lyubov, V.M., Kirichenko, M.V., Dukarov, S.V., Khrypunova, A.L., Metal oxide heterojunction (NiO/ZnO) prepared by low temperature solution growth for UV-photodetector and semi-transparent solar cell, *Solar Energy* Volume 164, April 2018, Pages 149-159
100. Monsef, Rozita; Ghiyasiyan-Arani, Maryam; Salavati-Niasari, Masoud, Application of ultrasound-aided method for the synthesis of NdVO<sub>4</sub> nano-photocatalyst and investigation of eliminate dye in contaminant water, *ULTRASONICS SONOCHEMISTRY* Volume: 42 Pages: 201-211 Published: APR 2018
101. Brown, DW; Adams, DP; Balogh, L; Carpenter, JS; Clausen, B; King, G; Reedlunn, B; Palmer, TA; Maguire, MC; Vogel, SC, In Situ Neutron Diffraction Study of the Influence of Microstructure on the Mechanical Response of Additively Manufactured 304L Stainless Steel, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 48A, 6055-6069, 2017
102. Klochko, N.P., Klepikova, K.S., Zhadan, D.O., Petrushenko, S.I., Kopach, V.R., Khrypunov, G.S., Lyubov, V.M., Dukarov, S.V., Nikitin, V.O., Maslak, M.O., Zakovorotniy, A.Y., Khrypunova, A.L., Structure, optical, electrical and thermoelectric properties of solution-processed Li-doped NiO films grown by SILAR, *Materials Science in Semiconductor Processing* Volume 83, 15 August 2018, Pages 42-49
103. Jain, S.K., Dolia, S.N., Choudhary, B.L., Prashant, B.L., Structural and morphological study of Zn<sub>0.9</sub>Mn<sub>0.05</sub>Fe<sub>0.05</sub>O synthesized by sol-gel wet chemical

- precipitation route, 2018, IOP Conference Series: Materials Science and Engineering, 348(1),012004
104. Klochko, N.P., Klepikova, K.S., Petrushenko, S.I., Kopach, V.R., Khrypunov, G.S., Korsun, V.E., Lyubov, V.M., Kirichenko, M.V., Dukarov, S.V., Khrypunova, A.L., Nanostructured ZnO arrays fabricated via pulsed electrodeposition and coated with Ag nanoparticles for ultraviolet photosensors, *Journal of Nano- and Electronic Physics* Volume 10, Issue 3, 2018, Article number 03027
  105. Malaidurai, M., Thangavel, R., Study of structural and magnetic properties of co-precipitated  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanocrystals, 2018, *Superlattices and Microstructures*, 120, pp. 553-560
  106. Florence, S.S., Adam, H., Manna, C., Can, N., Green approach to synthesis and strain studies of ZnO nanoparticles, 2018, *AIP Conference Proceedings*, 1976,020020
  107. Klochko, N.P., Klepikova, K.S., Kopach, V.R., Tyukhov, I.I., Zhadan, D.O., Khrypunov, G.S., Petrushenko, S.I., Dukarov, S.V., Lyubov, V.M., Kirichenko, M.V., Khrypunova, A.L., Semitransparent p-CuI and n-ZnO thin films prepared by low temperature solution growth for thermoelectric conversion of near-infrared solar light, *Solar Energy*, 2018, Volume 171, 1 September 2018, Pages 704-715.
  108. Ncib, W., Ben Jazia Kharrat, A., Wederni, M.A., Chniba-Boudjada, N., Khirouni, K., Boujelben, W., Investigation of structural, electrical and dielectric properties of sol-gel prepared La<sub>0.67-x</sub>Eu<sub>x</sub>Ba<sub>0.33</sub>Mn<sub>0.85</sub>Fe<sub>0.15</sub>O<sub>3</sub> (x=0.0, 0.1) manganites, *Journal of Alloys and Compounds* Volume 768, 5 November 2018, Pages 249-262
  109. Li, Y., Lu, Y., Li, W., Khedr, M., Liu, H., Jin, X., Hierarchical microstructure design of a bimodal grained twinning-induced plasticity steel with excellent cryogenic mechanical properties, *Acta Materialia*, Volume 158, 1 October 2018, Pages 79-94

B. Palosz, E.Grzanka, C. Pantea, T. W. Zerda, J. Gubicza, T. Ungár: Microstructure of nanocrystalline diamond powders studied by powder diffractometry, *J. Appl. Phys.* **97** (2005) 064316.

1. Kuznetsov, V.L., Butenko, Y.V.: Diamond Phase Transitions at Nanoscale (book chapter), in: *Ultrananocrystalline Diamond: Synthesis, Properties, and Applications*, (2006) pp. 405-475.
2. P. C. Ricci, A. Casu, G. De Giudici, P. Scardi, A. Anedda: Phonon confinement effect in calcium fluoride nanoparticles, *Chemical Physics Letters* **444** (2007) 145-148.
3. L. Hawelek, A. Brodka, J.C. Dore, V. Honkimaki, S. Tomita and A. Burian: Structural studies of nanodiamond by high-energy X-ray diffraction, *Diamond and Related Materials* **17** (2008) 1186-1193.
4. A. Brodka, L. Hawelek, A. Burian, S. Tomita, V. Honkimaki: Molecular dynamics study of structure and graphitization process of nanodiamonds, *Journal of Molecular Structure* **887** (2008) 34-40.
5. L. Gelisio, C.L.A. Ricardo, M. Leoni, P. Scardi: Real-space calculation of powder diffraction patterns on graphics processing units, *JOURNAL OF APPLIED CRYSTALLOGRAPHY* **43** (2010) 647-653.
6. S.C. Vogel: Reduction and analysis of two-dimensional diffraction data including texture analysis, in: *High-Pressure Crystallography*, NATO Science for Peace and

Security Series B: Physics and Biophysics, Editors: E. Boldyreva, P. Dera, Springer, Dordrecht, The Netherlands, ISBN: 978-904819257-1 (2010) pp. 123-133.

7. Vladimir L. Kuznetsov, Yuriy V. Butenko: Diamond Phase Transitions at Nanoscale, book chapter in: *Ultrananocrystalline Diamond (Second Edition)*, Elsevier, Oxford, ISBN: 978-1-4377-3465-2 (2012) pp. 181-244.
8. Arnault, J.-C., Petit, T., Girard, H.A., Gesset, C., Combis-Schlumberger, M., Sennour, M., Koscheev, A., Khomich, A.A., Vlasov, I., Shenderova, O.: Surface graphitization of ozonetreated detonation nanodiamonds, *Physica Status Solidi (A) Applications and Materials Science* **211** (2014) 2739-2743.
9. Zeiger, M., Jäckel, N., Weingarh, D., Presser, V.: Vacuum or flowing argon: What is the best synthesis atmosphere for nanodiamond-derived carbon onions for supercapacitor electrodes?, *Carbon* **94** (2015) 507-517.
10. Stanishevsky, A.V., Walock, M.J., Catledge, S.A.: Surface modification and stability of detonation nanodiamonds in microwave gas discharge plasma, *Applied Surface Science* **357** (2015) 1403-1409.

J. Gubicza, N. Q. Chinh, Gy. Krállics, I. Schiller, T. Ungár: Microstructure of ultrafine-grained fcc metals produced by severe plastic deformation, *Curr. Appl. Phys.* **6** (2006) 194-199.

1. V. Viswanathan, T. Laha, K. Balani, A. Agarwal, S. Seal: Challenges and advances in nanocomposite processing techniques, *Materials Science and Engineering R: Reports* **54** (2006) 121-285.
2. F.H. Dalla Torre, A.A. Gazder, C.F. Gu, C.H.J. Davies, E.V. Pereloma: Grain size, misorientation, and texture evolution of copper processed by equal channel angular extrusion and the validity of the Hall-Petch relationship *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* **38** (2007) 1080-1095.
3. H. Garbacz, M. Grądzka-Dahlke, K. J. Kurzydłowski: The tribological properties of nano-titanium obtained by hydrostatic extrusion, *Wear* **263** (2007) 572-578.
4. Y.W. Tham, M.W. Fu, H.H. Hng, M.S. Yong and K.B. Lim: Bulk nanostructured processing of aluminum alloy, *Journal of Materials Processing Technology* **192-193** (2007) 575-581.
5. H. Garbacz, M. Pisarek and K.J. Kurzydłowski: Corrosion resistance of nanostructured titanium, *Biomolecular Engineering* **24** (2007) 559-563.
6. Y. Zhang, N.R. Tao and K. Lu: Mechanical properties and rolling behaviors of nano-grained copper with embedded nano-twin bundles, *Acta Materialia* **56** (2008) 2429-2440.
7. J. Alkorta, C.J. Luis Pérez, E.N. Popova, Martin Hafok, Reinhard Pippan, J. Gil Sevillano: Microstructure and Indentation Size-Effect in Pure Niobium Subjected to SPD via ECAP and HPT, *Mater. Sci. Forum* **584-586** (2008) 215-220.
8. E. Hosseini, M. Kazeminezhad: The effect of ECAP die shape on nano-structure of materials, *Computational Materials Science* **44** (2009) 962-967.
9. E. Hosseini, M. Kazeminezhad: A hybrid model on severe plastic deformation of copper, *Computational Materials Science* **44** (2009) 1107-1115.
10. E. Hosseini, M. Kazeminezhad: Dislocation structure and strength evolution of heavily deformed tantalum, *International Journal of Refractory Metals and Hard Materials*, **27** (2009) 605-610.
11. E. Hosseini, M. Kazeminezhad, A. Mani, E. Rafizadeh: On the evolution of flow stress during constrained groove pressing of pure copper sheet, *Computational Materials Science*, **45** (2009) 855-859.

12. X.G. Qiao, M.J. Starink, N. Gao: Hardness inhomogeneity and local strengthening mechanisms of an Al1050 aluminium alloy after one pass of equal channel angular pressing, *Materials Science and Engineering A* **513-514** (2009) 52-58.
13. E. Hosseini, M. Kazeminezhad: ETMB model investigation of flow softening during severe plastic deformation, *Computational Materials Science* **46** (2009) 902-905.
14. E. Hosseini, M. Kazeminezhad: Nanostructure and mechanical properties of 0–7 strained aluminum by CGP: XRD, TEM and tensile test, *Materials Science and Engineering A* **526** (2009) 219-224.
15. M.J. Starink, X.G. Qiao, J. Zhang, N. Gao: Predicting grain refinement by cold severe plastic deformation in alloys using volume averaged dislocation generation, *Acta Materialia* **57** (2009) 5796-5811.
16. A. Rebhi, T. Makhlouf, N. Njah, Y. Champion, J.-P. Couzinié: Characterization of aluminum processed by equal channel angular extrusion: Effect of processing route, *Materials Characterization* **60** (2009) 1489-1495.
17. J. Nyirö: Micromachining of micro and ultrafine-structured metals, *Periodica Polytechnica, Mechanical Engineering* **53** (2009) 81-85.
18. E. Hosseini, M. Kazeminezhad: Integration of physically based models into FE analysis: Homogeneity of copper sheets under large plastic deformations, *Computational Materials Science*, **48** (2010) 166-173.
19. Csanády Andrásné: Nagymértékű képlékeny alakítás (SPD), in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.: Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 114-118., ISBN: 9789 6328 4053 6.
20. S. Dadbakhsh, A.K. Taheri: Study on static strain aging of 6082 aluminium alloy, *MATERIALS SCIENCE AND TECHNOLOGY* **26** (2010) 169-175.
21. M. Kazeminezhad, E. Hosseini: Modeling of induced empirical constitutive relations on materials with FCC, BCC, and HCP crystalline structures: severe plastic deformation, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY* **47** (2010) 1033-1039.
22. S. Dadbakhsh, A.K. Taheri, C.W. Smith: Strengthening study on 6082 Al alloy after combination of aging treatment and ECAP process, *Materials Science and Engineering A* **527** (2010) 4758-4766.
23. J. Zhang, N. Gao, M.J. Starink: Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model, *Materials Science and Engineering A* **528** (2011) 2581-2591.
24. X.F. Li, A.P. Dong, L.T. Wang, Z. Yu, L. Meng: Thermal stability of heavily drawn Cu–0.4 wt.%Cr–0.12 wt.%Zr–0.02 wt.%Si–0.05 wt.%Mg, *Journal of Alloys and Compounds* **509** (2011) 4092-4097.
25. X.F. Li, A.P. Dong, L.T. Wang, Z. Yu, L. Meng: The stored energy in processed Cu–0.4 wt.%Cr–0.12 wt.%Zr–0.02 wt.%Si–0.05 wt.%Mg, *Journal of Alloys and Compounds* **509** (2011) 4670-4675.
26. M.R. Rezaei, M.R. Toroghinejad, F. Ashrafizadeh: Production of nano-grained structure in 6061 aluminum alloy strip by accumulative roll bonding, *Materials Science and Engineering A* **529** (2011) 442-446.
27. X.G. Qiao, N. Gao, M.J. Starink: A model of grain refinement and strengthening of Al alloys due to cold severe plastic deformation, *Philosophical Magazine* **92** (2012) 446-470.

28. T. Makhlouf, N. Njah: X-ray studies of structure defects in recycled aluminum alloy during equal channel angular extrusion: Dislocation density and stored energy, IOP Conference Series: Materials Science and Engineering **28** (2012) art. no. 012043.
29. T. Makhlouf, A. Rebhi, J.P. Couzinie, Y. Champion, N. Njah: Microstructural evolution of a recycled aluminum alloy deformed by equal channel angular pressing process, INTERNATIONAL JOURNAL OF MINERALS METALLURGY AND MATERIALS **19** (2012) 1016-1022.
30. R. Kapoor, A. Sarkar, R. Yogi, S.K. Shekhawat, I. Samajdar, J.K. Chakravarty: Softening of Al during multi-axial forging in a channel die, Materials Science and Engineering A **560** (2013) 404-412.
31. T. Suo, Y. Chen, Y. Li, C. Wang, X. Fan: Strain rate sensitivity and deformation kinetics of ECAPed aluminum over a wide range of strain rates, Materials Science and Engineering A **560** (2013) 545-551.
32. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, Acta Materialia **61** (2013) 183-192.
33. C. Aguilar, D. Guzman, S. Ordoñez, P.A. Rojas: Estimation of energy distribution in mechanical alloying of the systems Cu-3wt.%Cr and Cu-3wt.%Mo, Revista Latinoamericana de Metalurgia y Materiales **33** (2013) 74-81.
34. M.H. Farshidi, M. Kazeminezhad, H. Miyamoto: Severe plastic deformation of 6061 aluminum alloy tube with pre and post heat treatments, Materials Science and Engineering A **563** (2013) 60-67.
35. M.P.P. Liu, H.J. Roven, M.Y. Murashkin, R.Z. Valiev, A. Kilmametov, Z. Zhang, Y.D. Yu: Structure and mechanical properties of nanostructured Al-Mg alloys processed by severe plastic deformation, JOURNAL OF MATERIALS SCIENCE **48** (2013) 4681-4688.
36. M.I.A. El Aal, E.Y. Yoon, H.S. Kim: Microstructure evolution and mechanical properties of Al-1080 processed by a combination of equal channel angular pressing and high pressure torsion, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science **44** (2013) 2581-2590.
37. N. Naga Krishna, R. Tejas, K. Sivaprasad, K. Venkateswarlu: Study on cryorolled Al-Cu alloy using X-ray diffraction line profile analysis and evaluation of strengthening mechanisms, Materials & Design **52** (2013) 785-790.
38. M.H. Farshidi, M. Kazeminezhad, H. Miyamoto: On the natural aging behavior of Aluminum 6061 alloy after severe plastic deformation, Materials Science and Engineering A **580** (2013) 202-208.
39. W.B. Liu, C. Zhang, Z.G. Yang, Z.X. Xia: Nanocrystallization of a quenched RAFM steel and microstructure evolution during annealing heat treatment, Materials Science and Engineering A **583** (2013) 61-68.
40. J.M. Liang, M.T. Jia, X.Q. Guo, D.L. Zhang: Microstructural Evolution and Microhardness Change of Al-7 wt%Si-0.3 wt%Mg Alloy Granules/Powder Particles during High Energy Ball Milling, Materials Science and Engineering A **590** (2014) 307-313.
41. Wenbo Liu, Chi Zhang, Zhigang Yang, Zhixin Xia: Microstructure and thermal stability of bulk nanocrystalline alloys produced by surface mechanical attrition treatment, Applied Surface Science, 292 (2014) 556-562.
42. Farshidi, M.H., Kazeminezhad, M., Miyamoto, H.: Microstructural evolution of aluminum 6061 alloy through tube channel pressing, Materials Science and Engineering A **615** (2014) 139-147.

43. Tang, ZB; Suo, T; Zhang, BS; Li, YL; Zhao, F; Fan, XL: Uniaxial compressive behavior of equal channel angular pressing Al at wide temperature and strain rate range, TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA 24 (2014) 2447-2452.
44. Chan, T.-C., Chen, Y.-Z., Chueh, Y.-L., Liao, C.-N.: Large-scale nanotwins in Cu films/Cu nanowires via stress engineering by a high-energy ion beam bombardment process: Growth and characterization, Journal of Materials Chemistry C 2 (2014) 9805-9812.
45. Iqbal, U. Mohammed; Kumar, V. S. Senthil: Modeling of twist extrusion process parameters of AA6082-T6 alloy by response surface approach, PROCEEDINGS OF THE INSTITUTION OF MECHANICAL ENGINEERS PART B-JOURNAL OF ENGINEERING MANUFACTURE 228 (2014) 1458-1468.
46. Abd El Aal, M.I., Yong Um, H., Yoo Yoon, E., Seop Kim, H.: Microstructure evolution and mechanical properties of pure aluminum deformed by equal channel angular pressing and direct extrusion in one step through an integrated die, Materials Science and Engineering A 625 (2015) 252-263.
47. Liu, MP; Jiang, TH; Wang, J; Liu, Q; Wu, ZJ; Yu, YD; Skaret, PC; Roven, HJ: Aging behavior and mechanical properties of 6013 aluminum alloy processed by severe plastic deformation, TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA 24 (2014) 3858-3865.
48. Krymskiy, SV; Avtokratova, EV; Sitdikov, OS; Mikhaylovskaya, AV; Markushev, MV: Structure of the aluminum alloy Al-Cu-Mg cryorolled to different strains, PHYSICS OF METALS AND METALLOGRAPHY 116 (2015) 676-683.
49. Naga Krishna, N., Ashfaq, M., Susila, P., Sivaprasad, K., Venkateswarlu, K.: Mechanical anisotropy and microstructural changes during cryorolling of Al-Mg-Si alloy, Materials Characterization 107 (2015) 302-308.
50. Avtokratova, E., Krymskiy, S., Mikhaylovskaya, A., Sitdikov, O., Markushev, M.: Nanostructuring of 2xxx aluminum alloy under cryorolling to high strains, Materials Science Forum 838-839 (2016) 367-372.
51. Shaeri, MH; Shaeri, M; Ebrahimi, M; Salehi, MT; Seyyedain, SH: Effect of ECAP temperature on microstructure and mechanical properties of Al-Zn-Mg-Cu alloy, PROGRESS IN NATURAL SCIENCE-MATERIALS INTERNATIONAL 26 (2016) 182-191.
52. Liang, J.M., Kong, C., Quadir, M.Z., Zheng, Y.F., Yao, X., Munroe, P., Zhang, D.L.: Microstructure and mechanical properties of a bulk ultrafine grained Al-7Si-0.3Mg alloy produced by thermomechanical consolidation of a nanocrystalline powder, Materials Science and Engineering A, Volume 658, March 21, 2016, Pages 192-202.
53. Gholami, M., Altenberger, I., Vesely, J., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L.: Effects of severe plastic deformation on transformation kinetics of precipitates in CuNi3Si1Mg, Materials Science and Engineering A, Volume 676, 31 October 2016, Pages 156-164.
54. Simm, T.H., Withers, P.J., Quinta da Fonseca, J.: An evaluation of diffraction peak profile analysis (DPPA) methods to study plastically deformed metals, Materials and Design, Volume 111, 5 December 2016, Pages 331-343
55. Gupta, A.K., Maddukuri, T.S., Singh, S.K., Constrained groove pressing for sheet metal processing, Progress in Materials Science, Volume 84, 1 December 2016, Pages 403-462

56. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Janecek, M., Wollmann, M., Wagner, L., Effects of microstructure on mechanical properties of CuNiSi alloys, *Journal of Alloys and Compounds*, Volume 696, 5 March 2017, Pages 201-212
57. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L., Influence of grain size and precipitation hardening on high cycle fatigue performance of CuNiSi alloys, *Materials Science and Engineering A*, Volume 684, 27 January 2017, Pages 524-533
58. He, S.H., Zhu, K.Y., Huang, M.X., A unified dislocation-based model for ultrafine- and fine-grained face-centered cubic and body-centered cubic metals, *Computational Materials Science*, Volume 131, 15 April 2017, Pages 1-10
59. Krishna, SC; Chawake, N; Kottada, RS; Jha, AK; Pant, B; Venkitakrishnan, PV, High Strength and Good Ductility in Cu-3Ag-0.5Zr Alloy by Cryo-Rolling and Aging, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 26, Pages: 350-357, 2017
60. Acharya, S., Gupta, R.K., Ghosh, J., Bysakh, S., Ghosh, K.S., Mondal, D.K., Mukhopadhyay, A.K., High strain rate dynamic compressive behaviour of Al6061-T6 alloys, *Materials Characterization*, Volume 127, 1 May 2017, Pages 185-197
61. Su, J., Tang, Z.-B., Wang, C.-X., Ye, T., Suo, T., Li, Y.-L., Compressive behavior and deformation kinetics of ultrafine grained aluminum processed by equal channel angular pressing, *International Journal of Smart and Nano Materials*, Volume 8, Issue 1, 2 January 2017, Pages 56-77
62. Rahman, M.A., Rahman, M., Kumar, A.S., Modelling of flow stress by correlating the material grain size and chip thickness in ultra-precision machining, *International Journal of Machine Tools and Manufacture*, 2017, 123, pp. 57-75
63. Ren, Y., Liu, T., Li, Y., Hu, H., Effect of La inoculation on composition, content, granularity and mechanical properties of in-situ Al-30 wt%Mg<sub>2</sub>Si Composite, *Materials Science and Engineering A*, 2017, 704, pp. 119-127
64. Asadi, Saeed; Kazeminezhad, Mohsen, Multi Directional Forging of 2024 Al Alloy After Different Heat Treatments: Microstructural and Mechanical Behavior, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* Volume: 70 Issue: 7 Pages: 1707-1719 Published: SEP 2017
65. Khelifa, T; Rekik, MA; Khitouni, M; Cabrera-Marrero, JM, Structure and microstructure evolution of Al-Mg-Si alloy processed by equal-channel angular pressing, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 92, Pages: 1731-1740, 2017
66. Koizumi, T., Kuroda, M. Grain size effects in aluminum processed by severe plastic deformation, 2018, *Materials Science and Engineering A*, 710, pp. 300-308
67. He, S.H., He, B.B., Zhu, K.Y., Huang, M.X., Evolution of dislocation density in bainitic steel: Modeling and experiments, 2018, *Acta Materialia*, 149, pp. 46-56
68. Khelifa, T; Rekik, MA; Munoz-Bolanos, JA; Cabrera-Marrero, JM; Khitouni, M, Microstructure and strengthening mechanisms in an Al-Mg-Si alloy processed by equal channel angular pressing (ECAP), *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 95, Issue: 1-4, Pages: 1165-1177, 2018
69. Krymskiy, SV; Ilyasov, RR; Avtokratova, EV; Sitdikov, OS; Markushev, MV, Intergranular Corrosion of Cryorolled and Aged D16 Aluminum Alloy, *PROTECTION OF METALS AND PHYSICAL CHEMISTRY OF SURFACES*, Volume: 53, 2017, Pages: 1091-1099
70. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, *Crystals*, 8(5),212

71. Wang, W., Guo, E., Chen, Z., Kang, H., Chen, Z., Zou, C., Li, R., Yin, G., Wang, T., Correlation between microstructures and mechanical properties of cryorolled CuNiSi alloys with Cr and Zr alloying, *Materials Characterization*, Volume 144, October 2018, Pages 532-546
72. Xue, K.-M., Liu, M., Yan, S.-L., Wang, Z., Hua, Y.-L., Li, P., Synergic Improvement of Plasticity and Strength of Al–Zn–Mg–Cu Alloy by Grain Refinement and Precipitates Redistribution using Cyclic Extrusion Compression, *Advanced Engineering Materials*, Volume 20, Issue 8, August 2018, Article number 1800140
73. Nagaraf, M.; Ravisankar, B., Effect of Severe Plastic Deformation on Microstructural and Mechanical Properties of Structural Steel IS2062, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* Volume: 71 Issue: 9 Pages: 2315-2323 Published: SEP 2018

I. Schiller, J. Gubicza, Zs. Kovács, N. Q. Chinh, J. Illy: Precipitation and mechanical properties of supersaturated Al-Zn-Mg alloys processed by severe plastic deformation, *Mater. Sci. Forum* **519-521** (2006) 835-840.

1. M. Zandrahimi, A. Rezvanifar: Investigation of dislocation characterisation in worn Al-Si alloys with different sliding speeds using X-ray diffraction, *Tribology Letters* **46** (2012) 255-261.
2. M. Dellah, M. Bournane, Kh.A. Ragab, Y. Sadaoui, A.F. Sirenko: Early decomposition of supersaturated solid solutions of Al–Zn–Mg casting alloys, *Materials & Design* **50** (2013) 606-612.
3. D. Liu, B. Xiong, F. Bian, Z. Li, X. Li, Y. Zhang, F. Wang, H. Liu: Quantitative study of precipitates in an Al-Zn-Mg-Cu alloy aged with various typical tempers, *Materials Science and Engineering A* **588** (2013) 1-6.
4. Ragab, KA; Dellah, M; Bournane, M; Sadaoui, Y: Influence of thermal treatment media on characteristics of Al-Zn-Mg alloys, *INTERNATIONAL JOURNAL OF CAST METALS RESEARCH* **28** (2015) 257-262.
5. Mandal, P.K., Anant, R., Kumar, R., Muthaiah, V.M.R., Effect of scandium on ageing kinetics in cast Al-Zn-Mg alloys, *Materials Science and Engineering A*, Volume 696, 1 June 2017, Pages 257-266
6. Afifi, M.A., Wang, Y.C., Pereira, P.H.R., Wang, Y., Li, S., Huang, Y., Langdon, T.G., Characterization of precipitates in an Al-Zn-Mg alloy processed by ECAP and subsequent annealing, *Materials Science and Engineering A*, **712**, 17 January 2018, Pages 146-156
7. Krysina, O., Petrikova, E., Shugurov, V., Moskvina, P., Ivanov, Y., Aluminum surface modification by electron-ion-plasma methods, 2018, *MATEC Web of Conferences*, Volume 143, 8 January 2018, Article number 03007

L. Balogh, J. Gubicza, R. J. Hellmig, Y. Estrin and T. Ungár: Thermal stability of the microstructure of severely deformed copper, *Z. Kristallographie, Suppl.* **23** (2006) 381-386.

1. R. Kuzel: Kinematical diffraction by distorted crystals - Dislocation X-ray line broadening, *Zeitschrift für Kristallographie* **222** (2007) 136-149.
2. W.Q. Cao, C.F. Gu, E.V. Pereloma, C.H.J. Davies: Stored energy, vacancies and thermal stability of ultra-fine grained copper, *Mater. Sci. Eng. A* **492** (2008) 74-79.

3. C.F. Gu, C.H.J. Davies: Thermal stability of ultrafine-grained copper during high speed micro-extrusion, *Materials Science and Engineering A*, **527** (2010) 1791-1799.
4. Padap, Aditya Kumar; Dwivedi, Ankit; Kumar, Narendra, Mechanical behaviour and thermal stability of multi-axially compressed copper, *MATERIALS RESEARCH EXPRESS* Volume: 5 Issue: 1 Article Number: 016502 Published: JAN 2018
5. Gonda, V., Thermal behavior of copper processed by ECAP at elevated temperatures, 2018, *AIP Conference Proceedings*, 1960, 080002
6. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, *Crystals*, 8(5),212

J. Gubicza, T. Ungár, Y. Wang, G. Voronin, C. Pantea, T. W. Zerda: Microstructure of diamond-SiC nanocomposites determined by X-ray line profile analysis, *Diam. Relat. Mater.* **15** (2006) 1452-1456.

1. V.V.S.S. Srikanth, T. Staedler, X. Jiang: Deposition of stress-free diamond films on Si by diamond/ $\beta$ -SiC nanocomposite intermediate layers, *Diamond and Related Materials*, **18** (2009) 1326-1331.
2. S.V. Kidalov, F.M.Shakhov: Thermal Conductivity of Diamond Composites, *MATERIALS* **2** (2009) 2467-2495.
3. H. Jia, H. Ma, X. Jia: Research on polycrystalline diamond compact (PDC) with low residual stress prepared using nickel-based additive, *International Journal of Refractory Metals and Hard Materials* **29** (2011) 64-67.
4. A.L.D. Skury, S.N. Monteiro, G.S. Bobrovnitchii, M.G. Azevedo: A method for an improvement in the quality of diamond composite thermostable material, *Materials Science Forum* **660-661** (2010) 844-847.
5. X.C. Wang, B. Tang, F.M. Gao, J.J. Zheng, G.D. Wei, W.Y. Yang: Large-scale synthesis of hydrophobic SiC/C nanocables with enhanced electrical properties, *JOURNAL OF PHYSICS D-APPLIED PHYSICS* **44** (2011) 245404.
6. Y. Sahin, K. Emreöksüz, M. Simsir: Wear behavior of diamond+SiCp-reinforced metal matrix composite by Taguchi method, *Applied Mechanics and Materials* **472-475** M4D (2012) 1309-1318.
7. Z. Yang, X. He, M. Wu, A. Ma, R. Liu, X. Qu: Microstructural characterization of diamond/SiC composites fabricated by RVI, *Key Engineering Materials* **512-515** (2012) 1105-1110.
8. Liu, R.J., Cao, Y.B., Yan, C.L., Zhang, C.R., He, P.B.: Preparation and characterization of diamond-silicon carbide-silicon composites by gaseous silicon vacuum infiltration process, *Journal of Superhard Materials* **36** (2014) 410-414.
9. Asghar, M., Shahid, M.Y., Iqbal, F., Fatima, K., Nawaz, M.A., Arbi, H.M., Tsu, R.: Simple method for the growth of 4H silicon carbide on silicon substrate, *AIP Advances* **6** (2016) Article number 035201
10. Sarkar, Kaushik; Sarkar, Soumya; Das, Probal Kr.: Spark plasma sintered multiwalled carbon nanotube/silicon carbide composites: densification, microstructure, and tribo-mechanical characterization, *JOURNAL OF MATERIALS SCIENCE* **51** (2016) 6697-6710.
11. Zheng, Y., Jiang, Z., Zhu, P., Preparation and properties of polycrystalline diamond via high temperature and high pressure, 2016, *Cailiao Daobao/Materials Review*, 30(12), pp. 81-86

12. Yang, L., Zhang, K., Wen, M., Hou, Z., Gong, C., Liu, X., Hu, C., Cui, X., Zheng, W.: Highly hard yet toughened bcc-W coating by doping unexpectedly low B content, *Scientific Reports*, Volume 7, Issue 1, 1 December 2017, Article number 9353
13. Nam, S., Chang, K., Lee, W., Kim, M.J., Hwang, J.Y., Choi, H., Structural effect of two-dimensional BNNS on grain growth suppressing behaviors in Al-matrix nanocomposites, *Scientific Reports*, Volume 8, 2018, Article number 1614

J. Gubicza, N. Q. Chinh, T. G. Langdon, T. Ungár: Microstructure and strength of metals processed by severe plastic deformation, *Ultrafine Grained Materials IV*. Edited by Y.T. Zhu, T.G. Langdon, Z. Horita, M.J. Zehetbauer, S.L. Semiatin, and T.C. Lowe. TMS (The Minerals, Metals & Materials Society), 2006, pp. 231-236.

1. V.-T. Kuokkala, J. Kokkonen, B. Song, W. Chen, L. Olejnik, A. Rosochowski: Dynamic response of severe plastic deformation processed 1070 aluminum at various temperatures, *Proceedings of 18th DYMAT Technical Meeting*, September 10-12, 2008, Bourges, France (2008) p.39-46 (ISBN: 2-9517947-3-8).
2. A.I. Lotkov, A.A. Baturin, V.N. Grishkov, V.I. Kopylov: Possible role of crystal structure defects in grain structure nanofragmentation under severe cold plastic deformation of metals and alloys, *PHYSICAL MESOMECHANICS* **10** (2009) 179-189.
3. C.F. Gu, C.H.J. Davies: Thermal stability of ultrafine-grained copper during high speed micro-extrusion, *Materials Science and Engineering A*, **527** (2010) 1791-1799.
4. D.G. Morris: The origins of strengthening in nanostructured metals and alloys, *REVISTA DE METALURGIA* **46** (2010) 173-186.
5. E. Ortiz-Cuellar, M.A.L. Hernandez-Rodriguez, E. García-Sánchez: Evaluation of the tribological properties of an Al–Mg–Si alloy processed by severe plastic deformation, *Wear* **271** (2011) 1828-1832.
6. D.G. Morris: Strengthening mechanisms in nanocrystalline metals, book chapter in *NANOSTRUCTURED METALS AND ALLOYS: PROCESSING, MICROSTRUCTURE, MECHANICAL PROPERTIES AND APPLICATIONS*, Editor: S.H. Whang, Book Series: Woodhead Publishing in Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-670-2 (2011) 299-328.
7. L. Fu, J.-L. Ke, Q. Zhang, B.-Y. Tang, L.-M. Peng, W.-J. Ding: Mechanical properties of L1 2 type Al 3X (X=Mg, Sc, Zr) from first-principles study, *Physica Status Solidi (B) Basic Research* **249** (2012) 1510-1516.
8. Follansbee, P.S.: *Fundamentals of Strength: Principles, Experiment, and Applications of an Internal State Variable Constitutive Formulation*, Wiley, 2014, ISBN: 978-1-118-41341-8
9. Bratov, V., Borodin, E.N.: Comparison of dislocation density based approaches for prediction of defect structure evolution in aluminium and copper processed by ECAP, *Materials Science and Engineering A* **631** (2015) 10-17.
10. Sitdikov, V.D., Chizhov, P.S., Murashkin, M.Y., Goidenko, A.A., Valiev, R.Z.: X-ray studies of dynamic aging in an aluminum alloy subjected to severe plastic deformation, *Materials Characterization* **110** (2015) 222-227.
11. Spigarelli, S., Sandström, R., *Basic creep modelling of aluminium*, 2018, *Materials Science and Engineering A*, **711**, pp. 343-349

12. Lee, S.H., Lee, S., Yang, S., Kim, H., Park, L.J., Penetration performance of ultrafine-grained copper shaped charge liner, 2017, Proceedings - 30th International Symposium on Ballistics, BALLISTICS 2017, 2, pp. 2342-2347
13. Mahmoodi, Masoud; Naderi, Ali; Dini, Ghasem, Correlation Between Structural Parameters and Mechanical Properties of Al5083 Sheets Processed by ECAR, JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE Volume: 26 Issue: 12 Pages: 6022-6027 Published: DEC 2017

J. Gubicza, S. Dobatkin, Z. Bakai, N. Q. Chinh, T. G. Langdon: Microstructure and mechanical behavior of severely deformed f.c.c. metals, Mater. Sci. Forum **567-568** (2007) 181-184.

1. C.F. Gu, C.H.J. Davies: Thermal stability of ultrafine-grained copper during high speed micro-extrusion, Materials Science and Engineering A, **527** (2010) 1791-1799.
2. J.P. Stobrawa, Z.M. Rdzawski, W. Gluchowski, W. Malec: Microstructure evolution in CRCS processed strips of CuCr0,6 alloy, Journal of Achievements in Materials and Manufacturing Engineering **38** (2010) 195-202.
3. J.P. Stobrawa, Z.M. Rdzawski, W.J. Gluchowski: Dispersion and precipitation strengthened nanocrystalline and ultra fine grained copper, Journal of Nanoscience and Nanotechnology **12** (2012) 9102-9111.
4. Gholami, M., Mhaede, M., Pastorek, F., Altenberger, I., Hadzima, B., Wollmann, M., Wagner, L.: Corrosion Behavior and Mechanical Properties of Ultrafine-Grained Pure Copper with Potential as a Biomaterial, Advanced Engineering Materials **18** (2016) 615-623.
5. Gholami, M., Altenberger, I., Vesely, J., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L.: Effects of severe plastic deformation on transformation kinetics of precipitates in CuNi3Si1Mg, Materials Science and Engineering A, Volume 676, 31 October 2016, Pages 156-164.
6. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Janecek, M., Wollmann, M., Wagner, L., Effects of microstructure on mechanical properties of CuNiSi alloys, Journal of Alloys and Compounds, Volume 696, 5 March 2017, Pages 201-212

J. Gubicza, N. Q. Chinh, T. Csanádi, T. G. Langdon, T. Ungár: Microstructure and strength of severely deformed f.c.c. metals, Mater. Sci. Eng. A **462** (2007) 86-90.

1. H. Zhang, Z. Jiang, J. Lian, Q. Jiang: Strain rate dependence of tensile ductility in an electrodeposited Cu with ultrafine grain size, Materials Science and Engineering A **479** (2008) 136-141.
2. S Lee: Superplastic properties of Pb–62%Sn eutectic alloy after equal channel angular pressing (ECAP), Journal of Materials Processing Technology **201** (2008) 441-444.
3. M. Eizadjou, A. Kazemi Talachi, H. Danesh Manesh, H. Shakur Shahabi, K. Janghorban: Investigation of structure and mechanical properties of multi-layered Al/Cu composite produced by accumulative roll bonding (ARB) process, Composites Science and Technology **68** (2008) 2003-2009.
4. L. Kommel: UFG Microstructure Processing by ECAP from Double Electron-Beam Melted Rare Metal, Mater. Sci. Forum **584-586** (2008) 361-366.
5. R. Mahmudi, H. Mhjoubi, P. Mehraram: Superplastic indentation creep of fine-grained Sn-1% Bi alloy, Int. J. Modern Phys. B **22** (2008) 2823-2832.

6. S. Park, C.G. Lee, J. Kim, H.N. Han, S.J. Kim, K. Chung: Improvement of formability and spring-back of AA5052-H32 sheets based on surface friction stir method, *J. Eng. Mater. Techn.-Trans. ASME* **130** (2008) 0410071-04100710.
7. Y. Yang, H. Qiu, X. Chen, M. Yu: Characteristics of Ni films deposited on SiO<sub>2</sub>/Si(100) and MgO(001) by direct current magnetron sputtering system with the oblique target, *Applied Surface Science*, **255** (2009) 6226-6231.
8. L. Zhang, T. Ohmura, S. Emura, N. Sekido, F.X. Yin, X.H. Min, K.Tsuzaki: Evaluation of matrix strength in ultra-fine grained pure Al by nanoindentation, *JOURNAL OF MATERIALS RESEARCH* **24** (2009) 2917-2923.
9. T. Qian, M. Marx, K. Schüler, M. Hockauf, H. Vehoff: Plastic deformation mechanism of ultra-fine-grained AA6063 processed by equal-channel angular pressing, *Acta Materialia*, **58** (2010) 2112-2123.
10. N.A. Mara, D. Bhattacharyya, P. Dickerson, R.G. Hoagland, A. Misra: Ultrahigh strength and ductility of Cu-Nb nanolayered composites, *Materials Science Forum* **633-634** (2010) 647-653.
11. A. Moshkovich, V. Perfilyev, I. Lapsker and L. Rapoport: Stribeck Curve Under Friction of Copper Samples in the Steady Friction State, *Tribology Letters* **37** (2010) 645-653.
12. V. Perfilyev, A. Moshkovich, I. Lapsker, L. Rapoport: Friction and wear of copper samples in the steady friction state, *Tribology International* **43** (2010) 1449-1456.
13. A. Moshkovich, V. Perfilyev, T. Bendikov, I. Lapsker, H. Cohen, L. Rapoport: Structural evolution in copper layers during sliding under different lubricant conditions, *Acta Materialia* **58** (2010) 4685-4692.
14. L. Kommel: Properties development of ultrafine-grained copper under hard cyclic viscoplastic deformation, *Materials Letters* **64** (2010) 1580-1582.
15. J.P. Stobrawa, Z.M. Rdzawski, W. Gluchowski, W. Malec: Microstructure evolution in CRCS processed strips of CuCr0,6 alloy, *Journal of Achievements in Materials and Manufacturing Engineering* **38** (2010) 195-202.
16. R. Mahmudi, R. Alizadeh, A.R. Geranmayeh: Enhanced superplasticity in equal-channel angularly pressed Sn–5Sb alloy, *Scripta Materialia* **64** (2011) 521-524.
17. J. Zhang, N. Gao, M.J. Starink: Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model, *Materials Science and Engineering A* **528** (2011) 2581-2591.
18. T. Kunimine, T. Fujii, S. Onaka, N. Tsuji, M. Kato: Effects of Si addition on mechanical properties of copper severely deformed by accumulative roll-bonding, *Journal of Materials Science* **46** (2011) 4290-4295.
19. A. Moshkovich, V. Perfilyev, I. Lapsker, D. Gorni, L. Rapoport: The Effect of Grain Size on Stribeck Curve and Microstructure of Copper Under Friction in the Steady Friction State, *Tribology Letters* **42** (2011) 89-98.
20. M.A. Munoz-Morris, D.G. Morris: Microstructure control during severe plastic deformation of Al–Cu–Li and the influence on strength and ductility, *Materials Science and Engineering A* **528** (2011) 3445-3454.
21. J. Stobrawa, Z. Rdzawski, W. Gluchowski, W. Malec: ULTRAFINE GRAINED STRIPS OF PRECIPITATION HARDENED COPPER ALLOYS, *ARCHIVES OF METALLURGY AND MATERIALS* **56** (2011) 171-179.
22. X.-T. Luo, G.-J. Yang, C.-J. Li: Multiple strengthening mechanisms of cold-sprayed cBNp/NiCrAl composite coating, *Surface and Coatings Technology* **205** (2011) 4808-4813.

23. A. Moshkovich, V. Perfilyev, D. Gorni, I. Lapsker, L. Rapoport: The effect of Cu grain size on transition from EHL to BL regime (Stribeck curve), *Wear* **271** (2011) 1726-1732.
24. R. Kaibyshev, A. Mogucheva, A. Dubyna: Strategy for achieving high strength in Al-Mg-Sc alloys by intense plastic straining, *Materials Science Forum* **706-709** (2012) 55-60.
25. A.M. Kovalchenko, O.I. Fushchich, S. Danyluk: The tribological properties and mechanism of wear of Cu-based sintered powder materials containing molybdenum disulfide and molybdenum diselenite under unlubricated sliding against copper, *Wear* **290-291** (2012) 106-123.
26. A.A. Mogucheva, A.V. Dubyna, R.O. Kaibyshev: THE FORMATION OF ULTRAFINE GRAINED STRUCTURE IN AN Al-Mg-Sc ALLOY BY EQUAL CHANNELANGULAR PRESSING AT 150 degrees C, *REVIEWS ON ADVANCED MATERIALS SCIENCE* **31** (2012) 54-61.
27. J.P. Stobrawa, Z.M. Rdzawski, W.J. Gluchowski: Dispersion and precipitation strengthened nanocrystalline and ultra fine grained copper, *Journal of Nanoscience and Nanotechnology* **12** (2012) 9102-9111.
28. Tran, K.N., Salamanca-Riba, L., Chiou, W.-A., *Microstructural Evolution Of Severely Plastically Deformed Sensitized Aluminum 5456 Treated By Ultrasonic Impact Treatment, Microscopy and Microanalysis, Volume 18, July 2012, Pages 1892-1893*
29. K. Edalati, Z. Horita, T. Furuta, S. Kuramoto: Dynamic recrystallization and recovery during high-pressure torsion: Experimental evidence by torque measurement using ring specimens, *Materials Science and Engineering A* **559** (2013) 506-509.
30. B. Miller, O. Furlong, W.T. Tysoe: The Kinetics of Shear-Induced Boundary Film Formation from Dimethyl Disulfide on Copper, *TRIBOLOGY LETTERS* **49** (2013) 39-46.
31. R. Mahmudia, R. Alizadeha, Sh. Azharib: Strain rate sensitivity of equal-channel angularly pressed Sn–5Sb alloy determined by shear punch test, *Materials Letters* **97** (2013) 44-46.
32. W. Li, P. Liu, Y. Zhao, F. Ma, X. Liu, X. Chen, D. He: SiNx thickness dependent morphology and mechanical properties of CrAlN/SiNx nanomultilayers, *Thin Solid Films* **534** (2013) 367-372.
33. F. Cao, Z. Li, N. Zhang, H. Ding, F. Yu, L. Zuo: Superplasticity, flow and fracture mechanism in an Al-12.7Si-0.7Mg alloy, *Materials Science and Engineering A* **571** (2013) 167-183.
34. Tran, K.N., Salamanca-Riba, L.: Microstructural evolution of severely plastically deformed sensitized aluminum 5456-H116 treated by ultrasonic impact treatment, *Advanced Engineering Materials* **15** (2013) 1105-1110.
35. T. Hao, Z.Q. Fan, S.X. Zhao, G.N. Luo, C.S. Liu, Q.F. Fang: Strengthening Mechanism and Thermal Stability of Severely Deformed Ferritic/Martensitic Steel, *Materials Science and Engineering A* **596** (2014) 244-249.
36. Montazeri-Pour, M., Parsa, M.H., Mirzadeh, H.: Constitutive description of severely deformed metals based on dimensional analysis, *Materials Science and Technology (United Kingdom)* **30** (2014) 719-724.
37. Tran, K.N., Salamanca-Riba, L., Chiou, W.-A.: In situ elevated temperature transmission electron microscopy of sensitized aluminum-magnesium alloy treated by ultrasonic impact treatment, *Journal of Materials Research* **29** (2014) 1456-1462.

38. Izadi, Hossein; Sandstrom, Rolf; Gerlich, Adrian P.: Grain Growth Behavior and Hall-Petch Strengthening in Friction Stir Processed Al 5059, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE 45A (2014) 5635-5644.
39. Malopheyev, S., Kaibyshev, R.: Strengthening mechanisms in a Zr-modified 5083 alloy deformed to high strains, Materials Science and Engineering A 620 (2014) 246-252.
40. Voronin, V.I., Valiev, E.Z., Berger, I.F., Goschitskii, B.N., Proskurnina, N.V., Sagaradze, V.V., Kataeva, N.F.: Neutron diffraction analysis of Cr-Ni-Mo-Ti austenitic steel after cold plastic deformation and fast neutrons irradiation, Journal of Nuclear Materials 459 (2015) 97-102.
41. Montazeri-Pour, M., Parsa, M.H., Jafarian, H.R., Taieban, S.: Microstructural and mechanical properties of AA1100 aluminum processed by multi-axial incremental forging and shearing, Materials Science and Engineering A 639 (2015) 705-716.
42. Jahedi, M., Ardeljan, M., Beyerlein, I.J., Paydar, M.H., Knezevic, M.: Enhancement of orientation gradients during simple shear deformation by application of simple compression, Journal of Applied Physics 117 (2015) 214-309.
43. Vega, M.C.V., Bolmaro, R.E., Ferrante, M., Sordi, V.L., Kliauga, A.M.: The influence of deformation path on strain characteristics of AA1050 aluminium processed by equal-channel angular pressing followed by rolling, Materials Science and Engineering A 646 (2015) 154-162.
44. Khademzadeh, S., Toroghinejad, M.R., Ashrafizadeh, F., Parvin, N.: Microstructure and mechanical properties of Al-Cu composite produced by accumulative roll bonding and folding (ARBF), International Journal of Microstructure and Materials Properties 10 (2015) 159-171.
45. Gashti, S.O., Fattah-Alhosseini, A., Mazaheri, Y., Keshavarz, M.K.: Effects of grain size and dislocation density on strain hardening behavior of ultrafine grained AA1050 processed by accumulative roll bonding, Journal of Alloys and Compounds 658 (2016) 854-861.
46. Montazeri-Pour, Mehdi; Parsa, Mohammad Habibi: Constitutive analysis of tensile deformation behavior for AA1100 aluminum subjected to multi-axial incremental forging and shearing, MECHANICS OF MATERIALS 94 (2016) 117-131.
47. Gupta, R; Srivastava, S; Kumar, NK; Panthi, SK: High leaded tin bronze processing during multi-directional forging: Effect on microstructure and mechanical properties, MATERIALS SCIENCE AND ENGINEERING A 654 (2016) 282-291.
48. Liu, F; Yuan, H; Yin, J; Wang, JT: Influence of stacking fault energy and temperature on microstructures and mechanical properties of fcc pure metals processed by equal-channel angular pressing, MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING 662 (2016) 578-587.
49. Tolaminejad, B., Hoseini-Athar, M.M.: An investigation of microstructure and mechanical properties during ECAE of commercially pure aluminum, Materials Science and Engineering A 670 (2016) 146-152.
50. Imantalab, O; Fattah-Alhosseini, A; Mazaheri, Y; Keshavarz, MK: Strengthening Mechanisms and Electrochemical Behavior of Ultrafine-Grained Commercial Pure Copper Fabricated by Accumulative Roll Bonding, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE 47A (2016) 3684-3693.
51. Mostafapor, A., Mohammadinia, V.: Mechanical properties and microstructure evolution of AA1100 aluminum sheet processed by accumulative press bonding

- process, *Acta Metallurgica Sinica (English Letters)* Volume 29, Issue 8, August 2016, Pages 735-741.
52. Gholami, M., Altenberger, I., Vesely, J., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L.: Effects of severe plastic deformation on transformation kinetics of precipitates in CuNi3Si1Mg, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 156-164.
  53. Nuckowski, P.M., Kwany, W., Rdzawski, Z., Guchowski, W., Pawlyta, M.: Influence of the repetitive corrugation on the mechanism occurring during plastic deformation of CuSn6 alloy, *Archives of Metallurgy and Materials*, Volume 61, Issue 3, 2016, Pages 915-918
  54. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Janecek, M., Wollmann, M., Wagner, L., Effects of microstructure on mechanical properties of CuNiSi alloys, *Journal of Alloys and Compounds*, Volume 696, 5 March 2017, Pages 201-212
  55. Asadi, Saeed; Kazeminezhad, Mohsen, Multi Directional Forging of 2024 Al Alloy After Different Heat Treatments: Microstructural and Mechanical Behavior, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* Volume: 70 Issue: 7 Pages: 1707-1719 Published: SEP 2017
  56. Salinas, V; Aguilar, C; Espinoza-Gonzalez, R; Lund, F; Mujica, N, In situ monitoring of dislocation proliferation during plastic deformation using ultrasound, *INTERNATIONAL JOURNAL OF PLASTICITY*, Volume: 97, Pages: 178-193, 2017
  57. Hariram, M., Theerath, D., Chakravarthy, P., Arockia Kumar, R., Influence of Cold work on aging response of C17200-Beryllium Copper Alloy C17200, 2017, *Materials Today: Proceedings*, 4(10), pp. 11188-11193
  58. Howeyze, M., Arabi, H., Eivani, A.R., Jafarian, H.R., Strengthening of AA5052 aluminum alloy by equal channel angular pressing followed by softening at room temperature, 2018, *Materials Science and Engineering A*, 720, pp. 160-168
  59. Popov, I; Moshkovich, A; Cohen, SR; Perfilyev, V; Vakahy, A; Rapoport, L, Microstructure and nanohardness of Ag and Ni under friction in boundary lubrication, *WEAR*, 2018, Volume: 404, Pages: 62-70

T. Ungár, J. Gubicza: Nanocrystalline Materials Studied by Powder Diffraction Line Profile Analysis, *Z. Kristallographie* **222** (2007) 114-128.

1. M. Drygas, Z. Olejniczak, E. Grzanka, M.M. Bucko, R.T. Paine, J.F. Janik: Probing the structural/electronic diversity and thermal stability of various nanocrystalline powders of gallium nitride GaN, *Chemistry of Materials* **20** (2008) 6816-6828.
2. B. Savova, D. Filkova, D. Crisan, M. Crisan, M. Raileanu, N. Dragan, A. Galtayries, J. C. Vedrine: Neodymium doped alkaline-earth oxide catalysts for propane oxidative dehydrogenation. Part I. Catalyst characterisation, *Applied Catalysis A: General*, **359** (2009) 47-54.
3. A. Abdul-Latif, G.F. Dirras, S. Ramtani, A. Hocini: A new concept for producing ultrafine-grained metallic structures via an intermediate strain rate: Experiments and modeling, *International Journal of Mechanical Sciences* **51** (2009) 797-806.
4. W. Li, P. Liu, F. Ma, X. Liu, Y. Rong: High-temperature surface alloying of nanocrystalline nickel produced by surface mechanical attrition treatment, *Journal of Alloys and Compounds* **509** (2011) 518-522.
5. W. Li, P. Liu, F.-C. Ma, X.-K. Liu, X.-H. Chen: Microstructure and properties of Fe after surface mechanical attrition treatment within Cr powder, *Jinshu Rechuli/Heat Treatment of Metals* **37** (2012) 49-52.

6. M. Drygas, J.F. Janik: Modeling porosity of high surface area nanopowders of the gallium nitride GaN semiconductor, *Materials Chemistry and Physics* **133** (2012) 932-940.
7. W. Li, P. Liu, F.C. Ma, X.K. Liu, X.H. Chen, D.H. He: Surface Alloying of Nanocrystalline Fe-0.45 wt Pct C Alloy Subjected to Surface Mechanical Attrition Treatment Within Cr Powders, *INTEGRATED FERROELECTRICS* **138** (2012) 58-64.
8. F. Fellah, F. Schoenstein, A. Dakhlaoui–Omrani, S.M. Cherif, G. Dirras, N. Jouini: Nanostructured cobalt powders synthesised by polyol process and consolidated by Spark Plasma Sintering: microstructure and mechanical properties, *Materials Characterization* **69** (2012) 1-8.
9. D.V. Gunderov, A.V. Polyakov, I.P. Semenova, G.I. Raab, A.A. Churakova, E.I. Gimaltdinova, I. Sabirov, J. Segurado, V.D. Sitdikov, I.V. Alexandrov, N.A. Enikeev, R.Z. Valiev: Evolution of microstructure, macrotexture and mechanical properties of commercially pure Ti during ECAP-Conform processing and drawing, *Materials Science and Engineering A* **562** (2013) 128-136.
10. G. Laukaitis, D. Virbukas: The structural and electrical properties of GDC10 thin films formed by e-beam technique, *Solid State Ionics* **247-248** (2013) 41-47.
11. V. Soleimanian, M. Mojtahedi, M. Goodarzi, M.R. Aboutalebi: Characterization of crystallite size, dislocation characteristics and stacking faults in nanostructured mechanically alloyed Cu-Fe system using an advanced X-ray diffraction analysis method, *Journal of Alloys and Compounds* **590** (2014) 565-571.
12. Wu, D., Wang, X.L., Nieh, T.G.: Variation of strain rate sensitivity with grain size in Cr and other body-centred cubic metals, *Journal of Physics D: Applied Physics* **47** (2014) 175303.
13. Gallagher, J.R., Li, T., Zhao, H., Liu, J., Lei, Y., Zhang, X., Ren, Y., Elam, J.W.d, Meyer, R.J., Winans, R.E., Miller, J.T.: In situ diffraction of highly dispersed supported platinum nanoparticles, *Catalysis Science and Technology* **4** (2014) 3053-3063.
14. Soleimanian, V., Saeedi, M., Mokhtari, A.: The influence of heat treatment on the crystallite size, dislocation density, stacking faults probability and optical band gap of nanostructured cadmium sulfide films, *Materials Science in Semiconductor Processing* **30** (2015) 118-127.
15. Soleimanian, V., Abedi, M., Aghdaee, S.R.: Microstructure evaluation of nanocrystalline MgO powders using the advanced X-ray line profile analysis, *Journal of Crystal Growth* **411** (2015) 4-11.
16. Lou, C., Zhang, Y., Lyu, X., Gao, J., Wang, Q.: Surface modification of YW2 cemented carbide cutting tool by high current pulsed electron beam, *MATERIALS SCIENCE-Medziagotyra* **21** (2015) 203-206.
17. Gatina, S; Semenova, I; Leuthold, J; Valiev, R: Nanostructuring and Phase Transformations in the beta-Alloy Ti-15Mo during High-Pressure Torsion, *ADVANCED ENGINEERING MATERIALS* **17** (2015) 1742-1747.
18. Soleimanian, V., Fallah, M., Aghdaee, S.R.: Correlation between the microstructure and gas sensing characteristics of nanocrystalline ZnO thin films, *Journal of Materials Science: Materials in Electronics* **27** (2016) 1946-1954.
19. Chen, Y., Gao, N., Sha, G., Ringer, S.P., Starink, M.J.: Microstructural evolution, strengthening and thermal stability of an ultrafine-grained Al-Cu-Mg alloy, *Acta Materialia* **109** (2016) 202-212.

20. Dilanian, R.A., Williams, S.R., Martin, A.V., Streltsov, V.A., Quiney, H.M.: Whole-pattern fitting technique in serial femtosecond nanocrystallography, *IUCrJ* 3 (2016) 127-138.
21. Jayasankar, K; Pandey, A; Mishra, BK; Das, S: Evaluation of microstructural parameters of nanocrystalline Y<sub>2</sub>O<sub>3</sub> by X-ray diffraction peak broadening analysis, *MATERIALS CHEMISTRY AND PHYSICS*, Volume: 171, Pages: 195-200, 2016
22. Soleimanian, V., Chenari, H.M.: The evaluation of linear and planar defects in W-doped ZnO nanopowders, *Journal of Crystal Growth*, Volume 460, 15 February 2017, Pages 117-125
23. Kaszukur, Z., Zielinski, M., Juszczak, W., The real background and peak asymmetry in diffraction on nanocrystalline metals, *Journal of Applied Crystallography*, Volume 50, 2017, Pages 585-593
24. Lou, CS; Zhang, L; Lu, X; Lyu, X; Jin, G; Wang, Q, Effects of High Current Pulsed Electron Beam Irradiation on the Mechanical Properties and Cutting Performance of TiAlN-Coated Tools, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 26, 2017, Pages: 5864-5870
25. Robles, E; Fernandez-Rodriguez, J; Barbosa, AM; Gordobil, O; Carreno, NLV; Labidi, J., Production of cellulose nanoparticles from blue agave waste treated with environmentally friendly processes, *CARBOHYDRATE POLYMERS*, Volume: 183, Pages: 294-302, 2018
26. Smirnova, MY; Bobin, AS; Pavlova, SN; Ishchenko, AV; Selivanova, AV; Kaichev, VV; Cherepanova, SV; Krieger, TA; Arapova, MV; Roger, AC, Adamski, A; Sadykov, VA, Methane dry reforming over Ni catalysts supported on Ce-Zr oxides prepared by a route involving supercritical fluids, *OPEN CHEMISTRY*, Volume: 15, Issue: 1, Pages: 412-425, 2017
27. Robles, E., Fernández-Rodríguez, J., Barbosa, A.M., Gordobil, O., Carreño, N.L.V., Labidi, J., Dataset on cellulose nanoparticles from blue agave bagasse and blue agave leaves, *Data in Brief*, Volume 18, June 2018, Pages 150-155

J. Szépvölgyi, I. Mohai, L. Gál, I. Mészáros, J. Gubicza: Synthesis of nickel-zinc ferrites in RF thermal plasma reactor, Proc. of 10th International Conference and Exhibition of the European Ceramic Society, June 17 - 21, 2007, Berlin, Germany, In: Heinrich JG; Aniziris C (eds.), Baden-Baden: Göller, 2008, pp. 349-352, ISBN:3872640224; 9783872640222.

1. Poppy, P., Nur, A.A., Puput, R., Januarti, J.E.: Synthesis and characterization of Ni<sub>0.8</sub>Zn<sub>0.2</sub>Fe<sub>2</sub>O<sub>4</sub> nanoparticles by self combustion technique, *Materials Science Forum* 857 (2016) 136-141.

J. Gubicza, T. Ungár: Characterization of defect structures in nanocrystalline materials by X-ray line profile analysis, *Z. Kristallographie* **222** (2007) 567-579.

1. B. Palosz, S. Stelmakh, E. Grzanka, S. Gierlotka, W. Palosz: Application of the apparent lattice parameter to determination of the core-shell structure of nanocrystals *Zeitschrift für Kristallographie* **222** (2007) 580-594.
2. A. Beck, A. Horváth, Gy. Stefler, R. Katona, O. Geszti, Gy. Tolnai, L.F. Liotta, L. Guzzi: Formation and structure of Au/TiO<sub>2</sub> and Au/CeO<sub>2</sub> nanostructures in mesoporous SBA-15, *Catalysis Today* **139** (2008) 180-187.
3. M. Orolinova, J. Durisin, K. Durisinova, M. Besterci, K. Saks: Structural Analysis of Dispersion Strengthened Material on Aluminium Base, *HIGH TEMPERATURE MATERIALS AND PROCESSES* **28** (2009) 73-81.

4. Konczos Géza: Mechanikai tulajdonságok, in: Bevezetés a nanoszerkezetű anyagok világába, (szerk.. Csanády Andrásné, Kálmán Erika, Konczos Géza), ELTE Eötvös Kiadó Kft, Budapest, 2009, pp. 231-238., ISBN: 9789 6328 4053 6.
5. G. Dirras, T. Chauveau, A. Abdul-Latif, S. Ramtani, Q.-H. Bui: Microstructure characterization of high-purity aluminum processed by dynamic severe plastic deformation, *Physica Status Solidi (A) Applications and Materials Science* **207** (2010) 2233-2237.
6. P. Venkatachalam, S. Roy, B. Ravisankar, V.T. Paul, M. Vijayalakshmi, S. Suwas: Texture evolution in an Al–Cu alloy during equal channel angular pressing: the effect of starting microstructure, *Journal of Materials Science* (2011) DOI: 10.1007/s10853-011-5598-1
7. E.K. Lavrentyeva, S.Yu. Vassiliev, E.E. Levin, A.A. Tsirlin, S.N. Polyakov, M. Leoni, K.S. Napolskii, O.A. Petrii, G.A. Tsirlina: Smectite clays as the quasi-templates for platinum electrodeposition, *Electrochimica Acta* **61** (2012) 94-106.
8. J. Lohmiller, R. Baumbusch, M.B. Kerber, A. Castrup, H. Hahn, E. Schafner, M. Zehetbauer, O. Kraft, P.A. Gruber: Following the deformation behavior of nanocrystalline Pd films on polyimide substrates using in situ synchrotron XRD, *Mechanics of Materials*, **67** (2013) 65-73.
9. D. Escobar, R. Ospina, A.G. Gómez, E. Restrepo-Parra, P.J. Arango: X-ray microstructural analysis of nanocrystalline TiZrN thin films by diffraction pattern modeling, *Materials Characterization* **88** (2014) 119-126.
10. V. Soleimanian, M. Mojtahedi, M. Goodarzi, M.R. Aboutalebi: Characterization of crystallite size, dislocation characteristics and stacking faults in nanostructured mechanically alloyed Cu-Fe system using an advanced X-ray diffraction analysis method, *Journal of Alloys and Compounds* 590 (2014) 565-571.
11. Bojesen, E.D., Jensen, K.M.O., Tyrsted, C., Lock, N., Christensen, M., Iversen, B.B.: In situ powder diffraction study of the hydrothermal synthesis of ZnO nanoparticles, *Crystal Growth and Design* 14 (2014) 2803-2810.
12. Mirzaei, M., Roshan, M.R., Jenabali Jahromi, S.A.: Microstructure and mechanical properties relation in cold rolled Al 2024 alloy determined by X-ray line profile analysis, *Materials Science and Engineering A* 620 (2014) 44-49.
13. Soleimanian, V., Saeedi, M., Mokhtari, A.: The influence of heat treatment on the crystallite size, dislocation density, stacking faults probability and optical band gap of nanostructured cadmium sulfide films, *Materials Science in Semiconductor Processing* 30 (2015) 118-127.
14. Soleimanian, V., Abedi, M., Aghdaee, S.R.: Microstructure evaluation of nanocrystalline MgO powders using the advanced X-ray line profile analysis, *Journal of Crystal Growth* 411 (2015) 4-11.
15. D. Escobar, R. Ospina, A.G. Gómez, E. Restrepo-Parra: Microstructure, residual stress and hardness study of nanocrystalline titanium–zirconium nitride thin films, *Ceramics International* 41 Part B (2015) 947-952.
16. Mojtahedi, M., Goodarzi, M., Aboutalebi, M.R., Soleimanian, V.: An investigation on the microstructure and defects in the mechanically milled Cu and Fe powders, *Powder Diffraction* 30 (2015) 14-24.
17. Umbrello, D; Rotella, G; Matsumura, T; Musha, Y: Evaluation of microstructural changes by X-ray diffraction peak profile and focused ion beam/scanning ion microscope analysis, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY* 77 (2015) 1465-1474.
18. Varnamkhasti, Mohsen Ghasemi; Soleimanian, V.: Microstructure, electrical and optoelectronic characterizations of transparent conductive nanocrystalline In<sub>2</sub>O<sub>3</sub>:Sn

- thin films, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS* 26 (2015) 3223-3230.
19. Singla, Gourav; Singh, K.; Pandey, O. P.: Effect of Processing Variables on WC Nanoparticles Synthesized by Solvothermal Route, *PARTICULATE SCIENCE AND TECHNOLOGY* 33 (2015) 47-52.
  20. Soleimanian, V.; Mojtahedi, M.: A comparison between different X-ray diffraction line broadening analysis methods for nanocrystalline ball-milled FCC powders, *APPLIED PHYSICS A-MATERIALS SCIENCE & PROCESSING* 119 (2015) 977-987.
  21. Soleimanian, V., Fallah, M., Aghdaee, S.R.: Correlation between the microstructure and gas sensing characteristics of nanocrystalline ZnO thin films, *Journal of Materials Science: Materials in Electronics* 27 (2016) 1946-1954.
  22. Jayasankar, K; Pandey, A; Mishra, BK; Das, S: Evaluation of microstructural parameters of nanocrystalline Y2O3 by X-ray diffraction peak broadening analysis, *MATERIALS CHEMISTRY AND PHYSICS*, Volume: 171, Pages: 195-200, 2016
  23. Soleimanian, V., Chenari, H.M.: The evaluation of linear and planar defects in W-doped ZnO nanopowders, *Journal of Crystal Growth*, Volume 460, 15 February 2017, Pages 117-125
  24. Peterson, K.E., Henry, R.F., Zhang, G.G.Z., MacGillivray, L.R., Reducing a cocrystal to nanoscale dimensions enables retention of physical crystal integrity upon dehydration, *CrystEngComm*, 2017, 19(27), pp. 3723-3726
  25. Dobatkin, S.V., Skrotzki, W., Rybalchenko, O.V., Terent'ev, V.F., Belyakov, A.N., Prosvirnin, D.V., Raab, G.I., Zolotarev, E.V., Structural changes in metastable austenitic steel during equal channel angular pressing and subsequent cyclic deformation, *Materials Science and Engineering A* Volume 723, 18 April 2018, Pages 141-147
  26. Ramasamy, V., Mohana, V., Rajendran, V., Characterization of Ca doped CeO<sub>2</sub> quantum dots and their applications in photocatalytic degradation, 2018, *OpenNano*, 3, pp. 38-47

N. Q. Chinh, J. Gubicza, T. G. Langdon: Face-centered cubic metals and alloys processed by Equal-Channel Angular Pressing, *J. Mater. Sci.* **42** (2007) 1594-1605.

1. L. L. Shaw, A. L. Ortiz, J. C. Villegas: Hall–Petch relationship in a nanotwinned nickel alloy, *Scripta Materialia* **58** (2008) 951-954.
2. M. Janecek, J. Cizek, M. Dopita, R. Král, O. Srba: Mechanical Properties and Microstructure Development of Ultrafine-Grained Cu Processed by ECAP, *Mater. Sci. Forum* **584-586** (2008) 440-445.
3. H.J. Roven, M. Liu, M. Murashkin, R.Z. Valiev, A.R. Kilmametov, T. Ungar, L. Balogh: Nanostructures and Microhardness in Al and Al-Mg Alloys Subjected to SPD, *MATERIALS SCIENCE FORUM* **604-605** (2009) 179-185.
4. Z. Matej, R. Kuzel, M. Dopita, M. Janecek, J. Cizek, T. Brunátová: XRD profile analysis of ECAP Cu and Cu+Zr samples, *Int. J. Mat. Res.* **100** (2009) 880-883.
5. A.V. Nagasekhar, T. Rajkumar, D. Stephan, Y. Tick-Hon, R.K. Guduru: Microstructure and mechanical properties of pure gold processed by equal channel angular pressing, *Materials Science and Engineering A* **524** (2009) 204–207.
6. R. Kuzel, M. Janecek, Z. Matej, J. Cizek, M. Dopita, O. Srba: Microstructure of Equal-Channel Angular Pressed Cu and Cu-Zr Samples Studied by Different Methods, *METALLURGICAL AND MATERIALS TRANSACTIONS A-*

- PHYSICAL METALLURGY AND MATERIALS SCIENCE **41** (2010) 1174-1190.
7. X.-T. Luo, G.-J. Yang, C.-J. Li: Multiple strengthening mechanisms of cold-sprayed cBNp/NiCrAl composite coating, *Surface and Coatings Technology* **205** (2011) 4808-4813.
  8. A. Vinogradov, M. Maruyama, Y. Kaneko, S. Hashimoto: Effect of dislocation hardening on monotonic and cyclic strength of severely deformed copper, *Philosophical Magazine* **92** (2012) 666-689.
  9. T. Theivasanthi, M. Alagar: Electrolytic synthesis and characterization of silver nanopowder, *Nano Biomedicine and Engineering* **4** (2012) 58-65.
  10. B. Jóni, E. Schafler, M. Zehetbauer, G. Tichy, T. Ungár: Correlation between the microstructure studied by X-ray line profile analysis and the strength of high-pressure-torsion processed Nb and Ta, *Acta Materialia* **61** (2013) 632-642.
  11. T. Theivasanthi, M. Alagar: Konjac biomolecules assisted-rod/spherical shaped lead nano powder synthesized by electrolytic process and its characterization studies, *Nano Biomedicine and Engineering* **5** (2013) 11-19.
  12. Y.Y. Zhu, Z.G. Li, R.F. Li, M. Li, X.L. Daze, K. Feng, Y.X. Wu: Microstructure and property of Fe-Co-B-Si-C-Nb amorphous composite coating fabricated by laser cladding process, *Applied Surface Science* **280** (2013) 50-54.
  13. S.J. Yoo, S.H. Han, W.J. Kim: A combination of ball milling and high-ratio differential speed rolling for synthesizing carbon nanotube/copper composites, *Carbon* **61** (2013) 487-500.
  14. A. Kobler, J. Lohmiller, J. Schafer, M. Kerber, A. Castrup, A. Kashiwar, P.A. Gruber, K. Albe, H. Hahn, C. Kubel: Deformation-induced grain growth and twinning in nanocrystalline palladium thin films, *BEILSTEIN JOURNAL OF NANOTECHNOLOGY* **4** (2013) 554-566.
  15. Guo, Q; Chang, L; Ye, L; Wang, YL; Feng, HT; Cao, Y; Lian, Q; Li, Y: Residual Stress, Nanohardness, and Microstructure Changes in Whirlwind Milling of GCr15 Steel, *MATERIALS AND MANUFACTURING PROCESSES* **28** (2013) 1047-1052.
  16. P. Kathirvel, J. Chandrasekaran, D. Manoharan, S. Kumar: Preparation and characterization of alpha alumina nanoparticles by in-flight oxidation of flame synthesis, *Journal of Alloys and Compounds* **590** (2014) 341-345.
  17. P. Shaterani, A. Zarei-Hanzaki, S.M. Fatemi-Varzaneh, S.B. Hassas-Irani: The Second Phase Particles and Mechanical Properties of 2124 Aluminum Alloy Processed by Accumulative Back Extrusion, *Materials & Design*, **58** (2014) 535-542.
  18. Yadav, K., Dwivedi, Y., Jaggi, N.: Structural and optical properties of Ni doped ZnSe nanoparticles, *Journal of Luminescence* **158** (2014) 181-187.
  19. Ahn, D.-H., Kim, W., Kang, M., Park, L.J., Lee, S., Kim, H.S.: Plastic deformation and microstructural evolution during the shock consolidation of ultrafine copper powders, *Materials Science and Engineering A* **625** (2015) 230-244.
  20. Roy, S., Das, T.K.: Protein capped silver nanoparticles from fungus: X-ray diffraction studies with antimicrobial properties against bacteria, *International Journal of ChemTech Research* **7** (2014) 1452-1459.
  21. Xie, C., Fang, Q.H., Li, L.X., Chen, J.K., Liu, Y.W., Wang, Y.N.: The impact of twin lamella thickness distribution on strength and endurance limit in nanotwinned copper, *Mechanics of Materials* **84** (2015) 91-99.

22. Pan, Z.-Y., Chen, J.-B., Li, J.-F.: Microstructure and properties of rare earth-containing Cu-Cr-Zr alloy, Transactions of Nonferrous Metals Society of China (English Edition) 25 (2015) 1206-1214.
23. Das, R., Sarkar, S.: Determination of intrinsic strain in poly(vinylpyrrolidone)-capped silver nano-hexapod using X-ray diffraction technique, Current Science 109 (2015) 775-778.
24. Ahn, D.-H., Kim, W., Yoon, E.Y., Kim, H.S.: Compressibility of hierarchic-architected agglomerates of hydrogen-reduced copper nanopowders, Journal of Materials Science 51 (2016) 82-95.
25. Montazeri-Pour, Mehdi; Parsa, Mohammad Habibi: Constitutive analysis of tensile deformation behavior for AA1100 aluminum subjected to multi-axial incremental forging and shearing, MECHANICS OF MATERIALS 94 (2016) 117-131.
26. Chou, J.-C., Huang, C.-H., Lin, Y.-J., Chu, C.-M., Liao, Y.-H., Tai, L.-H., Nien, Y.-H.: The Influence of Different Annealing Temperatures on Graphene-Modified TiO<sub>2</sub> for Dye-Sensitized Solar Cell, IEEE Transactions on Nanotechnology 15 (2016) 164-170.
27. Shaeri, MH; Shaeri, M; Ebrahimi, M; Salehi, MT; Seyyedain, SH: Effect of ECAP temperature on microstructure and mechanical properties of Al-Zn-Mg-Cu alloy, PROGRESS IN NATURAL SCIENCE-MATERIALS INTERNATIONAL 26 (2016) 182-191.
28. Kumar, A., Singh, H., Gill, P.S., Goyal, N.: The effect of doped zinc on the structural properties of nano-crystalline (Se<sub>0.8</sub>Te<sub>0.2</sub>)<sub>100-x</sub>Zn<sub>x</sub>, AIP Conference Proceedings, Volume 1728, 6 May 2016, Article number 020351, International Conference on Condensed Matter and Applied Physics, ICC 2015; Bikaner; India; 30 October 2015 through 31 October 2015; Code 121744
29. Das, R., Sarkar, S.: Williamson hall plot analysis of the X-ray diffraction result of synthesized silver nanocubes for the determination of their elastic properties, Advanced Science Letters, Volume 22, Issue 1, January 2016, Pages 145-148.
30. Vijayalakshmi, K.; Jereil, S. David: High performance electrochemical H<sub>2</sub>O<sub>2</sub> sensor based on MWCNT thin films fabricated by novel electron beam evaporation, CERAMICS INTERNATIONAL Volume: 42 Issue: 14 Pages: 15493-15501 Published: NOV 1 2016
31. Chongad, L.S., Sharma, A., Banerjee, M., Jain, A.: Synthesis of Lead Sulfide Nanoparticles by Chemical Precipitation Method, Journal of Physics: Conference Series, Volume 755, Issue 1, 1 November 2016, Article number 012032
32. Kumar, A., Kashyap, M.K., Sabharwal, N., Kumar, S., Kumar, A., Kumar, P., Asokan, K., Structural, optical and weak magnetic properties of Co and Mn codoped TiO<sub>2</sub> nanoparticles, Solid State Sciences, Volume 73, November 2017, Pages 19-26
33. Vijayalakshmi, K.; Jereil, S. David; Alagusundaram, K., Electron beam and spray technologies fabrication of hybrid MnO<sub>2</sub>/CNT/Ta nanocomposite for the electrochemical detection of H<sub>2</sub>O<sub>2</sub>, CERAMICS INTERNATIONAL Volume: 43 Issue: 16 Pages: 14464-14472 Published: NOV 2017
34. Li, RF; Zheng, QC; Zhu, YY; Li, ZG; Feng, K; Liu, C, Experimental Study of the Microstructure and Micromechanical Properties of Laser Cladded Ni-based Amorphous Composite Coatings, JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE, Volume: 27, Pages: 80-88, 2018
35. Muniyappan, S; Solaiyammal, T; Sudhakar, K; Nandhini, S; Murugakoothan, P., Effective chemical route for the synthesis of thiophenol stabilized cadmium sulphide (CdS) quantum dots: compact discussions on the structural, morphological,

- optical and dielectric properties, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS*, 29, Issue: 4, Pages: 2899-2906.
36. Sarkar, S., Das, R., Shape effect on the elastic properties of ag nanocrystals, 2018, *Micro and Nano Letters*, 13(3), pp. 312-315
  37. Muniyappan, S., Murugakoothan, P., Oleic acid capped cadmium sulphide (CdS) quantum dots: Discussions on synthesis, structural, optical and morphological behavior, 2018, *Materials Letters*, 220, pp. 277-280
  38. Singh, H; Bharti, A; Kumar, A; Goyal, N; Gill, PS, Crystal Structure Characterization and Morphology of Tellurium Doped Multicomponent Chalcogenide Copper Indium Gallium Diselenide Compound, *MATERIALS FOCUS*, Volume: 6, 611-617, 2017
  39. Jereil, S. David; Vijayalakshmi, K.; Monamary, A., Fabrication of highly sensitive MnO<sub>2</sub>/F-MWCNT/Ta hybrid nanocomposite sensor with different MnO<sub>2</sub> overlayer thickness for H<sub>2</sub>O<sub>2</sub> detection, *CERAMICS INTERNATIONAL* Volume: 44 Issue: 7 Pages: 8064-8071 Published: MAY 2018
  40. Yin, F., Cheng, G.J., Xu, R., Zhao, K., Li, Q., Jian, J., Hu, S., Sun, S., An, L., Han, Q., Ultrastrong nanocrystalline stainless steel and its Hall-Petch relationship in the nanoscale, *Scripta Materialia*, Volume 155, 2018, Pages 26-31
  41. Li, R., Hou, J., Yang, W., Yu, H., Wang, Q., Zhang, Z., Strengthening mechanism and yield strength prediction of cold-drawn commercially pure aluminum wire, *IOP Conference Series: Materials Science and Engineering* Volume 382, Issue 2, 13 July 2018, Article number 022094 (2018), International Conference on Advanced Materials, Intelligent Manufacturing and Automation, AMIMA 2018; School of Information and Control, Nanjing University of Information Science and Technology; China; 23 May 2018 through 26 May 2018; Code 138024
  42. Hou, J.P., Li, R., Wang, Q., Yu, H.Y., Zhang, Z.J., Chen, Q.Y., Ma, H., Wu, X.M., Li, X.W., Zhang, Z.F., Breaking the trade-off relation of strength and electrical conductivity in pure Al wire by controlling texture and grain boundary, *Journal of Alloys and Compounds* Volume 769, 15 November 2018, Pages 96-109

Gy. Horváth, N. Q. Chinh, J. Gubicza, J. Lendvai: Plastic instabilities and dislocation densities during plastic deformation in Al-Mg alloys, *Mater. Sci Eng. A* **445-446** (2007) 186-192.

1. D-Y. Park and M. Niewczas: Plastic deformation of Al and AA5754 between 4.2 K and 295 K, *Materials Science and Engineering A* **491** (2008) 88-102.
2. N.Yu. Zolotarevsky, A.N. Solonin, A.Yu. Churyumov, V.S. Zolotarevsky: Study of work hardening of quenched and naturally aged Al-Mg and Al-Cu alloys *Materials Science and Engineering A* **502** (2009) 111-117.
3. C. Brüggemann, T. Böhlke and A. Bertram: Modelling and Simulation of the Portevin-Le Chatelier Effect, in: *Micro-Macro-Interactions: In Structured Media and Particle Systems*, eds.: A. Bertram, J. Tomas, Springer, ISBN 978-3-540-85714-353-55, (2008) pp. 53-61.
4. L. Casarotto, H. Dierke, R. Tutsch, H. Neuhäuser: On nucleation and propagation of PLC bands in an Al-3Mg alloy, *Materials Science and Engineering A* **527** (2009) 132-140.
5. A. A. Shibkov and A. E. Zolotov: Nonlinear dynamics of the spatio-temporal pattern of a macroscopically localized deformation, *JETP Letters* **90** (2009) 370-375.
6. U. Caydas, A. Hascalik: Effect of Mg on mechanical properties of Al-Mg alloys, *Praktische Metallographie/Practical Metallography* **47** (2010) 124-134.

7. F. Zhang, A.F. Bower, W.A. Curtin: Finite element implementation of a kinetic model of dynamic strain aging in aluminum-magnesium alloys, *INTERNATIONAL JOURNAL FOR NUMERICAL METHODS IN ENGINEERING* **86** (2011) 70-92.
8. M.A. Mahmoud, A.F. Abd El-Rehim, M. Sobhy, R.M. Abdel Rahman: Effect of torsional oscillations on the stress–strain behavior of Al–5 wt% Mg alloy, *Materials Science and Engineering A* **528** (2011) 6026-6033.
9. K. Zhang, M. Zhang, Z. Guo, N. Chen, Y. Rong: A new effect of retained austenite on ductility enhancement in high-strength quenching–partitioning–tempering martensitic steel, *Materials Science and Engineering A* **528** (2011) 8486-8491.
10. A. Yilmaz: The Portevin-Le Chatelier effect: A review of experimental findings, *Science and Technology of Advanced Materials* **12** (2011) 063001.
11. G. Swami Naidu, A.V.S.S.K.S. Gupta, N.R.M.R. Bhargava: Deformational inhomogeneity in Al-4Mg alloy -microhardness study, *Journal of Manufacturing Technology Research* **3** (2011) 251-263.
12. W.C. Liu, P.P. Zhai, C.-S. Man: Estimating local dislocation content near a grain boundary in hot deformed AA 3104 aluminum alloy, *Materials Science and Engineering A* **531** (2012) 178-181.
13. S.N. Gurugubelli, A.V.S.S.K.S. Gupta, N.R.M.R. Bhargava: Deformational inhomogeneity in Al-2Mg and Al-8Mg alloys-microhardness study, *International Journal of Materials Engineering Innovation* **3** (2012) 32-49.
14. Lj. Radovic, M. Nikacevic, B. Jordovic: Deformation behaviour and microstructure evolution of AlMg6Mn alloy during shear spinning, *Transactions of Nonferrous Metals Society of China* **22** (2012) 991-1000.
15. D. Zhemchuzhnikova, A. Mogucheva, R. Kaibyshev: Mechanical properties and fracture behavior of an Al-Mg-Sc-Zr alloy at ambient and subzero temperatures, *Materials Science and Engineering A* **565** (2013) 132-141.
16. V. Kumar, A. Gupta, D. Lahiri, K. Balani: Serrated yielding during nanoindentation of thermomechanically processed novel Mg-9Li-7Al-1Sn and Mg-9Li-5Al-3Sn-1Zn alloys, *JOURNAL OF PHYSICS D-APPLIED PHYSICS* **46** (2013) 145304.
17. D. Fang, G. Bi, J. Jiang, Q. Peng, Z. Jiang, X. Zhang, Y. Jin, Y. Chai, D. Zhang: Influences of Y and Y-Rich Mischmetal Additions on Microstructure and Compressive Properties of As-Cast Al-Mg-Mn Alloy, *Journal of Materials Engineering and Performance* **22** (2013) 1201-1207.
18. N. Anjabin, A. KarimiTaheri, H.S. Kim: Simulation and experimental analyses of dynamic strain aging of a supersaturated age hardenable aluminium alloy, *Materials Science and Engineering A*, **585** (2013) 165-173.
19. Dontsova, E., Rottler, J., Sinclair, C.W.: Solute-defect interactions in Al-Mg alloys from diffusive variational Gaussian calculations, *Physical Review B - Condensed Matter and Materials Physics* **90** (2014) 174102.
20. Sharma, Mala M.; Tomedi, Josh D.; Weigley, Timothy J.: Slow strain rate testing and stress corrosion cracking of ultra-fine grained and conventional Al-Mg alloy, *MATERIALS SCIENCE AND ENGINEERING A* **619** (2014) 35-46.
21. Zha, M., Li, Y., Mathiesen, R.H., Bjorge, R., Roven, H.J.: Microstructure evolution and mechanical behavior of a binary Al-7Mg alloy processed by equal-channel angular pressing, *Acta Materialia* **84** (2015) 42-54.
22. Kurmanaeva, L., Topping, T.D., Wen, H., Sugahara, H., Yang, H., Zhang, D., Schoenung, J.M., Lavernia, E.J.: Strengthening mechanisms and deformation behavior of cryomilled Al-Cu-Mg-Ag alloy, *Journal of Alloys and Compounds* **632** (2015) 591-603.

23. Ait-Amokhtar, H., Fressengeas, C., Bouabdallah, K.: On the effects of the Mg content on the critical strain for the jerky flow of Al-Mg alloys, *Materials Science and Engineering A* 631 (2015) 209-213.
24. Zhao, P., Zhang, B., Cheng, C., Misra, R.D.K., Gao, G., Bai, B., Weng, Y.: The significance of ultrafine film-like retained austenite in governing very high cycle fatigue behavior in an ultrahigh-strength MN-SI-Cr-C steel, *Materials Science and Engineering A* 645 (2015) 116-121.
25. Kammerer, C.C., Behdad, S., Zhou, L., Betancor, F., Gonzalez, M., Boesl, B., Sohn, Y.H.: Diffusion kinetics, mechanical properties, and crystallographic characterization of intermetallic compounds in the Mg-Zn binary system, *Intermetallics* 67 (2015) 145-155.
26. Hu, D.-C., Chen, M.-H., Wang, L., Cheng, H.: Dynamic tensile behaviour and deformational mechanism of C5191 phosphor bronze under high strain rates deformation, *Materials Science and Engineering A* 649 (2016) 68-73.
27. Naseri, M., Reihanian, M., Borhani, E.: A new strategy to simultaneous increase in the strength and ductility of AA2024 alloy via accumulative roll bonding (ARB), *Materials Science and Engineering A* 656 (2016) 12-20.
28. Pereira, P.H.R., Huang, Y., Langdon, T.G., Influence of initial heat treatment on the microhardness evolution of an Al-Mg-Sc alloy processed by high-pressure torsion, *Materials Science Forum*, Volume 879, 2017, Pages 1471-1476
29. Chibane, N., Ait-Amokhtar, H., Fressengeas, C., On the strain rate dependence of the critical strain for plastic instabilities in Al-Mg alloys,,*Scripta Materialia*, Volume 130, 15 March 2017, Pages 252-255
30. Kobelev, Nikolay P.; Lebyodkin, Mikhail A.; Lebedkina, Tatiana A., Role of Self-Organization of Dislocations in the Onset and Kinetics of Macroscopic Plastic Instability, *METALLURGICAL AND MATERIALS TRANSACTIONS A- PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 48A Issue: 3 Pages: 965-974 Published: MAR 2017
31. Trusov, P.V., Chechulina, E.A., Serrated yielding: Crystal viscoplastic models, *PNRPU Mechanics Bulletin*, Issue 1, 2017, Pages 134-163
32. Hu Daochun; Chen Minghe, Dynamic Tensile Properties and Deformational Mechanism of C5191 Phosphor Bronze, *RARE METAL MATERIALS AND ENGINEERING* Volume: 46 Issue: 6 Pages: 1518-1523 Published: JUN 2017
33. Zhemchuzhnikova, D., Lebyodkin, M., Lebedkina, T., Mogucheva, A., Yuzbekova, D., Kaibyshev, R., Peculiar spatiotemporal behavior of unstable plastic flow in an AlMgMnScZr alloy with coarse and ultrafine grains, *MetalsOpen Access* Volume 7, Issue 9, September 2017, Article number 325
34. Son, K.-T., Kim, M.-H., Kim, S.-W., Lee, J.-W., Hyun, S.-K., Evaluation of hot deformation characteristics in modified AA5052 using processing map and activation energy map under deformation heating, 2018, *Journal of Alloys and Compounds*, 740, pp. 96-108
35. Mikhaylovskaya, A.V., Mochugovskiy, A.G., Levchenko, V.S., Tabachkova, N.Y., Mufalo, W., Portnoy, V.K., Precipitation behavior of L12 Al3Zr phase in Al-Mg-Zr alloy, *Materials Characterization*, Volume 139, May 2018, Pages 30-37
36. Du, BD; He, TT; Liu, GL; Chen, W; Wang, YM; Wang, W; Chen, DM, Al-water reactivity of Al-Mg-Ga-In-Sn alloys used for hydraulic fracturing tools, *INTERNATIONAL JOURNAL OF HYDROGEN ENERGY*, Volume: 43, Pages: 7201-7215, 2018

J. Gubicza, I. Schiller, N. Q. Chinh, J. Illy: Precipitation microstructure of ultrafine-grained Al-Zn-Mg alloys processed by severe plastic deformation, *Mater. Sci. Forum*, **537-538** (2007) 169-176.

1. Li, J., Li, F., Ma, X., Li, J., Liang, S., Effect of grain boundary characteristic on intergranular corrosion and mechanical properties of severely sheared Al-Zn-Mg-Cu alloy, 2018, *Materials Science and Engineering A*, 732, pp. 53-62

J. Gubicza, I. Schiller, N. Q. Chinh, J. Illy, Z. Horita and T. G. Langdon: The effect of severe plastic deformation on precipitation in supersaturated Al-Zn-Mg alloys, *Mater. Sci. Eng. A* **460-461** (2007) 77-85.

1. S.K. Panigrahi, R. Jayaganthan: Effect of rolling temperature on microstructure and mechanical properties of 6063 Al alloy, *Mater. Sci. Eng. A* **492** (2008) 300-305.
2. S. J. Mu, W. P. Hu, G. Gottstein: Investigations on Deformation Behavior and Microstructure of Ultrafine Grained Two Phase Al-Mn Alloy Fabricated by Confined Channel Die Pressing, *Mater. Sci. Forum* **584-586** (2008) 697-702.
3. S.K. Panigrahi, D. Devanand, R. Jayaganthan: A comparative study on mechanical properties of ultrafine-grained Al 6061 and Al 6063 alloys processed by cryorolling, *Transactions of the Indian Institute of Metals* **61** (2008) 159-163.
4. M. Hockauf, L.W. Meyer, B. Zillmann, M. Hietschold, S. Schulze, L. Krüger: Simultaneous improvement of strength and ductility of Al-Mg-Si alloys by combining equal-channel angular extrusion with subsequent high-temperature short-time aging, *Materials Science and Engineering: A* **503** (2009) 167-171.
5. S.K. Panigrahi, R. Jayaganthan, V. Pancholi: Effect of plastic deformation conditions on microstructural characteristics and mechanical properties of Al 6063 alloy, *Materials & Design* **30** (2009) 1894-1901.
6. I. Mazurina, T. Sakai, H. Miura, O. Sitdikov, R. Kaibyshev: Partial Grain Refinement in Al-3%Cu Alloy during ECAP at Elevated Temperatures, *MATERIALS TRANSACTIONS* **50** (2009) 101-110.
7. Y. Estrin: Ultrafine grained Al-alloys by severe plastic deformation: processes and properties, in: *Aluminium Alloys*, eds.: J. Hirsch, G. Gottstein, B. Skrotzki, ISBN-13: 978-3-527-32367-8 - Wiley-VCH, Weinheim (2008) Vol. 1, pp. 71-80.
8. G. Purcek, O. Saray, I. Karaman, M. Haouaoui: Microstructural Evolution and Mechanical Response of Equal-Channel Angular Extrusion-Processed Al-40Zn-2Cu Alloy, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **40A** (2009) 2772-2783.
9. Z.-Z. Zhang, X.-C. Xu, Z.-Y. Liu, Q.-K. Xia, S.-M. Zeng: Re-precipitate behavior of supersaturated solid solution of Al-Cu alloy caused by severe plastic deformation during subsequent deformation, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* **19** (2009) 1962-1968.
10. R. Manna, N. K. Mukhopadhyay, G. V. S. Sastry: Mechanism of microstructural refinement operative during equal channel angular pressing of Aluminium-1wt% Zinc alloy, *Proc. 30<sup>th</sup> Riso International Symposium on Materials Science: Nanostructured metals – Fundamentals to applications*, 7-11 September, 2009, Eds.: J.-C. Grivel, N. Hansen, X. Huang, D. Juul Jensen, O.V. Mishin, S.F. Nielsen, W. Pantleon, H. Toftegaard, G. Winther, T. Yu, Riso National Laboratory for Sustainable Energy, Technical University of Denmark, Roskilde, Denmark, ISBN 978-87-550-3776-2, 2009, p. 245-252.

11. T. Radetic, M. Popovic, E. Romhanji, B. Verlinden: The effect of ECAP and Cu addition on the aging response and grain substructure evolution in an Al–4.4 wt.% Mg alloy, *Materials Science and Engineering A* **527** (2010) 634-644.
12. S.K. Panigrahi, R. Jayaganthan, V. Pancholi, M. Gupta: A DSC study on the precipitation kinetics of cryorolled Al 6063 alloy, *Materials Chemistry and Physics*, **122** (2010) 188-193.
13. G.I. Prokopenko, A.L. Berezina, S.M. Voloshko, I.E. Kotenko, A.P. Burmak: Hardening of D16 Alloy Surface at Ultrasonic-Shock Treatment, *METALLOFIZIKA I NOVEISHIE TEKHNOLOGII* **32** (2010) 397-403.
14. S. Zhang, W. Hu, R. Berghammer, G. Gottstein: Microstructure evolution and deformation behavior of ultrafine-grained Al–Zn–Mg alloys with fine  $\eta'$  precipitates, *Acta Materialia* **58** (2010) 6695-6705.
15. E.K. Cardoso, V. Guido, G. Silva, W. Botta, A. Jorge: MICROSTRUCTURAL EVOLUTION OF AA7050 Al ALLOY PROCESSED BY ECAP, *Revista Materia* **15** (2010) 325-333.
16. V.M. Segal, I.J. Beyerlein, C.N. Tome, V.N. Chuvildeev, V.I. Kopylov: in book „Fundamentals and Engineering of Severe Plastic Deformation”, Book Series: Materials Science and Technologies, NOVA SCIENCE PUBLISHERS, HAUPPAUGE, NY, USA, ISBN: 978-1-61668-190-6 (2010) 1-532.
17. S.K. Panigrahi, R. Jayaganthan: Development of ultrafine-grained Al 6063 alloy by cryorolling with the optimized initial heat treatment conditions, *Materials & Design* **32** (2011) 2172-2180.
18. S.K. Panigrahi, R. Jayaganthan: Influence of solutes and second phase particles on work hardening behavior of Al 6063 alloy processed by cryorolling, *Materials Science and Engineering A* **528** (2011) 3147-3160.
19. W. Hu, S. Zhang, X. He, Z. Liu, R. Berghammer, G. Gottstein: Investigations on microstructure evolution and deformation behavior of aged and ultrafine grained Al–Zn–Mg alloy subjected to severe plastic deformation, *Materials Science Forum* **667-669** (2011) 253-258.
20. S.K. Panigrahi, R. Jayaganthan: Development of ultrafine grained high strength age hardenable Al 7075 alloy by cryorolling, *Materials & Design* **32** (2011) 3150-3160.
21. K.R. Cardoso, D.N. Travessa, W.J. Botta, A.M. Jorge Jr.: High Strength AA7050 Al alloy processed by ECAP: Microstructure and mechanical properties, *Materials Science and Engineering A* **528** (2011) 5804-5811.
22. W.-J. Li, Y. Liu, Y.-B. Liu, X.-Y. He, B. Wang: Deformation behavior of pure titanium powder extruded by single-pass equal channel angular pressing at room temperature, *Materials Science and Engineering of Powder Metallurgy* **16** (2011) 90-95.
23. M.R. Roshan, S.A. Jenabali Jahromi, R. Ebrahimi: Predicting the critical pre-aging time in ECAP processing of age-hardenable aluminum alloys, *Journal of Alloys and Compounds* **509** (2011) 7833-7839.
24. K.A. Padmanabhan, S. Balasivanandha Prabu: On the conflicts in the experimental results concerning the mechanical properties of ultra-fine grained and nanostructured materials: Effects of processing routes and experimental conditions, *Materials Science Forum* **683** (2011) 3-54.
25. S.K. Panigrahi, R. Jayaganthan: Effect of ageing on microstructure and mechanical properties of bulk, cryorolled, and room temperature rolled Al 7075, *Journal of Alloys and Compounds* **509** (2011) 9609-9616.
26. Y. Estrin, M. Murashkin, R. Valiev: Ultrafine-grained aluminium alloys: processes, structural features and properties, book chapter in: *FUNDAMENTALS OF*

ALUMINIUM METALLURGY: PRODUCTION, PROCESSING AND APPLICATIONS, Editor: R. Lumley, Book Series: Woodhead Publishing in Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-654-2 (2011) 468-503.

27. S. Fare, N. Lecis, M. Vedani: Aging Behaviour of Al-Mg-Si Alloys Subjected to Severe Plastic Deformation by ECAP and Cold Asymmetric Rolling, *Journal of Metallurgy* **2011** (2011), Article ID 959643.
28. M.R. Rokni, A. Zarei-Hanzaki, H.R. Abedi: Microstructure evolution and mechanical properties of back extruded 7075 aluminum Alloy at the evaluated temperatures, *Materials Science and Engineering A* **532** (2012) 593-600.
29. R. Vafaei, M.R. Toroghinejad, R. Pippa: Evaluation of mechanical behavior of nano-grained 2024 Al alloy during high pressure torsion (HPT) process at various temperatures, *Materials Science and Engineering A* **536** (2012) 73-81.
30. A. Deschamps, G. Fribourg, Y. Bréchet, J.L. Chemin, C.R. Hutchinson: In situ evaluation of dynamic precipitation during plastic straining of an Al-Zn-Mg-Cu alloy, *Acta Materialia* **60** (2012) 1905-1916.
31. M. Hockauf, M. Franz-Xaver Wagner, M. Händel, T. Lampke, S. Siebeck, B. Wielage: High-strength aluminum-based light-weight materials for safety components - Recent progress by microstructural refinement and particle reinforcement, *International Journal of Materials Research* **103** (2012) 3-11.
32. E. Borhani, H. Jafarian, D. Terada, H. Adachi, N. Tsuji: Microstructural Evolution during ARE Process of Al-0.2 mass% Sc Alloy Containing Al<sub>3</sub>Sc Precipitates in Starting Structures, *MATERIALS TRANSACTIONS* **53** (2012) 72-80.
33. W. Huang, Z. Liu, M. Lin, X. Zhou, L. Zhao, A. Ning, S. Zeng: Re-precipitation behavior in Al-Cu binary alloy after severe plastic deformation-induced dissolution of  $\theta'$  particles, *Materials Science and Engineering A* **546** (2012) 26-33.
34. M. Zandrahimi, A. Rezvani: The influence of dry sliding on precipitation hardening behaviors of Al-Cu-Si alloy, *Iranian Journal of Materials Science and Engineering* **9** (2012) 42-50.
35. W. Huang, Z. Liu, L. Xia, P. Xia, S. Zeng: Severe plastic deformation-induced dissolution of  $\theta''$  particles in Al-Cu binary alloy and subsequent nature aging behavior, *Materials Science and Engineering A* **556** (2012) 801-806.
36. K.R. Cardoso, D.N. Travessa, A.M. Jorge Jr., W.J. Botta: Microstructure evolution of AA7050 Al alloy during equal-channel angular pressing, *Materials Research* **15** (2012) 732-738.
37. S. Bera, S.G. Chowdhury, Y. Estrin, I. Manna: Mechanical properties of Al7075 alloy with nano-ceramic oxide dispersion synthesized by mechanical milling and consolidated by equal channel angular pressing, *Journal of Alloys and Compounds* **548** (2013) 257-265.
38. I. Sabirov, M.Yu. Murashkin, R.Z. Valiev: Nanostructured aluminium alloys produced by severe plastic deformation: New horizons in development, *Materials Science and Engineering A* **560** (2013) 1-24.
39. T. Hu, K. Ma, T.D. Topping, J.M. Schoenung, E.J. Lavernia: Precipitation phenomena in an ultrafine-grained Al alloy, *Acta Materialia* **61** (2013) 2163-2178.
40. Y. Liu, R. Cheng, J. Wang, H. Zhang, X. Zhang: Effect of severe plastic deformation at ambient temperature on microstructures and mechanical properties of aluminum alloy 2519, *Materials Science Forum* **745-746** (2013) 298-302.
41. J.H. Li, P. Schumacher: Tailoring precipitates in Mg-6Zn-2Gd based alloy subjected to high pressure torsion, *Proceedings of Magnesium Technology 2013 - TMS 2013*

- Annual Meeting and Exhibition; San Antonio, TX; United States; 3-7 March 2013 (2013) pp. 351-356.
42. M.Y. Murashkin, I. Sabirov, V.U. Kazykhanov, E.V. Bobruk, A.A. Dubravina, R.Z. Valiev: Enhanced mechanical properties and electrical conductivity in ultrafine-grained Al alloy processed via ECAP-PC, *JOURNAL OF MATERIALS SCIENCE* **48** (2013) 4501-4509.
  43. M. Borodachenkova, J. Gracio, R. Picu, F. Barlat: A microstructure-based model for describing strain softening during compression of Al-30%wt Zn alloy, *International Journal of Multiphysics* **7** (2013) 77-86.
  44. Shaeri, MH; Djavanroodi,; Sedighi, M; Ahmadi, S; Salehi, MT; Seyyedein, SH: Effect of copper tube casing on strain distribution and mechanical properties of Al-7075 alloy processed by equal channel angular pressing, *JOURNAL OF STRAIN ANALYSIS FOR ENGINEERING DESIGN* **48** (2013) 512-521.
  45. Borodachenkova, M., Santos, S., Barlat, F., Gracio, J.J.: A microstructure-based model for describing softening process during compression of Al-30%wt Zn alloy, *International Review of Mechanical Engineering* **7** (2013) 1115-1120.
  46. M. Gazizov, R. Kaibyshev: The precipitation behavior of an Al-Cu-Mg-Ag alloy under ECAP, *Materials Science and Engineering A*, **588** (2013) 65-75.
  47. Rusz, S., Cizek, L., Hadasik, E., Donic, T., Tylsar, S., Salajka, M., Kedron, J., Klos, M., Bobek, P.: Combination of ECAP process and heat treatment to achieve refining structure of selected magnesium alloys, 8th Pacific Rim International Congress on Advanced Materials and Processing 2013, *PRICM 8 4*, pp. 3275-3282.
  48. M.H. Goodarzy, H. Arabi, M.A. Boutorabi, S.H. Seyedein, S.H. Hasani Najafabadi: The effects of room temperature ECAP and subsequent aging on mechanical properties of 2024 Al alloy, *Journal of Alloys and Compounds*, **585** (2014) 753-759.
  49. F.D. Dumitru, O.F. Higuera-Cobos, J.M. Cabrera: ZK60 ALLOY PROCESSED BY ECAP: MICROSTRUCTURAL, PHYSICAL AND MECHANICAL CHARACTERIZATION, *Materials Science and Engineering A*, **594** (2014) 32-39.
  50. Jiang, L., Li, J.K., Cheng, P.M., Liu, G., Wang, R.H., Chen, B.A., Zhang, J.Y., Sun, J., Yang, M.X., Yang, G.: Microalloying ultrafine grained al alloys with enhanced ductility, *Scientific Reports* **4** (2014) Article number 03605.
  51. M.H. Shaeri, M.T. Salehi, S.H. Seyyedein, M.R. Abutalebi, J.K. Park: Microstructure and Mechanical Properties of Al-7075 Alloy Processed by Equal Channel Angular Pressing Combined with Aging Treatment, *Materials & Design*, **57** (2014) 250-257.
  52. X. Su, G.M. Xu, D.H. Jiang: Abatement of segregation with the electro and static magnetic field during twin-roll casting of 7075 alloy sheet, *Materials Science and Engineering A*, **599** (2014) 279-285.
  53. Goodarzy, M.H., Arabi, H., Boutorabi, M.A., Seyedein, S.H., Shahrokhi, H.: Dislocations structure and scattering phenomenon in crystalline cell size of 2024 al alloy deformed by one pass of ecap at room temperature, *Iranian Journal of Materials Science and Engineering* **11** (2014) 27-38.
  54. P. Shaterani, A. Zarei-Hanzaki, S.M. Fatemi-Varzaneh, S.B. Hassas-Irani: The Second Phase Particles and Mechanical Properties of 2124 Aluminum Alloy Processed by Accumulative Back Extrusion, *Materials & Design*, **58** (2014) 535-542.
  55. X. Su, S.J. Wang, X. OuYang, P. Song, G.M. Xu, D.H. Jiang: Physical and mechanical properties of 7075 sheets produced by EP electro- and electromagnetic cast rolling, *Materials Science and Engineering A*, **607** (2014) 10-16.

56. X.S. Wang, Z.L. Hu, S.J. Yuan, L. Hua: Influence of tube spinning on formability of friction stir welded aluminum alloy tubes for hydroforming application, *Materials Science and Engineering A*, 607 (2014) 245-252.
57. Jiang, L., Li, J.K., Cheng, P.M., Liu, G., Wang, R.H., Chen, B.A., Zhang, J.Y., Sun, J., Yang, M.X., Yang, G.: Experiment and modeling of ultrafast precipitation in an ultrafine-grained Al-Cu-Sc alloy, *Materials Science and Engineering A* 607 (2014) 596-604.
58. Prokofiev, E.A., Jorge, A.M., Botta, W.J., Valiev, R.Z.: Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing, *Comprehensive Materials Processing* 3 (2014) 187-209.
59. Li, M.H., Yang, Y.Q., Feng, Z.Q., Feng, G.H., Huang, B., Chen, Y.X., Han, M., Ru, J.G.: Influence of equal-channel angular pressing on aging precipitation in 7050 Al alloy, *Intermetallics* 55 (2014) 49-55.
60. Berezina, A.L., Monastyrskaya, T.O., Prokopenko, G.I., Molebny, O.A., Polishchuk, S.S., Kotko, A.V.: Features of the structure state of the Al-Mg-Si-Alloy surface layers after ultrasonic impact treatment, *Metallofizika i Noveishie Tekhnologii* 36 (2014) 329-342.
61. Liu, Can; Zhang, Hui; Jiang, Fu-lin: Characterization of dynamic microstructure evolution during hot deformation of Al-4.10Cu-1.42Mg-0.57Mn-0.12Zr alloy, *TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA* 24 (2014). 3477-3485.
62. M. Borodachenkova, F. Barlat, W. Wen, A. Bastos, J.J. Grácio: A microstructure-based model for describing the material properties of Al-Zn alloys during high pressure torsion, *International Journal of Plasticity* 68 (2015) 150-163.
63. Jiang, L., Li, J.K., Liu, G., Wang, R.H., Chen, B.A., Zhang, J.Y., Sun, J., Yang, M.X., Yang, G., Yang, J., Cao, X.Z.: Length-scale dependent microalloying effects on precipitation behaviors and mechanical properties of Al-Cu alloys with minor Sc addition, *Materials Science and Engineering A* 637 (2015) 139-154.
64. Liao, W., Ye, B., Zhang, L., Zhou, H., Guo, W., Wang, Q., Li, W.: Microstructure evolution and mechanical properties of SiC nanoparticles reinforced magnesium matrix composite processed by cyclic closed-die forging, *Materials Science and Engineering A* 642 (2015) 49-56.
65. Rokni, M.R., Widener, C.A., Champagne, V.K., Crawford, G.A.: Microstructure and mechanical properties of cold sprayed 7075 deposition during non-isothermal annealing, *Surface and Coatings Technology* 276 (2015) 305-315.
66. Huang, K., Marthinsen, K.: The influence of microchemistry and processing conditions on the softening behavior of cold-rolled Al-Mn-Fe-Si alloys, *Light Metals 2015 - TMS 2015 Annual Meeting and Exhibition; Walt Disney World, Orlando; United States; 15 March 2015 through 19 March 2015; Code 113955*, pp. 157-162.
67. Murashkin, M.Y., Sabirov, I., Sauvage, X., Valiev, R.Z.: Nanostructured Al and Cu alloys with superior strength and electrical conductivity, *Journal of Materials Science* 51 (2015) 33-49.
68. Khafizova, E., Islamgaliev, R., Klevtsov, G., Merson, E.: Microstructure, strength and fatigue of an ultrafine-grained Al-Cu-Mg alloy, *Materials Physics and Mechanics* 24 (2015) 232-241.
69. Becker, H., Dopita, M., Stráská, J., Málek, P., Vilémová, M., Rafaja, D.: Microstructure and properties of spark plasma sintered Al-Zn-Mg-Cu alloy, *Acta Physica Polonica A* 128 (2015) 602-605.

70. Sabirov, I., Enikeev, N.A., Murashkin, M.Y., Valiev, R.Z.: Bulk Nanostructured Materials with Multifunctional Properties, ISBN: 978-331919599-5, Springer International Publishing, 2015, Pages 1-118.
71. Chen, Y., Gao, N., Sha, G., Ringer, S.P., Starink, M.J.: Microstructural evolution, strengthening and thermal stability of an ultrafine-grained Al-Cu-Mg alloy, *Acta Materialia* 109 (2016) 202-212.
72. Koziel, J., Blaz, L., Wloch, G., Sobota, J., Lobry, P.: Precipitation processes during non-isothermal ageing of fine-grained 2024 alloy, *Archives of Metallurgy and Materials* 61 (2016) 169-176.
73. Gushchina, Natalya V.; Ovchinnikov, Vladimir V.; Muecklich, Arndt: Acceleration of volume decomposition of supersaturated Al+4 wt.% Cu solid solution under irradiation with Ar<sup>+</sup> ions, *PHYSICA STATUS SOLIDI B-BASIC SOLID STATE PHYSICS* 253 (2016) 770-777.
74. Koziel, J., Blaz, L., Wloch, G., Woznicki, A.: Precipitation processes during non-isothermal aging of fine-grained AA2219, *Journal of Alloys and Compounds* 682 (2016) 468-475.
75. Miyamoto, Hiroyuki: Corrosion of Ultrafine Grained Materials by Severe Plastic Deformation, an Overview, *MATERIALS TRANSACTIONS* 57 (2016) 559-572.
76. Sanyal, S., Chabri, S., Chatterjee, S., Bhowmik, N., Metya, A.K., Sinha, A., Tribological behavior of thermomechanically treated Al-Mg-Si alloy by nanoscratch measurements, *Tribology International*, Volume 102, 2016, Pages 125-132.
77. Gholami, M., Altenberger, I., Vesely, J., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L.: Effects of severe plastic deformation on transformation kinetics of precipitates in CuNi3Si1Mg, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 156-164
78. Yousefieh, M; Tamizifar, M; Boutorabi, SMA; Borhani, E: Taguchi Optimization on the Initial Thickness and Pre-aging of Nano-/Ultrafine-Grained Al-0.2 wt.%Sc Alloy Produced by ARB, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 4239-4248, 2016
79. Hu, JM; Teng, J; Ji, XK; Kong, XX; Jiang, FL; Zhang, H, Microstructural Characteristic of the Al-Fe-Cu Alloy During High-Speed Repetitive Continuous Extrusion Forming, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 4769-4775, 2016
80. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Janecek, M., Wollmann, M., Wagner, L., Effects of microstructure on mechanical properties of CuNiSi alloys, *Journal of Alloys and Compounds*, Volume 696, 5 March 2017, Pages 201-212
81. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L., Influence of grain size and precipitation hardening on high cycle fatigue performance of CuNiSi alloys, *Materials Science and Engineering A*, Volume 684, 27 January 2017, Pages 524-533
82. Senouci, Sabah; Kadi-Hanifi, Mouhyddine; Raho, Azzeddine Abderrahmane, Effect of a plastic deformation on the Guinier-Preston zones growth in Al-5at%Ag alloy, *AIMS MATERIALS SCIENCE* Volume: 4 Issue: 1 Pages: 16-26 Published: 2017
83. Tang, Y., Goto, W., Hirosawa, S., Horita, Z., Lee, S., Matsuda, K., Terada, D., Concurrent strengthening of ultrafine-grained age-hardenable Al-Mg alloy by means of high-pressure torsion and spinodal decomposition, *Acta Materialia*, Volume 131, 1 June 2017, Pages 57-64

84. Wang, S.-S., Jiang, J.-T., Fan, G.-H., Panindre, A.M., Frankel, G.S., Zhen, L., Accelerated precipitation and growth of phases in an Al-Zn-Mg-Cu alloy processed by surface abrasion, *Acta Materialia*, Volume 131, 1 June 2017, Pages 233-245
85. Han, Y; Shao, D; Chen, BA; Peng, Z; Zhu, ZX; Zhang, Q; Chen, X; Liu, G; Li, XM, Effect of Mg/Si ratio on the microstructure and hardness-conductivity relationship of ultrafine-grained Al-Mg-Si alloys, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, 4445-4459, 2017
86. Ghalehbandi, S.M., Fallahi Arezoodar, A., Hosseini-Toudeshky, H., Influence of aging on mechanical properties of equal channel angular pressed aluminum alloy 7075, *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 2017, 231(10), pp. 1803-1811
87. Asadi, Saeed; Kazeminezhad, Mohsen, Multi Directional Forging of 2024 Al Alloy After Different Heat Treatments: Microstructural and Mechanical Behavior, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* Volume: 70 Issue: 7 Pages: 1707-1719 Published: SEP 2017
88. Gholami, M; Altenberger, I; Kuhn, HA; Wollmann, M; Wagner, L., Effects of shot peening on the fatigue performance of ultrafine-grained CuNi3Si1Mg, *SURFACE ENGINEERING*, 2017, Volume: 33, Issue: 9, Pages: 706-714
89. Shao, D; Zhang, P; Zhang, JY; Liu, G; Wang, RH; Liu, WQ; Sha, G; Sun, J., Effect of Pre-strain on the Solute Clustering, Mechanical Properties, and Work-Hardening of a Naturally Aged Al-Cu-Mg Alloy, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, 2017, Volume: 48A, Issue: 9, Pages: 4121-4134
90. Wu, C., Ma, K., Zhang, D., Wu, J., Xiong, S., Luo, G., Zhang, J., Chen, F., Shen, Q., Zhang, L., Lavernia, E.J.: Precipitation phenomena in Al-Zn-Mg alloy matrix composites reinforced with B4C particles, *Scientific Reports*, Volume 7, Issue 1, 1 December 2017, Article number 9589
91. Hou, LG; Liu, ML; Wang, XD; Zhuang, LZ; Zhang, JS, Cryogenic Processing High-Strength 7050 Aluminum Alloy and Controlling of the Microstructures and Mechanical Properties, *ACTA METALLURGICA SINICA*, Volume: 53, Pages: 1075-1090, 2017
92. Ahmadi, S., Sedighi, M., Effects of solution treatment and sheath on mechanical properties of Al7075 processed by ECAP, 2017, *Journal of Mechanical Science and Technology*, 31(9), pp. 4189-4194
93. Berndt, N; Frint, P; Bohme, M; Wagner, MFX, Microstructure and mechanical properties of an AA6060 aluminum alloy after cold and warm extrusion, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING*, Volume: 707, Pages: 717-724, 2017
94. Berndt, N., Frint, P., Wagner, M.F.-X., Influence of extrusion temperature on the aging behavior and mechanical properties of an AA6060 aluminum alloy, 2018, *Metals*, Volume 8, Issue 1, 12 January 2018, Article number 51
95. Manjunath, G.K., Udaya Bhat, K., Preetham Kumar, G.V., Microstructure Evolution in Cast Al-Zn-Mg Alloys Processed by Equal Channel Angular Pressing, 2018, *Metallography, Microstructure, and Analysis*, 7(1), pp. 77-87.
96. Malik, J., Nasim, W., Mansoor, B., Karaman, I., Erdeniz, D., Dunand, D.C., Seidman, D.N., Equal channel angular pressing of a newly developed precipitation hardenable scandium containing aluminum alloy, *Minerals, Metals and Materials Series*, Volume Part F4, 2018, Pages 423-429.

97. Reis, B.P., Lopes, M.M., Garcia, A., dos Santos, C.A., The correlation of microstructure features, dry sliding wear behavior, hardness and tensile properties of Al-2wt%Mg-Zn alloys, 2018, *Journal of Alloys and Compounds*, 764, pp. 267-278
98. Jiang, L., Feng, C., Han, L., Feng, Y., Lu, C., Zhu, L., Wang, H., Liu, G., Sun, J., Ultrafast precipitation kinetics in an ultrafine-grained Al–Cu alloy used for oil drill pipes, *Lecture Notes in Mechanical Engineering, Volume Part F4*, 2018, Pages 1093-1102
99. Wang, W., Guo, E., Chen, Z., Kang, H., Chen, Z., Zou, C., Li, R., Yin, G., Wang, T., Correlation between microstructures and mechanical properties of cryorolled CuNiSi alloys with Cr and Zr alloying, *Materials Characterization, Volume 144*, October 2018, Pages 532-546
100. Cao, Y., Ni, S., Liao, X., Song, M., Zhu, Y., Structural evolutions of metallic materials processed by severe plastic deformation, 2018, *Materials Science and Engineering R: Reports*, 133, pp. 1-59

J. Gubicza, N. Q. Chinh, P. Szommer, A. Vinogradov, T. G. Langdon: Microstructural Characteristics of Pure Gold Processed by Equal-Channel Angular Pressing, *Scripta Mater.* **56** (2007) 947-950.

1. W.Y. Yeung, R. Wuhrer, M. Cortie, M. Ferry: Equal channel angular extrusion of high purity gold, *Materials Forum* **31** (2007) 31-35.
2. T. Ungár, L. Balogh, G. Ribárik: Twinning, Dislocations and Grain Size in NanoSPD Materials Determined by X-Ray Diffraction, *Mater. Sci. Forum* **584-586** (2008) 571-578.
3. P. Li, K.-S. Huang, K.-M. Xue, M.-Z. Zhou, G.-M. Han: Equal channel angular pressing of pure Al powder sintered material, *Chinese Journal of Nonferrous Metals* **19** (2009) 881-886.
4. A.V. Nagasekhar, T. Rajkumar, D. Stephan, Y. Tick-Hon, R.K. Guduru: Microstructure and mechanical properties of pure gold processed by equal channel angular pressing, *Materials Science and Engineering A* **524** (2009) 204–207.
5. S. Li: Directionality of slip traces and banded structures in fcc materials processed by equal-channel angular extrusion, *Scripta Materialia* **67** (2012) 348-351.
6. A. Korchef, T. Baudin: CHARACTERIZATION OF COMMERCIAL ALUMINUM PROCESSED BY EQUAL CHANNEL ANGULAR PRESSING, *METALURGIA INTERNATIONAL* **17** (2012) 46-53.
7. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
8. G. Anand, A. Sinha, P.P. Chattopadhyay: On the Plasticity of Interstitial-Free Steel Subjected to Cryogenic Rolling Followed by Annealing, *MATERIALS AND MANUFACTURING PROCESSES* **28** (2013) 242-248.
9. F.A. Mohamed, S. Dheda: On the minimum grain size obtainable by equal channel angular pressing, *Materials Science and Engineering A* **580** (2013) 227-230.
10. Kumar, SR; Ravisankar, B; Sathya, P; Paul, VT; Vijayalakshmi, M: Equal Channel Angular Pressing of an Aluminium Magnesium Alloy at Room Temperature, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* **67** (2014) 477-484.

11. Parvin, H., Kazeminezhad, M.: Dependency modeling of steady state grain size on the stacking fault energy through severe plastic deformation, *Materials Letters* **159**, (2015) 410-412.
12. Balogh, L., Long, F., Daymond, M.R., Contrast factors of irradiation-induced dislocation loops in hexagonal materials, *Journal of Applied Crystallography*, Volume 49, Issue 6, 1 December 2016, Pages 2184-2200
13. Starink, M.J., Dislocation versus grain boundary strengthening in SPD processed metals: Non-causal relation between grain size and strength of deformed polycrystals, 2017, *Materials Science and Engineering A*, **705**, pp. 42-45

I. Mohai, L. Gál, J. Szépvölgyi, J. Gubicza and Z. Farkas, Synthesis of nanosized zinc ferrites from liquid precursors in RF thermal plasma reactor, *J Eur Ceram Soc* **27** (2007) 941-945.

1. T. Ryu, H.Y. Sohn, K.S. Hwang, Z.Z. Fang: Tungsten carbide nanopowder by plasma-assisted chemical vapor synthesis from WCl<sub>6</sub>-CH<sub>4</sub>-H<sub>2</sub> mixtures, *J. Mater. Sci.* **43** (2008) 5185-5192.
2. G.R.L. Cowan, How fire can be tamed, *Int. J. Nuclear Hydrogen Production and Applications*, **1** (2008) 235–248.
3. T. Ryu, H.Y. Sohn, K.S. Hwang, Z.Z. Fang: Chemical vapor synthesis (CVS) of tungsten nanopowder in a thermal plasma reactor, *International Journal of Refractory Metals and Hard Materials*, **27** (2009) 149-154.
4. T. Ryu, Y.J. Choi, S. Hwang, H.Y. Sohn, I. Kim: Synthesis of Ytria-Stabilized Zirconia Nanopowders by a Thermal Plasma Process, *JOURNAL OF THE AMERICAN CERAMIC SOCIETY* **93** (2010) 3130-3135.
5. T Watanabe, M Shigeta: NANOPARTICLE SYNTHESIS BY THERMAL PLASMAS, in book: *NANOMATERIALS: PROPERTIES, PREPARATION AND PROCESSES*, Editors: V Cabral, R Silva, Book Series: Nanotechnology Science and Technology, NOVA SCIENCE PUBLISHERS, HAUPPAUGE, NY, USA, ISBN: 978-1-60876-627-7, 2010, Pages: 115-176.
6. T Watanabe, M Shigeta: NANOPARTICLE SYNTHESIS BY THERMAL PLASMAS, in book: *NANOPARTICLES: PROPERTIES, CLASSIFICATION, CHARACTERIZATION, AND FABRICATION*, Editors: AE Kestell, GT Delorey, Book Series: Nanotechnology Science and Technology, NOVA SCIENCE PUBLISHERS, HAUPPAUGE, NY, USA, ISBN: 978-1-61668-344-3, 2010, Pages: 149-212.
7. M. Shigeta, A.B. Murphy: Thermal plasmas for nanofabrication, *JOURNAL OF PHYSICS D-APPLIED PHYSICS* **44** (2011) 174025.
8. K. Zaharieva, G. Vissokov, J. Grabis, S. Rakovsky: Plasma-chemical synthesis of nanosized powders-nitrides, carbides, oxides, carbon nanotubes and fullerenes, *Plasma Science and Technology* **14** (2012) 980-995.
9. Bastien, S., Braidy, N.: Controlled synthesis of nickel ferrite nanocrystals with tunable properties using a novel induction thermal plasma method, *Journal of Applied Physics* **114** (2013) art. no. 214304.
10. Shin, M.-S., Lee, K.-H., Kim, J.-G., Choi, S.-Y., Cho, G.-S., Kim, S.-I.: Radio frequency-thermal plasma synthesis of metal nano-thin exfoliated graphite hybrid, *Journal of Nanoscience and Nanotechnology* **15** (2015) 9045-9051.
11. Frolova, L., Pivovarov, A., Tsepich, E.: Non-equilibrium plasma-assisted hydrophase ferritization in Fe<sup>2+</sup>-Ni<sup>2+</sup>-SO<sub>4</sub><sup>2-</sup>-OH<sup>-</sup> system, *Springer Proceedings in Physics*, Volume 183, 2016, Pages 213-220, 3rd International Research and

Practice Conference on Nanotechnology and Nanomaterials, NANO 2015; Lviv; Ukraine; 26 August 2015 through 30 August 2015; Code 179829

12. Bini, M., Tondo, C., Capsoni, D., Mozzati, M.C., Albin, B., Galinetto, P., Superparamagnetic ZnFe<sub>2</sub>O<sub>4</sub> nanoparticles: The effect of Ca and Gd doping, *Materials Chemistry and Physics*, Volume 204, 15 January 2018, Pages 72-82
13. Kim, DW; Kodama, S; Sekiguchi, H; Park, DW, Formation phenomena of iron oxide-silica composite in microwave plasma and DC thermal plasma, *ADVANCED POWDER TECHNOLOGY*, Volume: 29, Pages: 168-179, 2018

J. Gubicza, S. Nauyoks, L. Balogh, J. Lábár, T. W. Zerda, T. Ungár: Influence of sintering temperature and pressure on crystallite size and lattice defect structure in nanocrystalline SiC, *J. Mater. Res.* **22** (2007) 1314-1321.

1. S.M. El-Sheikh, Y.M.Z. Ahmed: Carbothermic reaction route for SiC nanorods synthesis using simple precursors, *J. Adv. Mater.* **40** (2008) 26-32.
2. X. Zhao, X. He, Y. Sun, J. Yi, P. Xiao: Superhard and tougher SiC/diamond-like-carbon composite films produced by electron beam physical vapour deposition, *Acta Materialia*, **57** (2009) 893-902.
3. Y.M.Z. Ahmed, S.M. El-Sheikh: Influence of the pH on the Morphology of Sol-Gel-Derived Nanostructured SiC, *JOURNAL OF THE AMERICAN CERAMIC SOCIETY* **92** (2009) 2724-2730.
4. S.M. El-Sheikh, Y.M.Z. Ahmed, E.M.M. Ewais, J.F. Al-Sharab: Role of temperature and nitrogen flow rate during the carbothermic synthesis of SiCSi<sub>3</sub>N<sub>4</sub> nanocomposite powder from gel, *Journal of the American Ceramic Society* **93** (2010) 2082-2091.
5. T. Chen, F. Köhler, A. Heidt, Y. Huang, F. Finger, R. Carius: Microstructure and electronic properties of microcrystalline silicon carbide thin films prepared by hot-wire CVD, *Thin Solid Films* **519** (2011) 4511-4515.
6. G.D. Wei, G.Q. Zhang, F.M. Gao, J.J. Zheng, Y.F. Qin, W. Han, W.P. Qin, W.Y. Yang: Study the Formation Mechanism of Silicon Carbide Polytype by Silicon Carbide Nanobelts Sintered Under High Pressure, *JOURNAL OF NANOSCIENCE AND NANOTECHNOLOGY* **11** (2011) 9752-9756.
7. A. Rahman, A. Singh, S.P. Harimkar, R.P. Singh: Effect of graphene nanoplatelet on mechanical properties of polymer derived silicon carbide, *Proc. SAMPE Technical 2011 Conference and Exhibition: Developing Scalable Materials and Processes for Our Future; Fort Worth, USA; 17-20 October 2011; Code 88266* (2011) ISBN: 978-193455110-3
8. F. Lomello, G. Bonnefont, Y. Leconte, N. Herlin-Boime, G. Fantozzi: Processing of nano-SiC ceramics: Densification by SPS and mechanical characterization, *Journal of the European Ceramic Society* **32** (2012) 633-641.
9. S.O. Al-Asbahi, R.M. Kershi: The X-ray Diffraction Microstructure Analysis of Hexagonal Ferrite Powders Doped with La Rare Earth Ions, *J. Chem. Crystallogr.* **42** (2012) 155-158.
10. F. Köhler, T. Chen, M. Nuys, A. Heidt, M. Luysberg, F. Finger, R. Carius: Microstructure of hydrogenated silicon carbide thin films prepared by chemical vapour deposition techniques, *Journal of Non-Crystalline Solids* **358** (2012) 2011-2014.
11. A. Rahman, A. Singh, S.P. Harimkar, R.P. Singh: Spark plasma sintering and characterization of graphene reinforced silicon carbide nanocomposites, *Conference Proceedings of the Society for Experimental Mechanics Series* **7** (2013) 139-146

- (2012 Annual Conference on Experimental and Applied Mechanics; Costa Mesa, CA; 11-14 June 2012).
12. D. Gosset, C. Colin, A. Jankowiak, T. Vandenberghe, N. Lochet: X-ray diffraction study of the effect of high-temperature heat treatment on the microstructural stability of third-generation SiC fibers, *Journal of the American Ceramic Society* **96** (2013) 1622-1628.
  13. C. Sun, D.W. Brown, B. Clausen, D.C. Foley, K.Y. Yu, Y. Chen, S. Maloy, K.T. Hartwig, H. Wang, X. Zhang: In situ neutron diffraction study on temperature dependent deformation mechanisms of ultrafine grained austenitic Fe-14Cr-16Ni alloy, *International Journal of Plasticity* **53** (2014) 125-134.
  14. Hoon, J.W., Chan, K.Y., Low, C.Y.: XRD investigations on film thickness and substrate temperature effects of DC magnetron sputtered ZnO films, *Advanced Materials Research* **845** (2014) 241-245.
  15. D. Biro, M.F. Hasaneen, L. Székely, M. Menyhárd, S. Gurbán, P. Pekker, I. Dódon, P.B. Barna: Texture change of TiN films due to anisotropic incorporation of oxygen, *Vacuum* **103** (2014) 78-86.
  16. Auezhan Amanov, Young-Sik Pyun, Jun-Hyong Kim, Shinya Sasaki: The usability and preliminary effectiveness of ultrasonic nanocrystalline surface modification technique on surface properties of silicon carbide, *Applied Surface Science* **311** (2014) 448-460.
  17. Jha, HS; Yadav, A; Singh, M; Kumar, S; Agarwal, P: Growth of Wide-Bandgap Nanocrystalline Silicon Carbide Films by HWCVD: Influence of Filament Temperature on Structural and Optoelectronic Properties, *JOURNAL OF ELECTRONIC MATERIALS* **44** (2015) 922-928.
  18. Jha, Himanshu S.; Agarwal, Pratima: Highly crystalline silicon carbide thin films grown at low substrate temperature by HWCVD technique, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS* **26** (2015) 1381-1388.
  19. Lehmann, T; Baier, J; Leineweber, A; Kienzle, A; Bill, J.: Influence of the Carbon Content on the Crystallization and Oxidation Behavior of Polymer-Derived Silicon Carbide (SiC), *ADVANCED ENGINEERING MATERIALS* **17** (2015) 1631-1638.
  20. Ail, S.S., Dasappa, S.: Investigations into enhanced wax production with combustion synthesized Fischer-Tropsch catalysts, *Energy Conversion and Management* **116** (2016) 80-90.
  21. Ye, J., Wang, B., Xiong, J.: Effect of Eu<sup>3+</sup> concentration on the structure and fluorescence quenching of carboxymethyl cellulose/Eu(III) nanoparticles, *Polymeric Materials Science and Engineering* **32** (2016) 32-37.
  22. Zhang, X.Z., Chen, T.J., Qin, Y.H.: Effects of solution treatment on tensile properties and strengthening mechanisms of SiCp/6061Al composites fabricated by powder thixoforming, *Materials and Design* **99** (2016) 182-192.
  23. Pawbake, A; Mayabadi, A; Waykar, R; Kulkarni, R; Jadhavar, A; Waman, V; Parmar, J; Bhattacharyya, S; Ma, YR; Devan, R; Pathan, H; Jadkar, S: Growth of boron doped hydrogenated nanocrystalline cubic silicon carbide (3C-SiC) films by Hot Wire-CVD, *MATERIALS RESEARCH BULLETIN* **76** (2016) 205-215.
  24. Zhang, X., Chen, T., Qin, H., Wang, C.: A comparative study on permanent mold cast and powder thixoforming 6061 aluminum alloy and Sicp/6061Al composite: Microstructures and mechanical properties, *Materials*, Volume 9, Issue 6, 24 May 2016, Article number 407
  25. Matovic, B; Bucevac, D; Urbanovic, V; Stankovic, N; Daneu, N; Volkov-Husovic, T; Babic, B: Monolithic nanocrystalline SiC ceramics, *JOURNAL OF THE EUROPEAN CERAMIC SOCIETY* **36** (2016) 3005-3010.

26. Li, P. B.; Chen, T. J.: Effect of reheating temperature on the microstructure and tensile properties of SiCP/2024Al composite prepared by powder thixoforming, *POWDER METALLURGY* Volume: 59 Issue: 4 Pages: 288-300, 2016
27. Pawbake, A; Waman, V; Waykar, R; Jadhavar, A; Bhorde, A; Kulkarni, R; Funde, A; Parmar, J; Bhattacharyya, S; Date, A; Devan, R; Sharma, V; Lonkar, G; Jadkar, S, Hot wire chemical vapor deposited multiphase silicon carbide (SiC) thin films at various filament temperatures, *JOURNAL OF MATERIALS SCIENCE-MATERIALS IN ELECTRONICS*, Volume: 27, Issue: 12, Pages: 12340-12350, 2016
28. Najeeb, M.A., Alkareem, A., Awais, M., Ahmad, Z., Shakoor, R.A., Alashraf, A., Mohamed, A.M.A., Bhadra, J., Al-Thani, N.J., Touati, F., Rafique, S., Effect of microwave sintering on the crystal domain and electrical properties of TiO<sub>2</sub> nanoparticles, *Journal of Nanoparticle Research* Volume 19, Issue 6, 1 June 2017, Article number 199
29. Wang, P., Cheng, L., Zhang, L., One-dimensional carbon/SiC nanocomposites with tunable dielectric and broadband electromagnetic wave absorption properties, 2017, *Carbon*, 125, pp. 207-220
30. Liu, SQ; Han, L; Zou, YT; Zhu, PW; Liu, BC, Polycrystalline diamond compact with enhanced thermal stability, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY*, Volume: 33, 1386-1391, 2017
31. Cheng, H; Yang, MJ; Lai, YF; Hu, MW; Li, QZ; Tu, R; Zhang, S; Han, MX; Goto, T; Zhang, LM, Transparent highly oriented 3C-SiC bulks by halide laser CVD, *JOURNAL OF THE EUROPEAN CERAMIC SOCIETY*, Volume: 38, Pages: 3057-3063, 2018
32. Shin, JH; Kim, D; Lee, HG; Park, JY; Kim, WJ, Comparison of Mechanical Enhancing Effects on Chemically Vapor-Deposited 3C-SiC with Different Crystallographic Orientation, *NANOSCIENCE AND NANOTECHNOLOGY LETTERS*, Volume: 10, Issue: 5-6, Pages: 643-650, 2018

J. Gubicza, G. Dirras, P. Szommer, B. Bacroix: Microstructure and flow stress of ultrafine grained aluminum processed by hot isostatic pressing, *Mater. Sci. Eng. A* **458** (2007) 385-390.

1. Z. Li, Z. Li, A. Zhang, Y. Zhu: Two-step sintering behavior of sol-gel derived nanocrystalline corundum abrasive with MgO-CaO-SiO<sub>2</sub> additions, *Journal of Sol-Gel Science and Technology* **48** (2008) 283-288.
2. H.-b. Chen, B. Yang: Effect of heat treatment on microstructures and mechanical properties of a bulk nanostructured Al-Zn-Mg-Cu alloy, *International Journal of Minerals, Metallurgy and Materials* **16** (2009) 672-676.
3. T. Qian, M. Marx, K. Schüler, M. Hockauf, H. Vehoff: Plastic deformation mechanism of ultra-fine-grained AA6063 processed by equal-channel angular pressing, *Acta Materialia*, **58** (2010) 2112-2123.
4. P. Franciosi: Accounting for Plastic Strain Heterogenities in Modeling Polycrystalline Plasticity: Microstructure-based Multi-laminate Approaches, in: *Multiscale Modeling of Heterogenous Materials: From Microstructure to Macro-scale Properties*, ISBN: 978-184821047-9, ISTE (2010)
5. D. Roy, R. Mitra, O.A. Ojo, W. Lojkowski, I. Manna: Microstructural Evolution and Mechanical Properties of Nanointermetallic Phase Dispersed Al<sub>65</sub>Cu<sub>20</sub>Ti<sub>15</sub> Amorphous Matrix Composite Synthesized by Mechanical Alloying and Hot Isostatic Pressing, *METALLURGICAL AND MATERIALS TRANSACTIONS A-*

- PHYSICAL METALLURGY AND MATERIALS SCIENCE **42A** (2011) 2498-2508.
6. Q.H. Bui, X.T. Pham: Modeling of microstructure effects on the mechanical behavior of ultrafine-grained nickels processed by hot isostatic pressing, *International Journal of Mechanical Sciences* **53** (2011) 812-826.
  7. M. Tercelj, P. Cvahte, I. Perus, G. Kugler: Hot deformation and mechanical properties of P/M Al special, *WIT Transactions on Engineering Sciences* **72** (2011) 239-250.
  8. D. Roy, R. Mitra, O.A. Ojo, S.S. Singh, D Kolesnikov, W. Lojkowski, R.O. Scattergood, C.C. Koch, I. Manna: Evaluation of mechanical properties of partially amorphous and nanocrystalline Al<sub>50</sub>Ti<sub>40</sub>Si<sub>10</sub> composites prepared by mechanical alloying and hot isostatic pressing, *Materials Science and Engineering A* **555** (2012) 21-27.
  9. K. Dám, D. Vojtech, F. Prusa: Powder metallurgy Al-6Cr-2Fe-1Ti alloy prepared by melt atomisation and hot ultra-high pressure compaction, *Materials Science and Engineering A* **560** (2013) 705-710.
  10. J. Milligan, R. Gauvin, M. Brochu: Consolidation of cryomilled Al-Si using spark plasma sintering, *Philosophical Magazine* **93** (2013) 2445-2464.
  11. Q.H. Bui, X.T. Pham, M. Fafard: Modelling of microstructure effects on the mechanical behavior of aluminium tubes drawn with different reduction areas, *International Journal of Plasticity* **50** (2013) 127-145.
  12. Khamsuk, S., Park, N., Gao, S., Terada, D., Adachi, H., Tsuji, N.: Mechanical properties of bulk ultrafine grained aluminum fabricated by torsion deformation at various temperatures and strain rates, *Materials Transactions* **55** (2014) 106-113.
  13. Karel Dám, Filip Prusa, Dalibor Vojtech: Structural and mechanical characteristics of the Al-23Si-8Fe-5Mn alloy prepared by combination of centrifugal spraying and hot die forging, *Materials Science and Engineering A*, **610** (2014) 197-202.
  14. Qian, T., Karaman, I., Marx, M.: Mechanical properties of nanocrystalline and ultrafine-grained nickel with bimodal microstructure, *Advanced Engineering Materials* **16** (2014) 1323-1339.
  15. Dám, K., Vojtech, D.: Al-Si-Fe-Mn based alloy prepared by centrifugal spraying and die forging, 22nd International Conference on Metallurgy and Materials, METAL 2013; Hotel Voronez IBRno; Czech Republic; 15 May 2013 through 17 May 2013; 2013, Pages 1183-1188.
  16. Bousnina, M.A., Turki, F., Schoenstein, F., Têtard, F., Rabu, P., Smiri, L.-S., Jouini, N.: Bulk nanostructured Ni-P alloys: Elaboration from metastable Ni-P nanoparticles by spark plasma sintering; Mechanical and magnetic properties, *Journal of Alloys and Compounds* **686** (2016) 252-266.
  17. Mao, XD; Kang, SH; Kim, TK; Kim, SC; Oh, KH; Jang, J: Microstructure and Mechanical Properties of Ultrafine-Grained Austenitic Oxide Dispersion Strengthened Steel, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 47A, Pages: 5334-5343, 2016

D. Fátay, J. Gubicza, J. Lendvai: Indentation creep behavior of a Zr-based bulk metallic glass, *J. Alloys Compd.* **434-435** (2007) 75-78.

1. T. Burgess, M. Ferry: Nanoindentation of metallic glasses, *MATERIALS TODAY* **12** (2009) 24-32.

2. C. Bernard, V. Keryvin, J.-C. Sangleboeuf, T. Rouxel: Indentation creep of window glass around glass transition, *Mechanics of Materials* **42** (2010) 196-206.
3. J.B. Puthoff, H.B. Cao, J.E. Jakes, P.M. Voyles, D.S. Stone: Shear transformation zone activation during deformation in bulk metallic glasses characterized using a new indentation creep technique, *Materials Research Society Symposium Proceedings*, Vol. 1152 (2008) pp. 103-108, MRS Fall Meeting; Boston, MA; 1-5 December, 2008, ISBN: 978-161567777-1
4. C.Y.S. Chang, W.C.J. Wei, C.H. Hsueh: Viscosity of Ba–B–Si–Al–O glass measured by indentation creep test at operating temperature of IT-SOFC, *Journal of Non-Crystalline Solids* **357** (2011) 1414-1419.
5. A. Sinha, A. Samanta, I. Manna, W. Lojkowski, P.P. Chattopadhyay: Micromechanical characterization of bulk composite prepared by sintering of mechanically alloyed aluminum-316 stainless steel (35 wt%) powder blend, *Materials Science and Engineering A* **528** (2011) 6034-6038.
6. J. Malzbender, Y. Zhao, T. Beck: Fracture and creep of glass-ceramic solid oxide fuel cell sealant, *Journal of Power Sources* **246** (2014) 574-580.
7. Wu, J., Pan, Y., Pi, J.: Nanoindentation study of Cu<sub>52</sub>Zr<sub>37</sub>Ti<sub>8</sub>In<sub>3</sub> bulk metallic glass, *Applied Physics A: Materials Science and Processing* **115** (2014) 305-312.
8. Mondal, B., Chabri, S., Sardar, G., Bhowmik, N., Sinha, A., Chattopadhyay, P.P.: Magnetic and mechanical properties of Cu (75 wt%) - 316L grade stainless steels synthesized by ball milling and annealing, *Journal of Magnetism and Magnetic Materials* **381** (2015) 14-20.
9. Kassner, M.E., Smith, K., Eliasson, V.: Creep in amorphous metals, *Journal of Materials Research and Technology* **4** (2015) 100-107.

J. Gubicza, N. Q. Chinh, J. L. Lábár, Z. Hegedűs, C. Xu, T. G. Langdon: Microstructure and yield strength of severely deformed silver, *Scripta Mater.* **58** (2008) 775-778.

1. T. Ungár, L. Balogh, G. Ribárik: Twinning, Dislocations and Grain Size in NanoSPD Materials Determined by X-Ray Diffraction, *Mater. Sci. Forum* **584-586** (2008) 571-578.
2. S. Qu, X.H. An, H.J. Yang, C.X. Huang, G. Yang, Q.S. Zang, Z.G. Wang, S.D. Wu, Z.F. Zhang: Microstructural evolution and mechanical properties of Cu–Al alloys subjected to equal channel angular pressing, *Acta Materialia* **57** (2009) 1586-1601.
3. M.E. Kassner, P. Geantil, A.M. Hodge, R.S. Rosen: The assessment of the ambient-temperature mechanical properties of ultra-fine-grained Ag with nano-twins using microshear tests, *Scripta Materialia* **61** (2009) 721-724.
4. A.V. Nagasekhar, T. Rajkumar, D. Stephan, Y. Tick-Hon, R.K. Guduru: Microstructure and mechanical properties of pure gold processed by equal channel angular pressing, *Materials Science and Engineering A* **524** (2009) 204–207.
5. X.H. An, Q.Y. Lin, S. Qu, G. Yang, S.D. Wu, Z.F. Zhang: Influence of stacking-fault energy on the accommodation of severe shear strain in Cu-Al alloys during equal-channel angular pressing, *JOURNAL OF MATERIALS RESEARCH* **24** (2009) 3636-3646.
6. X.H. An, Q.Y. Lin, S.D. Wu, Z.F. Zhang: Microstructural evolution and shear fracture of Cu–16 at.% Al alloy induced by equal channel angular pressing, *Materials Science and Engineering A* **527** (2010) 4510-4514.
7. E. Hosseini, M. Kazeminezhad: A new microstructural model based on dislocation generation and consumption mechanisms through severe plastic deformation, *Computational Materials Science* **50** (2011) 1123-1135.

8. X.H. An, S.D. Wu, Z.F. Zhang: Influence of stacking fault energy on the microstructures and grain refinement in the Cu-Al alloys during equal-channel angular pressing, *Materials Science Forum* **667-669** (2011) 379-384.
9. G. Angella, P. Bassani, S. Fare, N. Lecis, D. Ripamonti, F. Spagnoli, A. Tuissi, M. Vedani: Microstructural and mechanical properties of UFG silver subjected to severe plastic deformation by ECAP, *Materials Science Forum* **706-709** (2012) 1847-1852.
10. D. Lussana, A. Castellero, D. Ripamonti, G. Angella, M. Vedani, A. Zambon, M. Baricco: Effect of rapid quenching and severe plastic deformation on silver, *International Journal of Materials Research* **103** (2012) 1117-1121.
11. W. Hu, S. Liu, B. Wen, J. Xiang, F. Wen, B. Xu, J. He, D. Yu, Y. Tian, Z. Liu: {111}-specific twinning structures in nonstoichiometric ZrC<sub>0.6</sub> with ordered carbon vacancies, *Journal of Applied Crystallography* **46** (2013) 43-47.
12. S.J. Yoo, S.H. Han, W.J. Kim: A combination of ball milling and high-ratio differential speed rolling for synthesizing carbon nanotube/copper composites, *Carbon* **61** (2013) 487-500.
13. F.A. Mohamed, S. Dheda: On the minimum grain size obtainable by equal channel angular pressing, *Materials Science and Engineering A* **580** (2013) 227-230.
14. Bassani, P; Biffi, CA; Tuissi, A; Angella, G; Casati, R; Vedani: M Microstructural evolution of pure silver during ECAP processing and subsequent heating, *INTERNATIONAL JOURNAL OF MATERIALS & PRODUCT TECHNOLOGY*, 47 (2013) 80-90.
15. Chen, J; Ma, XG; Yan, W; Xia, F; Fan, XH: Effect of Transverse Grain Boundary on Microstructure, Texture and Mechanical Properties of Drawn Copper Wires, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY*, 30 (2014) 184-191.
16. Huang, M.-S., Zhu, Y.-X., Li, Z.-H.: Dislocation dissociation strongly influences on frank - Read source nucleation and microplasticity of materials with low stacking fault energy, *Chinese Physics Letters* 31 (2014) 046102.
17. Parvin, H., Kazeminezhad, M.: Dependency modeling of steady state grain size on the stacking fault energy through severe plastic deformation, *Materials Letters* 159, (2015) 410-412.
18. Ma, XG; Chen, J; Xia, F; Chen, Z; Yan, W, Macroscopic Subdivision, Microscopic Subdivision and Boundary Misorientation Angle Distribution of Cold Drawn Ag Single Crystal with < 110 > Initial Orientation, *RARE METAL MATERIALS AND ENGINEERING*, Volume: 46, 111-116, 2017
19. MA, X.-G., CHEN, J., YANG, Y., LI, L., CHEN, Z., YAN, W., Temperature dependence of microstructure and texture in cold drawn aluminum wire, *Transactions of Nonferrous Metals Society of China (English Edition)*, Volume 27, Issue 4, April 2017, Pages 763-770
20. Ma, X., Chen, J., Liu, Y., Wang, X., Huang, S., Chen, Z., Effect of short-range order on microstructure, texture and strain hardening of cold drawn Cu-10 at.%Mn alloy, *Materials Characterization*, Volume 135, January 2018, Pages 32-39

S.G. Chowdhury, A. Mondal, J. Gubicza, G. Krallics and A. Fodor: Evolution of microstructure and texture in an ultrafine-grained Al6082 alloy during severe plastic deformation, *Mater. Sci. Eng. A* **490** (2008) 335-342.

1. W. Luan, C. Jiang, V. Ji: The texture effect of warm peening on TiB<sub>2</sub>/Al composite, *Materials Science and Engineering A* **504** (2009) 124-128.

2. E. Hosseini and M. Kazeminezhad: Stress-based model on work hardening and softening of materials at large strains: corrugation process of sheet, *J. Mater. Sci.* **44** (2009) 1212-1218.
3. X.G. Qiao, M.J. Starink, N. Gao: Hardness inhomogeneity and local strengthening mechanisms of an Al1050 aluminium alloy after one pass of equal channel angular pressing, *Materials Science and Engineering A* **513-514** (2009) 52-58.
4. M.J. Starink, X.G. Qiao, J. Zhang, N. Gao: Predicting grain refinement by cold severe plastic deformation in alloys using volume averaged dislocation generation, *Acta Materialia* **57** (2009) 5796-5811.
5. T. Kovarik, J. Zrník, M. Cieslar: GRAIN REFINEMENT IN ALUMINIUM ALLOY ALMGSI1 DURING ECAP AT ROOM TEMPERATURE, CONFERENCE PROCEEDINGS, 18th International Conference on Metallurgy and Materials, Hradec Nad Moravici, CZECH REPUBLIC, MAY 19-21, 2009, Publisher: Tanger Ltd (2009) pp. 121-126.
6. A.S. Khan, C.S. Meredith: Thermo-mechanical response of Al 6061 with and without equal channel angular pressing (ECAP), *International Journal of Plasticity* **26** (2010) 189-203.
7. A. Mashreghi, L. Ghalandari, M. Reihanian, M.M. Moshksar: Processing, strength and ductility of bulk nanostructured metals produced by severe plastic deformation: An overview, *Materials Science Forum* **633-634** (2010) 131-150.
8. A.K. Padap, G.P. Chaudhari, V. Pancholi, S.K. Nath: Warm multiaxial forging of AISI 1016 steel, *Materials & Design* **31** (2010) 3816-3824.
9. X.H. Zhang, Y.S. Cheng, S.J. Luo: Numerical simulation of temperature field of AZ91D magnesium alloy during equal channel angular extrusion, *ACTA METALLURGICA SINICA-ENGLISH LETTERS* **23** (2010) 35-40.
10. V.M. Segal, I.J. Beyerlein, C.N. Tome, V.N. Chuvildeev, V.I. Kopylov: in book „Fundamentals and Engineering of Severe Plastic Deformation”, Book Series: Materials Science and Technologies, NOVA SCIENCE PUBLISHERS, HAUPPAUGE, NY, USA, ISBN: 978-1-61668-190-6 (2010) 1-532.
11. J. Zhang, N. Gao, M.J. Starink: Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model, *Materials Science and Engineering A* **528** (2011) 2581-2591.
12. E.A. El-Danaf: Mechanical properties, microstructure and texture of single pass equal channel angular pressed 1050, 5083, 6082 and 7010 aluminum alloys with different dies, *Materials & Design* **32** (2011) 3838-3853.
13. Farahat, A.Z., El-Morsy, A., El-Bitar, T.A.: Microstructure and tensile properties of severely deformed Nb-microalloyed steel, *Proceedings of the 10th International Conference on Technology of Plasticity, ICTP* (2011) pp. 1208-1212.
14. X.G. Qiao, N. Gao, M.J. Starink: A model of grain refinement and strengthening of Al alloys due to cold severe plastic deformation, *Philosophical Magazine* **92** (2012) 446-470.
15. A. K. Padap, G. P. Chaudhari, V. Pancholi, S. K. Nath: Microstructural evolution and mechanical behavior of warm multi-axially forged HSLA steel, *J. Mater. Sci.* **47** (2012) 7894-7900.
16. E. Borhani, H. Jafarian, A. Shibata, N. Tsuji: Texture evolution in Al-0.2 mass%Sc alloy during ARB process and subsequent annealing, *Materials Transactions* **53** (2012) 1863-1869.

17. A. Vevecka, M. Cabibbo, T.G. Langdon: A characterization of microstructure and microhardness on longitudinal planes of an Al-Mg-Si alloy processed by ECAP, *Materials Characterization* **84** (2013) 126-133.
18. M.H. Goodarzy, H. Arabi, M.A. Boutorabi, S.H. Seyedein, S.H. Hasani Najafabadi: The effects of room temperature ECAP and subsequent aging on mechanical properties of 2024 Al alloy, *Journal of Alloys and Compounds*, **585** (2014) 753-759.
19. Farahat, A.I.Z., El-Morsy, A.-W., El-Bitar, T.A.: Severe plastic deformation of large-scale Nb-microalloyed steel billet by multi-directional forging process, *Steel Research International* **85** (2014) 844-850.
20. Iqbal, U. Mohammed; Kumar, V. S. Senthil: Modeling of twist extrusion process parameters of AA6082-T6 alloy by response surface approach, *PROCEEDINGS OF THE INSTITUTION OF MECHANICAL ENGINEERS PART B-JOURNAL OF ENGINEERING MANUFACTURE* **228** (2014) 1458-1468.
21. Chrominski, W., Olejnik, L., Rosochowski, A., Lewandowska, M.: Grain refinement in technically pure aluminium plates using incremental ECAP processing, *Materials Science and Engineering A* **636** (2015) 172-180.
22. Vega, M.C.V., Bolmaro, R.E., Ferrante, M., Sordi, V.L., Kliauga, A.M.: The influence of deformation path on strain characteristics of AA1050 aluminium processed by equal-channel angular pressing followed by rolling, *Materials Science and Engineering A* **646** (2015) 154-162.
23. Lipińska, M., Olejnik, L., Pietras, A., Rosochowski, A., Bazarnik, P., Goliński, J., Brynk, T., Lewandowska, M.: Microstructure and mechanical properties of friction stir welded joints made from ultrafine grained aluminium 1050, *Materials and Design* **88** (2015) 22-31.
24. Duan, J.Q., Quadir, M.Z., Ferry, M., Microstructure and texture evolution in nickel during accumulative roll bonding, *Materials Science Forum*, Volume 879, 2017, Pages 454-458
25. Kumar, V., Kumar, D., Investigation of tensile behaviour of cryorolled and room temperature rolled 6082 Al alloy, *Materials Science and Engineering A*, Volume 691, 13 April 2017, Pages 211-217
26. Sahai, A., Raj, K.H., Gupta, N.K., Mechanical Behaviour and Surface Profile Analysis of Al6061 alloy Processed by Equal Channel Angular Extrusion, *Procedia Engineering*, Volume 173, 2017, Pages 956-963
27. Spirdione, J., Ghonem, H., Dynamic flow stress of fine grain material processed using equal channel angular pressing, *Materials Science and Engineering A*, Volume 698, 20 June 2017, Pages 256-267
28. Lipinska, M; Chrominski, W; Olejnik, L; Golinski, J; Rosochowski, A; Lewandowska, M, Ultrafine-Grained Plates of Al-Mg-Si Alloy Obtained by Incremental Equal Channel Angular Pressing: Microstructure and Mechanical Properties, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 48A, Pages: 4871-4882, 2017
29. Azimi, M; Toroghinejad, MR; Shamanian, M; Kestens, LAI, Grain and texture evolution in nano/ultrafine-grained bimetallic Al/Ni composite during accumulative roll bonding, *JOURNAL OF MATERIALS SCIENCE*, Volume: 53, Pages: 12553-12569, 2018
30. Zhao, F.J., He, Y.D., Zhang, C.W., A study on closed-cell aluminum foam about viscosity of different viscous agents, 2018, *Materials Science Forum*, 921 MSF, pp. 222-230

J. Gubicza, N. Q. Chinh, J. L. Lábár, Z. Hegedűs, P. Szommer, G. Tichy, T. G. Langdon: Delayed microstructural recovery in silver processed by equal channel angular pressing, *J. Mater. Sci.* **43** (2008) 5672–5676.

1. H. Matsunaga, Z. Horita: Softening and Microstructural Coarsening without Twin Formation in FCC Metals with Low Stacking Fault Energy after Processing by High-Pressure Torsion, *Materials Transactions*, **50** (2009) 1633-1637.
2. M.E. Kassner, P. Geantil, A.M. Hodge, R.S. Rosen: The assessment of the ambient-temperature mechanical properties of ultra-fine-grained Ag with nano-twins using microshear tests, *Scripta Materialia* **61** (2009) 721-724.
3. T. Theivasanthi, M. Alagar: Electrolytic synthesis and characterization of silver nanopowder, *Nano Biomedicine and Engineering* 4 (2012) 58-65.
4. T.N. Konkova, S.Yu. Mironov, A.V. Korznikov: GRAIN REFINEMENT IN COPPER VIA CRYOGENIC DEFORMATION, *REVIEWS ON ADVANCED MATERIALS SCIENCE* **31** (2012) 31-35.
5. G. Angella, B. Esfandiar Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, *Materials Science and Engineering A* **559** (2013) 742-750.
6. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, *METALLURGIA ITALIANA* Issue: 10 (2013) 25-31.
7. Guo, Q., Ye, L., Wang, Y., Feng, H., Li, Y.: Comparative assessment of surface roughness and microstructure produced in whirlwind milling of bearing steel, *Machining Science and Technology* 18 (2014) 251-276.
8. Saklakoglu, N., Gencalp Irizalp, S., Akman, E., Demir, A.: Near surface modification of aluminum alloy induced by laser shock processing, *Optics and Laser Technology* 64 (2014) 235-241.
9. Roy, S., Das, T.K.: Protein capped silver nanoparticles from fungus: X-ray diffraction studies with antimicrobial properties against bacteria, *International Journal of ChemTech Research* 7 (2014) 1452-1459.
10. Das, R., Sarkar, S.: X-ray diffraction analysis of synthesized silver nano-hexagon for the study of their mechanical properties, *Materials Chemistry and Physics* 167 (2015) 97-102.

H.-Q. Bui, G. F. Dirras, A. Hocini, S. Ramtani, A. Abdul-latif, J. Gubicza, T. Chauveau, Z. Fogarassy: Microstructure and mechanical properties of commercial purity HIPed and Crushed Aluminum, *Mater. Sci. Forum* **584-586** (2008) 579-584.

1. M.J. Starink, X.G. Qiao, J. Zhang, N. Gao: Predicting grain refinement by cold severe plastic deformation in alloys using volume averaged dislocation generation, *Acta Materialia* **57** (2009) 5796-5811.

J. Lendvai, D. Fátay, J. Gubicza: Indentation creep study on a Zr-based bulk metallic glass containing nano-quasicrystals, *Mater. Sci. Eng. A* **483-484** (2008) 607-610.

1. Kovács, Z., Schafler, E., Kovács Kis, V., Szommer, P.J., Révész, Á., High pressure torsion of a Vitreloy bulk metallic glass near the glass transition temperature, 2018, *Journal of Non-Crystalline Solids*, 498, pp. 25-31

J. Gubicza, J.L. Lábár, E. Agócs, D. Fátay, J. Lendvai: Effect of nano-quasicrystals on viscosity of a Zr-based bulk metallic glass, *Scripta Mater.* **58** (2008) 291-294.

1. Á. Révész, P. Henits, Zs. Kovács: Structural changes in Zr-based bulk metallic glasses deformed by high pressure torsion, *Journal of Alloys and Compounds* **495** (2010) 338-340.
2. W. Xu, L. Robin, R. Zheng, K.J. Laws, M. Ferry: Phase redistribution in an in situ Mg-based bulk metallic glass composite during deformation in the supercooled liquid region, *Scripta Materialia* **63** (2010) 556-559.
3. A. M. Verkhovlyuk, P. A. Verkhovlyuk: Amorphous and nanostructured alloys based on zirconium and aluminum, *Russian Metallurgy (Metally)*, Vol. **2010**, No. 5 (2010) 425-433.
4. Xing, Y; Li, Y; Wang, XK; Yu, XT; Zhang, T; Georgarakis, K, In-situ structural identification of Zr<sub>3</sub>Al<sub>2</sub> type metastable phase during crystallization of a Zr-based MG, *JOURNAL OF NON-CRYSTALLINE SOLIDS*, Volume: 452, Pages: 30-34, 2016
5. Hong, S.H., Kim, J.T., Mun, S.C., Kim, Y.S., Park, H.J., Na, Y.S., Lim, K.R., Park, J.M., Kim, K.B., Influence of spherical particles and interfacial stress distribution on viscous flow behavior of Ti-Cu-Ni-Zr-Sn bulk metallic glass composites, *Intermetallics*, Volume 91, December 2017, Pages 90-94

N. Q. Chinh, J. Gubicza, T. Czeppe, J. Lendvai, Z. Hegedűs, C. Xu, T. G. Langdon: Effect of Pre-Aging on the Microstructure and Strength of Supersaturated AlZnMg Alloys Processed by ECAP, *Mater. Sci. Forum* **584-586** (2008) 501-506.

1. M. Ferrante: A short summary of present knowledge and some experimental observations on the ductility of sub-microcrystalline aluminium alloys, *Materials Science Forum* **633-634** (2010) 179-196.
2. K.A. Padmanabhan, S. Balasivanandha Prabu: On the conflicts in the experimental results concerning the mechanical properties of ultra-fine grained and nanostructured materials: Effects of processing routes and experimental conditions, *Materials Science Forum* **683** (2011) 3-54.

J. Gubicza, H.-Q. Bui, F. Fellah, N. Szász, G. Dirras: Bulk ultrafine-grained Nickel consolidated from nanopowders, *Mater. Sci. Forum* **589** (2008) 93-98.

1. M.A. Bousnina, A. dakhlaoui Omrani, F. Schoenstein, P. Madec, H. Haddadi, L.S. Smiri, N. Jouini: Spark plasma sintering and hot isostatic pressing of nickel nanopowders elaborated by a modified polyol process and their microstructure, magnetic and mechanical characterization, *Journal of Alloys and Compounds* **504** Supplement 1 (2010) S323-S327.
2. G. Rolland, P. Sallamand, V. Guipont, M. Jeandin, E. Boller, C. Bourda: Laser-induced damage in cold-sprayed composite coatings, *Surface and Coatings Technology* **205** (2011) 4915-4927.
3. A. El-Desouky, K.S. Moon, S.K. Kassegne, K. Morsi: Preliminary investigations on the effects of particle size and tip size in the Current Activated Tip-based Sintering (CATS) of nickel powder compacts, *Proc. TMS 2011 Annual Meeting and Exhibition, San Diego, USA, 27 February - 3 March 2011, Vol. 2* (2011) pp. 811-817.

4. A. Numula, K. Morsi, K.S. Moon, S.K. Kassegne: Exploratory investigations in reactive Current Activated Tip-based Sintering (CATS), Proc. TMS 2011 Annual Meeting and Exhibition, San Diego, USA, 27 February - 3 March 2011, Vol. 2 (2011) Pages 819-825.
5. A. Numula, S. Kassegne, K.S. Moon, A. El-Desouky, K. Morsi: Reactive Current-Activated Tip-Based Sintering of Ni-Al Intermetallics, *Metallography, Microstructure, and Analysis* **2** (2013) 148-155.
6. Patel, A., Wani, I., Reddy, S.R., Narayanaswamy, S., Lozinko, A., Saha, R., Guo, S., Bhattacharjee, P.P., Strain-path controlled microstructure, texture and hardness evolution in cryo-deformed AlCoCrFeNi<sub>2.1</sub> eutectic high entropy alloy, *Intermetallics* Volume 97, June 2018, Pages 12-21

J. Gubicza, Zs. Fogarassy, Gy. Krállics, J. Lábár, T. Törköly: Microstructure and mechanical behavior of ultrafine-grained titanium, *Mater. Sci. Forum* **589** (2008) 99-104.

1. I. Sabirov, M.T. Perez-Prado, J.M. Molina-Aldareguia, I.P. Semenova, G.Kh. Salimgareeva, R.Z. Valiev: Anisotropy of mechanical properties in high-strength ultra-fine-grained pure Ti processed via a complex severe plastic deformation route, *Scripta Materialia* **64** (2011) 69-72.
2. Nádai, L., Katona, B., Terdik, A., Bognár, E.: Chemical etching of titanium samples, *Periodica Polytechnica, Mechanical Engineering* **57** (2013) 53-57.
3. D.V. Gunderov, A.V. Polyakov, I.P. Semenova, G.I. Raab, A.A. Churakova, E.I. Gimaltdinova, I. Sabirov, J. Segurado, V.D. Sitdikov, I.V. Alexandrov, N.A. Enikeev, R.Z. Valiev: Evolution of microstructure, macrotexture and mechanical properties of commercially pure Ti during ECAP-Conform processing and drawing, *Materials Science and Engineering A* **562** (2013) 128-136.
4. E.C. Moreno-Valle, W. Pachla, M. Kulczyk, B. Savoini, M.A. Monge, C. Ballesteros, I. Sabirov: Anisotropy of uni-axial and bi-axial deformation behaviour of pure Titanium after hydrostatic extrusion, *Materials Science and Engineering A*, **588** (2013) 7-13.
5. Leon Mishnaevsky Jr., Evgeny Levashov, Ruslan Z. Valiev, Javier Segurado, Ilchat Sabirov, Nariman Enikeev, Sergey Prokoshkin, Andrey V. Solov'yov, Andrey Korotitskiy, Elazar Gutmanas, Irene Gotman, Eugen Rabkin, Sergey Psakh'e, Luděk Dluhoš, Marc Seefeldt, Alexey Smolin: Nanostructured titanium-based materials for medical implants: Modeling and development, *Materials Science and Engineering R: Reports* **81** (2014) 1-19.
6. Polyakov, A; Gunderov, D; Sitdikov, V; Valiev, R; Semenova, I; Sabirov, I: Physical Simulation of Hot Rolling of Ultra-fine Grained Pure Titanium, *METALLURGICAL AND MATERIALS TRANSACTIONS B-PROCESS METALLURGY AND MATERIALS PROCESSING SCIENCE* **45** (2014) 2315-2326.
7. Rodriguez-Calvillo, P., Cabrera, J.M.: Microstructure and mechanical properties of a commercially pure Ti processed by warm equal channel angular pressing, *Materials Science and Engineering A* **625** (2015) 311-320.
8. Terdik, A., Nagy, P., Bognár, E., Joób-Fancsaly, Á., Piffkó, J.: Chemical etching of ultrafine grained titanium surfaces to optimise cell attachment, *Materials Science Forum* **812** (2015) 265-270.
9. Ridruejo, A., Segurado, J., Moreno-Valle, E.C., Sabirov, I., LLorca, J.: Multiscale modeling of the small punch test in nanostructured Ti, *Meccanica* **51** (2016) 443-453.

10. Vinogradov, Alexei: Mechanical Properties of Ultrafine-Grained Metals: New Challenges and Perspectives, *ADVANCED ENGINEERING MATERIALS* 17 (2015) 1710-1722.
11. Chembarisova, R.G.; Aleksandrov, I.V.: Simulation of the elastoplastic behavior of Grade-4 Ti in the ECAP-C process, *Metallovedenie i termicheskaya obrabotka metallov* Issue: 4 Pages: 50-59 (2016).
12. Chembarisova, R. G.; Aleksandrov, I. V.: Simulation of the Elastoplastic Behavior of Grade-4 Ti in the ECAP-C Process, *METAL SCIENCE AND HEAT TREATMENT* Volume: 58 Issue: 3-4 Pages: 236-244 Published: JUL 2016
13. Shaat, M., Effects of processing conditions on microstructure and mechanical properties of equal-channel-angular-pressed titanium, 2018, *Materials Science and Technology (United Kingdom)*, 34(10), pp. 1149-1167

I. Dézsi, Cs. Fetzer, A. Gombkötő, I. Szűcs, J. Gubicza, T. Ungár: Phase transition in nanomagnetite, *J. Appl. Phys.* **103** (2008) 104312.

1. N. I. Chistyakova, V. S. Rusakov, A. A. Shapkin, T. N. Zhilina and D. G. Zavarzina: Reduction of amorphous Fe(III)-hydroxide by binary microbial culture, a Mössbauer study, *Hyperfine Interactions* **197** (2010) 325-330.
2. S. Ayyappan, G. Panneerselvam, M.P. Antony, N.V. Rama Rao, N. Thirumurugan, A. Bharathi, J. Philip: Effect of initial particle size on phase transformation temperature of surfactant capped Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *Journal of Applied Physics* **109** (2011) art. no. 084303.
3. K. Szymanski, W. Olszewski, L. Dobrzynski, D. Satuła, D.J. Gawryluk, M. Berkowski, R. Puzniak, A. Wisniewski: Mössbauer studies of powdered single crystals of FeTe<sub>0.5</sub>Se<sub>0.5</sub>, *Superconductor Science and Technology* **24** (2011) art. no. 105010.
4. M. Darbandi, F. Stromberg, J. Landers, N. Reckers, B. Sanyal, W. Keune, H. Wende: Nanoscale size effect on surface spin canting in iron oxide nanoparticles synthesized by the microemulsion method, *Journal of Physics D: Applied Physics* **45** (2012) art. no. 195001.
5. A. Warland, C. Antoniak, M. Darbandi, C. Weis, J. Landers, W. Keune, H. Wende: Effect of silica capping on the oxidation of Fe<sub>3</sub>O<sub>4</sub> nanoparticles in dispersion revealed by x-ray absorption spectroscopy, *PHYSICAL REVIEW B* 85 (2012) Article Number: 235113.
6. D. Sarkar, M. Mandal, K. Mandal: Domain controlled magnetic and electric properties of variable sized magnetite nano-hollow spheres, *Journal of Applied Physics* **112** (2012) 064318.
7. N.I. Chistyakova, V.S. Rusakov, A.A. Shapkin, Y.V. Starokurov, A.P. Kazakov, D.G. Zavarzina, T.N. Zhilina, A. Lancok, J. Kohout: Mossbauer Study of Biogenic Formation Processes of Iron Minerals, in: *MOSSBAUER SPECTROSCOPY IN MATERIALS SCIENCE – 2012*, AIP Conference Proceedings, Editor(s): Tucek, J; Machala, L, Volume: 1489 (2012) 95-106.
8. M.I. Oshtrakh, V. Sepelák, A.F.R. Rodriguez, V.A. Semionkin, M.V. Ushakov, J.G. Santos, L.B. Silveira, E.M. Marmolejo, M. De Souza Parise, P.C. Morais: Comparative study of iron oxide nanoparticles as-prepared and dispersed in Copaiba oil using Mössbauer spectroscopy with low and high velocity resolution, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* **100** (2013) 94-100.

9. Stadnik, Z.M., Wang, P., Zukrowski, J., Noji, T., Koike, Y.: A Mössbauer effect study of single crystals of the non-superconducting parent compound Fe<sub>1.09</sub>Te and the superconductor FeSe<sub>0.4</sub>Te<sub>0.6</sub>, *Journal of Physics Condensed Matter* 25 (2013) art. no. 416008.
10. Lak, A., Dieckhoff, J., Ludwig, F., Scholtyssek, J.M., Goldmann, O., Lünsdorf, H., Eberbeck, D., Kornowski, A., Kraken, M., Litterst, F.J., Fiege, K., Mischnick, P., Schilling, M.: Highly stable monodisperse PEGylated iron oxide nanoparticle aqueous suspensions: A nontoxic tracer for homogeneous magnetic bioassays, *Nanoscale* 5 (2013) 11447-11455.
11. Lak, A., Kraken, M., Ludwig, F., Kornowski, A., Eberbeck, D., Sievers, S., Litterst, F.J., Weller, H., Schilling, M.: Size dependent structural and magnetic properties of FeO-Fe<sub>3</sub>O<sub>4</sub> nanoparticles, *Nanoscale* 5 (2013) 12286-12295.
12. López Maldonado, K.L., Vazquez Zubiate, L., De La Presa, P., Matutes Aquino, J.A., Elizalde Galindo, J.T.: Magneto-resistive coefficient enhancement observed around Verwey-like transition on spinel ferrites XFe<sub>2</sub>O<sub>4</sub> (X = Mn, Zn), *Journal of Applied Physics* 115 (2014) Article number 17C705
13. Masthoff, I.-C., Kraken, M., Mauch, D., Menzel, D., Munevar, J.A., Baggio Saitovitch, E., Litterst, F.J., Garnweitner, G.: Study of the growth process of magnetic nanoparticles obtained via the non-aqueous sol-gel method, *Journal of Materials Science* 49 (2014) 4705-4714.
14. Maldonado, KLL; de la Presa, P; de la Rubia, MA; Crespo, P; de Frutos, J; Hernando, A; Aquino, JAM; Galindo, JTE: Effects of grain boundary width and crystallite size on conductivity and magnetic properties of magnetite nanoparticles, *JOURNAL OF NANOPARTICLE RESEARCH* 16 (2014) Article Number: 2482.
15. Chistyakova, N.I. , Shapkin, A.A., Sirazhdinov, R.R., Gubaidulina, T.V., Kiseleva, T.Y., Kazakov, A.P., Rusakov, V.S.: Study of nanocomposites based on iron oxides and pectin, *AIP Conference Proceedings* 1622 (2014) 120-125.
16. Landers, J., Stromberg, F., Darbandi, M., Schöppner, C., Keune, W., Wende, H.: Correlation of superparamagnetic relaxation with magnetic dipole interaction in capped iron-oxide nanoparticles, *Journal of Physics Condensed Matter* 27 (2015) 026002.
17. Rügenapp, C., Wagner, F.E., Gleich, B.: Monitoring of the aging of magnetic nanoparticles using Mössbauer spectroscopy, *Journal of Magnetism and Magnetic Materials* 380 (2015) 241-245.
18. Estrader, M., López-Ortega, A., Golosovsky, I.V., Estradé, S., Roca, A.G., Salazar-Alvarez, G., López-Conesa, L., Tobia, D., Winkler, E., Ardisson, J.D., Macedo, W.A.A., Morphis, A., Vasilakaki, M., Trohidou, K.N., Gukasov, A., Mirebeau, I., Makarova, O.L., Zysler, R.D., Peiró, F., Baró, M.D., Bergström, L., Nogués, J.: Origin of the large dispersion of magnetic properties in nanostructured oxides: Fe<sub>x</sub>O/Fe<sub>3</sub>O<sub>4</sub> nanoparticles as a case study, *Nanoscale* 7 (2015) 3002-3015.
19. Pérez De Berti, I., Bengoa, J., Fellenz, N., Mercader, R., Marchetti, S.: Mössbauer cell for low-temperature studies of catalysts under reaction conditions, *Review of Scientific Instruments* 86 (2015) 023903.
20. Khalil, M.I.: Co-precipitation in aqueous solution synthesis of magnetite nanoparticles using iron(III) salts as precursors, *Arabian Journal of Chemistry* 8 (2015) 279-284.
21. Wdowik, UD; Piekarz, P; Jochym, PT; Parlinski, K; Oles, AM: Influence of isolated and clustered defects on electronic and dielectric properties of wustite, *PHYSICAL REVIEW B* 91 (2015) Article Number: 195111.

22. Kumar, R., Sakthivel, R., Behura, R., Mishra, B.K., Das, D.: Synthesis of magnetite nanoparticles from mineral waste, *Journal of Alloys and Compounds* 645 (2015) 398-404.
23. Tsoncheva, T., Velinov, N., Ivanova, R., Stoycheva, I., Tsyntsarski, B., Spassova, I., Paneva, D., Issa, G., Kovacheva, D., Genova, I., Mitov, I., Petrov, N.: Formation of catalytic active sites in iron modified activated carbons from agriculture residues, *Microporous and Mesoporous Materials* 217 (2015) 87-95.
24. Prusakov, V.E., Maksimov, Y.V., Nishchev, K.N., Golubiev, A.V., Iordanskii, A.L., Bychkova, A.V., Krupyanskii, Y.F., Berlin, A.A.: Mössbauer spectroscopy study of magnetic iron oxide nanoclusters in a biocomposite based on poly(3-hydroxybutyrate) and chitosan, *Doklady Physical Chemistry* 463 (2015) 176-178.
25. Joos, A., Rügenapp, C., Wagner, F.E., Gleich, B.: Characterisation of iron oxide nanoparticles by Mössbauer spectroscopy at ambient temperature, *Journal of Magnetism and Magnetic Materials* 399 (2016) 123-129.
26. Pérez De Berti, I.O., Bengoa, J.F., Stewart, S.J., Cagnoli, M.V., Pecchi, G., Marchetti, S.G.: Effect of activation atmosphere in the Fischer-Tropsch Synthesis using a "quasi-model" catalyst of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles supported on SBA-15, *Journal of Catalysis* 335 (2016) 36-46.
27. Johnson, C.E., Johnson, J.A., Hah, H.Y., Cole, M., Gray, S., Kolesnichenko, V., Kucheryavy, P., Goloverda, G.: Mössbauer studies of stoichiometry of Fe<sub>3</sub>O<sub>4</sub>: characterization of nanoparticles for biomedical applications, *Hyperfine Interactions* 237 (2016) Article number 27, Pages 1-10.
28. Singh, LH; Govindaraj, R; Mythili, R; Amarendra, G: Stability and magnetic interactions between magnetite nanoparticles dispersed in zeolite as studied using Mossbauer spectroscopy, *JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS*, Volume: 418, Pages: 248-252, 2016
29. Schwaminger, S.P., Bauer, D., Fraga-García, P., Wagner, F.E., Berensmeier, S., Oxidation of magnetite nanoparticles: impact on surface and crystal properties, *CrystEngComm*, Volume 19, Issue 2, 2017, Pages 246-255
30. Camacho, K.I., Pariona, N., Martinez, A.I., Baggio-Saitovitch, E., Herrera-Trejo, M., Perry, D.L., Structural and magnetic properties of the products of the transformation of ferrihydrite: Effect of cobalt dications, *Journal of Magnetism and Magnetic Materials*, Volume 429, 1 May 2017, Pages 339-347
31. Kamusella, S., Klauss, H.-H., Thakur, G.S., Haque, Z., Gupta, L.C., Ganguli, A.K., Kraft, I., Burkhardt, U., Rosner, H., Luetkens, H., Lynn, J.W., Zhao, Y., Magnetism and site exchange in CuFeAs and CuFeSb: A microscopic and theoretical investigation, *Physical Review B - Condensed Matter and Materials Physics*, Volume 95, Issue 9, 13 March 2017, Article number 094415
32. Jiraskova, Y; Bursik, J; Zivotsky, O; Lunacek, J; Janos, P, Magnetic and Mossbauer Study of Cerium-Based Reactive Sorbent, *ACTA PHYSICA POLONICA A*, Volume: 131, 2017, 1096-1098
33. Markovski, C., Byrne, J.M., Lalla, E., Lozano-Gorrín, A.D., Klingelhöfer, G., Rull, F., Kappler, A., Hoffmann, T., Schröder, C., Abiotic versus biotic iron mineral transformation studied by a miniaturized backscattering Mössbauer spectrometer (MIMOS II), X-ray diffraction and Raman spectroscopy, *Icarus*, Volume 296, 1 November 2017, Pages 49-58
34. Kobzi, B., Watanabe, Y., Akiyama, K., Kuzmann, E., Homonnay, Z., Krehula, S., Ristić, M., Nishida, T., Kubuki, S., 57Fe-Mössbauer study and methylene blue decomposing effect of nanoparticle mixtures composed of metallic iron and

- maghemite, *Journal of Alloys and Compounds* Volume 722, 25 October 2017, Pages 94-100
35. Szumiata, T., Rachwał, M., Magiera, T., Brzózka, K., Gzik-Szumiata, M., Gawroński, M., Górka, B., Kyzioł-Komosińska, J., Iron-containing phases in metallurgical and coke dusts as well as in bog iron ore, *Nukleonika*, Volume 62, Issue 2, 2017, Pages 187-195
  36. Reznicek, R; Chlan, V; Stepankova, H; Novak, P; Zukrowski, J; Kozlowski, A; Kakol, Z; Tarnawski, Z; Honig, JM, Understanding the Mossbauer spectrum of magnetite below the Verwey transition: Ab initio calculations, simulation, and experiment, *PHYSICAL REVIEW B*, Volume: 96, 2017, Article Number: 195124
  37. Al-Rashdi, K.S., Widatallah, H.M., Al Ma'Mari, F., Cespedes, O., Elzain, M., Al-Rawas, A., Gismelseed, A., Yousif, A., Structural and Mössbauer studies of nanocrystalline Mn<sup>2+</sup>-doped Fe<sub>3</sub>O<sub>4</sub> particles, *Hyperfine Interactions* Volume 239, Issue 1, 1 December 2018, Article number 3
  38. Lengyel, A., Garg, V.K., de Oliveira, A.C., da Silva, S.W., Guilherme, L.R., Klencsár, Z., Homonnay, Z., Coaquira, J.A.H., Tolnai, G., Kuzmann, E., Mössbauer spectroscopy control of the preparation of citric- and mandelic acid functionalized nanomagnetites, *Hyperfine Interactions* Volume 239, Issue 1, 1 December 2018, Article number 17
  39. Kamzin, A.S., Valiullin, A.A., Khurshid, H., Nemati, Z., Srikanth, H., Phan, M.H., Mössbauer Studies of Core-Shell FeO/Fe<sub>3</sub>O<sub>4</sub> Nanoparticles, *Physics of the Solid State* Volume 60, Issue 2, 1 February 2018, Pages 382-389
  40. Prusakov, V.E., Maksimov, Y.V., Nishchev, K.N., Golub'ev, A.V., Beglov, V.I., Krupyanskii, Y.F., Bychkova, A.V., Iordanskii, A.L., Berlin, A.A., Hybrid Biodegradable Nanocomposites Based on a Biopolyester Matrix and Magnetic Iron Oxide Nanoparticles: Structural, Magnetic, and Electronic Characteristics, *Russian Journal of Physical Chemistry B*, Volume 12, Issue 1, 1 January 2018, Pages 158-164
  41. Najafshirtari, S., Lak, A., Guglieri, C., Marras, S., Brescia, R., Fiorito, S., Sadrollahi, E., Litterst, F.J., Pellegrino, T., Manna, L, Colombo, M., Manipulating the morphology of the nano oxide domain in AuCu-iron oxide dumbbell-like nanocomposites as a tool to modify magnetic properties, *RSC Advances* Open Access Volume 8, Issue 40, 2018, Pages 22411-22421
  42. Muthukumar, T; Pati, SS; Singh, LH; de Oliveira, AC; Garg, VK; Philip, J, Comparison of magnetic properties and high-temperature phase stability of phosphate- and oleic acid-capped iron oxide nanoparticles, *APPLIED NANOSCIENCE*, Volume: 8, Issue: 4, Pages: 593-608, 2018
  43. Lyubutin, I.S., Baskakov, A.O., Starchikov, S.S., Shih, K.-Y., Lin, C.-R., Tseng, Y.-T., Yang, S.-S., Han, Z.-Y., Ogarkova, Y.L., Nikolaichik, V.I., Avilov, A.S., Synthesis and characterization of graphene modified by iron oxide nanoparticles, *Materials Chemistry and Physics*, Volume 219, 1 November 2018, Pages 411-420

T. Ungár, E. Schafler, J. Gubicza: Microstructure of Bulk Nanomaterials Determined by X-Ray Line Profile Analysis, in the book entitled BULK NANOSTRUCTURED MATERIALS, (WILEY-VCH), eds.: M.J. Zehetbauer and Y.T. Zhu (2009) pp. 361-386 (ISBN: 978-3-527-31524-6).

1. G. Rogl, A. Grytsiv, P. Rogl, E. Royanian, E. Bauer, J. Horáky, D. Setman, E. Schafler, M. Zehetbauer: Dependence of thermoelectric behaviour on severe plastic

deformation parameters: A case study on p-type skutterudite DD0.60Fe<sub>3</sub>CoSb<sub>12</sub>, *Acta Materialia* **61** (2013) 6778-6789.

2. Vershinina, T., Leont'eva-Smirnova, M., Dislocation density evolution in the process of high-temperature treatment and creep of EK-181 steel, *Materials Characterization*, Volume 125, 1 March 2017, Pages 23-28
3. Valiev, R.Z., Zhilyaev, A.P., Langdon, T.G., *Bulk Nanostructured Materials: Fundamentals and Applications*, Wiley, ISBN: 978-111809540-9, 2013, Pages 1-440

J. Gubicza, N. Q. Chinh, J.L. Lábár, S. Dobatkin, Z. Hegedűs, T. G. Langdon: Correlation between microstructure and mechanical properties of severely deformed metals, *J. Alloys Compd.* **483** (2009) 271-274.

1. G. Dini, R. Ueji, A. Najafizadeh, S.M. Monir-Vaghefi: Flow stress analysis of TWIP steel via the XRD measurement of dislocation density *Materials Science and Engineering A*, **527** (2010) 2759-2763.
2. M. Vaseghi, A.K. Taheri, S.I. Hong, H.S. Kim: Dynamic ageing and the mechanical response of Al–Mg–Si alloy through equal channel angular pressing, *Materials & Design* **31** (2010) 4076-4082.
3. G. Dini, R. Ueji, A. Najafizadeh: Grain size dependence of the flow stress of TWIP steel, *Materials Science Forum* **654-656** (2010) 294-297.
4. F. Liu, Q. Fu, C. Chen, N. Liang: An Elasto-plastic damage constitutive theory based on pair functional potentials and slip mechanism, *Chinese Journal of Aeronautics* **23** (2010) 686-697.
5. H. Lim, M.G. Lee, J.H. Kim, B.L. Adams, R.H. Wagoner: Simulation of polycrystal deformation with grain and grain boundary effects, *International Journal of Plasticity* **27** (2011) 1328-1354.
6. W. Blum, Y.J. Li, Y. Zhang, J.T. Wang: Deformation resistance in the transition from coarse-grained to ultrafine-grained Cu by severe plastic deformation up to 24 passes of ECAP, *Materials Science and Engineering A* **528** (2011) 8621-8627.
7. F.-J. Shi, L.-G. Wang, T. Xu, S. Lu: Microstructure and property of ultra-fine grained copper produced by cyclic channel die compression process, *Transactions of Materials and Heat Treatment* **32** (2011) 89-93.
8. F. Shi, L. Wang: Investigation of high tensile strength and high electrical conductivity pure copper fabricated by severe plastic deformation, *Zhongguo Jixie Gongcheng/China Mechanical Engineering* **23** (2012) 2106-2110.
9. G. Angella, B. Esfandiar Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, *Materials Science and Engineering A* **559** (2013) 742-750.
10. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
11. K. Edalati, J. Matsuda, H. Iwaoka, S. Toh, E. Akiba, Z. Horita: High-pressure torsion of TiFe intermetallics for activation of hydrogen storage at room temperature with heterogeneous nanostructure, *International Journal of Hydrogen Energy* **38** (2013) 4622-4627.
12. E.C. Moreno-Valle, M.A. Monclus, J.M. Molina-Aldareguia, N. Enikeev, I. Sabirov: Biaxial Deformation Behavior and Enhanced Formability of Ultrafine-Grained Pure Copper, *METALLURGICAL AND MATERIALS TRANSACTIONS A* **44** (2013) 2399-2408.

13. K. Edalati, H. Iwaoka, S. Toh, K. Sasaki, Z. Horita: Application of high-pressure torsion to WC-Co ceramic-based composites for improvement of consolidation, microstructure and hardness, *Materials Transactions* **54** (2014) 1540-1548.
14. J. Dvorak, V. Sklenicka, V.I. Betekhtin, A.G. Kadomtsev, P. Kral, M. Kvapilova, M. Svoboda: The effect of high hydrostatic pressure on creep behaviour of pure Al and a Cu-0.2%Zr alloy processed by equal-channel angular pressing, *Materials Science and Engineering A* **584** (2013) 103-113.
15. Edalati, K; Matsuda, J; Arita, M; Daio, T; Akiba, E; Horita, Z: Mechanism of activation of TiFe intermetallics for hydrogen storage by severe plastic deformation using high-pressure torsion, *APPLIED PHYSICS LETTERS* 103 (2013) Article Number: 143902.
16. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, *METALLURGIA ITALIANA* Issue: 10 (2013) 25-31.
17. Kaveh Edalati, Takeshi Daio, Makoto Arita, Seungwon Lee, Zenji Horita, Atsushi Togo, Isao Tanaka: High-pressure torsion of titanium at cryogenic and room temperatures: Grain size effect on allotropic phase transformations, *Acta Materialia* **68** (2014) 207-213.
18. Edalati, K; Akama, D; Nishio, A; Lee, S; Yonenaga, Y; Cubero-Sesin, JM; Horita, Z: Influence of dislocation-solute atom interactions and stacking fault energy on grain size of single-phase alloys after severe plastic deformation using high-pressure torsion, *ACTA MATERIALIA* **69** (2014) 68-77.
19. Zha, M., Li, Y.-J., Mathiesen, R., Bjørge, R., Roven, H.J.: Microstructure, hardness evolution and thermal stability of binary Al-7Mg alloy processed by ECAP with intermediate annealing, *Transactions of Nonferrous Metals Society of China (English Edition)* **24** (2014) 2301-2306.
20. Rodríguez-Calvillo, P., Ferrer, N., Cabrera, J.M.: Analysis of microstructure and strengthening in CuMg alloys deformed by equal channel angular pressing, *Journal of Alloys and Compounds* **626** (2015) 340-348.
21. Mohamed, I.F., Yonenaga, Y., Lee, S., Edalati, K., Horita, Z.: Age hardening and thermal stability of Al-Cu alloy processed by high-pressure torsion, *Materials Science and Engineering A* **627** (2015) 111-118.
22. Mohamed, IF; Lee, S; Edalati, K; Horita, Z; Hirose, S; Matsuda, K; Terada, D: Aging Behavior of Al 6061 Alloy Processed by High-Pressure Torsion and Subsequent Aging, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **46A** (2015) 2664-2673.
23. Haghayeghi, R., Kapranos, P.: Microstructure evolution and mechanical properties of Al-6% Mg alloys processed by equal channel angular pressing, *Materials Science and Engineering A* **642** (2015) 84-90.
24. Cabibbo, M.: Grain refinement and hardness saturation in pure Nickel subjected to a sequence of ECAP and HPT, *METALLURGIA ITALIANA*, Issue: 9 (2015) 37-48.
25. Beygelzimer, Yan; Toth, Laszlo S.; Jonas, John J.: Some Physical Characteristics of Strain Hardening in Severe Plastic Deformation, *ADVANCED ENGINEERING MATERIALS* **17** (2015) 1783-1791.
26. Liu, F; Yuan, H; Yin, J; Wang, JT: Influence of stacking fault energy and temperature on microstructures and mechanical properties of fcc pure metals processed by equal-channel angular pressing, *MATERIALS SCIENCE AND*

ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES  
MICROSTRUCTURE AND PROCESSING 662 (2016) 578-587.

27. Popovich, A.A., Razumov, N.G., Gyulikhandanov, E.L.: Investigation of thermal stability of nanocrystalline structure high-nitrogen austenitic powder steel obtained by mechanical alloying, *ARPN Journal of Engineering and Applied Sciences*, Volume 11, Issue 11, June 2016, Pages 7117-7120
28. Toth, L.S., Gu, C.F., Beausir, B., Fundenberger, J.J., Hoffman, M.: Geometrically necessary dislocations favor the Taylor uniform deformation mode in ultra-fine-grained polycrystals, *Acta Materialia*, Volume 117, 15 September 2016, Pages 35-42.
29. Gholami, M., Altenberger, I., Vesely, J., Kuhn, H.-A., Wollmann, M., Janecek, M., Wagner, L.: Effects of severe plastic deformation on transformation kinetics of precipitates in CuNi3Si1Mg, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 156-164.
30. Neslušan, M., Čížek, J., Kolařík, K., Minárik, P., Čilliková, M., Melikhova, O.: Monitoring of grinding burn via Barkhausen noise emission in case-hardened steel in large-bearing production, *Journal of Materials Processing Technology*, Volume 240, 1 February 2017, Pages 104-117
31. Hlavac, LM; Kocich, R; Gembalova, L; Jonsta, P; Hlavacova, IM: AWJ cutting of copper processed by ECAP, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 86, Pages: 885-894, 2016
32. Ito, Y., Edalati, K., Horita, Z.: High-pressure torsion of aluminum with ultrahigh purity (99.9999%) and occurrence of inverse Hall-Petch relationship, *Materials Science and Engineering A*, Volume 679, 2 January 2017, Pages 428-434
33. Gholami, M., Vesely, J., Altenberger, I., Kuhn, H.-A., Janecek, M., Wollmann, M., Wagner, L., Effects of microstructure on mechanical properties of CuNiSi alloys, *Journal of Alloys and Compounds*, Volume 696, 5 March 2017, Pages 201-212
34. Gan, W., Bong, H.J., Lim, H., Boger, R.K., Barlat, F., Wagoner, R.H., Mechanism of the Bauschinger effect in Al-Ge-Si alloys, *Materials Science and Engineering A*, Volume 684, 27 January 2017, Pages 353-372
35. Bong, H.J., Lim, H., Lee, M.-G., Fullwood, D.T., Homer, E.R., Wagoner, R.H., An RVE procedure for micromechanical prediction of mechanical behavior of dual-phase steel, *Materials Science and Engineering A*, Volume 695, 17 May 2017, Pages 101-111
36. Rahman, M.A., Rahman, M., Kumar, A.S., Modelling of flow stress by correlating the material grain size and chip thickness in ultra-precision machining, *International Journal of Machine Tools and Manufacture*, 2017, 123, pp. 57-75
37. Starink, M.J., Dislocation versus grain boundary strengthening in SPD processed metals: Non-causal relation between grain size and strength of deformed polycrystals, 2017, *Materials Science and Engineering A*, 705, pp. 42-45
38. Zha, M., Meng, X.-T., Zhang, H.-M., Zhang, X.-H., Jia, H.-L., Li, Y.-J., Zhang, J.-Y., Wang, H.-Y., Jiang, Q.-C., High strength and ductile high solid solution Al-Mg alloy processed by a novel hard-plate rolling route, *Journal of Alloys and Compounds*, Volume 728, 2017, Pages 872-877
39. Mahmoodi, Masoud; Naderi, Ali; Dini, Ghasem, Correlation Between Structural Parameters and Mechanical Properties of Al5083 Sheets Processed by ECAR, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* Volume: 26 Issue: 12 Pages: 6022-6027 Published: DEC 2017
40. Bong, HJ; Leem, D; Lee, J; Ha, JJ; Lee, MG, A Coupled Crystal Plasticity and Anisotropic Yield Function Model to Identify the Anisotropic Plastic Properties and

- Friction Behavior of an AA 3003 Alloy, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, Volume: 49A, Pages: 282-294, 2018
41. Tahmasbi, K., Mahmoodi, M., Evaluation of microstructure and mechanical properties of aluminum AA7022 produced by friction stir extrusion, Journal of Manufacturing Processes, 2018, 32, pp. 151-159
  42. Khelfa, T; Rekik, MA; Munoz-Bolanos, JA; Cabrera-Marrero, JM; Khitouni, M, Microstructure and strengthening mechanisms in an Al-Mg-Si alloy processed by equal channel angular pressing (ECAP), INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY, Volume: 95, Issue: 1-4, Pages: 1165-1177, 2018
  43. Sun, L., Bai, J., Xue, F., Chu, C., Meng, J., The work softening behavior of pure Mg wire during cold drawing, 2018, Materials, 11(4),602
  44. Vinogradov, Alexei; Estrin, Yuri, Analytical and numerical approaches to modelling severe plastic deformation, PROGRESS IN MATERIALS SCIENCE Volume: 95 Pages: 172-242 Published: JUN 2018
  45. Fan, J.T., Zhang, L.J., Yu, P.F., Zhang, M.D., Liu, D.J., Zhou, Z., Cui, P., Ma, M.Z., Jing, Q., Li, G., Liu, R.P., Improved the microstructure and mechanical properties of AlFeCoNi high-entropy alloy by carbon addition, Materials Science and Engineering A Volume 728, 13 June 2018, Pages 30-39
  46. Wang, W., Guo, E., Chen, Z., Kang, H., Chen, Z., Zou, C., Li, R., Yin, G., Wang, T., Correlation between microstructures and mechanical properties of cryorolled CuNiSi alloys with Cr and Zr alloying, Materials Characterization, Volume 144, October 2018, Pages 532-546
  47. Dmitriev, A. M.; Korobova, N. V., SELECTION OF THERMO- MECHANIC MODE OF PELLET MOLDING FROM TiO<sub>2</sub> POWDER FOR MAGNETRON APPLICATION OF COMPOSITE COATINGS ON PARTS, JOURNAL OF MINING INSTITUTE Volume: 232 Pages: 388-394 Published: 2018

J. Gubicza, N. Q. Chinh, J. L. Lábár, Z. Hegedűs, T. G. Langdon: Twinning and dislocation activity in silver processed by severe plastic deformation, J. Mater. Sci. **44** (2009) 1656-1660.

1. P. Zhang, A. Ma, J. Jiang, S. Lu, P. Lin, D. Yang, G. Liu: Microstructural evolution and mechanical response of Cu–Al–Be–B shape memory alloy processed by repetitive equal channel angular pressing, Journal of Alloys and Compounds, **497** (2010) 210-214.
2. Y.T. Zhu, X.Z. Liao, X.L. Wu: Deformation twinning in nanocrystalline materials, Progress in Materials Science **57** (2012) 1-62.
3. G. Angella, P. Bassani, S. Fare, N. Lecis, D. Ripamonti, F. Spagnoli, A. Tuissi, M. Vedani: Microstructural and mechanical properties of UFG silver subjected to severe plastic deformation by ECAP, Materials Science Forum **706-709** (2012) 1847-1852.
4. Joshua Pelleg: Mechanical properties of materials, in book series: Solid Mechanics and its Applications, ISBN: 978-94-007-4341-0, Volume 190 (2013) Pages 1-634.
5. G. Angella, B. Esfandiari Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, Materials Science and Engineering A **559** (2013) 742-750.
6. B. Yang, H. Chen, L. Yang, H. Zhang, Z.Z. Fang: The formation of twins in Al-10Zn-3Mg-1.8Cu alloy by cryomilling, JOM **65** (2013) 967-972.

7. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, *METALLURGIA ITALIANA* Issue: 10 (2013) 25-31.
8. Bassani, P; Biffi, CA; Tuissi, A; Angella, G; Casati, R; Vedani, M: Microstructural evolution of pure silver during ECAP processing and subsequent heating, *INTERNATIONAL JOURNAL OF MATERIALS & PRODUCT TECHNOLOGY*, 47 (2013) 80-90.
9. Roohollah Jamaati, Mohammad Reza Toroghinejad: Effect of stacking fault energy on mechanical properties of nanostructured FCC materials processed by ARB process, *Materials Science and Engineering A* 606 (2014) 443-450.
10. Magalhaes, DCC; Kliauga, AM; Ferrante, M; Sordi, VL: Plastic deformation of FCC alloys at cryogenic temperature: the effect of stacking-fault energy on microstructure and tensile behaviour, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, 7466-7478, 2017
11. Wan, W., Chen, H., Long, C., Sun, Q., Li, G., Wang, H., Tang, Q., The compressive deformation mechanisms of a coarse-grained AgInCd alloy, *Materials Characterization*, Volume 134, December 2017, Pages 279-284

N. Q. Chinh, J. Gubicza, T. Czeppe, J. Lendvai, C. Xu, R. Z. Valiev, T. G. Langdon: Developing a strategy for the processing of age-hardenable alloys by ECAP at room temperature, *Mater. Sci. Eng. A* **516** (2009) 248-252.

1. X.H. An, Q.Y. Lin, S.D. Wu, Z.F. Zhang: Microstructural evolution and shear fracture of Cu-16 at.% Al alloy induced by equal channel angular pressing, *Materials Science and Engineering A* **527** (2010) 4510-4514.
2. R. Kocich, M. Kurska, I. Szurman, A. Dlouhy: The influence of imposed strain on the development of microstructure and transformation characteristics of Ni-Ti shape memory alloys, *Journal of Alloys and Compounds* **509** (2011) 2716-2722.
3. M.A. Munoz-Morris, D.G. Morris: Microstructure control during severe plastic deformation of Al-Cu-Li and the influence on strength and ductility, *Materials Science and Engineering A* **528** (2011) 3445-3454.
4. S.K. Panigrahi, R. Jayaganthan: Development of ultrafine grained high strength age hardenable Al 7075 alloy by cryorolling, *Materials & Design* **32** (2011) 3150-3160.
5. K.R. Cardoso, D.N. Travessa, W.J. Botta, A.M. Jorge Jr.: High Strength AA7050 Al alloy processed by ECAP: Microstructure and mechanical properties, *Materials Science and Engineering A* **528** (2011) 5804-5811.
6. M.R. Roshan, S.A. Jenabali Jahromi, R. Ebrahimi: Predicting the critical pre-aging time in ECAP processing of age-hardenable aluminum alloys, *Journal of Alloys and Compounds* **509** (2011) 7833-7839.
7. K.A. Padmanabhan, S. Balasivanandha Prabu: On the conflicts in the experimental results concerning the mechanical properties of ultra-fine grained and nanostructured materials: Effects of processing routes and experimental conditions, *Materials Science Forum* **683** (2011) 3-54.
8. C.M. Cepeda-Jimenez, J.M. Garcia-Infanta, O.A. Ruano, F. Carreno: Mechanical properties at room temperature of an Al-Zn-Mg-Cu alloy processed by equal channel angular pressing, *Journal of Alloys and Compounds* **509** (2011) 8649-8656.
9. Y. Estrin, M. Murashkin, R. Valiev: Ultrafine-grained aluminium alloys: processes, structural features and properties, book chapter in: *FUNDAMENTALS OF ALUMINIUM METALLURGY: PRODUCTION, PROCESSING AND APPLICATIONS*, Editor: R. Lumley, Book Series: Woodhead Publishing in

- Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-654-2 (2011) 468-503.
10. S. Fare, N. Lecis, M. Vedani: Aging Behaviour of Al-Mg-Si Alloys Subjected to Severe Plastic Deformation by ECAP and Cold Asymmetric Rolling, *Journal of Metallurgy* **2011** (2011), Article ID 959643.
  11. R. Vafaei, M.R. Toroghinejad, R. Pippan: Evaluation of mechanical behavior of nano-grained 2024 Al alloy during high pressure torsion (HPT) process at various temperatures, *Materials Science and Engineering A* **536** (2012) 73-81.
  12. P. Venkatachalam, S. Roy, V.T. Paul, M. Vijayalakshmi, B. Ravisankar, S. Suwas: The role of processing routes on the evolution of microstructure and texture heterogeneity during ECAP of Al-Cu alloy, *Materials Science Forum* **702-703** (2012) 113-118.
  13. J.H. Kim, S.K. Hwang, Y.-T. Im, I.-H. Son, C.M. Bae: High-Strength Bolt-Forming of Fine-Grained Aluminum Alloy 6061 with a Continuous Hybrid Process, *Materials Science and Engineering A* **552** (2012) 316-322.
  14. K.R. Cardoso, D.N. Travessa, A.M. Jorge Jr., W.J. Botta: Microstructure evolution of AA7050 Al alloy during equal-channel angular pressing, *Materials Research* **15** (2012) 732-738.
  15. I. Sabirov, M.Yu. Murashkin, R.Z. Valiev: Nanostructured aluminium alloys produced by severe plastic deformation: New horizons in development, *Materials Science and Engineering A* **560** (2013) 1-24.
  16. M. Ghazani, B. Eghbali: Finite Element Study on the Development of Damage and Flow Characteristics in Al7075 Alloy during Ex-ECAP, *Modeling and Numerical Simulation of Material Science* **3** (2013) 27-32.
  17. P. Malek, K. Turba, M. Cieslar, P. Harcuba: Microstructure and high temperature deformation of an ultra-fine grained ECAP AA7075 aluminium alloy, *INTERNATIONAL JOURNAL OF MATERIALS RESEARCH* **104** (2013) 3-10.
  18. M.S. Ghazani, B. Eghbali: Finite element simulation of cross equal channel angular pressing, *Computational Materials Science* **74** (2013) 124-128.
  19. S.K. Hwang, H.M. Baek, I.-H. Son, Y.-T. Im, C.M. Bae: The Effect of Microstructure and Texture Evolution on Mechanical Properties of Low-carbon Steel Processed by the Continuous Hybrid Process, *Materials Science and Engineering A* **579** (2013) 118-125.
  20. J. Bidulska, T. Kvacakaj, I. Pokorny, R. Bidulsky, M.A. Grande: IDENTIFICATION OF THE CRITICAL PORE SIZES IN SINTERED AND ECAPed ALUMINIUM 6XXX ALLOY, *ARCHIVES OF METALLURGY AND MATERIALS* **58** (2013) 371-375.
  21. Shaeri, MH; Djavanroodi,; Sedighi, M; Ahmadi, S; Salehi, MT; Seyyedain, SH: Effect of copper tube casing on strain distribution and mechanical properties of Al-7075 alloy processed by equal channel angular pressing, *JOURNAL OF STRAIN ANALYSIS FOR ENGINEERING DESIGN* **48** (2013) 512-521.
  22. Bidulsky, R., Bidulská, J., Kvačakaj, T., Pokorný, I., Grande, M.A.: Evolution of porosity in ECAPed aluminium alloy, *Proc. International Powder Metallurgy Congress and Exhibition, Euro PM 2013; Gothenburg; Sweden; 15-18 September 2013; Code 110976.*
  23. M.H. Goodarzy, H. Arabi, M.A. Boutorabi, S.H. Seyedein, S.H. Hasani Najafabadi: The effects of room temperature ECAP and subsequent aging on mechanical properties of 2024 Al alloy, *Journal of Alloys and Compounds*, **585** (2014) 753-759.

24. Fallahi, A., Hosseini-Tudeshky, H., Ghalehbandi, S.M.: Effect of heat treatment on mechanical properties of ECAPed 7075 aluminum alloy, *Advanced Materials Research* 829 (2014) 62-66.
25. Deschamps, A., De Geuser, F., Horita, Z., Lee, S., Renou, G.: Precipitation kinetics in a severely plastically deformed 7075 aluminium alloy, *Acta Materialia* **66** (2014) 105-117.
26. Muneer Baig, Ehab El-Danaf, Jabair Ali Mohammad: Thermo-mechanical responses of an Aluminum alloy processed by Equal Channel Angular Pressing, *Materials & Design*, 57 (2014) 510-519.
27. Sordi, Vitor L.; Feliciano, Carlos A.; Ferrante, Maurizio: The influence of deformation by equal-channel angular pressing on the ageing response and precipitate fracturing: case of the Al-Ag alloy, *JOURNAL OF MATERIALS SCIENCE* 50 (2015) 138-143.
28. Kvačkaj, T., Kováčová, A., Kočiško, R., Dutkiewicz, J., Lityńska-Dobrzyńska, L., Kansy, J.: Relation between microstructural features and mechanical properties in oxygen free high conductivity copper after equal-channel angular pressing, *Kovove Materialy* 52 (2014) 337-344.
29. Chen, Y., Gao, N., Sha, G., Ringer, S.P., Starink, M.J.: Strengthening of an Al-Cu-Mg alloy processed by high-pressure torsion due to clusters, defects and defect-cluster complexes, *Materials Science and Engineering A* 627 (2015) 10-20.
30. Ma, K., Hu, T., Yang, H., Topping, T., Yousefiani, A., Lavernia, E.J., Schoenung, J.M.: Coupling of dislocations and precipitates: Impact on the mechanical behavior of ultrafine grained Al-Zn-Mg alloys, *Acta Materialia* 103 (2016) 153-164.
31. Yadollahpour, M.; Hosseini-Toudeshky, H.; Karimzadeh, F.: Effect of Cryorolling and Aging on Fatigue Behavior of Ultrafine-grained Al6061, *JOM* 68 (2016) 1446-1455.
32. Hlavac, LM; Kocich, R; Gembalova, L; Jonsta, P; Hlavacova, IM: AWJ cutting of copper processed by ECAP, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 86, Pages: 885-894, 2016
33. Mogucheva, A., Kaibyshev, R.: Microstructure and mechanical properties of an Al-Li-Mg-Sc-Zr alloy subjected to ECAP, *Metals*, Volume 6, Issue 11, November 2016, Article number 254
34. MESHKABADI, R., FARAJI, G., JAVDANI, A., POUYAFAR, V., Combined effects of ECAP and subsequent heating parameters on semi-solid microstructure of 7075 aluminum alloy, *Transactions of Nonferrous Metals Society of China (English Edition)*, Volume 26, Issue 12, 1 December 2016, Pages 3091-3101
35. Ghalehbandi, S.M., Fallahi Arezoodar, A., Hosseini-Toudeshky, H., Influence of aging on mechanical properties of equal channel angular pressed aluminum alloy 7075, *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 2017, 231(10), pp. 1803-1811
36. Ahmadi, S., Sedighi, M., Effects of solution treatment and sheath on mechanical properties of Al7075 processed by ECAP, 2017, *Journal of Mechanical Science and Technology*, 31(9), pp. 4189-4194
37. Radziszewska, Hanna; Kaczmarek, Lukas; Gawronski, Zbigniew, Effect of Precipitation with Core-Shell Structure on Mechanical Properties of PN-EN 2024 T6I6 Alloy, *JOURNAL OF SIBERIAN FEDERAL UNIVERSITY-CHEMISTRY*, Volume: 10 Issue: 1 Pages: 67-81 Published: 2017
38. Manjunath, G.K., Udaya Bhat, K., Preetham Kumar, G.V., Microstructure Evolution in Cast Al-Zn-Mg Alloys Processed by Equal Channel Angular Pressing, 2018, *Metallography, Microstructure, and Analysis*, 7(1), pp. 77-87

J. Gubicza, H.-Q. Bui, F. Fellah, G. Dirras: Microstructure and mechanical behavior of ultrafine-grained Ni processed by different powder metallurgy methods, *J. Mater. Res.* **24** (2009) 217-226.

1. D.V. Quach, J.R. Groza, A. Zavaliangos, U. Anselmi-Tamburini: Fundamentals and applications of field/current assisted sintering, book chapter in *SINTERING OF ADVANCED MATERIALS: FUNDAMENTALS AND PROCESSES*, Editor: Z.Z. Fang, Book Series: Woodhead Publishing in Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-562-0 (2010) pp. 249-274.
2. Z.A. Munir, D.V. Quach, M. Ohyanagi: Electric current activation of sintering: A review of the pulsed electric current sintering process, *Journal of the American Ceramic Society* **94** (2011) 1-19.
3. Z.J. Zhang, Q.Q. Duan, X.H. An, S.D. Wu, G. Yang, Z.F. Zhang: Microstructure and mechanical properties of Cu and Cu–Zn alloys produced by equal channel angular pressing, *Materials Science and Engineering A* **528** (2011) 4259-4267.
4. Y. Zhao, T. Topping, Y. Li, E.J. Lavernia: Strength and ductility of bi-modal Cu, *Advanced Engineering Materials* **13** (2011) 865-871.
5. Y.H. Zhao, E.J. Lavernia: The mechanical properties of multi-scale metallic materials, book chapter in *NANOSTRUCTURED METALS AND ALLOYS: PROCESSING, MICROSTRUCTURE, MECHANICAL PROPERTIES AND APPLICATIONS*, Editor: S.H. Whang, Book Series: Woodhead Publishing in Materials, WOODHEAD PUBL LTD, CAMBRIDGE, ENGLAND, ISBN: 978-1-84569-670-2 (2011) pp. 375-429.
6. A. Genc, E. Ayas, M.L. Övecoglu, S. Turan: Fabrication of in situ Ni(W)–WC nano composites via mechanical alloying and spark plasma sintering, *Journal of Alloys and Compounds* **542** (2012) 97-104.
7. A. Genc, P. Kaya, E. Ayas, M.L. Övecoglu, S. Turan: Microstructural evolution of mechanically alloyed and spark plasma sintered Ni–W alloy matrix composites, *Journal of Alloys and Compounds* **571** (2013) 159-167.
8. Abedi, M; Moskovskikh, DO; Rogachev, AS; Mukasyan, AS: Spark Plasma Sintering of Titanium Spherical Particles, *METALLURGICAL AND MATERIALS TRANSACTIONS B-PROCESS METALLURGY AND MATERIALS PROCESSING SCIENCE*, Volume: 47, Pages: 2725-2731, 2016
9. Semenov, AS; Trapp, J; Nothe, M; Eberhardt, O; Wallmersperger, T; Kieback, B, Experimental and numerical analysis of the initial stage of field-assisted sintering of metals, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, Pages: 1486-1500, 2017
10. Rudzik, Thomas J.; Gerhardt, Rosario A., Comparison of hot pressing and spark plasma sintering in the densification behavior of indium tin oxide-borosilicate glass composites, *JOURNAL OF THE AMERICAN CERAMIC SOCIETY* Volume: 101 Issue: 2 Pages: 577-589 Published: FEB 2018
11. Liu, W; An, R; Wang, CQ; Zheng, Z; Tian, YH; Xu, RL; Wang, ZT, Recent Progress in Rapid Sintering of Nanosilver for Electronics Applications, *MICROMACHINES*, Volume: 9, Issue: 7, Article Number: 346, 2018

J. Lendvai, J. Gubicza, J. L. Lábár, Z. Kuli: Effect of crystallization on the deformation behavior of a Zr-based bulk metallic glass, *Int. J. Mater. Res.* **100** (2009) 439-442.

1. N. Khademian, R. Gholamipour, F. Shahri, M. Tamizifar: Effect of vanadium substitution for zirconium on the glass forming ability and mechanical properties of a Zr<sub>65</sub>Cu<sub>17.5</sub>Ni<sub>10</sub>Al<sub>7.5</sub> bulk metallic glass, *Journal of Alloys and Compounds* **546** (2013) 41-47.

J. Gubicza, N. Q. Chinh, J. L. Lábár, G. Tichy, Z. Hegedűs, C. Xu, T. G. Langdon: Stability of microstructure in silver processed by severe plastic deformation, *Int. J. Mater. Res.* **100** (2009) 884-887.

1. Čížek, J., Hruška, P., Vlasák, T., Vlček, M., Janeček, M., Minárik, P., Krajňák, T., Šlapáková, M., Dopita, M., Kužel, R., Kmječ, T., Kim, J.G., Kim, H.-S., Microstructure development of ultra fine grained Mg-22 wt%Gd alloy prepared by high pressure torsion, *Materials Science and Engineering A*, Volume 704, 17 September 2017, Pages 181-191

G. Dirras, S. Bouvier, J. Gubicza, B. Hasni and T. Szilágyi: Mechanical characteristics under large amplitude monotonic and cyclic simple shear of spark plasma sintered ultrafine-grained nickel, *Mater. Sci. Eng. A* **526** (2009) 201-210.

1. Q.H. Bui, X.T. Pham: Modeling of microstructure effects on the mechanical behavior of ultrafine-grained nickels processed by hot isostatic pressing, *International Journal of Mechanical Sciences* **53** (2011) 812-826.
2. N. Saheb, Z. Iqbal, A. Khalil, A.S. Hakeem, N. Al Aqeeli, T. Laoui, A. Al-Qutub, R. Kirchner: Spark plasma sintering of metals and metal matrix nanocomposites: A review, *Journal of Nanomaterials* **2012** (2012) art. no. 983470.
3. A. Genc, E. Ayas, M.L. Övecoglu, S. Turan: Fabrication of in situ Ni(W)–WC nano composites via mechanical alloying and spark plasma sintering, *Journal of Alloys and Compounds* **542** (2012) 97-104.
4. A. Genc, P. Kaya, E. Ayas, M.L. Övecoglu, S. Turan: Microstructural evolution of mechanically alloyed and spark plasma sintered Ni–W alloy matrix composites, *Journal of Alloys and Compounds* **571** (2013) 159-167.
5. Keller, C., Tabalaiev, K., Marnier, G., Noudem, J., Sauvage, X., Hug, E.: Influence of spark plasma sintering conditions on the sintering and functional properties of an ultra-fine grained 316L stainless steel obtained from ball-milled powder, *Materials Science and Engineering A* **665** (2016) 125-134.
6. Keller, C., Marnier, G., Tabalaiev, K., Hug, E., De La Cruz, L.G., Noudem, J.: Spark plasma sintering of ultrafine grained aisi 316L and functional properties characterization, *Advances in Powder Metallurgy and Particulate Materials - Proceedings of the 2015 International Conference on Powder Metallurgy and Particulate Materials, PowderMet 2015, Hilton San Diego Bayfront Hotel, San Diego; United States; 17 May 2015 through 20 May 2015; Code 121947*
7. Trzaska, Zofia; Cours, Robin; Monchoux, Jean-Philippe, *Densification of Ni and TiAl by SPS: Kinetics and Microscopic Mechanisms, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 49A Issue: 10 Pages: 4849-4859 Published: OCT 2018

N. Q. Chinh, J. Gubicza, T. Czeppe, J. Lendvai and T. G. Langdon: Processing Age-hardenable Alloys by Equal-Channel Angular Pressing at Room Temperature: Strategies and Advantages, *Mater. Sci. Forum* **633-634** (2010) 527-534.

1. Ghalehbandi, S.M., Fallahi Arezoodar, A., Hosseini-Toudeshky, H., Influence of aging on mechanical properties of equal channel angular pressed aluminum alloy 7075, *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 2017, 231(10), pp. 1803-1811

F. Fellah, G. Dirras, J. Gubicza, F. Schoenstein, N. Jouini, S.M. Cherif, C. Gatel, J. Douin: Microstructure and mechanical properties of ultrafine-grained fcc/hcp cobalt processed by a bottom-up approach, *J. Alloys Compd.* **489** (2010) 424-428.

1. A. Gupta, S. Sharma, M.R. Joshi, P. Agarwal, K. Balani: Grain growth behavior of Al<sub>2</sub>O<sub>3</sub> nanomaterials: A review, *Materials Science Forum* **653** (2010) 87-130.
2. A. Rinaldi, M.A. Correa-Duarte, V. Salgueirino-Maceira, S. Licoccia, E. Traversa, A.B. Dávila-Ibáñez, P. Peralta, K. Sieradzki: Elastic properties of hard cobalt boride composite nanoparticles, *Acta Materialia* **58** (2010) 6474-6486.
3. M. Mori, K. Yamanaka, H. Matsumoto, A. Chiba: Evolution of cold-rolled microstructures of biomedical Co-Cr-Mo alloys with and without N doping, *Materials Science and Engineering A* **528** (2010) 614-621.
4. M. Yuasa, M. Hakamada, H. Nakano, M. Mabuchi, Y. Chino: Softening due to disordered grain boundaries in nanocrystalline Co, *Journal of Physics Condensed Matter* **25** (2013) art. no. 345702.
5. L. Braconnier, E. Landrison, I. Cléménçon, C. Legens, F. Diehl, Y. Schuurman: How does activation affect the cobalt crystallographic structure? An in situ XRD and magnetic study, *Catalysis Today* **215** (2013) 18-23.
6. Marek, I., Vojtěch, D., Michalcová, A., Kubatík, T.F.: The structure and mechanical properties of high-strength bulk ultrafine-grained cobalt prepared using high-energy ball milling in combination with spark plasma sintering, *Materials* **9** (2016), Article number 391.
7. Golvano-Escobal, I., Gonzalez-Rosillo, J.C., Domingo, N., Illa, X., López-Barberá, J.F., Fornell, J., Solsona, P., Aballe, L., Foerster, M., Surinäch, S., Baró, M.D., Puig, T., Pané, S., Nogués, J., Pellicer, E., Sort, J., Spontaneous formation of spiral-like patterns with distinct periodic physical properties by confined electrodeposition of Co-In disks, *Scientific Reports*, Volume 6, 27 July 2016, Article number 30398
8. Cavaliere, P.; Perrone, A.; Silvello, A.: Cold-Sprayed Nanostructured Pure Cobalt Coatings, *JOURNAL OF THERMAL SPRAY TECHNOLOGY* Volume: 25 Issue: 6 Pages: 1168-1176
9. Ren, Fuzeng; Zhu, Weiwei; Chu, Kangjie, Fabrication and evaluation of bulk nanostructured cobalt intended for dental and orthopedic implants, *JOURNAL OF THE MECHANICAL BEHAVIOR OF BIOMEDICAL MATERIALS* Volume: 68 Pages: 115-123

J. Gubicza, K. Máthis, Z. Hegedűs, G. Ribárik, A. L. Tóth: Inhomogeneous evolution of microstructure in AZ91 Mg-alloy during high temperature Equal-Channel Angular Pressing, *J. Alloys Compd.* **492** (2010) 166-172.

1. K. Bobor, G. Kralics: CHARACTERIZATION OF SEVERE PLASTIC DEFORMATION TECHNIQUES WITH RESPECT TO NON-MONOTONITY, *REVIEWS ON ADVANCED MATERIALS SCIENCE* **25** (2010) 32-41.

2. M.-H. Tsai, M.-S. Chen, L.-H. Lin, M.-H. Lin, C.-Z. Wu, K.-L. Ou, C.-H. Yu: Effect of heat treatment on the microstructures and damping properties of biomedical Mg–Zr alloy, *Journal of Alloys and Compounds* **509** (2011) 813-819.
3. S.S. Zhao, Q.M. Peng, H. Li, B.Z. Liu: Effects of super-high pressure on microstructures, nano-mechanical behaviors and corrosion properties of Mg-Al alloys, *JOURNAL OF ALLOYS AND COMPOUNDS* **584** (2014) 56-62.
4. Kunz, L., Fintová, S.: Fatigue behaviour of AZ91 magnesium alloy in as-cast and severe plastic deformed conditions, *Advanced Materials Research* 891-892 (2014) 397-402.
5. Fintová, S., Pantělejev, L., Kunz, L.: Microstructure and mechanical properties of ultrafine-grained magnesium AZ91 alloy, *Materials Science Forum* 782 (2014) 384-389.
6. Zhang, H., Liu, Y., Fan, J., Roven, H.J, Cheng, W., Xu, B., Dong, H.: Microstructure evolution and mechanical properties of twinned AZ31 alloy plates at lower elevated temperature, *Journal of Alloys and Compounds*, 615 (2014) 687-692.
7. Cheng, W., Wang, W., Wang, H., Liu, Y., Park, S.H.: Improved mechanical properties of ECAPed Mg-15Al alloy through Nd addition, *Materials Science and Engineering A* 633 (2015) 63-68.
8. Maghsoudi, M.H., Zarei-Hanzaki, A., Abedi, H.R., Shamsolhodaei, A.: The evolution of  $\gamma$ -Mg<sub>17</sub>Al<sub>12</sub> intermetallic compound during accumulative back extrusion and subsequent ageing treatment, *Philosophical Magazine* 95 (2015) 3497-3523.
9. Al-Zubaydi, A.S.J., Zhilyaev, A.P., Wang, S.C., Kucita, P., Reed, P.A.S.: Evolution of microstructure in AZ91 alloy processed by high-pressure torsion, *Journal of Materials Science* 51 (2016) 3380-3389.
10. Zhang, X., Liu, X., Wang, J., Cheng, Y., Effect of route on tensile anisotropy in equal channel angular pressing, *Materials Science and Engineering A*, Volume 676, 31 October 2016, Pages 65-72.
11. Khani, S., Aboutalebi, M.R., Salehi, M.T., Samim, H.R., Palkowski, H.: Microstructural development during equal channel angular pressing of as-cast AZ91 alloy, *Materials Science and Engineering A*, Volume 678, 15 December 2016, Pages 44-56
12. Kim, Y.S., Kim, W.J.: Microstructure and superplasticity of the as-cast Mg–9Al–1Zn magnesium alloy after high-ratio differential speed rolling, *Materials Science and Engineering A*, Volume 677, 20 November 2016, Pages 332-339
13. Revesz, A.; Szilagyil, C.; Spassov, T.: Hydrogen sorption of magnesium plates deformed by surface mechanical attrition treatment, *BULGARIAN CHEMICAL COMMUNICATIONS* Volume: 48 Issue: 3 Pages: 469-475 Published: 2016
14. Zhang, L; Wang, QD; Liao, WJ; Guo, W; Ye, B; Jiang, HY; Ding, WJ, Effect of homogenization on the microstructure and mechanical properties of the repetitive-upsetting processed AZ91D alloy, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY*, Volume: 33, Pages: 935-940, 2017
15. Zeng, S., Yang, K., Chen, W., Microstructures and Mechanical Properties of Microalloyed and Equal Channel angular Pressed AZ91 Mg Alloy, *IOP Conference Series: Materials Science and Engineering*, 274 (2017) 012147
16. Chalay-Amoly, A.; Zarei-Hanzaki, A.; Fatemi, S. M., MICROSTRUCTURE AND MECHANICAL PROPERTIES OF AN AZ91 MAGNESIUM ALLOY PROCESSED THROUGH BACKWARD EXTRUSION, *ARCHIVES OF METALLURGY AND MATERIALS* Volume: 63 Issue: 1 Pages: 149-157 Published: 2018

G. Dirras, J. Gubicza, S. Ramtani, H. Bui, T. Szilágyi: Microstructure and mechanical characteristics of bulk polycrystalline Ni consolidated from blends of powders with different particle size, *Mater. Sci. Eng. A* **527** (2010) 1206-1214.

1. H. Asgharzadeh, A. Simchi, H.S. Kim: Microstructural features, texture and strengthening mechanisms of nanostructured AA6063 alloy processed by powder metallurgy, *Materials Science and Engineering A* **528** (2011) 3981-3989.
2. L. Zhu, J. Lu: Modelling the plastic deformation of nanostructured metals with bimodal grain size distribution, *International Journal of Plasticity* **30-31** (2012) 166-184.
3. L. Zhu, S. Shi, K. Lu, J. Lu: A statistical model for predicting the mechanical properties of nanostructured metals with bimodal grain size distribution, *Acta Materialia* **60** (2012) 5762-5772.
4. Sawangrat, C., Yamaguchi, O., Vajpai, S.K., Ameyama, K.: Application of harmonic structure design to biomedical coCrMo alloy for improved mechanical properties, *Materials Transactions* **55** (2014) 99-105.
5. Zhe Zhang, Sanjay Kumar Vajpai, Dmitry Orlov, Kei Ameyama: Improvement of mechanical properties in SUS304L steel through the control of bimodal microstructure characteristics, *Materials Science and Engineering A*, **598**, (2014) 106-113.
6. Sawangrat, C; Kato, S; Orlov, D; Ameyama, K: Harmonic-structured copper: performance and proof of fabrication concept based on severe plastic deformation of powders, *JOURNAL OF MATERIALS SCIENCE* **49** (2014) 6579-6585.
7. Ota, M., Sawai, K., Kawakubo, M., Vajpai, S.K., Ameyama, K.: Harmonic structure formation and deformation behavior in a ( $\alpha + \gamma$ ) two phase stainless steel, *IOP Conference Series: Materials Science and Engineering* **63** (2014) 012027
8. Zhu, L., Qu, S., Guo, X., Lu, J.: Analysis of the twin spacing and grain size effects on mechanical properties in hierarchically nanotwinned face-centered cubic metals based on a mechanism-based plasticity model, *Journal of the Mechanics and Physics of Solids* **76** (2014) 162-179.
9. Ota, M., Vajpai, S.K., Imao, R., Kurokawa, K., Ameyama, K.: Application of high pressure gas jet mill process to fabricate high performance harmonic structure designed pure titanium, *Materials Transactions* **56** (2015) 154-159.
10. Vajpai, SK; Ota, M; Watanabe, T; Maeda, R; Sekiguchi, T; Kusaka, T; Ameyama, K: The Development of High Performance Ti-6Al-4V Alloy via a Unique Microstructural Design with Bimodal Grain Size Distribution, *METALLURGICAL AND MATERIALS TRANSACTIONS A* **46A** (2015) 903-914.
11. Zhang, Z., Orlov, D., Vajpai, S.K., Tong, B., Ameyama, K.: Importance of bimodal structure topology in the control of mechanical properties of a stainless steel, *Advanced Engineering Materials* **17** (2015) 791-795.
12. Vajpai, S.K., Sawangrat, C., Yamaguchi, O., Ciuca, O.P., Ameyama, K.: Effect of bimodal harmonic structure design on the deformation behaviour and mechanical properties of Co-Cr-Mo alloy, *Materials Science and Engineering C* **58** (2016) 1008-1015.
13. Zhu, L., Guo, X., Ruan, H., Lu, J.: Prediction of mechanical properties in bimodal nanotwinned metals with a composite structure, *Composites Science and Technology* **123** (2016) 222-231.
14. Shen, MJ; Wang, XJ; Zhang, MF; Zheng, MY; Wu, K: Significantly improved strength and ductility in bimodal-size grained microstructural magnesium matrix

- composites reinforced by bimodal sized SiCp over traditional magnesium matrix composites, *COMPOSITES SCIENCE AND TECHNOLOGY* 118 (2015) 85-93.
15. Zhu, L., Guo, X., Ruan, H.: Simulating Size and Volume Fraction-Dependent Strength and Ductility of Nanotwinned Composite Copper, *Journal of Applied Mechanics, Transactions ASME* 83 (2016) Article number 071009
  16. Zheng, R., Zhang, Z., Nakatani, M., Ota, M., Chen, X., Ma, C., Ameyama, K.: Enhanced ductility in harmonic structure designed SUS316L produced by high energy ball milling and hot isostatic sintering, *Materials Science and Engineering A*, Volume 674, 30 September 2016, Pages 212-220
  17. Kim, Jaeick; Lee, Changhee, Correlation of Impact Conditions, Interface Reactions, Microstructural Evolution, and Mechanical Properties in Kinetic Spraying of Metals: A Review, *JOURNAL OF THERMAL SPRAY TECHNOLOGY* Volume: 25 Issue: 8 Pages: 1461-1489 Published: DEC 2016
  18. Vajpai, SK; Ota, M; Zhang, Z; Ameyama, K, Three-dimensionally gradient harmonic structure design: an integrated approach for high performance structural materials, *MATERIALS RESEARCH LETTERS*, Volume: 4 (2016) 191-197
  19. Nakatani, M., Fujiki, Y., Ota, M., Vajpai, S.K., Ameyama, K., High temperature mechanical properties of harmonic structure designed SUS304L austenitic stainless steel, *Materials Science Forum*, Volume 879, 2017, Pages 2507-2511
  20. Ameyama, K., Vajpai, S.K., Ota, M., Microstructure evolution and deformation mechanisms of harmonic structure designed materials, *Materials Science Forum*, Volume 879, 2017, Pages 145-150
  21. Yadollahpour, M.; Hosseini-Toudeshky, H., Material properties and failure prediction of ultrafine grained materials with bimodal grain size distribution, *ENGINEERING WITH COMPUTERS*, 33 (2017) 125-136.
  22. Zhang, Z., Ma, H., Zheng, R., Hu, Q., Nakatani, M., Ota, M., Chen, G., Chen, X., Ma, C., Ameyama, K., Fatigue behavior of a harmonic structure designed austenitic stainless steel under uniaxial stress loading, *Materials Science and Engineering A*, Volume 707, 7 November 2017, Pages 287-294
  23. Zhang, F., Zhou, J., Molecular dynamics study of bimodal nanotwinned Cu with a composite structure, 2018, *Computational Materials Science*, 145, pp. 60-67
  24. Pande, C. S.; DeGiorgi, V. G.; Moser, A. E., Yield stress of ultrafine-grained or nanocrystalline materials with a bimodal grain size distribution, *MODELLING AND SIMULATION IN MATERIALS SCIENCE AND ENGINEERING* Volume: 26 Issue: 2 Article Number: 025002 Published: FEB 2018
  25. Flipon, B., Keller, C., de la Cruz, L.G., Hug, E., Barbe, F., Tensile properties of spark plasma sintered AISI 316L stainless steel with unimodal and bimodal grain size distributions, 2018, *Materials Science and Engineering A*, 729, pp. 249-256
  26. Trzaska, Zofia; Cours, Robin; Monchoux, Jean-Philippe, Densification of Ni and TiAl by SPS: Kinetics and Microscopic Mechanisms, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 49A Issue: 10 Pages: 4849-4859 Published: OCT 2018

N. Q. Chinh, T. Csanádi, J. Gubicza, T. G. Langdon: Plastic behavior of fcc metals over a wide range of strain, *Acta Mater.* **58** (2010) 5015–5021.

1. B. Verlinden, E. Chen, L. Duchene, A.M. Habraken: Transient yielding during compression tests on ECAP'ed AA1050 Aluminium, *Materials Science Forum* **667-669** (2011) 955-960.

2. R. Haghayeghi, P. Kapranos: An investigation on work hardening of Al–1%Mg processed by Equal Channel Angular Pressing, *Materials Letters*, 129 (2014) 182-184.
3. Parvin, H.; Kazeminezhad, M.: Development a dislocation density based model considering the effect of stacking fault energy: Severe plastic deformation, *COMPUTATIONAL MATERIALS SCIENCE* 95 (2014) 250-255.
4. Montazeri-Pour, M., Parsa, M.H., Jafarian, H.R., Taieban, S.: Microstructural and mechanical properties of AA1100 aluminum processed by multi-axial incremental forging and shearing, *Materials Science and Engineering A* 639 (2015) 705-716.
5. Liu, GY; Gu, J; Ni, S; Liu, Y; Song, M: Microstructural evolution of Cu-Al alloys subjected to multi-axial compression, *MATERIALS CHARACTERIZATION* 103 (2015) 107-119.
6. Parvin, H., Kazeminezhad, M.: Dependency modeling of steady state grain size on the stacking fault energy through severe plastic deformation, *Materials Letters* 159, (2015) 410-412.
7. Montazeri-Pour, Mehdi; Parsa, Mohammad Habibi: Constitutive analysis of tensile deformation behavior for AA1100 aluminum subjected to multi-axial incremental forging and shearing, *MECHANICS OF MATERIALS* 94 (2016) 117-131.
8. Tolaminejad, B., Hoseini-Athar, M.M.: An investigation of microstructure and mechanical properties during ECAE of commercially pure aluminum, *Materials Science and Engineering A* 670 (2016) 146-152.
9. Magalhaes, DCC; Kliauga, AM; Ferrante, M; Sordi, VL: Plastic deformation of FCC alloys at cryogenic temperature: the effect of stacking-fault energy on microstructure and tensile behaviour, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, 7466-7478, 2017
10. Cao, Y., Ni, S., Liao, X., Song, M., Zhu, Y., Structural evolutions of metallic materials processed by severe plastic deformation, 2018, *Materials Science and Engineering R: Reports*, 133, pp. 1-59

J. Gubicza, N. Q. Chinh, J. L. Lábár, Z. Hegedűs, T. G. Langdon: Principles of self-annealing in silver processed by equal-channel angular pressing: The significance of a very low stacking fault energy, *Mater. Sci. Eng. A*. **527** (2010) 752-760.

1. H. Paul T. Baudin, F. Brisset: The effect of the strain path and the second phase particles on the microstructure and the texture evolution of the AA3104 alloy processed by ECAP, *Archives of Metallurgy and Materials* **56** (2011) 245-261.
2. O.V. Mishin, J.R. Bowen, A. Godfrey: EBSD analysis of deformed and partially recrystallized microstructures in ECAE-processed copper, *Materials Science Forum* **715-716** (2012) 825-830.
3. C.X. Huang, W. Hu, G. Yang, Z.F. Zhang, S.D. Wu, Q.Y. Wang, G. Gottstein: The effect of stacking fault energy on equilibrium grain size and tensile properties of nanostructured copper and copper-aluminum alloys processed by equal channel angular pressing, *Materials Science and Engineering A* **556** (2012) 638-647.
4. P. Lin, Z. He, S. Yuan, J. Shen: Tensile Deformation Behavior of Ti-22Al-25Nb Alloy at Elevated Temperatures, *Materials Science and Engineering A* **556** (2012) 617-624.
5. D. Lussana, A. Castellero, D. Ripamonti, G. Angella, M. Vedani, A. Zambon, M. Baricco: Effect of rapid quenching and severe plastic deformation on silver, *International Journal of Materials Research* **103** (2012) 1117-1121.

6. T.N. Konkova, S.Yu. Mironov, A.V. Korznikov: GRAIN REFINEMENT IN COPPER VIA CRYOGENIC DEFORMATION, REVIEWS ON ADVANCED MATERIALS SCIENCE **31** (2012) 31-35.
7. G. Angella, B. Esfandiar Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, Materials Science and Engineering A **559** (2013) 742-750.
8. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, Acta Materialia **61** (2013) 183-192.
9. T. Suo, Y. Li, F. Zhao, X. Fan, W. Guo: Compressive behavior and rate-controlling mechanisms of ultrafine grained copper over wide temperature and strain rate ranges, Mechanics of Materials **61** (2013) 1-10.
10. Y.L. Gong, C.E. Wen, Y.C. Li, X.X. Wu, L.P. Cheng, X.C. Han, X.K. Zhu: Simultaneously enhanced strength and ductility of Cu-xGe alloys through manipulating the stacking fault energy (SFE), Materials Science and Engineering A **569** (2013) 144-149.
11. J. Vratna, M. Janecek, J. Cizek, D.J. Lee, E.Y. Yoon, H.S. Kim: Mechanical properties and microstructure evolution in ultrafine-grained AZ31 alloy processed by severe plastic deformation, JOURNAL OF MATERIALS SCIENCE **48** (2013) 4705-4712.
12. Y.L. Gong, C.E. Wen, X.X. Wu, S.Y. Ren, L.P. Cheng, X.K. Zhu: The influence of strain rate, deformation temperature and stacking fault energy on the mechanical properties of Cu alloys, Materials Science and Engineering A **583** (2013) 199-204.
13. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, METALLURGIA ITALIANA Issue: 10 (2013) 25-31.
14. Edalati, K; Cubero-Sesin, JM; Alhamidi, A; Mohamed, IF; Horita, Z: Influence of severe plastic deformation at cryogenic temperature on grain refinement and softening of pure metals: Investigation using high-pressure torsion, MATERIALS SCIENCE AND ENGINEERING A **613** (2014) 103-110.
15. Cai, BZ; Long, Y; Wen, C; Gong, YL; Li, CJ; Tao, JM; Zhu, XK: Role of stacking fault energy and strain rate in strengthening of Cu and Cu-Al alloys, JOURNAL OF MATERIALS RESEARCH **29** (2014) 1747-1754.
16. Parvin, H.; Kazeminezhad, M.: Development a dislocation density based model considering the effect of stacking fault energy: Severe plastic deformation, COMPUTATIONAL MATERIALS SCIENCE **95** (2014) 250-255.
17. Paul, H; Morawiec, A; Baudin, T; Czeppe, T: TEM STUDY OF RECRYSTALLIZATION IN ULTRA-FINE GRAIN AA3104 ALLOY PROCESSED BY HIGH-PRESSURE TORSION, ARCHIVES OF METALLURGY AND MATERIALS Volume: 60 Issue: 1 Pages: 131-144 Published: 2015
18. Pang, Y., Li, P., Kim, H.S., Gong, Y., Shen, Y., Sun, L., Zhu, X.: Strain softening induced by high pressure torsion in copper alloys, Materials Transactions **56** (2015) 1658-1663.
19. Kong, B., Liu, G., Wang, D., Wang, K., Yuan, S.: Microstructural investigations for laser welded joints of Ti-22Al-25Nb alloy sheets upon large deformation at elevated temperature, Materials and Design **90** (2016) 723-732.
20. Li, Y., Zhang, X.-K., He, K.-J., Yang, X.-Y.: Effect of stack fault energy on grain refinement of Cu alloy during room temperature deformation and subsequent annealing, Chinese Journal of Nonferrous Metals **26** (2016) 66-76.

21. Zhang, X.-K., Yang, X.-Y.: Effect of silicon on mechanical properties and annealing behavior of ultrafine grained brasses, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* 26 (2016) 317-327.
22. Yin, Z., Sun, L.L., Shen, Y., Pang, Y.Z., Yang, J., Gong, Y.L., Tao, J.M., Zhu, X.K.: Gradient nano-grained Cu and Cu-Zn alloys processed by surface mechanical attrition treatment, *Materials Science Forum* 848 (2016) 580-587.
23. Zhang, X.K., Yang, X.Y., Chen, W., Qin, J., Fouse, J.P.: Effect of stacking fault energy on mechanical properties and annealing behavior of brasses, *Journal of Alloys and Compounds* 679 (2016) 400-407.
24. Hlavac, LM; Kocich, R; Gembalova, L; Jonsta, P; Hlavacova, IM: AWJ cutting of copper processed by ECAP, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 86, Pages: 885-894, 2016
25. Zhang, Y.B., Yu, T., Mishin, O.V.: An electron microscopy study of microstructural evolution during in-situ annealing of heavily deformed nickel, *Materials Letters*, Volume 186, 1 January 2017, Pages 102-104
26. Magalhaes, DCC; Kliauga, AM; Ferrante, M; Sordi, VL: Plastic deformation of FCC alloys at cryogenic temperature: the effect of stacking-fault energy on microstructure and tensile behaviour, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, 7466-7478, 2017
27. Zhang, Y.B., Mishin, O.V., Stored energy and recrystallized microstructures in nickel processed by accumulative roll bonding to different strains, *Materials Characterization*, Volume 129, July 2017, Pages 323-328
28. Kong, B., Liu, G., Tao, W., Wang, K., Ke, W., Microstructure and texture evolution during the fabricating and hot gas free bulging process of a laser-welded Ti-22Al-25Nb alloy tube, *Materials Characterization* 131, 2017, pp. 116-127
29. Eivani, A.R., Seyedein, S.H., Aboutalebi, M., Effect of equal channel angular pressing and annealing treatment on the evolution of microstructure in AlMg0.7Si aluminum alloy, 2018, *Iranian Journal of Materials Science and Engineering*, 15(1), pp. 31-39
30. Edalati, K., Hashiguchi, Y., Iwaoka, H., Matsunaga, H., Valiev, R.Z., Horita, Z., Long-time stability of metals after severe plastic deformation: Softening and hardening by self-annealing versus thermal stability, 2018 , *Materials Science and Engineering A*, Volume 729, 27 June 2018, Pages 340-348

J. Gubicza, S.V. Dobatkin, E. Khosravi: Reduction of vacancy concentration during storage of severely deformed Cu, *Mater. Sci. Eng. A* **527** (2010) 6102-6104.

1. M. Zidani, S. Messaoudi, T. Baudin, C. Derfouf, A. Boulagroun, M.H. Mathon: Evolution of mechanical and electrical properties during annealing of the copper wire drawn, *AIP Conference Proceedings* **1400** (2011) 579-584.
2. A. Oudriss, J. Creus, J. Bouhattate, C. Savall, B. Peraudeau, X. Feugas: The diffusion and trapping of hydrogen along the grain boundaries in polycrystalline nickel, *Scripta Materialia* **66** (2012) 37-40.
3. O.F. Higuera-Cobos, J.M. Cabrera: Mechanical, Microstructural and Electrical Evolution of Commercially Pure Copper Processed by Equal Channel Angular Extrusion, *Materials Science and Engineering A* **571** (2013) 103-114.
4. K.X. Song, Y.J. Zhou, P.F. Zhao, Y.M. Zhang, N. Bai: Cu-10Sn-4Ni-3Pb Alloy Prepared by Crystallization Under Pressure: An Experimental Study, *ACTA METALLURGICA SINICA-ENGLISH LETTERS* **26** (2013) 199-205.

5. O.F. Higuera, J.M. Cabrera: Microstructure influencing physical and mechanical properties of electrolytic tough pitch copper produced by equal channel angular pressing, *Mechanics of Materials* **67** (2013) 9-14.
6. Larbi, F.H., Abib, K., Khereddine, Y., Alili, B., Kawasaki, M., Bradai, D., Langdon, T.G.: DSC analysis of an ecap-deformed Cu-Ni-Si alloy, 22nd International Conference on Metallurgy and Materials, METAL 2013; Hotel Voronez IBrno; Czech Republic; 15 May 2013 through 17 May 2013; 2013, Pages 1455-1460.
7. Wang, Y., Lapovok, R., Wang, J.T., Estrin, Y.: Local stress gradients in Ti/Al composite wires determined by two-dimensional X-ray microdiffraction, *Materials Science and Engineering A* **616** (2014) 44-54.
8. Kumar, S. S. Satheesh; Raghu, T.: Electrical Conductivity, Thermal Stability, and Lattice Defect Evolution During Cyclic Channel Die Compression of OFHC Copper, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* **24** (2015) 726-736.
9. Marković, I., Nestorović, S., Markoli, B., Premović, M., Šturm, S.: Anneal hardening in cold rolled PM Cu-Au alloy, *Materials Science and Engineering A* **658** (2016) 393-399.
10. Hlavac, LM; Kocich, R; Gembalova, L; Jonsta, P; Hlavacova, IM: AWJ cutting of copper processed by ECAP, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 86, Pages: 885-894, 2016

G. Dirras, H. Couque, J. Gubicza, A. Ouarem, T. Chauveau, P. Jenei: Fine-grained nickel deformed by direct impact at different velocities: microstructure and mechanical properties, *Mater. Sci. Eng. A* **527** (2010) 4128–4135.

1. S. Rajaraman, K.N. Jonnalagadda, P.Ghosh: Indentation and dynamic compression experiments on microcrystalline and nanocrystalline nickel, *Conference Proceedings of the Society for Experimental Mechanics Series* **1** (2013) 157-163 (2012 Annual Conference on Experimental and Applied Mechanics; Costa Mesa, CA; 11-14 June 2012).
2. A. Jung, E. Lach, S. Diebels: New hybrid foam materials for impact protection, *International Journal of Impact Engineering* **64** (2014) 30-38.
3. Shanmugasundaram, T., Bouzy, E., Chokshi, A.H.: Strengthening and weakening by repeated dynamic impact in microcrystals and nanocrystals, *Materials Science and Engineering A* **639** (2015) 97-102.
4. Zhang, S., Wang, Y.C., Zhilyaev, A.P., Korznikova, E., Li, S., Raab, G.I., Langdon, T.G.: Temperature and strain rate dependence of microstructural evolution and dynamic mechanical behavior in nanocrystalline Ti, *Materials Science and Engineering A* **641** (2015) 29-36.

Q. H. Bui, G. Dirras, S. Ramtani, J. Gubicza: On the strengthening behavior of ultrafine-grained nickel processed from nanopowder, *Mater. Sci. Eng. A*. **527** (2010) 3227-3235.

1. S. Garroni: Deformation conditions for Ni powders undergoing mechanical processing, *Journal of Physics and Chemistry of Solids* **73** (2012) 770-776.
2. A. Genc, E. Ayas, M.L. Övecoglu, S. Turan: Fabrication of in situ Ni(W)–WC nano composites via mechanical alloying and spark plasma sintering, *Journal of Alloys and Compounds* **542** (2012) 97-104.

3. A. Genc, P. Kaya, E. Ayas, M.L. Övecoglu, S. Turan: Microstructural evolution of mechanically alloyed and spark plasma sintered Ni–W alloy matrix composites, *Journal of Alloys and Compounds* **571** (2013) 159-167.
4. F. Naimi, L. Minier, S. Le Gallet, H. Couque, F. Bernard: Dense nanostructured nickel produced by SPS from mechanically activated powders: Enhancement of mechanical properties, *Journal of Nanomaterials* (2013) art. no. 674843.
5. Naimi, F., Minier, L., Morin, C., Le Gallet, S., Bernard, F.: Advanced usage of SPS technology for producing innovative materials, *Ceramic Transactions* 243 (2014) 159-171.
6. Tancret, F.: Limitations of ICME and ICMS due to variability - Alternative strategies for alloy design, *Materials Science Forum* 783-786 (2014) 2213-2218.
7. Borkar, Tushar; Banerjee, Rajarshi: Influence of spark plasma sintering (SPS) processing parameters on microstructure and mechanical properties of nickel, *MATERIALS SCIENCE AND ENGINEERING A* 618 (2014) 176-181.
8. Pasebani, S., Dutt, A.K., Burns, J., Charit, I., Mishra, R.S.: Oxide dispersion strengthened nickel based alloys via spark plasma sintering, *Materials Science and Engineering A* 630 (2015) 155-169.
9. Mulligan, C.P., Wei, R., Yang, G., Zheng, P., Deng, R., Gall, D.: Microstructure and age hardening of C276 alloy coatings, *Surface and Coatings Technology* 270 (2015) 299-304.
10. Bousnina, M.A., Turki, F., Schoenstein, F., Têtard, F., Rabu, P., Smiri, L.-S., Jouini, N.: Bulk nanostructured Ni-P alloys: Elaboration from metastable Ni-P nanoparticles by spark plasma sintering; Mechanical and magnetic properties, *Journal of Alloys and Compounds* 686 (2016) 252-266.
11. Sim, GD; Krogstad, JA; Reddy, KM; Xie, KY; Valentino, GM; Weihs, TP; Hemker, KJ, Nanotwinned metal MEMS films with unprecedented strength and stability, *SCIENCE ADVANCES*, Volume: 3, Article Number: e1700685, 2017
12. Lin, Y., Yan, Z., Xu, B., Feng, Y., Chen, F., Mechanical behavior of nanostructured and ultra-fine grained Al containing nanoscale oxide particles processed via spark plasma sintering of nano-sized Al powders, 2018, *Journal of Alloys and Compounds*, 745, pp. 677-687
13. Trzaska, Zofia; Cours, Robin; Monchoux, Jean-Philippe, Densification of Ni and TiAl by SPS: Kinetics and Microscopic Mechanisms, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 49A Issue: 10 Pages: 4849-4859 Published: OCT 2018

J. Gubicza, N. Q. Chinh, T. G. Langdon: Monitoring of self-annealing in ultrafine-grained silver by nanoindentation, *Nanosci. Nanotechnol. Lett.* **2** (2010) 294-297.

1. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
2. H.-J. Kim, D.-E. Kim: Frictional Behavior of Ag Nanodot-pattern Fabricated by Thermal Dewetting, *Surface and Coatings Technology* **215** (2013) 234-240.
3. Csiszár, G., Kurz, S.J.B., Mittermeijer, E.J.: Stability of nanosized alloy thin films: Faulting and phase separation in metastable Ni/Cu/Ag-W films, *Acta Materialia* 110 (2016) 324-340.

4. Csiszár, G., Makvandi, A., Mittemeijer, E.J., Nanoscale stability of two-and three-dimensional defects in Cu/Ag-Mo thin films, *Journal of Applied Crystallography*, Volume 50, Issue 1, 1 February 2017, Pages 152-171
5. Zhao, JT; Zhang, JY; Hou, ZQ; Wu, K; Feng, XB; Liu, G; Sun, J, The W alloying effect on thermal stability and hardening of nanostructured Cu-W alloyed thin films, *NANOTECHNOLOGY*, Volume: 29, Issue: 19, Article Number: 195705, 2018

J. Gubicza, N. Q. Chinh, J. L. Lábár, Z. Hegedűs, T. G. Langdon: Unique features of ultrafine-grained microstructures in materials having low stacking fault energy, *Mater. Sci. Forum* **659** (2010) 171-176.

1. Bhovi, P.M., Venkateswarlu, K.: Influence of RCS on Al-3Mg and Al-3Mg-0.25Sc alloys, *IOP Conference Series: Materials Science and Engineering* Volume 114, Issue 1, 3 March 2016, Article number 012100.

G. Dirras, A. Ouarem, H. Couque, J. Gubicza, P. Szommer, O. Brinza: Microstructure and nanohardness distribution in a polycrystalline Zn deformed by high strain rate impact, *Mater. Charact.* **62** (2011) 480-487.

1. L. Tang, Z. Chen, C. Zhan, X. Yang, C. Liu, H. Cai: Microstructural evolution in adiabatic shear bands of copper at high strain rates: Electron backscatter diffraction characterization, *Materials Characterization* **64** (2012) 21-26.
2. M.F. Hasaneen, D. Biro, L. Szekely, R. Nemes-Incze, P.B. Barna: Substructure in the columnar crystals of the Ti<sub>0.45</sub>O<sub>0.20</sub>N<sub>0.35</sub> oxynitride thin film, *VACUUM* **86** (2012) 2105-2108.
3. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
4. Z. Trojanová, T. Podrábsky, P. Lukác, R.W. Armstrong, J. Pesicka, M. Forejt: Influence of the strain rate on deformation mechanisms of an AZ31 magnesium alloy, *International Journal of Materials Research* **104** (2013) 762-768.
5. S.L. Yan, H. Yang, H.W. Li, G.Y. Ren: Experimental study of macro-micro dynamic behaviors of 5A0X aluminum alloys in high velocity deformation, *Materials Science and Engineering A* 598, (2014) 197-206.
6. B.F. Wang, Z.L. Liu, X.Y. Wang, Z.Z. Li: An EBSD investigation on deformation-induced shear bands in a low nickel austenitic stainless steel under controlled shock-loading conditions, *Materials Science and Engineering A*, 610 (2014) 301-308.
7. He, G., Dou, Y., Guo, X., Liu, Y., Effects of grain size on ballistic response of copper materials, 2017, *Proceedings of ASME International Mechanical Engineering Congress and Exposition, (IMECE 2017)*, Tampa; United States; 3 November 2017 through 9 November 2017; Volume 14, 2017, Code 133385
8. He, G., Dou, Y., Guo, X., Liu, Y., Computational Investigation of Effects of Grain Size on Ballistic Performance of Copper, 2018, *International Journal of Computational Methods in Engineering Science and Mechanics*, 19(1), pp. 1-10
9. Dou, Y., Liu, Y., A Multiscale Study of Single Crystal Copper Plate with Octal Orientation Struck by a Nickel Projectile, 2018, *SAE Technical Papers*, 2018-April

T. Csanádi, N. Q. Chinh, J. Gubicza, T. G. Langdon: Plastic behavior of fcc metals over a wide range of strain II: Macroscopic and microscopic descriptions and their relationship, *Acta Mater.* **59** (2011) 2385-2391.

1. S. Saimoto, M. Huang: New constitutive analysis of microstructural evolution: Hot compression of gamma iron, *Materials Science Forum* **706-709** (2012) 2284-2289.
2. N. Tsuchida, T. Inoue, K. Enami: Estimations of the True Stress and True Strain until Just before Fracture by the Stepwise Tensile Test and Bridgman Equation for Various Metals and Alloys, *MATERIALS TRANSACTIONS* **53** (2012) 133-139.
3. S. Saimoto, D.J. Lloyd: A new analysis of yielding and work hardening in AA1100 and AA5754 at low temperatures, *Acta Materialia* **60** (2012) 6352-6361.
4. N. Tsuchida, T. Inoue, K. Enami: Estimations of the true stress and true strain until just before fracture by the stepwise tensile test and bridgman equation for various metals and alloys, *Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals* **76** (2012) 579-586.
5. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
6. N. Park, A. Shibata, D. Terada, N. Tsuji: Flow stress analysis for determining the critical condition of dynamic ferrite transformation in 6Ni-0.1C steel, *Acta Materialia* **61** (2013) 163-173.
7. C. Wang, F. Li, L. Wei, J. Yang, J. Dong: Experimental microindentation of pure copper subjected to severe plastic deformation by combined tension-torsion, *Materials Science and Engineering A* **571** (2013) 95-102.
8. J. Kavosi, M. Saei, M. Kazeminezhad, A. Dodangeh: Modeling of dislocation density and strength on rheoforged A356 alloy during multi-directional forging, *Computational Materials Science*, **81** (2014) 284-289.
9. Pázmán, J., Bereczki, P., Verő, B., Kardos, I., Fehér, J.: The effect of the severe plastic deformation on the artificial aging of the AlMgSi1 alloy, *Materials Science Forum* **812** (2015) 239-245.
10. Ladányi, G., Pázmán, J., Verő, B.: Effect of equal channel angular pressing on different face center cubic (FCC) metals, *Materials Science Forum* **812** (2015) 137-142.
11. Liu, GY; Gu, J; Ni, S; Liu, Y; Song, M: Microstructural evolution of Cu-Al alloys subjected to multi-axial compression, *MATERIALS CHARACTERIZATION* **103** (2015) 107-119.
12. Saimoto, S., Van Houtte, P., Inal, K., Langille, M.R., New biaxial yield function for aluminum alloys based on plastic work and work-hardening analyses, *Acta Materialia*, Volume 118, 1 October 2016, Pages 109-119
13. Thangapandian, N.; Prabu, S. Balasivanandha; Padmanabhan, K. A., Effect of Temperature and Velocity of Pressing on Grain Refinement in AA5083 Aluminum Alloy During Repetitive Corrugation and Straightening Process, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 47A Issue: 12 Pages: 6374-6383 Published: DEC 2016
14. Kreyca, Johannes; Kozeschnik, Ernst, State parameter-based constitutive modelling of stress strain curves in Al-Mg solid solutions, *INTERNATIONAL JOURNAL OF PLASTICITY* Volume: 103 Pages: 67-80 Published: APR 2018
15. Vinogradov, Alexei; Estrin, Yuri, Analytical and numerical approaches to modelling severe plastic deformation, *PROGRESS IN MATERIALS SCIENCE* Volume: 95 Pages: 172-242 Published: JUN 2018
16. Kliuga, AM; Sordi, VL; De Vincentis, NS; Bolmaro, RE; Schell, N; Brokmeier, HG, Severe Plastic Deformation by Equal Channel Angular Pressing and Rolling:

The Influence of the Deformation Path on Strain Distribution, *ADVANCED ENGINEERING MATERIALS*, Volume: 20, Article Number: 1700055, 2018

17. Cao, Y., Ni, S., Liao, X., Song, M., Zhu, Y., Structural evolutions of metallic materials processed by severe plastic deformation, 2018, *Materials Science and Engineering R: Reports*, 133, pp. 1-59

A. Horváth, A. Beck, Gy. Stefler, T. Benkó, Gy. Sáfrán, Zs. Varga, J. Gubicza, L. Guzzi: Silica-supported Au nanoparticles decorated by CeO<sub>2</sub>: Formation, morphology and CO oxidation activity, *J. Phys. Chem. C* **115** (2011) 20388–20398.

1. X. Wang, D.P. Liu, S.Y. Song, L. Zeng, Y. Zhang: Water-soluble Au-CeO<sub>2</sub> hybrid nanosheets with high catalytic activity and recyclability, *DALTON TRANSACTIONS* **41** (2012) 7193-7195.
2. R. Bhandari, M.R. Knecht: Synthesis, characterization, and catalytic application of networked Au nanostructures fabricated using peptide templates, *Catalysis Science and Technology* **2** (2012) 1360-1366.
3. F. Cardenas-Lizana, M.A. Keane: The development of gold catalysts for use in hydrogenation reactions, *J. Mater. Sci.* **48** (2013) 543-564.
4. J. Zhang, G. Chen, M. Chaker, F. Rosei, D. Ma: Gold nanoparticle decorated ceria nanotubes with significantly high catalytic activity for the reduction of nitrophenol and mechanism study, *Applied Catalysis B: Environmental* **132–133** (2013) 107-115.
5. S. Somacescu, P. Osiceanu, J.M. Calderon-Moreno, L. Navarrete, J.M. Serra: Mesoporous nanocomposite sensors based on Sn<sub>1-x</sub>Ce<sub>x</sub>O<sub>2-δ</sub> metastable solid solution with high percentage of Ce<sup>3+</sup> valence state for selective detection of H<sub>2</sub> and CO, *Microporous and Mesoporous Materials* **179** (2013) 78-88.
6. G. Carja, M. Birsanu, K. Okada, H. Garcia: Composite plasmonic gold/layered double hydroxides and derived mixed oxides as novel photocatalysts for hydrogen generation under solar irradiation, *JOURNAL OF MATERIALS CHEMISTRY A* **1** (2013) 9092-9098.
7. P. Sudarsanam, B. Mallesham, P.S. Reddy, D. Großmann, W. Grünert, B.M. Reddy: Nano-Au/CeO<sub>2</sub> catalysts for CO oxidation: Influence of dopants (Fe, La and Zr) on the physicochemical properties and catalytic activity, *Applied Catalysis B: Environmental* **144** (2014) 900-908.
8. Zhang, Z.-C., Xu, B., Wang, X.: Engineering nanointerfaces for nanocatalysis, *Chemical Society Reviews* **43** (2014) 7870-7886.
9. Evangelista, V., Acosta, B., Miridonov, S., Smolentseva, E., Fuentes, S., Simakov, A.: Highly active Au-CeO<sub>2</sub>@ZrO<sub>2</sub> yolk-shell nanoreactors for the reduction of 4-nitrophenol to 4-aminophenol, *Applied Catalysis B: Environmental* **166-167** (2015) 518-528.
10. Zhen Ma and Sheng Dai, CHAPTER 1: Stabilizing Gold Nanoparticles by Solid Supports, in *Heterogeneous Gold Catalysts and Catalysis*, 2014, pp. 1-26, DOI: 10.1039/9781782621645-00001, eISBN:978-1-78262-164-5
11. Carja, G., Grosu, E.F., Petrarean, C., Nichita, N.: Self-assemblies of plasmonic gold/layered double hydroxides with highly efficient antiviral effect against the hepatitis B virus, *Nano Research* **8** (2015) 3512-3523.
12. Lin, L.-Y., Bai, H.: Promotional effects of manganese on the structure and activity of Ce-Al-Si based catalysts for low-temperature oxidation of acetone, *Chemical Engineering Journal* **291** (2016) 94-105.

13. Wang, ZH; Fu, HF; Tian, ZW; Han, DM; Gu, FB: Strong metal-support interaction in novel core-shell Au-CeO<sub>2</sub> nanostructures induced by different pretreatment atmospheres and its influence on CO oxidation, *NANOSCALE* 8 (2016) 5865-5872.
14. Sreedhala, S., Maheshwari, S., Betsy, K.J., Vinod, C.P.: Large trisoctahedral Au nanoparticles encapsulated inside porous silica catalyses CO oxidation at room temperature: Probing the effect of encapsulation and the role of step atoms and interfaces, *Applied Catalysis A: General* 524 (2016) 1-7.
15. Hao, YT; Li, L; Zhang, JJ; Luo, HX; Zhang, XY; Chen, EZ, Multilayer and open structure of dendritic crosslinked CeO<sub>2</sub>-ZrO<sub>2</sub> composite: Enhanced photocatalytic degradation and water splitting performance, *INTERNATIONAL JOURNAL OF HYDROGEN ENERGY*, Volume: 42, 5916-5929, 2017
16. Li, CJ; Wang, Z; Li, Q; Peng, LY; Zhang, WQ; Zhang, YX; Qian, H, Improving catalytic activity of supported Au nanoparticles depending on its density, *MOLECULAR CATALYSIS*, Volume: 427, Pages: 18-24, 2017
17. Wu, C., Bertoni, G., Marras, S., Manna, L., Colombo, M., Selective Fe Promotion on Au Nanoparticles: An Efficient Way to Activate Au/SiO<sub>2</sub> Catalysts for the CO Oxidation Reaction, *ChemCatChem*, 2017, 9(15), pp. 2952-2960
18. Hao, Y., Li, L., Liu, D., Yu, H., Zhou, Q., The synergy of SPR effect and Z-scheme of Ag on enhanced photocatalytic performance of 3DOM Ag/CeO<sub>2</sub>-ZrO<sub>2</sub> composite, 2018, *Molecular Catalysis*, 447, pp. 37-46
19. Zhang, J., Sun, J., Li, J., Zhou, T., Chen, L., Research progress of supported nanosized gold catalysts for low-temperature CO oxidation, 2017, *Cailiao Daobao/Materials Review*, 31(1), pp. 136-142

Z. Hegedűs, J. Gubicza, M. Kawasaki, N.Q. Chinh, Zs. Fogarassy, T.G. Langdon: The effect of impurity level on ultrafine-grained microstructures and their stability in low stacking fault energy silver, *Mater. Sci. Eng. A* **528** (2011) 8694-8699.

1. T.N. Konkova, S.Yu. Mironov, A.V. Korznikov: GRAIN REFINEMENT IN COPPER VIA CRYOGENIC DEFORMATION, *REVIEWS ON ADVANCED MATERIALS SCIENCE* **31** (2012) 31-35.
2. G. Angella, B. Esfandiari Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, *Materials Science and Engineering A* **559** (2013) 742-750.
3. X. Sauvage, A. Ganeev, Y. Ivanisenko, N. Enikeev, M. Murashkin, R. Valiev: Grain boundary segregation in UFG alloys processed by severe plastic deformation, *Advanced Engineering Materials* **14** (2012) 968-974.
4. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, *METALLURGIA ITALIANA* Issue: 10 (2013) 25-31.
5. Bassani, P; Biffi, CA; Tuissi, A; Angella, G; Casati, R; Vedani, M: Microstructural evolution of pure silver during ECAP processing and subsequent heating, *INTERNATIONAL JOURNAL OF MATERIALS & PRODUCT TECHNOLOGY*, 47 (2013) 80-90.
6. O.T. Kingstedt, B. Eftink, J. Lambros, I.M. Robertson: Quasi-static and dynamic compressive deformation of a bulk nanolayered Ag-Cu eutectic alloy: Macroscopic response and dominant deformation mechanisms, *Materials Science and Engineering A* **595** (2014) 54-63.

7. Roohollah Jamaati, Mohammad Reza Toroghinejad: Effect of stacking fault energy on mechanical properties of nanostructured FCC materials processed by ARB process, *Materials Science and Engineering A* 606 (2014) 443-450.
8. Sauvage, X., Enikeev, N., Valiev, R., Nasedkina, Y., Murashkin, M.: Atomic-scale analysis of the segregation and precipitation mechanisms in a severely deformed Al-Mg alloy, *Acta Materialia* 72 (2014) 125-136.
9. Wang, YL; Lapovok, R; Wang, JT; Qi, YS; Estrin, Y: Thermal behavior of copper processed by ECAP with and without back pressure, *MATERIALS SCIENCE AND ENGINEERING A* 628 (2015) 21-29.
10. Kingstedt, O.T., Eftink, B.P., Robertson, I.M., Lambros, J.: Anisotropic dynamic compression response of a directionally-cast silver-copper eutectic alloy, *Acta Materialia* 105 (2016) 273-283.
11. Khan MD, F., Panigrahi, S.K., Achieving excellent thermal stability and very high activation energy in an ultrafine-grained magnesium silver rare earth alloy prepared by friction stir processing, *Materials Science and Engineering A*, Volume 675, 15 October 2016, Pages 338-344.
12. Ma, XG; Chen, J; Xia, F; Chen, Z; Yan, W, Macroscopic Subdivision, Microscopic Subdivision and Boundary Misorientation Angle Distribution of Cold Drawn Ag Single Crystal with  $\langle 110 \rangle$  Initial Orientation, *RARE METAL MATERIALS AND ENGINEERING*, Volume: 46, 111-116, 2017

S. G. Chowdhury, J. Gubicza, B. Mahato, N. Q. Chinh, Z. Hegedűs, T. G. Langdon: Texture Evolution during Room Temperature Ageing of Silver Processed by Equal-Channel Angular Pressing, *Scripta Mater.* **64** (2011) 1007-1010.

1. Bassani, P; Biffi, CA; Tuissi, A; Angella, G; Casati, R; Vedani: M Microstructural evolution of pure silver during ECAP processing and subsequent heating, *INTERNATIONAL JOURNAL OF MATERIALS & PRODUCT TECHNOLOGY*, 47 (2013) 80-90.
2. Ipekci, Melih Turan; Gural, Ahmet; Tekeli, Suleyman: Production of nano-sized grains in powder metallurgy processed pure aluminum by equal channel angular densification (ECAD) and equal channel angular pressing (ECAP), *MATERIALS TESTING* 57 (2015) 580-584.
3. Haase, C., Kremer, O., Hu, W., Ingendahl, T., Lapovok, R., Molodov, D.A.: Equal-channel angular pressing and annealing of a twinning-induced plasticity steel: Microstructure, texture, and mechanical properties, *Acta Materialia* 107 (2016) 239-253.
4. Avvari, M., Narendranath, S.: Influence of Route-R on wrought magnesium AZ61 alloy mechanical properties through equal channel angular pressing, *Journal of Magnesium and Alloys* 2 (2014) 159-164.
5. Wang, L; Benito, JA; Calvo, J; Cabrera, JM, Equal channel angular pressing of a TWIP steel: microstructure and mechanical response, *JOURNAL OF MATERIALS SCIENCE* Volume: 52 Issue: 11 Pages: 6291-6309 Published: JUN 2017

J. Gubicza, S.V. Dobatkin, E. Khosravi, A.A. Kuznetsov, J.L. Lábár: Microstructural stability of Cu processed by different routes of severe plastic deformation, *Mater. Sci. Eng. A* **528** (2011) 1828-1832.

1. M.J. Starink, X. Cheng, S. Yang: Hardening of pure metals by high-pressure torsion: A physically based model employing volume-averaged defect evolutions, *Acta Materialia* **61** (2013) 183-192.
2. Sh.Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructure, texture and mechanical properties of pure copper processed by ECAP and subsequent cold rolling, *Materials Science and Engineering A* **583** (2013) 36-42.
3. M. Goto, N. Teshima, S-Z. Han, K. Euh, T. Yakushiji, S.S. Kim, J. Lee: High-cycle fatigue strength and small-crack growth behavior of ultrafine-grained copper with post-ECAP annealing, *Engineering Fracture Mechanics*, 110 (2013) 218-232.
4. Sh. Ranjbar Bahadori, K. Dehghani, F. Bakhshandeh: Microstructural homogenization of ECAPed copper through post-rolling, *Materials Science and Engineering A*, 588 (2013) 260-264
5. Larbi, F.H., Abib, K., Khereddine, Y., Alili, B., Kawasaki, M., Bradai, D., Langdon, T.G.: DSC analysis of an ecap-deformed Cu-Ni-Si alloy, 22nd International Conference on Metallurgy and Materials, METAL 2013; Hotel Voronez IBRno; Czech Republic; 15 May 2013 through 17 May 2013; 2013, Pages 1455-1460.
6. V.P. Pilyugin, L.M. Voronova, T.M. Gapontseva, T.I. Chashchukhina, M.V. Degtyarev: Structure And Hardness Of Molybdenum Upon Deformation Under Pressure At Room And Cryogenic Temperatures, *International Journal of Refractory Metals and Hard Materials*, 43 (2014) 59-63.
7. Deng, W.J., Li, Q., Li, B.L., Xie, Z.C., He, Y.T., Tang, Y., Xia, W.: Thermal stability of ultrafine grained aluminium alloy prepared by large strain extrusion machining, *Materials Science and Technology (United Kingdom)* 30 (2014) 850-859.
8. Kumar, S. S. Satheesh; Raghu, T.: Electrical Conductivity, Thermal Stability, and Lattice Defect Evolution During Cyclic Channel Die Compression of OFHC Copper, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* 24 (2015) 726-736.
9. Wang, YL; Lapovok, R; Wang, JT; Qi, YS; Estrin, Y: Thermal behavior of copper processed by ECAP 9 back pressure, *MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING* Volume: 628 Pages: 21-29 Published: MAR 25 2015
10. Al-Zubaydi, A.S.J., Zhilyaev, A.P., Wang, S.C., Kucita, P., Reed, P.A.S.: Evolution of microstructure in AZ91 alloy processed by high-pressure torsion, *Journal of Materials Science* 51 (2016) 3380-3389.
11. Watanabe, C., Monzen, R., Ii, S., Tsuchiya, K.: Two-step age-hardening behavior of Cu-Be and Cu-Ti alloys processed by high-pressure torsion, *PTM 2015 - Proceedings of the International Conference on Solid-Solid Phase Transformations in Inorganic Materials*, Westin Whistler Resort and SpaWhistler; Canada; 28 June 2015 through 3 July 2015, (2015) Pages 421-423.
12. Zeng, W., Zheng, D., Li, H., Zhou, D., Zhang, D.: Using intragranular and intergranular second phase particles simultaneously to achieve high temperature stabilization of ultrafine grained Cu, *Materials Science and Engineering A* 670, 2016, Pages 41-48
13. Mao, Z.N., Gu, R.C., Liu, F., Liu, Y., Liao, X.Z., Wang, J.T., Effect of equal channel angular pressing on the thermal-annealing-induced microstructure and texture evolution of cold-rolled copper, *Materials Science and Engineering A*, Volume 674, 30 September 2016, Pages 186-192

14. Watanabe, C., Hibino, M., Monzen, R., Ii, S., Tsuchiya, K.: Effects of natural aging on age-hardening behavior of Cu-Be-Co and Cu-Ti alloys processed by high-pressure torsion, *Materials Transactions*, Volume 57, Issue 9, 2016, Pages 1471-1475
15. Hlavac, LM; Kocich, R; Gembalova, L; Jonsta, P; Hlavacova, IM: AWJ cutting of copper processed by ECAP, *INTERNATIONAL JOURNAL OF ADVANCED MANUFACTURING TECHNOLOGY*, Volume: 86, Pages: 885-894, 2016
16. Gupta, R., Panthi, S.K., Srivastava, S.: Assessment of various properties evolved during grain refinement through multi-directional forging, *Reviews on Advanced Materials Science*, Volume 46, Issue 1, 2016, Pages 70-85
17. Hu, FY; Cao, QD; Xiao, JR; Dong, XH; Ma, SJ; Zhang, XP: Microstructure and Tensile Properties of Multiple Compressed CuZn Alloy, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 4598-4607, 2016
18. Nadammal, N; Kailas, SV; Szpunar, J; Suwas, S, Microstructure and Texture Evolution during Single- and Multiple-Pass Friction Stir Processing of Heat-Treatable Aluminum Alloy 2024, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, 2017, Volume: 48A, Issue: 9, Pages: 4247-4261
19. Kvackaj, T; Kocisko, R; Bidulska, J; Luptak, M; Kovacova, A, Material Recovery of OFHC Cu and FeSi Steel after Processing by Plastic Deformations, *ACTA PHYSICA POLONICA A*, 2017, Volume: 131, Issue: 5, Pages: 1315-1318
20. Beygelzimer, Y; Kulagin, R; Estrin, Y; Toth, LS; Kim, HS; Latypov, MI, Twist Extrusion as a Potent Tool for Obtaining Advanced Engineering Materials: A Review, *ADVANCED ENGINEERING MATERIALS*, Volume: 19, Article Number: 1600873, 2017
21. Ghiabakloo, H.; Kazeminezhad, M., Rapid annealing of severely deformed low carbon steel in subcritical temperature range, *METALS AND MATERIALS INTERNATIONAL* Volume: 23 Issue: 5 Pages: 984-993 Published: SEP 2017
22. Mahdieh, M.S., Mahdavinejad, R.A., A study of stored energy in ultra-fined grained aluminum machined by electrical discharge machining, 2017, *Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science*, 231(23), pp. 4470-4478
23. Padap, Aditya Kumar; Dwivedi, Ankit; Kumar, Narendra, Mechanical behaviour and thermal stability of multi-axially compressed copper, *MATERIALS RESEARCH EXPRESS* Volume: 5 Issue: 1 Article Number: 016502 Published: JAN 2018
24. Edalati, K., Hashiguchi, Y., Iwaoka, H., Matsunaga, H., Valiev, R.Z., Horita, Z., Long-time stability of metals after severe plastic deformation: Softening and hardening by self-annealing versus thermal stability, 2018, *Materials Science and Engineering A*, Volume 729, 27 June 2018, Pages 340-348
25. Wu, B., Chen, B., Zou, Z., Liao, S., Deng, W., Thermal stability of ultrafine grained pure copper prepared by large strain extrusion machining, 2018, *Metals*, 8(6),381

G. Dirras, J. Gubicza, D. Tingaud, S. Billard: Microstructure of Al-Al<sub>2</sub>O<sub>3</sub> nanocomposite formed by in-situ phase transformation during Al nanopowder consolidation, *Materials Chemistry and Physics* **129** (2011) 846-852.

1. G.M. Le, A. Godfrey, N. Hansen: Structure and strength of aluminium with sub-micrometer/micrometer grain size prepared by spark plasma sintering, *Materials & Design* **49** (2013) 360-367.
2. Dadbakhsh, Sasan; Hao, Liang: Effect of Layer Thickness in Selective Laser Melting on Microstructure of Al/5wt.%Fe<sub>2</sub>O<sub>3</sub> Powder Consolidated Parts, *SCIENTIFIC WORLD JOURNAL* (2014) Article Number: 106129
3. Toko Tokunaga, Kiyotaka Matsuura, Munekazu Ohno: Superplastic Behavior of Al-Coated Mg Alloy Sheet, *Journal of Alloys and Compounds* **601** (2014) 179-185.
4. G.A. Sweet, M. Brochu, R.L. Hexemer Jr, I.W. Donaldson, D.P. Bishop: Microstructure and Mechanical Properties of Air Atomized Aluminum Powder Consolidated via Spark Plasma Sintering, *Materials Science and Engineering A*, 608 (2014) 273-282.
5. Balog, M; Krizik, P; Nosko, M; Hajovska, Z; Riglos, MVC; Rajner, W; Liu, DS; Simancik, F: Forged HITEMAL: Al-based MMCs strengthened with nanometric thick Al<sub>2</sub>O<sub>3</sub> skeleton, *MATERIALS SCIENCE AND ENGINEERING A* 613 (2014) 82-90.
6. Gali, O. A.; Riahi, A. R.; Alpas, A. T.: The effect of surface conditions on the elevated temperature sliding contact deformation of AA5083 alloy, *WEAR* 330 (2015) 309-319.
7. Balog, M., Hu, T., Krizik, P., Castro Riglos, M.V., Saller, B.D., Yang, H., Schoenung, J.M., Lavernia, E.J.: On the thermal stability of ultrafine-grained Al stabilized by in-situ amorphous Al<sub>2</sub>O<sub>3</sub> network, *Materials Science and Engineering A* 648 (2015) 61-71.
8. Najimi, A.A., Shahverdi, H.R., Microstructure and mechanical characterization of Al6061-CNT nanocomposites fabricated by spark plasma sintering, 2017, *Materials Characterization*, 133, pp. 44-53
9. Cepeda-Jiménez, C.M., Pérez-Prado, M.T., Processing of nanoparticulate metal matrix composites (Book Chapter), 2018, *Comprehensive Composite Materials II*, 4-8, pp. 313-330

P. Jenei, E.Y. Yoon, J. Gubicza, H.S. Kim, J.L. Lábár, T. Ungár: Microstructure and hardness of copper - carbon nanotube composites consolidated by High Pressure Torsion, *Mater. Sci. Eng. A* **528** (2011) 4690-4695.

1. A. Bachmaier, R. Pippan: Generation of metallic nanocomposites by severe plastic deformation, *International Materials Reviews* **58** (2013) 41-62.
2. P.-C. Tsai, Y.-R. Jeng: Experimental and numerical investigation into the effect of carbon nanotube buckling on the reinforcement of CNT/Cu composites, *Composites Science and Technology* **79** (2013) 28-34.
3. P.G. Koppad, K.T. Kashyap, V. Shrathinth, T.A. Shetty, R.G. Koppad: Microstructure and microhardness of carbon nanotube reinforced copper nanocomposites, *MATERIALS SCIENCE AND TECHNOLOGY* **29** (2013) 605-609.
4. S.J. Yoo, S.H. Han, W.J. Kim: A combination of ball milling and high-ratio differential speed rolling for synthesizing carbon nanotube/copper composites, *Carbon* **61** (2013) 487-500.
5. Valiev, R.Z., Zhilyaev, A.P., Langdon, T.G., *Bulk Nanostructured Materials: Fundamentals and Applications*, Wiley, ISBN: 978-111809540-9, 2013, Pages 1-440

6. W.J. Kim, T.J. Lee, S.H. Han: Multi-layer graphene/copper composites: Preparation using high-ratio differential speed rolling, microstructure and mechanical properties, *Carbon* 69 (2014) 55-65.
7. Long, B. D.; Othman, R.; Zuhailawati, Hussain; Umemoto, M.: Comparison of Two Powder Processing Techniques on the Properties of Cu-NbC Composites, *ADVANCES IN MATERIALS SCIENCE AND ENGINEERING* (2014) Article Number: 160580.
8. Maho Yamaguchi, Fanqiang Meng, Konstantin Faerstein, Koichi Tsuchiya, Dmitri Golberg: Powder metallurgy routes toward aluminum boron nitride nanotube composites, their morphologies, structures and mechanical properties, *Materials Science and Engineering A* **604** (2014) 9-17.
9. Phuong, D.D., Trinh, P.V., An, N.V., Luan, N.V., Minh, P.N., Khisamov, R.K., Nazarov, K.S., Zubairov, L.R., Mulyukov, R.R., Nazarov, A.A.: Effects of carbon nanotube content and annealing temperature on the hardness of CNT reinforced aluminum nanocomposites processed by the high pressure torsion technique, *Journal of Alloys and Compounds* 613 (2014) 68-73.
10. Yoo, Seong Jin; Kim, Woo Jin: Microstructure and Strengthening Mechanisms of Carbon Nanotube Reinforced Magnesium Matrix Composites Fabricated by Accumulative Roll Bonding, *KOREAN JOURNAL OF METALS AND MATERIALS* 52 (2014) 561-572.
11. Arai, S., Kanazawa, T.: Electroless deposition and evaluation of Cu/multiwalled carbon nanotube composite films on acrylonitrile butadiene styrene resin, *Surface and Coatings Technology* 254 (2014) 224-229.
12. Kaputkina, L.M., Shchetinin, I.V., Yagodkin, Y.D., Savchenko, A.G., Gorshenkov, M.V., Glebov, A.V.: Structure and properties of chromium-molybdenum steel modified by the addition of fullerenes and carbon nanotubes, *Inorganic Materials: Applied Research* 5 (2014) 334-339.
13. Kumar, A., Singh, A.P., Kumari, S., Dutta, P.K., Dhawan, S.K., Dhar, A.: Polyaromatic-hydrocarbon-based carbon copper composites for the suppression of electromagnetic pollution, *Journal of Materials Chemistry A* 2 (2014) 16632-16639.
14. Tsai, P.-C., Jeng, Y.-R.: Enhanced mechanical properties and viscoelastic characterizations of nanonecklace-reinforced carbon nanotube/copper composite films, *Applied Surface Science* 326 (2014) 131-138.
15. Arai, Susumu; Osaki, Takuma: Fabrication of Copper/Multiwalled Carbon Nanotube Composites Containing Different Sized Nanotubes by Electroless Deposition, *JOURNAL OF THE ELECTROCHEMICAL SOCIETY* 162 (2015) D68-D73.
16. Suarez, S., Lasserre, F., Soldera, F., Pippin, R., Mücklich, F.: Microstructural thermal stability of CNT-reinforced composites processed by severe plastic deformation, *Materials Science and Engineering A* 626 (2015) 122-127.
17. Khisamov, RK; Nazarov, KS; Zubairov, LR; Nazarov, AA; Mulyukov, RR; Safarov, IM; Sergeev, SN; Musabirov, II; Phuong, DD; Trinh, PV; Luan, NV; Minh, PN; Huan, NQ: Fabrication, microstructure, and microhardness of copper composites reinforced by carbon nanotubes, *PHYSICS OF THE SOLID STATE* 57 (2015) 1206-1212.
18. Basariya, M.R., Srivastava, V.C., Mukhopadhyay, N.K.: Comparative Studies on Al-Based Composite Powder Reinforced with Nano Garnet and Multi-wall Carbon Nanotubes, *Journal of Materials Engineering and Performance* 24 (2015) 4200-4205.

19. Eremina, MA; Lomaeva, SF; Paranin, SN; Demakov, SL; Elsukov, EP: Effect of compaction method on the structure and properties of bulk Cu + Cr<sub>3</sub>C<sub>2</sub> composites, *PHYSICS OF METALS AND METALLOGRAPHY* 117 (2016) 510-517.
20. Zhao, S., Zheng, Z., Huang, Z., Dong, S., Luo, P., Zhang, Z., Wang, Y.: Cu matrix composites reinforced with aligned carbon nanotubes: Mechanical, electrical and thermal properties, *Materials Science and Engineering A*, Volume 675, 15 October 2016, Pages 82-91
21. Katzensteiner, A., Aristizabal, K., Suarez, S., Pippan, R., Bachmaier, A., Temperature dependent structural evolution in nickel/carbon nanotube composites processed by high-pressure torsion, *IOP Conference Series: Materials Science and Engineering*, 194(1), 2017, 012019
22. El Aal, Mohamed Ibrahim Abd, Effect of high-pressure torsion processing on the microstructure evolution and mechanical properties of consolidated micro size Cu and Cu-SiC powders, *ADVANCED POWDER TECHNOLOGY*, Volume: 28 Issue: 9, Pages: 2135-2150, 2017
23. Mallikarjuna, H.M., Ramesh, C.S., Koppad, P.G., Keshavamurthy, R., Sethuram, D., Nanoindentation and wear behaviour of copper based hybrid composites reinforced with SiC and MWCNTs synthesized by spark plasma sintering, 2017, *Vacuum*, 145, pp. 320-333
24. Huang, ZX; Zheng, Z; Zhao, S; Dong, SJ; Luo, P; Chen, L, Copper matrix composites reinforced by aligned carbon nanotubes: Mechanical and tribological properties, *MATERIALS & DESIGN*, Volume: 133, Pages: 570-578, 2017
25. Ghorbani, A., Sheibani, S., Ataie, A., Microstructure and mechanical properties of consolidated Cu-Cr-CNT nanocomposite prepared via powder metallurgy, 2018, *Journal of Alloys and Compounds*, 732, pp. 818-827
26. Duan, K; Li, L; Hu, YJ; Wang, XL, Interface mechanical properties of graphene reinforced copper nanocomposites, *MATERIALS RESEARCH EXPRESS*, Volume: 4, Article Number: 115020, 2017
27. Arai, S., Kirihata, K., Shimizu, M., Ueda, M., Katada, A., Uejima, M., Fabrication of copper/single-walled carbon nanotube composites by electrodeposition using free-standing nanotube film, *Journal of the Electrochemical Society* Volume 164, Issue 13, 2017, Pages D922-D929
28. Darabi, Marjan; Rajabi, Masoud, SYNTHESIS OF Cu-CNTs NANOCOMPOSITES VIA DOUBLE PRESSING DOUBLE SINTERING METHOD, *METALLURGICAL & MATERIALS ENGINEERING-ASSOCIATION OF METALLURGICAL ENGINEERS OF SERBIA* Volume: 23 Issue: 4 Pages: 319-334 Published: 2017
29. Li, J., Zhang, X., Geng, L., Improving graphene distribution and mechanical properties of GNP/Al composites by cold drawing, 2018, *Materials and Design*, 144, pp. 159-168
30. Li, F.X., Hao, P.D., Yi, J.H., Chen, Z., Prashanth, K.G., Maity, T., Eckert, J., Microstructure and strength of nano-/ultrafine-grained carbon nanotube-reinforced titanium composites processed by high-pressure torsion, *Materials Science and Engineering A* Volume 722, 11 April 2018, Pages 122-128

K. Máthis, T. Krajnák, R. Kuzel, J. Gubicza: Structure and mechanical behaviour of interstitial-free steel processed by equal-channel angular pressing, *J. Alloys Compd.* **509** (2011) 3522-3525.

1. S. Basak, T.K. Pal, M. Shome, J. Maity: GMA Brazing of Galvannealed Interstitial-Free Steel, *WELDING JOURNAL* **92** (2013) S29-S35.
2. M.H. Shaeri, M.T. Salehi, S.H. Seyyedein, M.R. Abutalebi, J.K. Park: Characterization of microstructure and deformation texture during equal channel Angular pressing of Al–Zn–Mg–Cu alloy, *Journal of Alloys and Compounds* **576** (2013) 350-357.
3. Roohollah Jamaati, Mohammad Reza Toroghinejad, M.A. Mohtadi-Bonab, Hossein Edris, Jerzy A. Szpunar, Mohammad Reza Salmani: The effect of SiC nanoparticles on deformation texture of ARB-processed steel-based nanocomposite, *Materials Characterization* **93** (2014) 150-162.
4. Jamaati, R., Toroghinejad, M.R., Edris, H., Salmani, M.R.: Fabrication of Nano/Ultra-Fine Grained IF Steel via SPD Processes: a Review, *Transactions of the Indian Institute of Metals* **67** (2014) 787-802.
5. Cazac, A.M., Al Bakri Abdullah, M.M., Predescu, C., Sandu, A.V., Bejinariu, C.: The experimental determination of the friction stress between the semi-product and the active plate at the multiaxial forging of copper, *Materials Science Forum* **803** (2015) 216-221.
6. Huang, Y.: Frictional angular rolling extrusion of interstitial-free steel sheets, *Journal of Materials Research and Technology* **4** (2015) 93-99.
7. Tang, H.Y., Hao, T., Wang, X.P., Luo, G.N., Liu, C.S., Fang, Q.F.: Structure and mechanical behavior of Fe-Cr alloy processed by equal-channel angular pressing, *Journal of Alloys and Compounds* **640** (2015) 141-146.
8. Gzyl, M., Rosochowski, A., Boczek, S., Olejnik, L., Katimon, M.N.: Producing High-Strength Metals by I-ECAP, *Advanced Engineering Materials* **18** (2016) 219-223.
9. Verma, D; Mukhopadhyay, NK; Sastry, GVS; Manna, R: Ultra-High-Strength Interstitial-Free Steel Processed by Equal-Channel Angular Pressing at Large Equivalent Strain, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **47A** (2016) 1803-1817.
10. Ghosh, S., Singh, A.K., Mula, S.: Effect of critical temperatures on microstructures and mechanical properties of Nb-Ti stabilized IF steel processed by multiaxial forging, *Materials and Design* **100** (2016) 47-57.
11. Zheng, Ruwen; Song, Renbo; Fan, Wuyan: Effects of annealing cooling rates on mechanical properties, microstructure and texture in continuous annealed IF steel, *JOURNAL OF ALLOYS AND COMPOUNDS*, Volume: 692 Pages: 503-514 Published: JAN 25 2017
12. Hamad, Kotiba; Ko, Young Gun, Electron backscatter diffraction and performance of a severely deformed steel, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52 Issue: 7 Pages: 3936-3945 Published: APR 2017
13. Kaya, M., Kılıç, M., Kırık, İ., Karakurt, E.M., Gülenç, B., Diffusion bonding between Ti-6Al-4V alloy and interstitial free steel, *Materialwissenschaft und Werkstofftechnik*, 2017, 48(7), pp. 661-665
14. Liu, Z., Kang, Y., Li, Y., Microstructures and strengthening mechanisms in high-carbon titanium-microalloyed interstitial-free steels, 2018, *Philosophical Magazine Letters*, DOI: 10.1080/09500839.2018.1492750

J. Gubicza, N. Q. Chinh, S. V. Dobatkin, E. Khosravi, T. G. Langdon: Stability of ultrafine-grained microstructure in fcc metals processed by severe plastic deformation, *Key Engineering Materials* **465** (2011) 195-198.

1. J. Vratná, M. Janecek: Thermal stability of ultra-fine grained magnesium alloy processed by extrusion and ECAP, Proceedings of Magnesium Technology 2013 - TMS 2013 Annual Meeting and Exhibition; San Antonio, TX; United States; 3-7 March 2013 (2013) pp. 175-179.
2. J. Vratna, M. Janecek, J. Cizek, D.J. Lee, E.Y. Yoon, H.S. Kim: Mechanical properties and microstructure evolution in ultrafine-grained AZ31 alloy processed by severe plastic deformation, JOURNAL OF MATERIALS SCIENCE **48** (2013) 4705-4712.
3. R. Kuzel, Z. Matej, M. Janecek: In-situ X-Ray diffraction study of thermal stability of Cu and Cu-Zr samples processed by ECAP, Materials Science Forum **753** (2013) 279-284.
4. T. Hao, Z.Q. Fan, S.X. Zhao, G.N. Luo, C.S. Liu, Q.F. Fang: Strengthening Mechanism and Thermal Stability of Severely Deformed Ferritic/Martensitic Steel, Materials Science and Engineering A **596** (2014) 244-249.
5. Jitka Stráská, Miloš Janeček, Jakub Čížek, Josef Stráský, Branislav Hadzima: Microstructure stability of ultra-fine grained magnesium alloy AZ31 processed by extrusion and equal-channel angular pressing (EX-ECAP), Materials Characterization, 94 (2014) 69-79.
6. Li, S., Zhao, K., Wang, K., Yang, M., Microstructural evolution and thermal stability after aging of a cobalt-containing martensitic bearing steel, Materials Characterization, Volume 124, 1 February 2017, Pages 154-164
7. Suryadi, Kusuma, A.P., Suhadi, A., Priadi, D., Siradj, E.S., Effect of annealing temperature on microstructure and mechanical properties of ultrafine grained brass produced by equal channel angular pressing, International Journal of Technology, Volume 8, Issue 1, 2017, Pages 58-65
8. Symonova, A., Havin, V., Savelov, D., Choice of the optimal parameters of the ultra-fine grained cooper machining, 2019, Lecture Notes in Mechanical Engineering, Part F2, pp. 177-185

N.Q. Chinh, T. Csanádi, J. Gubicza, R.Z. Valiev, B.B. Straumal, T.G. Langdon: The effect of grain-boundary sliding and strain rate sensitivity on the ductility of ultrafine-grained materials, Mater. Sci. Forum **667-669** (2011) 677-682.

1. S. Varam, K.V. Rajulapati, K. Bhanu Sankara Rao: Strain Rate Sensitivity Studies on Bulk Nanocrystalline Aluminium by Nanoindentation, Journal of Alloys and Compounds **585** (2014) 795-799.
2. Varam, S., Rajulapati, K.V., Bhanu Sankara Rao, K., Scattergood, R.O., Murty, K.L., Koch, C.C.: Loading rate-dependent mechanical properties of bulk two-phase nanocrystalline Al-Pb alloys studied by nanoindentation, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science **45** (2014) 5249-5258.
3. Varam, S., Narayana, P.V.S.L., Prasad, M.D., Chakravarty, D., Rajulapati, K.V., Bhanu Sankara Rao, K.: Strain rate sensitivity of bulk multi-phase nanocrystalline Al-W-based alloy, Philosophical Magazine Letters **94** (2014) 582-591.
4. Cai, M.H., Zhu, W.J., Stanford, N., Pan, L.B., Chao, Q., Hodgson, P.D.: Dependence of deformation behavior on grain size and strain rate in an ultrahigh strength-ductile Mn-based TRIP alloy, Materials Science and Engineering A **653** (2016) 35-42.

5. Varam, S; Prasad, MD; Rao, KBS; Rajulapati, KV, Mechanical properties of in situ consolidated nanocrystalline multi-phase Al-Pb-W alloy studied by nanoindentation, PHILOSOPHICAL MAGAZINE, Volume: 96, Issue: 35, Pages: 3671-3685, 2016
6. Fritz, R., Wimler, D., Leitner, A., Maier-Kiener, V., Kiener, D., Dominating deformation mechanisms in ultrafine-grained chromium across length scales and temperatures, 2017, Acta Materialia, 140, pp. 176-187
7. Varam, S., Rao, K.B.S., Rajulapati, K.V., On the strain rate sensitive characteristics of nanocrystalline aluminum alloys, 2017, Minerals, Metals and Materials Series, Part F2, pp. 133-148
8. Hosseinzadeh, A., Yapici, G.G., High temperature characteristics of Al<sub>2024</sub>/SiC metal matrix composite fabricated by friction stir processing, 2018, Materials Science and Engineering A, 731, pp. 487-494

J. Gubicza, E. Khosravi, V.V. Stolyarov: Microstructure and thermal stability in CP titanium processed by electroplastic rolling, Key Engineering Materials **465** (2011) 215-218.

1. Zhou, Y., Chen, G.-Q., Fu, X.-S., Zhou, W.-L.: Effect of electropulsing on deformation behavior of Ti-6Al-4V alloy during cold drawing, Transactions of Nonferrous Metals Society of China (English Edition) 24 (2014) 1012-1021.

K. Bobor, Z. Hegedűs, J. Gubicza, I. Barkai, P. Pekker, G. Krállics: Microstructure and mechanical properties of Al 7075 alloy processed by differential speed rolling, Periodica Polytechnica - Mechanical Engineering **56** (2012) 111-115.

1. Gholami, S., Emadoddin, E., Tajally, M., Borhani, E.: Friction stir processing of 7075 Al alloy and subsequent aging treatment, Transactions of Nonferrous Metals Society of China (English Edition) 25 (2015) 2847-2855.
2. Pesin, A., Korchunov, A., Pustovoytov, D.: Numerical study of grain evolution and dislocation density during asymmetric rolling of aluminum Alloy 7075, Key Engineering Materials 685 (2016) 162-166.
3. Wierzba, A., Mróz, S., Szota, P., Stefanik, A., Mola, R.: The influence of the asymmetric ARB process on the properties of Al-Mg-Al multi-layer sheets, Archives of Metallurgy and Materials 60 (2015) 2821-2825.
4. Pesin, A.M., Pustovoytov, D.O.: Fe analysis of the applicability of the shear-compression testing to the modeling of the asymmetric rolling process, Solid State Phenomena, Volume 870, 2016, Pages 226-233, International Conference on Industrial Engineering, 2016; Chelyabinsk; Russian Federation; 19 May 2016 through 20 May 2016; Code 181319
5. Pesin, A., Pustovoytov, D.: Finite element simulation of shear strain during high-ratio differential speed rolling of aluminum Alloy 5083, Key Engineering Materials, Volume 716, 2016, Pages 700-707
6. Pesin, A., Pustovoytov, D., Kharitonov, V., Korchunov, A., FE Simulation of the Stress-Strain State during Shear-Compression Testing and Asymmetric Three-Roll Rolling Process, MATEC Web of Conferences, Volume 95, 9 February 2017, Article number 12009, 3rd International Conference on Mechatronics and Mechanical Engineering, ICMME 2016; Shanghai; China; 21 October 2016 through 23 October 2016; Code 126345, Nosov Magnitogorsk State Technical University, Lenin prospect, 38, Magnitogorsk, Russian Federation

7. Pesin, A., Pustovoytov, D., Heat transfer modeling in asymmetrical sheet rolling of aluminium alloys with ultra high shear strain, MATEC Web of Conferences, Volume 80, 24 October 2016, Article number 04005, 12th International Conference on Numerical Methods in Industrial Forming Processes, NUMIFORM 2016; University of Technology of Troyes (UTT) Troyes; France; 4 July 2016 through 7 July 2016; Code 124577
8. Pesin, A.M., Pustovoytov, D.O., Steblyanko, V.L., Fedoseev, S.A., Physical and computer simulation of severe plastic deformations on shear-compression testing of AMg6 (6) aluminium alloy, 2017, Non-ferrous Metals, 42(1), pp. 17-21
9. Pesin, A., Pustovoytov, D., Physical simulation of asymmetric sheet rolling process by multicycle shear-compression testing, 2017, Procedia Engineering, 207, pp. 1487-1492
10. Bajor, T., Laber, K., Dyja, H., The influence of deformation method on 7075 aluminum alloys deformability parameters, 2017, METAL 2017 - 26th International Conference on Metallurgy and Materials, Conference Proceedings, 2017-January, pp. 1644-1651
11. Pesin, A., Pustovoytov, D., Zhilyaev, A., Raab, G., Modification of the shear-compression specimen and development of a special technique for the physical simulation of asymmetric rolling with a large strain, 2018, Defect and Diffusion Forum, 385 DDF, pp. 461-467

N.Q. Chinh, T. Győri, J. Gubicza, J. Lendvai, T.G. Langdon: Possible self-organized criticality in the Portevin - Le Chatelier effect during decomposition of solid solution alloys, MRS Communications **2** (2012) 1-4.

1. Molnárová, O., Dobroň, P., Chmelík, F.: Acoustic emission study of plastic instabilities in AlSi1MgMn, Acta Physica Polonica A 128 (2015) 801-804.
2. Damaskinskaya, E., Frolov, D., Gafurova, D., Korost, D., Panteleev, I., CRITERION for FRACTURE TRANSITION to CRITICAL STAGE, Interpretation, 2017, 5(4), SP1-SP8.
3. Lebedkina, T.A., Zhemchuzhnikova, D.A., Lebyodkin, M.A., Correlation versus randomization of jerky flow in an AlMgScZr alloy using acoustic emission, Physical Review E, 2018, 97(1), 013001

Z. Hegedűs, J. Gubicza, M. Kawasaki, N.Q. Chinh, Zs. Fogarassy, T.G. Langdon: Microstructure of low stacking fault energy silver processed by different routes of severe plastic deformation, J. Alloys Compd. **536S** (2012) S190– S193.

1. D. Lussana, A. Castellero, D. Ripamonti, G. Angella, M. Vedani, A. Zambon, M. Baricco: Effect of rapid quenching and severe plastic deformation on silver, International Journal of Materials Research **103** (2012) 1117-1121.
2. G. Angella, B. Esfandiar Jahromi, M. Vedani: A Comparison between equal channel angular pressing and asymmetric rolling of silver in the severe plastic deformation regime, Materials Science and Engineering A **559** (2013) 742-750.
3. J. Mu, X. Li, L. Zhao, Z. Jiang, J. Lian, Q. Jiang: Stable ductility of an electrodeposited nanocrystalline Ni–20 wt.%Fe alloy in tensile plastic deformation, Journal of Alloys and Compounds **553** (2013) 99-105.
4. A. Alhamidi, K. Edalati, Z. Horita: Production of nanograined intermetallics using high-pressure torsion, Materials Research **16** (2013) 672-678.

5. Angella, G; Baricco, M; Bassani, P; Castellero, A; Casati, R; Ge, Q; Lussana, D; Vedani, M; Zambon, A: Development of microstructure in silver subjected to severe plastic deformation, *METALLURGIA ITALIANA* Issue: 10 (2013) 25-31.
6. Edalati, K; Akama, D; Nishio, A; Lee, S; Yonenaga, Y; Cubero-Sesin, JM; Horita, Z: Influence of dislocation-solute atom interactions and stacking fault energy on grain size of single-phase alloys after severe plastic deformation using high-pressure torsion, *ACTA MATERIALIA* 69 (2014) 68-77.
7. Parvin, H.; Kazeminezhad, M.: Development a dislocation density based model considering the effect of stacking fault energy: Severe plastic deformation, *COMPUTATIONAL MATERIALS SCIENCE* 95 (2014) 250-255.
8. Ding, Y.-T. , Liu, B., Guo, T.-B., Hu, Y., Li, H.-L., Zhao, J.-Y.: Dislocation density variation and mechanical properties of pure copper via equal channel angular pressing, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* 24 (2014) 2057-2064.
9. Moshkovich, A., Lapsker, I., Feldman, Y., Rapoport, L., Severe plastic deformation of four FCC metals during friction under lubricated conditions, *Wear*, Volume 386-387, 15 September 2017, Pages 49-57
10. Popov, I., Moshkovich, A., Bendikov, T., Rapoport, L., Deformation Microstructure and Chemical Composition of Surface Layers of Cu and Al Under Friction in Lubricated Conditions, 2018, *Tribology Letters*, 66(3),78

L. Farbaniec, A. Abdul-Latif, J. Gubicza, G. Dirras: Ultrafine-grained nickel refined by dislocation activities at intermediate strain rate impact: deformation microstructure and mechanical properties, *J. Mater. Sci.* **47** (2012) 7932–7938.

1. Luo, W; Gong, HL; Wang, QM; Lu, JX; Yan, M.: Effect of cryogenic impact deformation and subsequent annealing on microstructure and microhardness of pure copper, *MATERIALS LETTERS* 157 (2015) 315-317.
2. Lee, W.-S., Lin, C.-R.: Deformation behavior and microstructural evolution of 7075-T6 aluminum alloy at cryogenic temperatures, *Cryogenics*, Volume 79, 1 October 2016, Pages 26-34
3. Faregh, Sara Sadat Hosseini; Hassani, Amir, Stress and strain distribution in twist extrusion of AA6063 aluminum alloy, *INTERNATIONAL JOURNAL OF MATERIAL FORMING* Volume: 11 Issue: 2 Pages: 175-184 Published: MAR 2018

P. Jenei, J. Gubicza, E.Y. Yoon, H.S. Kim: X-ray diffraction study on the microstructure of a Mg-Zn-Y alloy consolidated by High-Pressure Torsion, *J. Alloys Compd.* **539** (2012) 32-35.

1. W. Guo, Q. Wang, B. Ye, H. Zhou: Microstructure and mechanical properties of AZ31 magnesium alloy processed by cyclic closed-die forging, *Journal of Alloys and Compounds* **558** (2013) 164-171.
2. K. Edalati, T. Daio, Z. Horita, K. Kishida, H. Inui: Evolution of lattice defects, disordered/ordered phase transformations and mechanical properties in Ni–Al–Ti intermetallics by high-pressure torsion, *Journal of Alloys and Compounds* **563** (2013) 221-228.
3. M. Kawasaki: Different models of hardness evolution in ultrafine-grained materials processed by high-pressure torsion, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 18-34.

4. Kawasaki, M., Lee, H.-J., Ahn, B., Zhilyaev, A.P., Langdon, T.G.: Evolution of hardness in ultrafine-grained metals processed by high-pressure torsion, *Journal of Materials Research and Technology* 3 (2014) 311-318.
5. Xu, J., Wang, X., Shirooyeh, M., Xing, G., Shan, D., Guo, B., Langdon, T.G.: Microhardness, microstructure and tensile behavior of an AZ31 magnesium alloy processed by high-pressure torsion, *Journal of Materials Science* 50 (2015) 7424-7436.
6. Li, P., Wang, X., Xue, K.-M., Tian, Y., Wu, Y.-C.: Microstructure and recrystallization behavior of pure W powder processed by high-pressure torsion, *International Journal of Refractory Metals and Hard Materials* 54 (2015) 439-444.
7. Kawasaki, M; Ahn, B; Lee, H; Zhilyaev, AP; Langdon, TG: Using high-pressure torsion to process an aluminum-magnesium nanocomposite through diffusion bonding, *JOURNAL OF MATERIALS RESEARCH* 31 (2016) 88-99.
8. Koch, C. C.; Langdon, T. G.; Lavernia, E. J., *Bulk Nanostructured Materials, METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 48A Issue: 11 Pages: 5181-5199 Published: NOV 2017
9. Li, P., Lin, Q., Wang, X., Tian, Y., Xue, K.-M., Recrystallization behavior of pure molybdenum powder processed by high-pressure torsion, 2018, *International Journal of Refractory Metals and Hard Materials*, 72, pp. 367-372
10. Silva, C.L.P., Tristão, I.C., Sabbaghianrad, S., Torbati-Sarraf, S.A., Figueiredo, R.B., Langdon, T.G., Microstructure and hardness evolution in magnesium processed by HPT, *Materials Research*, Volume 20, 2017, Pages 2-7

E.Y. Yoon, D.J. Lee, T-S. Kim, H.J. Chae, P. Jenei, J. Gubicza, T. Ungár, M. Janecek, J. Vratna, S.H. Lee, H.S. Kim: Microstructures and Mechanical Properties of Mg-Zn-Y Alloy Consolidated from Gas-Atomized Powders Using High-Pressure Torsion, *J. Mater. Sci.* **47** (2012) 7117–7123.

1. K. Edalati, J. Matsuda, H. Iwaoka, S. Toh, E. Akiba, Z. Horita: High-pressure torsion of TiFe intermetallics for activation of hydrogen storage at room temperature with heterogeneous nanostructure, *International Journal of Hydrogen Energy* **38** (2013) 4622-4627.
2. K. Edalati, T. Daio, Z. Horita, K. Kishida, H. Inui: Evolution of lattice defects, disordered/ordered phase transformations and mechanical properties in Ni–Al–Ti intermetallics by high-pressure torsion, *Journal of Alloys and Compounds* **563** (2013) 221-228.
3. A. Alhamidi, K. Edalati, Z. Horita: Production of nanograined intermetallics using high-pressure torsion, *Materials Research* **16** (2013) 672-678.
4. K. Edalati, H. Iwaoka, S. Toh, K. Sasaki, Z. Horita: Application of high-pressure torsion to WC-Co ceramic-based composites for improvement of consolidation, microstructure and hardness, *Materials Transactions* **54** (2014) 1540-1548.
5. Yang, L., Dai, J., Li, L.L., Guo, G.L., Guo, L.Z., Zhao, G.L.: Precipitate morphology and effects on strength of laser welded Mg-Nd-Zn-Zr after aging treatment, *Materials Science and Technology* **29** (2013) 1478-1483.
6. Kaveh Edalati, Takeshi Daio, Makoto Arita, Seungwon Lee, Zenji Horita, Atsushi Togo, Isao Tanaka: High-pressure torsion of titanium at cryogenic and room temperatures: Grain size effect on allotropic phase transformations, *Acta Materialia* **68** (2014) 207-213.

7. Li, JB; Wang, F; Mao, PL; Liu, Z: Evolution of microstructure and tensile properties of extruded Mg-4Zn-1Y alloy, *JOURNAL OF RARE EARTHS* 32 (2014) 1189-1195.
8. Mohamed, I.F., Yonenaga, Y., Lee, S., Edalati, K., Horita, Z.: Age hardening and thermal stability of Al-Cu alloy processed by high-pressure torsion, *Materials Science and Engineering A* 627 (2015) 111-118.
9. Mohamed, IF; Lee, S; Edalati, K; Horita, Z; Hirose, S; Matsuda, K; Terada, D: Aging Behavior of Al 6061 Alloy Processed by High-Pressure Torsion and Subsequent Aging, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* 46A (2015) 2664-2673.
10. Li, J., Wang, F., Mao, P., Liu, Z.: Microstructure and mechanical properties of Mg-4Zn-xY alloys prepared by hot-extrusion, *Journal of Materials Research* 30 (2015) 1965-1972.
11. Meng, F., Rosalie, J.M., Singh, A., Tsuchiya, K.: Precipitation behavior of an ultra-fine grained Mg-Zn alloy processed by high-pressure torsion, *Materials Science and Engineering A* 644 (2015) 386-391.
12. Zhou, HT; Liu, KM; Zhang, L; Atrons, A; Yu, JM; Li, XL: Solidification of Mg-Zn-Y Alloys at 6 GPa Pressure: Nanostructure, Phases Formed, and Their Stability, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 3830-3837, 2016
13. Koch, C. C.; Langdon, T. G.; Lavernia, E. J., Bulk Nanostructured Materials, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 48A Issue: 11 Pages: 5181-5199 Published: NOV 2017
14. Zhang, F; Edalati, K; Arita, M; Horita, Z, Fast hydrolysis and hydrogen generation on Al-Bi alloys and Al-Bi-C composites synthesized by high-pressure torsion, *INTERNATIONAL JOURNAL OF HYDROGEN ENERGY*, Volume: 42, Issue: 49, 2017, Pages: 29121-29130
15. Panda, S., Toth, L.S., Zou, J., Grosdidier, T., Effect of strain heterogeneities on microstructure, texture, hardness, and H-activation of high-pressure torsion Mg consolidated from different powders, 2018, *Materials*, 11(8),1335

M. Janecek, J. Cízek, J. Gubicza, J. Vrátná: Microstructure and defect structure evolution in MgAlZn alloy processed by severe plastic deformation, *J. Mater. Sci.* **47** (2012) 7860-7869.

2. C. Dharmendra, K.P. Rao, Y.V.R.K. Prasad, N. Hort, K.U. Kainer: Hot workability analysis with processing map and texture characteristics of as-cast TX32 magnesium alloy, *Journal of Materials Science* **48** (2013) 5236-5246.
3. S.M. He, P.N. Brandhoff, H. Schut, S. Van Der Zwaag, N.H. Van Dijk: Positron annihilation study on repeated deformation/precipitation aging in Fe-Cu-B-N alloys, *Journal of Materials Science* **48** (2013) 6150-6156.
4. Dharmendra, C., Rao, K.P., Zhao, F., Prasad, Y.V.R.K., Hort, N., Kainer, K.U.: Effect of silicon content on hot working, processing maps, and microstructural evolution of cast TX32-0.4Al magnesium alloy, *Materials Science and Engineering A* 606 (2014) 11-23.
5. Ghandehari Ferdowsi, M.R., Mazinani, M., Ebrahimi, G.R.: Effects of Hot Rolling and Inter-stage Annealing on the Microstructure and Texture Evolution in a Partially Homogenized AZ91 Magnesium Alloy, *Materials Science and Engineering A* 606 (2014) 214-227.

6. Dharmendra, C; Rao, KP; Zhao, F; Prasad, YVRK; Hort, N; Kainer, KU: Effect of aluminum on microstructural evolution during hot deformation of TX32 magnesium alloy, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 5885-5898.
7. Bhaskar, P., Dasgupta, A., Sarma, V.S., Mudali, U.K., Saroja, S.: Mechanical properties and corrosion behaviour of nanocrystalline Ti-5Ta-1.8Nb alloy produced by cryo-rolling, *Materials Science and Engineering A* 616 (2014) 71-77.
8. Ding, Y.-T. , Liu, B., Guo, T.-B., Hu, Y., Li, H.-L., Zhao, J.-Y.: Dislocation density variation and mechanical properties of pure copper via equal channel angular pressing, *Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals* 24 (2014) 2057-2064.
9. Rogal, L., Czerwiński, F., Litynska-Dobrzyńska, L., Bobrowski, P., Wierzbica-Miernik, A., Dutkiewicz, J.: Effect of hot rolling and equal-channel angular pressing on generation of globular microstructure in semi-solid mg-3%zn alloy, *Solid State Phenomena* 217-218 (2014) 381-388.
10. Bourezg, Y.I., Azzeddine, H., Hennet, L., Thiaudière, D., Huang, Y., Bradai, D., Langdon, T.G., The sequence and kinetics of pre-precipitation in Mg-Nd alloys after HPT processing: A synchrotron and DSC study, *Journal of Alloys and Compounds*, Volume 719, 2017, Pages 236-241
11. Liu, W; Zhang, JS; Xu, CX; Zong, XM; Zhu, W; Ma, QQ, Precipitation behaviors of 14H LPSO lamellae in Mg96Gd3Zn0.5Ni0.5 alloys during severe plastic deformation, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, Pages: 13271-13283, 2017
12. Hilser, O; Ruzs, S; Maziarz, W; Dutkiewicz, J; Tanski, T; Snopinski, P; Dzugan, J, STRUCTURE AND PROPERTIES OF AZ31 MAGNESIUM ALLOY AFTER COMBINATION OF HOT EXTRUSION AND ECAP, *ACTA METALLURGICA SLOVACA*, Volume: 23, 222-228, 2017
13. Li, J., Li, F., Ma, X., Li, J., Liang, S., Effect of grain boundary characteristic on intergranular corrosion and mechanical properties of severely sheared Al-Zn-Mg-Cu alloy, 2018, *Materials Science and Engineering A*, 732, pp. 53-62

J. Gubicza: Defect structure in nanomaterials, Woodhead Publishing Ltd., Cambridge, UK, ISBN: 978-0-85709-206-9 (2012).

1. J. Dvorak, V. Sklenicka, V.I. Betekhtin, A.G. Kadomtsev, P. Kral, M. Kvapilova, M. Svoboda: The effect of high hydrostatic pressure on creep behaviour of pure Al and a Cu-0.2%Zr alloy processed by equal-channel angular pressing, *Materials Science and Engineering A* **584** (2013) 103-113.
2. A. Pougis, L.S. Toth, J.J. Funderberger, A. Borbely: Extension of the Derby relation to metals severely deformed to their steady-state ultrafine-grain size, *Scripta Materialia*, 72-73 (2014) 59-62.
3. Mahato, B., Shee, S.K., Sahu, T., Ghosh Chowdhury, S., Sahu, P., Porter, D.A., Karjalainen, L.P.: An effective stacking fault energy viewpoint on the formation of extended defects and their contribution to strain hardening in a Fe-Mn-Si-Al twinning-induced plasticity steel, *Acta Materialia* 86 (2015) 69-79.
4. Li, J., Yang, Z., Wang, T., Yu, N., Sun, L., Nie, C., Teng, H., Jin, C., Chen, X., Geng, H.: Tailored products of dealloying as-sintered Al-Cu alloys in sodium hydroxide solutions, *RSC Advances* 5 (2015) 75044-75054.
5. Dorofeev, G.A., Lubnin, A.N., Ulyanov, A.L., Kamaeva, L.V., Ladyanov, V.I., Pushkarev, E.S., Shabashov, V.A.: XRD characterization of mechanically alloyed high-nitrogen nanocrystalline Fe-Cr system, *Materials Letters* 159 (2015) 493-497.

6. Hegedűs, Z., Meka, S.R., Mittemeijer, E.J.: Crystallite growth in nanocrystalline tungsten; Rate determining mechanism and the role of contaminations, *Acta Materialia* 105 (2016) 232-243.
7. Kasaai, M.R.: Nanosized particles of silica and its derivatives for applications in various branches of food and nutrition sectors, *Journal of Nanotechnology* Vol. 2015 (2015) Article number 852394.
8. Li, J., Yu, N., Geng, H., Nanostructured copper/copper oxide hybrids: Combined experimental and theoretical studies, *Physical Chemistry Chemical Physics*, Volume 18, Issue 31, 2016, Pages 21562-21572
9. Sarychev, V.D., Nevskii, S.A., Konovalov, S.V., Gromov, V.E., Model of nanostructure formation in rail steel during long term operation, *AIP Conference Proceedings*, Volume 1783, 10 November 2016, Article number 020197, *International Conference on Advanced Materials with Hierarchical Structure for New Technologies and Reliable Structures 2016*; Tomsk; Russian Federation; 19 September 2016 through 23 September 2016; Code 125047
10. Karunakaran, G., Van Minh, N., Konyukhov, Y., Kolesnikov, E., Venkatesh, M., Kumar, G.S., Gusev, A., Kuznetsov, D.: Effect of Si, B, Al<sub>2</sub>O<sub>3</sub> and ZrO<sub>2</sub> nano-modifiers on the structural and mechanical properties of Fe + 0.5% C alloy, *Archives of Civil and Mechanical Engineering*, Volume 17, Issue 3, 1 May 2017, Pages 669-676
11. Shaari, N.S., Md Said, J., Jumahat, A., Ismail, M.H., Wear behaviour of copper/carbon nanotubes, *Industrial Lubrication and Tribology*, 2017, 69(3), pp. 342-347
12. Hernandez-Moreno, S.; Solache de la Torre, S. C., *NANO-TECHNOLOGICAL PRODUCTS IN ARCHITECTURE AND CONSTRUCTION, HOLOS* Volume: 33 Issue: 2 Pages: 35-51 Published: 2017
13. Lubnin, A.N., Dorofeev, G.A., Nikonova, R.M., Mukhgalin, V.V., Lad'yanov, V.I., Stacking faults and mechanisms strain-induced transformations of hcp metals (Ti, Mg) during mechanical activation in liquid hydrocarbons, 2017, *Physics of the Solid State*, 59(11), pp. 2226-2238
14. Tekoğlu, E., Ağaoğullar, D., Lütfi Öveçoğlu, M., Characterization investigations of the mechanically alloyed and sequentially milled Al-12.6 wt.% Si eutectic alloy powders, 2018, *Particulate Science and Technology*
15. Soonmin, H., Vyas, C.U., Pataniya, P., Patel, K.D., Mahato, S., A short review of CdTe and CdSe films: Growth and characterization, 2018, *Mediterranean Journal of Chemistry*, 7(2), pp. 115-124

L. Farbaniec, A. Abdul-Latif, J. Gubicza, G. Dirras: High purity ultrafine-grained nickel processed by dynamic plastic deformation: microstructure and mechanical properties, *Adv. Eng. Mater.* **14** (2012) 1027-1033.

1. Liu, X. C.; Zhang, H. W.; Lu, K: Strain-Induced Ultrahard and Ultrastable Nanolaminated Structure in Nickel, *SCIENCE* 342 (2013) 337-340.
2. dos Santos, T., Rossi, R., Maghous, S., Rosa, P.A.R., Experimental procedure and simplified modeling for the high strain-rate and transient hardness evolution of aluminum AA1050, 2018, *Mechanics of Materials*, 122, pp. 42-57

G. Dirras, T. Chauveau, A. Abdul-Latif, J. Gubicza, S. Ramtani, H.Q. Bui, B. Bacroix, Z. Hegedűs: Ultrafine-grained aluminum processed by a combination of Hot Isostatic Pressing

and Dynamic Plastic Deformation: microstructure and mechanical properties, *Metall. Mater. Trans. A* **43** (2012) 1312-1322.

1. Faregh, Sara Sadat Hosseini; Hassani, Amir, Stress and strain distribution in twist extrusion of AA6063 aluminum alloy, *INTERNATIONAL JOURNAL OF MATERIAL FORMING* Volume: 11 Issue: 2 Pages: 175-184 Published: MAR 2018

K. Sitarama Raju, V. Subramanya Sarma, A. Kauffmann, Z. Hegedűs, J. Gubicza, M. Peterlechner, J. Freudenberger, G. Wilde: High strength and ductile ultrafine grained Cu-Ag alloy through bimodal grain size, dislocation density and solute distribution, *Acta Mater.* **61** (2013) 228-238.

1. R.H. Li, Z.J. Zhang, P. Zhang, Z.F. Zhang: Improved fatigue properties of ultrafine-grained copper under cyclic torsion loading, *Acta Materialia* **61** (2013) 5857-5868.
2. Laszlo S. Toth, Chengfan Gu: Ultrafine-grain metals by severe plastic deformation, *Materials Characterization* **92** (2014) 1-14.
3. Geneva Trotter, Garrett Rayner, Ian Baker, Paul R. Munroe: Accelerated precipitation in the AFA stainless steel Fe–20Cr–30Ni–2Nb–5Al via cold working, *Intermetallics* **53** (2014) 120-128.
4. Shitong Zhou, Weiwei Lv, Peng Li, Yulan Gong, Jingmei Tao, Lianping Cheng, Xinkun Zhu: Mechanical properties and deformation kinetics of bulk Cu-Al-Zn alloy subjected to rolling and annealing, *Materials Science and Engineering A*, **609** (2014) 217-221.
5. K. Durisinová, J. Durisin, M. Orolínová, M. Durisin, J. Szabó: Effect of mechanical milling on nanocrystalline grain stability and properties of Cu–Al<sub>2</sub>O<sub>3</sub> composite prepared by thermo-chemical technique and hot extrusion, *Journal of Alloys and Compounds* **618** (2015) 204–209.
6. Kumar, B. Ravi; Sharma, Sailaja: Recrystallization Behavior of a Heavily Deformed Austenitic Stainless Steel During Iterative Type Annealing, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* **45A** (2014) 6027-6038.
7. Sordi, Vitor L.; Feliciano, Carlos A.; Ferrante, Maurizio: The influence of deformation by equal-channel angular pressing on the ageing response and precipitate fracturing: case of the Al-Ag alloy, *JOURNAL OF MATERIALS SCIENCE* **50** (2015) 138-143.
8. Park, H.-W., Shimojima, K., Sugiyama, S., Komine, H., Yanagimoto, J.: Microstructural evolution and formation mechanism of bimodal structure of 0.2% carbon steel subjected to the heavy-reduction controlled rolling process, *Materials Science and Engineering A* **624** (2015) 203-212.
9. Gorsse, S., Ouvrard, B., Gouné, M., Poulon-Quintin, A.: Microstructural design of new high conductivity - High strength Cu-based alloy, *Journal of Alloys and Compounds* **633** (2015) 42-47.
10. Liu, R., Zhang, Z.J., Li, L.L., An, X.H., Zhang, Z.F.: Microscopic mechanisms contributing to the synchronous improvement of strength and plasticity (SISP) for TWIP copper alloys, *Scientific Reports* **5** (2015) 9550.
11. Yin, Y.-F., Xu, W., Sun, Q.-Y., Xiao, L., Sun, J.: Deformation and fracture behavior of commercially pure titanium with gradient nano-to-micron-grained surface layer, *Transactions of Nonferrous Metals Society of China (English Edition)* **25** (2015) 738-747.

12. Bao, GH; Chen, Y; Ma, JE; Fang, YT; Meng, L; Zhao, SM; Wang, X; Liu, JB: Microstructure and properties of cold drawing Cu-2.5% Fe-0.2% Cr and Cu-6% Fe alloys, *JOURNAL OF ZHEJIANG UNIVERSITY-SCIENCE A* 16 (2015) 622-629.
13. Uvarov, V., Popov, I.: An estimation of the correctness of XRD results obtained from the analysis of materials with bimodal crystallite size distribution, *CrystEngComm* 17 (2015) 8300-8306.
14. Hamana, D., Hachouf, M.: Precipitation and dissolution-grains growth effects and kinetics during non-isothermal heating of deformed Cu-7 mass% Ag alloy, *Journal of Thermal Analysis and Calorimetry* 123 (2016) 1063-1071.
15. Champion, Y., Bourgon, J., Sauvage, X.: Modified strain rate regime in ultrafine grained copper with silver micro-alloying, *Materials Science and Engineering A* 657 (2016) 1-5.
16. Kormout, Karoline S.; Yang, Bo; Pippin, Reinhard: Deformation Behavior and Microstructural Evolution of Cu-Ag Alloys Processed by High-Pressure Torsion, *ADVANCED ENGINEERING MATERIALS* 17 (2015) 1828-1834.
17. Liang, M; Jiao, GF; Xu, XY; Wang, PF; Li, CS; Zhang, PX: Advances on High Strength and High Conductivity Cu-Ag Materials, *RARE METAL MATERIALS AND ENGINEERING* 45 (2016) 248-253.
18. Volkov, AY; Antonova, OV; Kamenetskii, BI; Klyukin, IV; Komkova, DA; Antonov, BD: Production, structure, texture, and mechanical properties of severely deformed magnesium, *PHYSICS OF METALS AND METALLOGRAPHY* 117 (2016) 518-528.
19. Liu, Y., Ju, R., Li, H., Preparation and tensile property of bimodal nanocrystalline Cu-Ag alloy, *Jinshu Rechuli/Heat Treatment of Metals*, Volume 41, Issue 8, 25 August 2016, Pages 11-14
20. Volkov, A.Y., Novikova, O.S., Kostina, A.E., Antonov, B.D.: Effect of alloying with palladium on the electrical and mechanical properties of copper, *Physics of Metals and Metallography*, Volume 117, Issue 9, 1 September 2016, Pages 945-954.
21. Park, HW; Shimojima, K; Sugiyama, S; Komine, H; Yanagimoto, J: Mechanical Properties and Anisotropies of 0.2% Carbon Steel with Bimodal Microstructure Subjected to Heavy-Reduction Controlled-Rolling Process, *STEEL RESEARCH INTERNATIONAL*, Volume: 87, Pages: 947-956, 2016
22. Zhang, B.B., Tao, N.R., Lu, K.: A high strength and high electrical conductivity bulk Cu-Ag alloy strengthened with nanotwins, *Scripta Materialia*, Volume 129, 1 March 2017, Pages 39-43
23. Belyaeva, A.I., Galuza, A.A., Khaimovich, P.A., Kolenov, I.V., Savchenko, A.A., Solodovchenko, S.I., Shul'gin, N.A., Effect of various kinds of severe plastic deformation on the structure and electromechanical properties of precipitation-strengthened CuCrZr alloy, *Physics of Metals and Metallography*, Volume 117, Issue 11, 1 November 2016, Pages 1170-1178
24. Shen, G., Wei, F., La, P., Meng, Q., Wang, H., Shi, T., Ma, F., Wei, Y., Guo, X., Sheng, J., Effect of annealing time on microstructure and mechanical properties of 316L stainless steel with micronano structure, *Jinshu Rechuli/Heat Treatment of Metals*, Volume 41, Issue 12, 25 December 2016, Pages 122-126
25. Krishna, SC; Chawake, N; Kottada, RS; Jha, AK; Pant, B; Venkitakrishnan, PV, High Strength and Good Ductility in Cu-3Ag-0.5Zr Alloy by Cryo-Rolling and Aging, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 26, Pages: 350-357, 2017
26. Kormout, Karoline Sophie; Pippin, Reinhard; Bachmaier, Andrea, Deformation-Induced Supersaturation in Immiscible Material Systems during High-Pressure

- Torsion, *ADVANCED ENGINEERING MATERIALS*, Volume: 19, Article Number: UNSP 1600675 Published: APR 2017
27. Mohammadi, A; Koyama, M; Gerstein, G; Maier, HJ; Noguchi, H, Hydrogen-assisted failure in a bimodal twinning-induced plasticity steel: Delamination events and damage evolution, *INTERNATIONAL JOURNAL OF HYDROGEN ENERGY*, Volume: 43, Issue: 4, Pages: 2492-2502, 2018
  28. Metlov, L.S., Brodova, I.G., Tkachenko, V.M., Petrova, A.N., Shirinkina, I.G., Bimodal Structures of Solids Obtained under Megaplastic Strain, 2017, *Physics of Metals and Metallography*, 118(12), pp. 1255-1261
  29. Zha, M; Zhang, HM; Yu, ZY; Zhang, XH; Meng, XT; Wang, HY; Jiang, QC, Bimodal microstructure - A feasible strategy for high-strength and ductile metallic materials, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY*, Volume: 34, 257-264, 2018
  30. Zhang, B.B., Yan, F.K., Zhao, M.J., Tao, N.R., Lu, K., Combined strengthening from nanotwins and nanoprecipitates in an iron-based superalloy, 2018, *Acta Materialia*, 151, pp. 310-320
  31. Chen, X., Han, Z., Lu, K., Friction and Wear Reduction in Copper with a Gradient Nano-grained Surface Layer, 2018, *ACS Applied Materials and Interfaces*, 10(16), pp. 13829-13838
  32. Han Wensong, A Convenient Approach for Preparation of Cu-Ag Alloy Particles Using Hyperbranched Polymers as Templates, *RARE METAL MATERIALS AND ENGINEERING* Volume: 47 Issue: 5 Pages: 1352-1358 Published: MAY 2018
  33. Zha, M., Zhang, X.H., Zhang, H., Yao, J., Wang, C., Wang, H.Y., Feng, T.T., Jiang, Q.C., Achieving bimodal microstructure and enhanced tensile properties of Mg–9Al–1Zn alloy by tailoring deformation temperature during hard plate rolling (HPR), *Journal of Alloys and Compounds*, Volume 765, 15 October 2018, Pages 1228-1236

Z. Hegedűs, J. Gubicza, M. Kawasaki, N.Q. Chinh, J.L. Lábár, T.G. Langdon: Stability of the ultrafine-grained microstructure in silver processed by ECAP and HPT, *J. Mater. Sci.* **48** (2013) 4637-4645.

1. R.A. Andrievski,: Review of thermal stability of nanomaterials, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 1449-1460.
2. Kozmel, T., Chen, E.Y., Chen, C.C., Tin, S.: Kinetics of sub-micron grain size refinement in 9310 steel, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 45 (2014) 2590-2600.
3. Kozmel, T., Tin, S.: Effects of Carbides on the Microstructural Evolution in Sub-micron Grain 9310 Steel During Isothermal Heat Treatment, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science* 46 (2015) 3208-3219.
4. Kaptay, G.: Modelling equilibrium grain boundary segregation, grain boundary energy and grain boundary segregation transition by the extended Butler equation, *Journal of Materials Science* 51 (2016) 1738-1755.
5. Ma, XG; Chen, J; Xia, F; Chen, Z; Yan, W, Macroscopic Subdivision, Microscopic Subdivision and Boundary Misorientation Angle Distribution of Cold Drawn Ag Single Crystal with < 110 > Initial Orientation, *RARE METAL MATERIALS AND ENGINEERING*, Volume: 46, 111-116, 2017

6. Zhang, ZL; Guo, JM; Dehm, G; Pippan, R., In-situ tracking the structural and chemical evolution of nanostructured CuCr alloys, ACTA MATERIALIA, Volume: 138, Pages: 42-51, 2017
7. Gonda, V., Thermal behavior of copper processed by ECAP at elevated temperatures, 2018, AIP Conference Proceedings, 1960, 080002

Z. Hegedűs, J. Gubicza, P. Szommer, N.Q. Chinh, Y. Huang, T.G. Langdon: Inhomogeneous softening during annealing of ultrafine-grained silver processed by HPT, *J. Mater. Sci.* **48** (2013) 7384-7391.

1. Chen, L., Li, J., Zhang, Y., Lu, W., Zhang, L.-C., Wang, L., Zhang, D.: Effect of low-temperature pre-deformation on precipitation behavior and microstructure of a Zr-Sn-Nb-Fe-Cu-O alloy during fabrication, *Journal of Nuclear Science and Technology* 53 (2016) 496-507.

Z. Hegedűs, J. Gubicza, M. Kawasaki, N.Q. Chinh, K. Süvegh, Zolt Fogarassy, T.G. Langdon: High Temperature Thermal Stability of Ultrafine-grained Silver Processed by Equal-Channel Angular Pressing, *J. Mater. Sci.* **48** (2013) 1675-1684.

1. Mahdih, M.S., Mahdavinejad, R.A., A study of stored energy in ultra-fined grained aluminum machined by electrical discharge machining, 2017, Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 231(23), pp. 4470-4478

P. Jenei, J. Gubicza, E.Y. Yoon, H.S. Kim, J.L. Lábár: High temperature thermal stability of pure copper and copper - carbon nanotube composites consolidated by High Pressure Torsion, *Composites: Part A* **51** (2013) 71-79.

1. R.A. Andrievski,: Review of thermal stability of nanomaterials, *JOURNAL OF MATERIALS SCIENCE* 49 (2014) 1449-1460.
2. Maho Yamaguchi, Fanqiang Meng, Konstantin Faerstein, Koichi Tsuchiya, Dmitri Golberg: Powder metallurgy routes toward aluminum boron nitride nanotube composites, their morphologies, structures and mechanical properties, *Materials Science and Engineering A* **604** (2014) 9-17.
3. Andrievski, R.A.: Thermal stability of consolidated metallic nanomaterials, *Russian Chemical Reviews* 83 (2014) 365-375.
4. Arai, Susumu; Osaki, Takuma: Fabrication of Copper/Multiwalled Carbon Nanotube Composites Containing Different Sized Nanotubes by Electroless Deposition, *JOURNAL OF THE ELECTROCHEMICAL SOCIETY* 162 (2015) D68-D73.
5. Suarez, S., Lasserre, F., Soldera, F., Pippan, R., Mücklich, F.: Microstructural thermal stability of CNT-reinforced composites processed by severe plastic deformation, *Materials Science and Engineering A* 626 (2015) 122-127.
6. Jarzabek, D.M., Chmielewski, M., Wojciechowski, T.: The measurement of the adhesion force between ceramic particles and metal matrix in ceramic reinforced-metal matrix composites, *Composites Part A: Applied Science and Manufacturing* 76 (2015) 124-130.
7. Khisamov, RK; Nazarov, KS; Zubairov, LR; Nazarov, AA; Mulyukov, RR; Safarov, IM; Sergeev, SN; Musabirov, II; Phuong, DD; Trinh, PV; Luan, NV; Minh, PN; Huan, NQ: Fabrication, microstructure, and microhardness of copper

- composites reinforced by carbon nanotubes, *PHYSICS OF THE SOLID STATE* 57 (2015) 1206-1212.
8. Rambo, C.R., Travitzky, N., Greil, P.: Conductive TiC/Ti-Cu/C composites fabricated by Ti-Cu alloy reactive infiltration into 3D-printed carbon performs, *Journal of Composite Materials* 49 (2015) 1971-1976.
  9. Zhao, L., Lu, H., Gao, Z.: Microstructure and Mechanical Properties of Al/Graphene Composite Produced by High-Pressure Torsion, *Advanced Engineering Materials* 17 (2015) 976-981.
  10. Lin, D., Saei, M., Suslov, S., Jin, S., Cheng, G.J.: Super-strengthening and stabilizing with carbon nanotube harnessed high density nanotwins in metals by shock loading, *Scientific Reports* 5 (2015) 15405.
  11. Wang, FL; Li, YP; Xu, XD; Koizumi, Y; Yamanaka, K; Bian, HK; Chiba, A: Superthermostability of nanoscale TiC-reinforced copper alloys manufactured by a two-step ball-milling process, *PHILOSOPHICAL MAGAZINE* 95 (2015) 4035-4053.
  12. He, C.-N., Feng, C., Lin, J.-C., Liu, E.-Z., Shi, C.-S., Li, J.-J., Zhao, N.-Q.: Fabrication of carbon nanotube-reinforced 6061Al alloy matrix composites by an in situ synthesis method combined with hot extrusion technique, *Acta Metallurgica Sinica (English Letters)* 29 (2016) 188-198.
  13. Akinwekomi, A.D., Law, W.-C., Tang, C.-Y., Chen, L., Tsui, C.-P.: Rapid microwave sintering of carbon nanotube-filled AZ61 magnesium alloy composites, *Composites Part B: Engineering*, 93 (2016) 302-309.
  14. Shuai, J., Xiong, L., Zhu, L., Li, W.: Enhanced strength and excellent transport properties of a superaligned carbon nanotubes reinforced copper matrix laminar composite, *Composites Part A: Applied Science and Manufacturing* 88 (2016) 148-155.
  15. Abdul, M.B.M.N., Yokoyama, S., Solubility of carbon in molten copper-nickel alloy and vickers hardness of copper-nickel-saturated carbon, *Materials Transactions*, Volume 58, Issue 1, 2017, Pages 11-15
  16. Nor, S.S., Napisah, S., Aidah, J., Muhammad, H.I., Functionalization of multi-wall carbon nanotubes in chemical solution of H<sub>2</sub>SO<sub>4</sub>/HNO<sub>3</sub> and its dispersion in different media, *Materials Science Forum*, Volume 882, 2017, Pages 103-107
  17. Noor, A.M.M., Ishikawa, Y., Yokoyama, S., Preparation of graphite dispersed copper composite with intruding graphite particles in copper plate, *AIP Conference Proceedings*, Volume 1807, 26 January 2017, Article number 020016, Irago Conference 2016: 360 Degree Outlook on Critical Scientific and Technological Challenges for a Sustainable Society; University of Electro-Communications, Chofu, Tokyo; Japan; 1 November 2016 through 2 November 2016; Code 126354
  18. Noor, A.M.M., Ishikawa, Y., Yokoyama, S., Preparation of graphite dispersed copper composite on copper plate with spot welding, *Materials Transactions*, 2017, 58(8), pp. 1138-1144
  19. Aristizabal, K., Katzensteiner, A., Bachmaier, A., Mücklich, F., Suarez, S., Study of the structural defects on carbon nanotubes in metal matrix composites processed by severe plastic deformation, 2017, *Carbon*, 125, pp. 156-161
  20. Zhang, ZL; Guo, JM; Dehm, G; Pippin, R., In-situ tracking the structural and chemical evolution of nanostructured CuCr alloys, *ACTA MATERIALIA*, Volume: 138, Pages: 42-51, 2017
  21. Ghorbani, A., Sheibani, S., Ataie, A., Microstructure and mechanical properties of consolidated Cu-Cr-CNT nanocomposite prepared via powder metallurgy, 2018, *Journal of Alloys and Compounds*, 732, pp. 818-827

22. Cheng, B.-W., Bao, R., Yi, J.-H., Li, L.-B., Interfacial modification of Cu and Al matrix composites reinforced by carbon nanotubes, 2017, Fenmo Yejin Jishu/Powder Metallurgy Technology, 35(5), pp. 384-391
23. Aristizabal, K., Katzensteiner, A., Bachmaier, A., Mücklich, F., Suárez, S., On the reinforcement homogenization in CNT/metal matrix composites during severe plastic deformation, 2018, Materials Characterization, 136, pp. 375-381
24. Bor, A; Ichinkhorloo, B; Uyanga, B; Lee, J; Choi, H, Cu/CNT nanocomposite fabrication with different raw material properties using a planetary ball milling process, POWDER TECHNOLOGY, Volume: 323, Pages: 563-573, 2018
25. Darabi, Marjan; Rajabi, Masoud, SYNTHESIS OF Cu-CNTs NANOCOMPOSITES VIA DOUBLE PRESSING DOUBLE SINTERING METHOD, METALLURGICAL & MATERIALS ENGINEERING-ASSOCIATION OF METALLURGICAL ENGINEERS OF SERBIA Volume: 23 Issue: 4 Pages: 319-334 Published: 2017
26. Zhou, X.; Li, X. Y.; Lu, K., Enhanced thermal stability of nanograined metals below a critical grain size, SCIENCE Volume: 360 Issue: 6388 Pages: 526-529 Published: MAY 4 2018

P. Jenei, E.Y. Yoon, J. Gubicza, H.S. Kim, J.L. Lábár, T. Ungár: Microstructure and thermal stability of copper - carbon nanotube composites consolidated by High Pressure Torsion, Mater. Sci. Forum **729** (2013) 228-233.

1. Maho Yamaguchi, Fanqiang Meng, Konstantin Faerstein, Koichi Tsuchiya, Dmitri Golberg: Powder metallurgy routes toward aluminum boron nitride nanotube composites, their morphologies, structures and mechanical properties, Materials Science and Engineering A **604** (2014) 9-17.

G. Dirras, J. Gubicza, H. Couque, A. Ouarem, P. Jenei: Mechanical behaviour and underlying deformation mechanisms in coarse- and ultrafine-grained Zn over a wide range of strain rates, Mater. Sci. Eng. A **564** (2013) 273-283.

1. Dong, DY; Liu, Y; Wang, L; Yang, YL; Li, JF; Jin, MM: EFFECT OF STRAIN RATE ON DYNAMIC DEFORMATION BEHAVIOR OF LASER WELDED DP780 STEEL JOINTS, ACTA METALLURGICA SINICA, 49 (2013) 1493-1500.
2. Zhang, X., Sawaguchi, T., Twinning of deformation-induced  $\epsilon$ -martensite in Fe-30Mn-6Si shape memory alloy, 2018, Acta Materialia, 143, pp. 237-247
3. Wu, Z., Sandlöbes, S., Wang, Y., Gibson, J.S.K.-L., Korte-Kerzel, S., Creep behaviour of eutectic Zn-Al-Cu-Mg alloys, 2018, Materials Science and Engineering A, 724, pp. 80-94
4. Wu, Z., Sandlöbes, S., Rao, J., Gibson, J.S.K.-L., Berkels, B., Korte-Kerzel, S., Local mechanical properties and plasticity mechanisms in a Zn-Al eutectic alloy, Materials and Design, Volume 157, 5 November 2018, Pages 337-350

Z. Hegedűs, J. Gubicza, M. Kawasaki, N.Q. Chinh, Zs. Fogarassy, T.G. Langdon: The Influence of Impurity Content on Thermal Stability of Low Stacking Fault Energy Silver Processed by Severe Plastic Deformation, Mater. Sci. Forum **729** (2013) 222-227.

1. Kvacaj, T. , Kocisko, R. , Bidulsky, R. , Bidulská, J. , Bella, P. , Lupták, M. , Kováčová, A. , Bacsó, J.: The influence of thermo-plastic processes on materials recovery, *Materials Science Forum* 782 (2014) 379-383.
2. Pang, Y., Li, P., Kim, H.S., Gong, Y., Shen, Y., Sun, L., Zhu, X.: Strain softening induced by high pressure torsion in copper alloys, *Materials Transactions* 56 (2015) 1658-1663.
3. Kvacaj, T; Kocisko, R; Bidulska, J; Luptak, M; Kovacova, A, Material Recovery of OFHC Cu and FeSi Steel after Processing by Plastic Deformations, *ACTA PHYSICA POLONICA A*, 2017, Volume: 131, Issue: 5, Pages: 1315-1318

J. Gubicza, J.L. Lábár, L.M. Quynh, N.H. Nam, N.H. Luong: Evolution of Size and Shape of Gold Nanoparticles during Long-time Ageing, *Mater. Chem. Phys.* **138** (2013) 449-453.

1. Petros M. Sakkas, Oliver Schneider, Georgia Sourkouni, Christos Argiris: Sonochemistry in the service of SOFC research, *Ultrasonics Sonochemistry*, 21 (2014) 1939-1947.
2. Sun, X., Sun, K., Liang, Y.: Hydrothermal synthesis of magnetite: Investigation of influence of aging time and mechanism, *Micro and Nano Letters* 10 (2015) 99-104.
3. Pecharroman, C., Della Gaspera, E., Martucci, A., Escobar-Galindod, R., Mulvaney, P.: Determination of the optical constants of gold nanoparticles from thin-film spectra, *Journal of Physical Chemistry C* 119 (2015) 9450-9459.
4. Watt, J., Hance, B.G., Anderson, R.S., Huber, D.L.: Effect of Seed Age on Gold Nanorod Formation: A Microfluidic, Real-Time Investigation, *Chemistry of Materials* 27 (2015) 6442-6449.
5. Chekini, M., Cataldi, U., Maroni, P., Guénée, L., Cerny, R., Bürgi, T.: Preparation of Anisotropic and Oriented Particles on a Flexible Substrate, *Langmuir* 31 (2015) 13221-13229.
6. Singh, H.P., Gujral, S.S, Sharma, S.K., Sharma, R.K.: Tannic acid: A natural source to tailor nano crystalline silver particles of different morphologies as antibacterial agent, *Advanced Materials Letters* 6 (2015) 1043-1049.
7. O'Regan, C., Zhu, X., Zhong, J., Anand, U., Lu, J., Su, H., Mirsaidov, U.: CTAB-Influenced Electrochemical Dissolution of Silver Dendrites, *Langmuir* 32 (2016) 3601-3607.
8. Tran, M., DePenning, R., Turner, M., Padalkar, S., Effect of citrate ratio and temperature on gold nanoparticle size and morphology, *Materials Research Express*, Volume 3, Issue 10, October 2016, Article number 105027
9. Worrall, SD; Bissett, MA; Hill, PI; Rooney, AP; Haigh, SJ; Attfield, MP; Dryfe, RAW, Metal-organic framework templated electrodeposition of functional gold nanostructures, *ELECTROCHIMICA ACTA*, Volume: 222, Pages: 361-369, 2016
10. Ferragud, X; Piquero-Cilla, J; Domenech-Carbo, MT; Blay, VG; Company, X; Domenech-Carbo, A, Electrochemical analysis of gildings in Valencia altarpieces: a cross-age study since fifteenth until twentieth century, *JOURNAL OF SOLID STATE ELECTROCHEMISTRY*, Volume: 21, 1477-1487, 2017
11. Li, M., Hou, Q., Wang, J., A molecular dynamics study of coalescence of tungsten nanoparticles, 2017, *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 410, pp. 171-178
12. Fernandez-Navarro, Carlos; Mejia-Rosales, Sergio, Stability of Au-Pd Core-Shell Nanoparticles, *JOURNAL OF PHYSICAL CHEMISTRY C* Volume: 121 Issue: 39 Pages: 21658-21664 Published: OCT 5 2017

13. Jauregui-Gomez, D., Bermejo-Gallardo, O.M., Moreno-Medrano, E.D., Guadalupe Perez-Garcia, M., Ceja, I., Soto, V., Carvajal-Ramos, F., Gutierrez-Becerra, A., Freeze-drying storage method based on pectin for gold nanoparticles, *Nanomaterials and Nanotechnology Open Access* Volume 7, 2017
14. Pulido-Reyes, G; Leganes, F; Fernandez-Pinas, F; Rosal, R, Bio-nano interface and environment: A critical review, *ENVIRONMENTAL TOXICOLOGY AND CHEMISTRY*, Volume: 36, Pages: 3181-3193, 2017
15. Ahmad, T., Bustam, M.A., Irfan, M., Moniruzzaman, M., Asghar, H.M.A., Bhattacharjee, S., Quantitative growth evolution of gold nanoparticles synthesized using aqueous *Elaeis guineensis* (oil palm) leaves extract, *Materials Chemistry and Physics*, Volume 220, 1 December 2018, Pages 240-248.

O. Andreau, J. Gubicza, N.X. Zhang, Y. Huang, P. Jenei, T.G. Langdon: Effect of short-term annealing on the microstructures and flow properties of an Al-1% Mg alloy processed by high-pressure torsion, *Mater. Sci. Eng. A* **615** (2014) 231-239.

1. Saray, O., Purcek, G., Karaman, I., Maier, H.J.: Improvement of formability of ultrafine-grained materials by post-SPD annealing, *Materials Science and Engineering A* 619 (2014) 119-128.
2. Kawasaki, M., Jang, J.-I., Micro-mechanical response of an Al-Mg hybrid system synthesized by high-pressure torsion, *Materials*, 2017, 10(6), 596
3. Ovid'ko, I. A.; Sheinerman, A. G., Grain boundary sliding, triple junction disclinations and strain hardening in ultrafine-grained and nanocrystalline metals, *INTERNATIONAL JOURNAL OF PLASTICITY* Volume: 96 Pages: 227-241 Published: SEP 2017
4. Ovid'ko, I.A., Valiev, R.Z., Zhu, Y.T., Review on superior strength and enhanced ductility of metallic nanomaterials, 2018, *Progress in Materials Science*, 94, pp. 462-540
5. Fan, ZB; Lin, XP; Xu, R; Dong, Y; Wen, B; Wang, L; Zhao, SS, Electron back-scattering diffraction preliminary analysis of heterogeneous nuclei in magnesium alloy during solidification process under GPa high pressure, *JOURNAL OF RARE EARTHS*, Volume: 36, Issue: 2, Pages: 184-189, 2018
6. Snopiński, P., Tański, T., Improving of the workability of heat treated AlMg5 aluminum alloys subjected to the equal channel angular pressing through inter-pass annealing, 2018, *Materialwissenschaft und Werkstofftechnik*, 49(5), pp. 513-521

J. Gubicza: X-ray line profile analysis in *Materials Science*, IGI-Global, Hershey, PA, USA, ISBN: 978-1-4666-5852-3 (2014).

1. Apu Sarkar, Korukonda L. Murty: Microstructure–mechanical property correlation of cryo rolled Zircaloy-4, *Journal of Nuclear Materials* 456 (2015) 287–291.
2. Hegedűs, Z., Meka, S.R., Mittemeijer, E.J.: Crystallite growth in nanocrystalline tungsten; Rate determining mechanism and the role of contaminations, *Acta Materialia* 105 (2016) 232-243.
3. Al Garni, S. E.; Qasrawi, A. F.; Mergen, A.: Physical properties of the Bi<sub>1.5</sub>Zn<sub>0.92-2x</sub>Hf<sub>x</sub>Nb<sub>1.50</sub>O<sub>6.92</sub> solid solutions, *CERAMICS INTERNATIONAL* 42 (2016) 3372-3379.
4. Arechabaleta, Z., Van Liempt, P., Sietsma, J., Quantification of dislocation structures from anelastic deformation behaviour, *Acta Materialia* 115 (2016) 314-323.

5. Isik, M., Niinomi, M., Liu, H., Cho, K., Nakai, M., Horita, Z., Sato, S., Narushima, T., Yilmazer, H., Nagasako, M.: Grain refinement mechanism and evolution of dislocation structure of Co-Cr-Mo alloy subjected to high-pressure torsion , *Materials Transactions*, Volume 57, Issue 7, 2016, Pages 1109-1118.
6. Dutta Gupta, A., Mukherjee, P., Gayathri, N., Bhattacharyya, P., Bhattacharya, M., Sarkar, A., Sen, S., Mitra, M.K., Proton irradiation studies on pure Ti and Ti-6Al-4V, *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms* Volume 387, 15 November 2016, Pages 63-72
7. Melnikov, E., Kozlova, T., Maier, G., Vinokurov, V., Astafurova, E.: Influence of rolling temperature on structure, phase composition and mechanical properties of austenitic steel Fe-17Cr-13Ni-3Mo, *AIP Conference Proceedings*, Volume 1683, 27 October 2015, Article number 020149, International Conference on Advanced Materials with Hierarchical Structure for New Technologies and Reliable Structures 2015; Tomsk; Russian Federation; 21 September 2015 through 25 September 2015; Code 117603
8. Moskvina, V., Astafurova, E., Galchenko, N., Melnikov, E., Maier, G., Bataev, V., Bataev, I.: The effect of severe plastic deformation by high-pressure torsion on structure and phase composition of high-nitrogen austenitic steel, *AIP Conference Proceedings*, Volume 1683, 27 October 2015, Article number 020153, International Conference on Advanced Materials with Hierarchical Structure for New Technologies and Reliable Structures 2015; Tomsk; Russian Federation; 21 September 2015 through 25 September 2015; Code 117603
9. Moskvitina, V., Astafurova, E., Ramazanov, K., Melnikov, E., Maier, G., Budilov, V., Influence of ion nitriding regime on mechanical properties and fracture mechanism of austenitic steel subjected to different thermomechanical treatments, *AIP Conference Proceedings*, Volume 1783, 10 November 2016, Article number 020159, International Conference on Advanced Materials with Hierarchical Structure for New Technologies and Reliable Structures 2016; Tomsk; Russian Federation; 19 September 2016 through 23 September 2016; Code 125047
10. A. F. Qasrawi, Renal R. N. Kmail, A. Mergen, Seval Genc: Mechanical and electrical properties of Bi<sub>1.5-x</sub>LaxZn<sub>0.92</sub>Nb<sub>1.50</sub>O<sub>6.92</sub> pyrochlore ceramics, *Journal of Electroceramics* (2016) Volume: 37, Issue: 1-4, Pages: 8-14.
11. Vershinina, T., Leont'eva-Smirnova, M., Dislocation density evolution in the process of high-temperature treatment and creep of EK-181 steel, *Materials Characterization*, Volume 125, 1 March 2017, Pages 23-28
12. Ameri, A.A.H., Elewa, N.N., Ashraf, M., Escobedo-Diaz, J.P., General methodology to estimate the dislocation density from microhardness measurements, *Materials Characterization* 131 (2017) pp. 324-330
13. Thamri, S., Sta, I., Jlassi, M., Hajji, M., Ezzaouia, H., Fabrication of ZnO-NiO nanocomposite thin films and experimental study of the effect of the NiO, ZnO concentration on its physical properties, 2017, *Materials Science in Semiconductor Processing*, 71, pp. 310-320
14. Halder Banerjee, R., Sengupta, P., Chatterjee, A., Mishra, S.C., Bhukta, A., Satyam, P.V., Samajdar, I., Dey, G.K., Understanding self ion damage in FCC Ni-Cr-Fe based alloy using X-ray diffraction techniques, *Journal of Nuclear Materials*, Volume 501, 1 April 2018, Pages 82-93
15. Dutta, A; Gayathri, N; Neogy, S; Mukherjee, P, Microstructural characterisation of proton irradiated niobium using X-ray diffraction technique, *PHILOSOPHICAL MAGAZINE*, Volume: 98, Issue: 12, Pages: 1031-1052, 2018

16. Dey, S.; Gayathri, N.; Mukherjee, P., Depth profiling of ion-induced damage in D9 alloy using X-ray diffraction, *RADIATION EFFECTS AND DEFECTS IN SOLIDS* Volume: 173 Issue: 3-4 Pages: 300-317 Published: 2018
17. Cruz-Gandarilla, F; Coreno-Alonso, O; Cabanas-Moreno, JG; Chan, LH; Gomez-Esparza, C; Sanchez, RM, Simultaneous XEDS-EBSD Study of NiCoAlFeCu(Cr,Ti) Multi-Component Alloys, *ADVANCED ENGINEERING MATERIALS*, Volume: 20, Article Number: 1700215, 2018

N. Oláh, M. Veres, A. Sulyok, M. Menyhárd, J. Gubicza, K. Balázs: Examination of nanocrystalline TiC/amorphous C deposited thin films, *J. Am. Ceram. Soc.* **34** (2014) 3421-3425.

1. Panwar, O.S., Rawal, I., Tripathi, R.K., Srivastava, A.K., Kumar, M.: Structural, nanomechanical and variable range hopping conduction behavior of nanocrystalline carbon thin films deposited by the ambient environment assisted filtered cathodic jet carbon arc technique, *Journal of Alloys and Compounds* 628 (2015) 135-145.
2. Rawal, I., Panwar, O.S., Tripathi, R.K., Singh, A.P., Dhawan, S.K., Srivastava, A.K.: Effect of helium gas pressure on dc conduction mechanism and EMI shielding properties of nanocrystalline carbon thin films, *Materials Chemistry and Physics* 158 (2015) 10-17.
3. Oghenevweta, J.E., Wexler, D., Calka, A.: Early stages of phase formation before the ignition peak during mechanically induced self-propagating reactions (MSRs) of titanium and graphite, *Scripta Materialia* 122 (2016) 93-97.
4. Oghenevweta, J.E., Wexler, D., Calka, A., Study of reaction sequences during MSR synthesis of TiC by controlled ball milling of titanium and graphite, 2018, *Materials Characterization*, 140, pp. 299-311
5. Hong, ZC; Hsueh, HC; Wu, CZ; Shiue, ST, The effect of different radio-frequency powers on characteristics of carbon-titanium nanocomposite thin films prepared by reactive sputtering, *THIN SOLID FILMS*, Volume: 660, Pages: 899-906, 2018

T. Csanádi, N. Q. Chinh, J. Gubicza, Gy. Vörös, T. G. Langdon: Stress-strain relationships in Al over a wide range of temperatures: characterization by macroscopic and microscopic descriptions, *Int. J. Plasticity* **54** (2014) 178-192.

1. Xu, Z., Roven, H.J., Jia, Z.: Mechanical properties and surface characteristics of an AA6060 alloy strained in tension at cryogenic and room temperature, *Materials Science and Engineering A* 648 (2015) 350-358.
2. Blaizot, J; Chaise, T; Nelias, D; Perez, M; Cazottes, S; Chaudet, P: Constitutive model for nickel alloy 690 (Inconel 690) at various strain rates and temperatures, *INTERNATIONAL JOURNAL OF PLASTICITY* 80 (2016) 139-153.
3. Lin, Y.C., Wen, D.-X., Chen, M.-S., Liu, Y.-X., Chen, X.-M., Ma, X.: Improved dislocation density-based models for describing hot deformation behaviors of a Ni-based superalloy, *Journal of Materials Research*, Volume 31, Issue 16, 29 August 2016, Pages 2415-2429.
4. Kreyca, Johannes; Kozeschnik, Ernst, State parameter-based constitutive modelling of stress strain curves in Al-Mg solid solutions, *INTERNATIONAL JOURNAL OF PLASTICITY* Volume: 103 Pages: 67-80 Published: APR 2018
5. Sun, ZC; Wu, HL; Cao, J; Yin, ZK, Modeling of continuous dynamic recrystallization of Al-Zn-Cu-Mg alloy during hot deformation based on the

internal-state-variable (ISV) method, INTERNATIONAL JOURNAL OF PLASTICITY, Volume: 106, Pages: 73-87, 2018

P. Jenei, J. Gubicza, G. Dirras, J.L. Lábár, D. Tingaud: Indentation creep study on ultrafine-grained Zn processed by powder metallurgy, Mater. Sci. Eng. A **596** (2014) 170-175.

1. Wang, Y., Zeng, J.: Effects of Mn addition on the microstructure and indentation creep behavior of the hot dip Zn coating, Materials and Design 69 (2015) 64-69.
2. Wu, Z., Sandlöbes, S., Wu, L., Hu, W., Gottstein, G., Korte-Kerzel, S.: Mechanical behaviour of Zn-Al-Cu-Mg alloys: Deformation mechanisms of as-cast microstructures, Materials Science and Engineering A 651 (2016) 675-687.
3. Quintana, M.J., García, J.O., González, R., Verdeja, J.I.: Influence of strain rate and heat treatments on tensile and creep properties of Zn-0.15Cu-0.07Ti alloys, DYNA (Colombia) 83 (2016) 77-83.
4. Sandlöbes, S., Wu, Z., Pradeep, K.G., Korte-Kerzel, S.: Precipitation and decomposition phenomena in a Zn-Al-Cu-Mg alloy, Materials Letters 175 (2016) 27-31.
5. Liu, X., Zhao, X., Yang, X., Jia, J., Progress in research on creep behavior of ultrafine/nano-grained metallic materials, Xiyou Jinshu/Chinese Journal of Rare Metals, Volume 40, Issue 12, 1 December 2016, Pages 1282-1290
6. Wu, Z., Sandlöbes, S., Wang, Y., Gibson, J.S.K.-L., Korte-Kerzel, S., Creep behaviour of eutectic Zn-Al-Cu-Mg alloys, 2018, Materials Science and Engineering A, 724, pp. 80-94
7. Wu, Z., Sandlöbes, S., Rao, J., Gibson, J.S.K.-L., Berkels, B., Korte-Kerzel, S., Local mechanical properties and plasticity mechanisms in a Zn-Al eutectic alloy, Materials and Design, Volume 157, 5 November 2018, Pages 337-350

D.V. Shangina, J. Gubicza, E. Dodony, N.R. Bochvar, P.B. Straumal, N.Yu. Tabachkova, S.V. Dobatkin: Improvement of strength and conductivity in Cu-alloys with the application of High Pressure Torsion and subsequent heat-treatments, J. Mater. Sci. **49** (2014) 6674-6681.

1. Yi, G., Zhang, X. Qin, J., Ning, J., Zhang, S., Ma, M., Liu, R.: Mechanical, electronic and thermal properties of Cu<sub>5</sub>Zr and Cu<sub>5</sub>Hf by first-principles calculations, Journal of Alloys and Compounds 640 (2015) 455-461.
2. Jin, Y., Zhu, L., Xue, W.-D., Li, W.-Z.: Fabrication of superaligned carbon nanotubes reinforced copper matrix laminar composite by electrodeposition, Transactions of Nonferrous Metals Society of China (English Edition) 25 (2015) 2994-3001.
3. Zhilyaev, A.P., Shakhova, I., Morozova, A., Belyakov, A., Kaibyshev, R.: Grain refinement kinetics and strengthening mechanisms in Cu-0.3Cr-0.5Zr alloy subjected to intense plastic deformation, Materials Science and Engineering A 654 (2016) 131-142.
4. Valiev, RZ; Estrin, Y; Horita, Z; Langdon, TG; Zehetbauer, MJ; Zhu, YT: Fundamentals of Superior Properties in Bulk NanoSPD Materials, MATERIALS RESEARCH LETTERS 4 (2016) 1-21.
5. Alexandrov, IV; Sitdikov, VD; Abramova, MM; Sarkeeva, EA; Wei, KX; Wei, W: Microstructure Evolution in a Cu-0.5Cr-0.2Zr Alloy Subjected to Equal Channel Angular Pressing, Rolling or Aging, JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE, Volume: 25, Pages: 4303-4309, 2016

6. Zhilyaev, AP; Morozova, A; Cabrera, JM; Kaibyshev, R; Langdon, TG, Wear resistance and electroconductivity in a Cu-0.3Cr-0.5Zr alloy processed by ECAP, *JOURNAL OF MATERIALS SCIENCE*, Volume: 52, Pages: 305-313, 2017
7. Shuai, J., Jin, Y., Zhu, L., Li, W., Superaligned carbon nanotubes reinforced copper nanocomposites with enhanced strength and electrical conductivity, TMS Annual Meeting, 2016, Pages 159-166, 145th Annual Meeting and Exhibition, TMS 2016; Music City Center Nashville; United States; 14 February 2016 through 18 February 2016; Code 121632
8. Morozova, A; Mishnev, R; Belyakov, A; Kaibyshev, R, MICROSTRUCTURE AND PROPERTIES OF FINE GRAINED Cu-Cr-Zr ALLOYS AFTER THERMO-MECHANICAL TREATMENTS, *REVIEWS ON ADVANCED MATERIALS SCIENCE*, Volume: 54, Issue: 1, Pages: 56-92, 2018

G. Dirras, D. Tingaud, G. Csiszár, J. Gubicza, H. Couque, F. Mompiau: Characterization of bulk bimodal polycrystalline nickel deformed by direct impact loadings, *Mater. Sci. Eng. A* **601** (2014) 48–57.

1. Matej, Z; Kadlecova, A; Janecek, M; Matejova, L; Dopita, M; Kuzel, R: Refining bimodal microstructure of materials with MSTRUCT, *POWDER DIFFRACTION* 29 (2014) S35-S41.
2. Vajpai, S.K., Sawangrat, C., Yamaguchi, O., Ciuca, O.P., Ameyama, K.: Effect of bimodal harmonic structure design on the deformation behaviour and mechanical properties of Co-Cr-Mo alloy, *Materials Science and Engineering C* 58 (2016) 1008-1015.
3. Chawake, N., Varanasi, R.S., Jaswanth, B., Pinto, L., Kashyap, S., Koundinya, N.T.B.N., Srivastav, A.K., Jain, A., Sundararaman, M., Kottada, R.S., Evolution of morphology and texture during high energy ball milling of Ni and Ni-5 wt%Cu powders, *Materials Characterization*, Volume 120, 1 October 2016, Pages 90-96

G. Krállics, J. Gubicza, Z. Bezi, I. Barkai: Manufacturing of ultrafine-grained titanium by caliber rolling in laboratory and industry, *J. Mater. Proc. Techn.* **214** (2014) 1307-1315.

1. Jung, JM; Kim, JG; Latypov, MI; Kim, HS: Effect of the interfacial condition on the microtexture near the interface of Al/Cu composites during multi-pass caliber rolling, *MATERIALS & DESIGN* (2015) 28-36.
2. Lee, T., Park, K.-T., Lee, D.J., Jeong, J., Oh, S.H., Kim, H.S., Park, C.H., Lee, C.S.: Microstructural evolution and strain-hardening behavior of multi-pass caliber-rolled Ti-13Nb-13Zr, *Materials Science and Engineering A* 648 (2015) 359-366.
3. Kapłonek, W., Nadolny, K., Wojtewicz, M., Sienicki, W.: Characterisation of abrasive tools active surface after the impregnation process by modified ARS method based on imaging and analysis of the scattered light, *International Journal of Machining and Machinability of Materials* 17 (2015) 397-417.
4. Ren, J; Liu, XB; Lu, XL; Yu, PC; Zhu, GX; Chen, Y; Xu, D, Microstructure and tribological properties of self-lubricating antiwear composite coating on Ti6Al4V alloy, *SURFACE ENGINEERING* Volume: 33 Issue: 1 Pages: 20-26 Published: 2017
5. Hwang, J.-K., Effects of caliber rolling on microstructure and mechanical properties in twinning-induced plasticity (TWIP) steel, 2018, *Materials Science and Engineering A*, 711, pp. 156-164

6. Chausov, M.G., Maruschak, P.O., Hutsaylyuk, V., Śnieżek, L., Pylypenko, A.P., Effect of complex combined loading mode on the fracture toughness of titanium alloys, 2018, *Vacuum*, 147, pp. 51-57
7. Rostami, P; Faraji, G; Sadeghi, A; Baghani, M, Microstructure and Mechanical Properties of CP-Titanium Processed by ECAP Followed by Warm Caliber Rolling, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS*, Volume: 71, Issue: 5, Pages: 1083-1090, 2018
8. Shaat, M., Effects of processing conditions on microstructure and mechanical properties of equal-channel-angular-pressed titanium, 2018, *Materials Science and Technology (United Kingdom)*, 34(10), pp. 1149-1167

J. Gubicza, Z. Hegedűs, J.L. Lábár, V. Subramanya Sarma, A. Kauffmann, J. Freudenberger: Microstructure evolution during annealing of an SPD-processed supersaturated Cu – 3 at.% Ag alloy, *IOP Conf. Series: Materials Science and Engineering* **63** (2014) 012091.

1. Kormout, Karoline S.; Yang, Bo; Pippan, Reinhard: Deformation Behavior and Microstructural Evolution of Cu-Ag Alloys Processed by High-Pressure Torsion, *ADVANCED ENGINEERING MATERIALS* 17 (2015) 1828-1834.
2. Hamana, D.; Hachouf, M.: Precipitation and dissolution-grains growth effects and kinetics during non-isothermal heating of deformed Cu-7 mass% Ag alloy, *JOURNAL OF THERMAL ANALYSIS AND CALORIMETRY* 123 (2016) 1063-1071.

J. Stráská, M. Janecek, J Gubicza, T. Krajnák E.Y. Yoon, H.S. Kim: Evolution of microstructure and hardness in AZ31 alloy processed by high pressure torsion, *Mater. Sci. Eng. A* **625** (2015) 98-106.

1. Al-Zubaydi, A.S.J., Zhilyaev, A.P., Wang, S.C., Reed, P.A.S.: Superplastic behaviour of AZ91 magnesium alloy processed by high-pressure torsion, *Materials Science and Engineering A* 637 (2015) 1-11.
2. Xu, J., Wang, X., Shirooyeh, M., Xing, G., Shan, D., Guo, B., Langdon, T.G.: Microhardness, microstructure and tensile behavior of an AZ31 magnesium alloy processed by high-pressure torsion, *Journal of Materials Science* 50 (2015) 7424-7436.
3. Al-Zubaydi, A.S.J., Zhilyaev, A.P., Wang, S.C., Kucita, P., Reed, P.A.S.: Evolution of microstructure in AZ91 alloy processed by high-pressure torsion, *Journal of Materials Science* 51 (2016) 3380-3389.
4. Yu, H; Sun, Y; Hu, LX; Zhou, HP; Wan, ZP: Microstructural evolution of AZ61-10 at.% Ti composite powders during mechanical milling, *MATERIALS & DESIGN* 104 (2016) 265-275.
5. Hamad, K., Ko, Y.G.: A cross-shear deformation for optimizing the strength and ductility of AZ31 magnesium alloys, *Scientific Reports*, Volume 6, 13 July 2016, Article number 29954
6. Alsubaie, SA; Bazarnik, P; Lewandowska, M; Huang, Y; Langdon, TG: Evolution of microstructure and hardness in an AZ80 magnesium alloy processed by high-pressure torsion, *JOURNAL OF MATERIALS RESEARCH AND TECHNOLOGY*, Volume: 5, Pages: 152-158, 2016
7. Jahedi, M; Beyerlein, IJ; Paydar, MH; Zheng, SJ; Xiong, T; Knezevic, M, Effects of Pressure and Number of Turns on Microstructural Homogeneity Developed in High-Pressure Double Torsion, *METALLURGICAL AND MATERIALS*

TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE, Volume: 48A, Pages: 1249-1263, 2017

8. Singh, A., Basha, D.A., Somekawa, H., Tsuchiya, K., Nucleation of recrystallized magnesium grains over quasicrystalline phase during severe plastic deformation of a Mg-Zn-Y alloy at room temperature, *Scripta Materialia*, Volume 134, 1 June 2017, Pages 80-84
9. Zhang, CZ; Guan, SK; Wang, LG; Zhu, SJ; Wang, J; Guo, RM, Effect of Solution Pretreatment on Homogeneity and Corrosion Resistance of Biomedical Mg-Zn-Ca Alloy Processed by High Pressure Torsion, *ADVANCED ENGINEERING MATERIALS*, Volume: 19, Article Number: UNSP 1600326, 2017
10. Harjo, S; Kawasaki, T; Tomota, Y; Gong, W; Aizawa, K; Tichy, G; Shi, ZM; Ungar, T, Work Hardening, Dislocation Structure, and Load Partitioning in Lath Martensite Determined by In Situ Neutron Diffraction Line Profile Analysis, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, 2017, Volume: 48A, Issue: 9, Pages: 4080-4092
11. Zhi, C., Ma, L., Huang, Q., Huang, Z., Lin, J., Improvement of magnesium alloy edge cracks by multi-cross rolling, 2018, *Journal of Materials Processing Technology*, 255, pp. 333-339
12. Silva, C.L.P., Tristão, I.C., Sabbaghianrad, S., Torbati-Sarraf, S.A., Figueiredo, R.B., Langdon, T.G., Microstructure and hardness evolution in magnesium processed by HPT, *Materials Research*, Volume 20, 2017, Pages 2-7
13. Peng, JH; Zhang, Z; Liu, Z; Li, YZ; Guo, P; Zhou, W; Wu, YC, The effect of texture and grain size on improving the mechanical properties of Mg-Al-Zn alloys by friction stir processing, *SCIENTIFIC REPORTS*, Volume: 8, Article Number: 4196, 2018
14. Zhi, CC; Ma, LF; Huang, QX; Zhu, YC; Zhao, GH, Effect of Cross Rolling on the Edge Microstructure and Formability of AZ31B Magnesium Alloy, *RARE METAL MATERIALS AND ENGINEERING*, Volume: 47, Issue: 5, Pages: 1555-1561, 2018
15. Figueiredo, R.B., Pereira, P.H.R., Langdon, T.G., Low temperature superplasticity in ultrafine-grained AZ31 alloy, 2018, *Defect and Diffusion Forum*, 385 DDF, pp. 59-64

S.V. Dobatkin, J. Gubicza, D.V. Shangina, N.R. Bochvar, N.Y. Tabachkova: High strength and good electrical conductivity in Cu-Cr alloys processed by severe plastic deformation, *Materials Letters* **153** (2015) 5-9.

1. Wang, H., Zhang, B., Wang, T., Chen, G., Feng, J., Li, R.: Effect of forced cooling on weld appearance and microhardness of electron beam welded QCr0.8 alloy, *China Welding (English Edition)* 24 (2015) 63-68.
2. Wang, F., Li, Y., Wang, X., Koizumi, Y., Kenta, Y., Chiba, A.: In-situ fabrication and characterization of ultrafine structured Cu-TiC composites with high strength and high conductivity by mechanical milling, *Journal of Alloys and Compounds* 657 (2016) 122-132.
3. Murashkin, M.Y., Sabirov, I., Sauvage, X., Valiev, R.Z.: Nanostructured Al and Cu alloys with superior strength and electrical conductivity, *Journal of Materials Science* 51 (2015) 33-49.
4. Li, R., Kang, H., Chen, Z., Fan, G., Zou, C., Wang, W., Zhang, S., Lu, Y., Jie, J., Cao, Z., Li, T., Wang, T.: A promising structure for fabricating high strength and

- high electrical conductivity copper alloys, *Scientific Reports* 6 (2016) Article number 20799.
5. Gupta, R; Srivastava, S; Kumar, NK; Panthi, SK: High leaded tin bronze processing during multi-directional forging: Effect on microstructure and mechanical properties, *MATERIALS SCIENCE AND ENGINEERING A* 654 (2016) 282-291.
  6. Zhang, X., Dong, P., Zhang, B., Tang, S., Yang, Z., Chen, Y., Yang, W.: Preparation and characterization of reduced graphene oxide/copper composites incorporated with nano-SiO<sub>2</sub> particles, *Journal of Alloys and Compounds* 671 (2016) 465-472.
  7. Zhang, Y; Sun, HL; Volinsky, AA; Tian, BH; Song, KX; Chai, Z; Liu, P; Liu, Y: Dynamic recrystallization behavior and processing map of the Cu-Cr-Zr-Nd alloy, *SPRINGERPLUS* 5 (2016) Article Number: 666
  8. Rodak, K., Radwański, K., Influence of precipitates on the grain refinement in CuFe<sub>2</sub> alloy processed by rolling with cyclic movement of rolls, *Materials and Design*, Volume 110, 15 November 2016, Pages 255-265
  9. Fereshteh-Saniee, F., Asgari, M., Fakhari, N., Specialized mechanical properties of pure aluminum by using non-equal channel angular pressing for developing its electrical applications, *Applied Physics A: Materials Science and Processing*, Volume 122, Issue 8, 1 August 2016, Article number 779
  10. Zhang, JB; Liu, Y; Cai, W; Wang, H: Morphology of Precipitates in Cu-Cr-Ti Alloys: Spherical or Cubic? *JOURNAL OF ELECTRONIC MATERIALS*, Volume: 45, Pages: 4726-4729, 2016
  11. Alexandrov, IV; Sitdikov, VD; Abramova, MM; Sarkeeva, EA; Wei, KX; Wei, W: Microstructure Evolution in a Cu-0.5Cr-0.2Zr Alloy Subjected to Equal Channel Angular Pressing, Rolling or Aging, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 25, Pages: 4303-4309, 2016
  12. Kommel, L., Tribological behavior at dry sliding by electric current of Cu-Cr-S alloy after equal channel angular pressing, *Key Engineering Materials*, Volume 721 KEM, 2017, Pages 430-435
  13. Hosseini, M., Danesh Manesh, H., Eizadjou, M., Development of high-strength, good-conductivity Cu/Ti bulk nano-layered composites by a combined roll-bonding process, *Journal of Alloys and Compounds*, Volume 701, 15 April 2017, Pages 127-130
  14. Yuan, Y., Li, Z., Xiao, Z., Zhao, Z., Yang, Z., Microstructure evolution and properties of Cu-Cr alloy during continuous extrusion process, *Journal of Alloys and Compounds*, Volume 703, 5 May 2017, Pages 454-460
  15. Yang, X., Shen, D., Zhang, H., Tong, W., Investigation on the structure and property of a gradient nanostructure CuCr<sub>25</sub> with high hardness and high electrical conductivity, 2017, *Vacuum*, 146, pp. 225-232
  16. Rodak, K., Urbańczyk-Gucwa, A., Jabłońska, M.B., Microstructure and properties of CuCr<sub>0.6</sub> and CuFe<sub>2</sub> alloys after rolling with the cyclic movement of rolls, 2018, *Archives of Civil and Mechanical Engineering*, 18(2), pp. 500-507
  17. Gueydan, A., Hug, E., Secondary creep stage behavior of copper-clad aluminum thin wires submitted to a moderate temperature level, 2018, *Materials Science and Engineering A*, 709, pp. 134-138
  18. Krishna, SC; Karthick, NK; Rao, GS; Jha, AK; Pant, B; Cherian, RM., High Strength, Utilizable Ductility and Electrical Conductivity in Cold Rolled Sheets of Cu-Cr-Zr-Ti Alloy, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 27, Pages: 787-793, 2018

19. Jiang, Y.-B., Guo, S.-J., Xie, J.-X., Evolution of microstructure and mechanical properties of gold cladding copper micro-wire during drawing, 2017, Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals, 27(9), pp. 1838-1847
20. Guo, T.B., Li, Q., Wang, C., Wei, S.R., Wu, Y.B., Effect of equal channel angular pressing on microstructure and mechanical properties of zl205a alloy, 2018, Materials Science Forum, 913, pp. 77-82
21. Rodak, K., Brzezińska, A., Molak, R., Compression with oscillatory torsion applied after solution treatment and aging treatment of CuCr0.6 alloy for grain refinement: Microstructure, mechanical and electrical properties, 2018, Materials Science and Engineering A, 724, pp. 112-120
22. Chen, X., Jiang, F., Jiang, J., Xu, P., Tong, M., Tang, Z., Precipitation, recrystallization, and evolution of annealing twins in a Cu-Cr-Zr alloy, Metals, Volume 8, Issue 4, April 2018, Article number 227
23. Wang, F., Li, Y., Chiba, A., Effects of carbon content and size on Ti-C reaction behavior and resultant properties of Cu-Ti-C alloy system, 2018, Materials Characterization, 141, pp. 186-192
24. Jahedi, M; Beyerlein, IJ; Paydar, MH; Knezevic, M, Effect of Grain Shape on Texture Formation during Severe Plastic Deformation of Pure Copper, ADVANCED ENGINEERING MATERIALS, Volume: 20, Article Number: 1600829, 2018
25. Hu, H., Xu, C., Yang, L., Zhang, H., Song, Z., Recent Advances in the Research of High-strength and High-conductivity CuCrZr Alloy, 2018, Cailiao Daobao/Materials Review, 32(2), pp. 453-460
26. Morozova, A; Mishnev, R; Belyakov, A; Kaibyshev, R, MICROSTRUCTURE AND PROPERTIES OF FINE GRAINED Cu-Cr-Zr ALLOYS AFTER THERMO-MECHANICAL TREATMENTS, REVIEWS ON ADVANCED MATERIALS SCIENCE, Volume: 54, Issue: 1, Pages: 56-92, 2018
27. Chen, C., Feng, X.-M., Shen, Y.-F., Microstructure and mechanical properties of Ti-Cu amorphous coating synthesized on pure Cu substrate by mechanical alloying method, 2018, Rare Metals

K. Máthis, G. Csiszár, J. Capek, J. Gubicza, B. Clausen, P. Lukás, A. Vinogradov, S. R. Agnew: Effect of the loading mode on the evolution of the deformation mechanisms in randomly textured magnesium polycrystals: comparison of experimental and modeling results, *Int. J. Plasticity* **72** (2015) 127-150.

1. Hagihara, K., Mayama, T., Honnami, M., Yamasaki, M., Izuno, H., Okamoto, T., Ohashi, T., Nakano, T., Kawamura, Y.: Orientation dependence of the deformation kink band formation behavior in Zn single crystal, *International Journal of Plasticity* **77** (2016) 174-191.
2. Abdolvand, Hamidreza; Wilkinson, Angus J., On the effects of reorientation and shear transfer during twin formation: Comparison between high resolution electron backscatter diffraction experiments and a crystal plasticity finite element model, *INTERNATIONAL JOURNAL OF PLASTICITY* Volume: 84 Pages: 160-182 Published: SEP 2016
3. Chen, G., Zhang, X., Xu, D.K., Li, D.H., Chen, X., Zhang, Z., Multiaxial ratcheting behavior of zirconium alloy tubes under combined cyclic axial load and internal pressure, *Journal of Nuclear Materials*, Volume 489, 1 June 2017, Pages 99-108
4. Shi, BD; Peng, Y; Yang, C; Pan, FS; Cheng, RJ; Peng, QM, Loading path dependent distortional hardening of Mg alloys: Experimental investigation and constitutive

- modeling, *INTERNATIONAL JOURNAL OF PLASTICITY*, Volume: 90, Pages: 76-95, 2017
5. Li, H; Zhang, HQ; Yang, H; Fu, MW; Yang, H, Anisotropic and asymmetrical yielding and its evolution in plastic deformation: Titanium tubular materials, *INTERNATIONAL JOURNAL OF PLASTICITY*, Volume: 90, Pages: 177-211, 2017
  6. Dini, H., Svoboda, A., Andersson, N.-E., Ghassemali, E., Lindgren, L.-E., Jarfors, A.E.W., Optimization and validation of a dislocation density based constitutive model for as-cast Mg-9%Al-1%Zn, *Materials Science and Engineering A* Volume 710, 5 January 2018, Pages 17-26
  7. Dobroň, P., Drozdenko, D., Hegedűs, M., Olejňák, J., Horváth, K., Bohlen, J., Thermo-mechanical treatment of extruded Mg–1Zn alloy: Cluster analysis of AE signals, *Minerals, Metals and Materials Series*, Volume Part F7, 2018, Pages 217-221.
  8. Sinha, Subhasis; Gurao, N. P., In-Plane Anisotropy in Mechanical Behavior and Microstructural Evolution of Commercially Pure Titanium in Tensile and Cyclic Loading, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 48A Issue: 12 Pages: 5813-5832 Published: DEC 2017
  9. Imandoust, A., Barrett, C.D., Al-Samman, T., Tschopp, M.A., Essadiqi, E., Hort, N., El Kadiri, H., Unraveling Recrystallization Mechanisms Governing Texture Development from Rare-Earth Element Additions to Magnesium, *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, Volume 49, Issue 5, 1 May 2018, Pages 1809-1829
  10. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, *Crystals*, 8(5),212
  11. Abdolvand, Hamidreza; Wright, Jonathan P.; Wilkinson, Angus J., On the state of deformation in a polycrystalline material in three-dimension: Elastic strains, lattice rotations, and deformation mechanisms, *INTERNATIONAL JOURNAL OF PLASTICITY* Volume: 106 Pages: 145-163 Published: JUL 2018
  12. Mao, B., Liao, Y., Li, B., Gradient twinning microstructure generated by laser shock peening in an AZ31B magnesium alloy, 2018, *Applied Surface Science*, 457, pp. 342-351

J. Gubicza, Z. Hegedűs, J.L. Lábár, A. Kauffmann, J. Freudenberger, V. Subramanya Sarma: Solute redistribution during annealing of a cold rolled Cu–Ag alloy, *J. Alloys Compd.* **623** (2015) 96-103.

1. Zhao, C., Zuo, X., Wang, E., Niu, R., Han, K.: Simultaneously increasing strength and electrical conductivity in nanostructured Cu-Ag composite, *Materials Science and Engineering A* 652 (2016) 296-304.
2. Csiszár, G., Kurz, S.J.B., Mittemeijer, E.J.: Stability of nanosized alloy thin films: Faulting and phase separation in metastable Ni/Cu/Ag-W films, *Acta Materialia* 110 (2016) 324-340.
3. Kaptay, G., A new paradigm on the chemical potentials of components in multi-component nano-phases within multi-phase systems, 2017, *RSC Advances*, 7(65), pp. 41241-41253
4. Li, R., Wang, E., Zuo, X., Co-precipitation, strength and electrical resistivity of Cu-26 wt % Ag-0.1 wt % Fe alloy, 2017, *Materials*, 10(12), 1383

5. Wang Shu-sen; Zhang Yuan-wang; Yao Da-wei, Micro-structure and properties of Cu-0.5wt% Ag alloy fine wires with severe cold plastic deformation treatment, *MATERIALS RESEARCH EXPRESS* Volume: 5 Issue: 4 Article Number: 046532 Published: APR 2018
6. Chen, G., Yi, C., Xu, F., Zhang, Y., Zhang, P., Wang, C., A constitutive model considering secondary phase harden and size effect in plastic deformation of Cu-3 wt%Ag-0.5 wt%Zr thin sheet, 2018, *Materials Science and Engineering A*, 730, pp. 207-216
7. Kaptay, George, The chemical (not mechanical) paradigm of thermodynamics of colloid and interface science, *ADVANCES IN COLLOID AND INTERFACE SCIENCE* Volume: 256 Pages: 163-192 Published: JUN 2018

D. Tingaud, A. Krawczynska, F. Momprou, P. Jenei, J. Gubicza, G. Dirras: Investigation of deformation micro-mechanisms in nickel consolidated from a bimodal powder by spark plasma sintering, *Materials Characterization* **99** (2015) 118-127.

1. Wynne, BP, Gorley, M.J., Zheng, P.F., Cackett, A.J., Porton, M., Surrey, E.: An analysis of the microstructure of spark plasma sintered and hot isostatically pressed V-4Cr-4Ti-1.8Y-0.4Ti<sub>3</sub>SiC<sub>2</sub> alloy and its thermal stability, *Journal of Alloys and Compounds* 680 (2016) 506-511.
2. Udhayabanu, V.; Ravi, K. R.; Murty, B. S.: Structure-Property Correlation in Fe-Al<sub>2</sub>O<sub>3</sub> In Situ Nanocomposite Synthesized by High-Energy Ball Milling and Spark Plasma Sintering, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 47A Issue: 10 Pages: 5223-5233 Published: OCT 2016
3. Pande, C. S.; DeGiorgi, V. G.; Moser, A. E., Yield stress of ultrafine-grained or nanocrystalline materials with a bimodal grain size distribution, *MODELLING AND SIMULATION IN MATERIALS SCIENCE AND ENGINEERING* Volume: 26 Issue: 2 Article Number: 025002 Published: FEB 2018
4. Zha, M; Zhang, HM; Yu, ZY; Zhang, XH; Meng, XT; Wang, HY; Jiang, QC, Bimodal microstructure - A feasible strategy for high-strength and ductile metallic materials, *JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY*, Volume: 34, 257-264, 2018
5. Flipon, B., Keller, C., de la Cruz, L.G., Hug, E., Barbe, F., Tensile properties of spark plasma sintered AISI 316L stainless steel with unimodal and bimodal grain size distributions, 2018, *Materials Science and Engineering A*, 729, pp. 249-256
6. Trzaska, Zofia; Cours, Robin; Monchoux, Jean-Philippe, Densification of Ni and TiAl by SPS: Kinetics and Microscopic Mechanisms, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* Volume: 49A Issue: 10 Pages: 4849-4859 Published: OCT 2018

J. Gubicza, K. Sitarama Raju, V. Subramanya Sarma, A. Kauffmann, Z. Hegedüs, M. Peterlechner, J. Freudenberger, G. Wilde: The effect of thermomechanical treatment on the microstructure and the mechanical behavior of a supersaturated Cu-Ag alloy, *Mater. Sci. Forum* **812** (2015) 53-58.

1. Chen, Y., Li, H.H., Zhang, S.H., Cheng, M., Song, H.W., Liu, J.S., Absorptivity and purification of La in as-cast pure copper, *Materials Science and Technology (United Kingdom)*, Volume 32, Issue 17, 21 November 2016, Pages 1757-1762

M. Ujvári, J. Gubicza, V. Kondratiev, K.J. Szekeres, G.G. Láng: Morphological changes in electrochemically deposited poly(3,4-ethylenedioxythiophene) films during overoxidation, *Journal of Solid State Electrochemistry* **19** (2015) 1247-1252.

1. Otero, T.F.: Coulovoammometric and Dynamovoammometric Responses from Conducting Polymers and Bilayer Muscles as Tools to Identify Reaction-driven Structural Changes. A review, *Electrochimica Acta* 212 (2016) 440-457.
2. Hu, R., Ni, H., Wang, Z., Liu, Y., Liu, H., Yang, X., Cheng, J., Spectroelectrochemical evidence for the effect of phase structure and interface on charge behavior in poly(3-hexylthiophene): Fullerene active layer, *Chemical Physics*, Volume 476, 12 September 2016, Pages 29-35
3. Hui, Y., Bian, C., Wang, J., Tong, J., Xia, S., Two types of overoxidized poly (3, 4-ethylenedioxythiophene) films on Au microelectrode: Electrochemical preparation and characterization, *Proceedings of the International Conference on Sensing Technology, ICST, 22 December 2016, Article number 7796317, 10th International Conference on Sensing Technology, ICST 2016; Nanjing; China; 11 November 2016 through 13 November 2016; Category numberCFP1618E-ART; Code 125575*
4. Tian, F., Li, H., Li, M., Li, C., Lei, Y., Yang, B., Synthesis of one-dimensional poly(3,4-ethylenedioxythiophene)-graphene composites for the simultaneous detection of hydroquinone, catechol, resorcinol, and nitrite, *Synthetic Metals*, Volume 226, 1 April 2017, Pages 148-156
5. Hui, Y., Bian, C., Wang, J., Tong, J., Xia, S., Comparison of two types of overoxidized PEDOT films and their application in sensor fabrication, *Sensors (Switzerland)*, Volume 17, Issue 3, 19 March 2017, Article number 628
6. Inzelt, Gyorgy, Recent advances in the field of conducting polymers, *JOURNAL OF SOLID STATE ELECTROCHEMISTRY* Volume: 21 Issue: 7 Pages: 1965-1975 Published: JUL 2017
7. Xie, Jian; Gu, Peiyang; Zhang, Qichun, Nanostructured Conjugated Polymers: Toward High-Performance Organic Electrodes for Rechargeable Batteries, *ACS ENERGY LETTERS* Volume: 2 Issue: 9 Pages: 1985-1996 Published: SEP 2017
8. Tomsik, E., Konefał, M., Kohut, O., Ivanko, I., Hromádková, J., Zhigunov, A., Steinhart, M., Phase Transitions of Polyaniline Induced by Electrochemical Treatment, *Macromolecular Chemistry and Physics* Volume 219, Issue 7, April 2018, Article number 1700627
9. Hui, Y; Bian, C; Xia, SH; Tong, JH; Wang, JF, Synthesis and electrochemical sensing application of poly(3,4-ethylenedioxythiophene)-based materials: A review, *ANALYTICA CHIMICA ACTA*, Volume: 1022, Pages: 1-19, 2018

G. Dirras, J. Gubicza, A. Heczal, L. Lilenstein, J.-P. Couzinié, L. Perrière, Y. Guillot, A. Hocini: Microstructural investigation of plastically deformed Ti<sub>20</sub>Zr<sub>20</sub>Hf<sub>20</sub>Nb<sub>20</sub>Ta<sub>20</sub> high entropy alloy by X-ray diffraction and transmission electron microscopy, *Materials Characterization* **108** (2015) 1-7.

1. Rao, S.I., Varvenne, C., Woodward, C., Parthasarathy, T.A., Miracle, D., Senkov, O.N., Curtin, W.A., Atomistic simulations of dislocations in a model BCC multicomponent concentrated solid solution alloy, *Acta Materialia*, Volume 125, 15 February 2017, Pages 311-320

2. Guo, Jun; Huang, Xuefei; Huang, Weigang, Microstructure and Room-Temperature Mechanical Properties of FeCrMoVTi<sub>x</sub> High-Entropy Alloys, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* Volume: 26 Issue: 7 Pages: 3071-3078 Published: JUL 2017
3. Laplanche, G., Bonneville, J., Varvenne, C., Curtin, W.A., George, E.P., Thermal activation parameters of plastic flow reveal deformation mechanisms in the CrMnFeCoNi high-entropy alloy, 2018, *Acta Materialia*, 143, pp. 257-264
4. Zheng, S.-M., Feng, W.-Q., Wang, S.-Q., Elastic properties of high entropy alloys by MaxEnt approach, 2018, *Computational Materials Science*, 142, pp. 332-337
5. Wang, S.-P., Xu, J., (TiZrNbTa)-Mo high-entropy alloys: Dependence of microstructure and mechanical properties on Mo concentration and modeling of solid solution strengthening, 2018, *Intermetallics*, 95, pp. 59-72
6. Pouliou, A; Georgatis, E; Mathiou, C; Karantzalis, AE, Phase segregation discussion in a Hf<sub>25</sub>Zr<sub>30</sub>Ti<sub>20</sub>Nb<sub>15</sub>V<sub>10</sub> high entropy alloy: The effect of the high melting point element, *MATERIALS CHEMISTRY AND PHYSICS*, Volume: 210, Pages: 251-258, 2018
7. Ghosh, A., Brokmeier, H.-G., Al-Hamdany, N., Sinha, S., Schell, N., Gurao, N., A synchrotron X-ray and electron backscatter diffraction based investigation on deformation and failure micro-mechanisms of monotonic and cyclic loading in titanium, *Materials Science and Engineering A* Volume 726, 30 May 2018, Pages 143-153
8. Chen, J., Zhou, X., Wang, W., Liu, B., Lv, Y., Yang, W., Xu, D., Liu, Y., A review on fundamental of high entropy alloys with promising high-temperature properties, *Journal of Alloys and Compounds*, Volume 760, 5 September 2018, Pages 15-30
9. Cao, Y., Liu, Y., Liu, B., Zhang, W., Precipitation behavior during hot deformation of powder metallurgy Ti-Nb-Ta-Zr-Al high entropy alloys, 2018, *Intermetallics*, 100, pp. 95-103.
10. Čížek, J., Haušild, P., Cieslar, M., Melikhova, O., Vlasák, T., Janeček, M., Král, R., Harcuba, P., Lukáč, F., Zýka, J., Málek, J., Moon, J., Kim, H.S., Strength enhancement of high entropy alloy HfNbTaTiZr by severe plastic deformation, *Journal of Alloys and Compounds*, Volume 768, 5 November 2018, Pages 924-937

G. Dirras, H. Couque, L. Lilensten, A. Heczal, D. Tingaud, J.-P. Couzinié, L. Perrière, J. Gubicza, I. Guillot: Mechanical behavior and microstructure of Ti<sub>20</sub>Hf<sub>20</sub>Zr<sub>20</sub>Ta<sub>20</sub>Nb<sub>20</sub> high entropy alloy loaded under quasi-static and dynamic compression conditions, *Materials Characterization* **111** (2016) 106-113.

1. Zhang, T.W., Jiao, Z.M., Wang, Z.H., Qiao, J.W., Dynamic deformation behaviors and constitutive relations of an AlCoCr<sub>1.5</sub>Fe<sub>1.5</sub>NiTi<sub>0.5</sub> high-entropy alloy, *Scripta Materialia*, Volume 136, 15 July 2017, Pages 15-19
2. Zhang, ZR; Zhang, H; Tang, Y; Zhu, L; Ye, YC; Li, S; Bai, SX, Microstructure, mechanical properties and energetic characteristics of a novel high-entropy alloy HfZrTiTa<sub>0.53</sub>, *MATERIALS & DESIGN*, Volume: 133, Pages: 435-443, 2017
3. Wu, Z; Troparevsky, MC; Gao, YF; Morris, JR; Stocks, GM; Bei, H, Phase stability, physical properties and strengthening mechanisms of concentrated solid solution alloys, *CURRENT OPINION IN SOLID STATE & MATERIALS SCIENCE*, Volume: 21, Issue: 5, Pages: 267-284, 2017
4. Rameshbabu, A.M., Parameswaran, P., Vijayan, V., Panneer, R., Diffraction, microstructure and thermal stability analysis in a double phase nanocrystalline

- Al<sub>20</sub>Mg<sub>20</sub>Ni<sub>20</sub>Cr<sub>20</sub>Ti<sub>20</sub> high entropy alloy, 2017, *Journal of the Mechanical Behavior of Materials*, 26(3-4), pp. 127-132
5. Park, J.M., Moon, J., Bae, J.W., Jang, M.J., Park, J., Lee, S., Kim, H.S., Strain rate effects of dynamic compressive deformation on mechanical properties and microstructure of CoCrFeMnNi high-entropy alloy, *Materials Science and Engineering A* Volume 719, 14 March 2018, Pages 155-163
  6. Zhu, DZ; Ding, X; Qi, LF; Chen, Q, Microstructure and Mechanical Properties of Al<sub>0.25</sub>Cu<sub>0.75</sub>FeNiCo HEAs Particulates Reinforced Aluminum Alloy, *RARE METAL MATERIALS AND ENGINEERING*, Volume: 46, Issue: 11, Pages: 3400-3404, 2017
  7. Wang, B., Huang, X., Liu, Y., Liu, B., Mechanical properties and shear localization of high entropy alloy cocrfemnni prepared by powder metallurgy, 2018, *Minerals, Metals and Materials Series, Part F12*, pp. 469-480
  8. Poulia, A; Georgatis, E; Mathiou, C; Karantzalis, AE, Phase segregation discussion in a Hf<sub>25</sub>Zr<sub>30</sub>Ti<sub>20</sub>Nb<sub>15</sub>V<sub>10</sub> high entropy alloy: The effect of the high melting point element, *MATERIALS CHEMISTRY AND PHYSICS*, Volume: 210, Pages: 251-258, 2018

J. Cízek, M. Janecek, T. Krajnák, J. Stráská, P. Hruska, J. Gubicza, H.S. Kim: Structural characterization of ultrafine-grained interstitial-free steel prepared by severe plastic deformation, *Acta Mater.* **105** (2016) 258-272.

1. Ghosh, S., Singh, A.K., Mula, S.: Effect of critical temperatures on microstructures and mechanical properties of Nb-Ti stabilized IF steel processed by multiaxial forging, *Materials and Design* 100 (2016) 47-57.
2. Shah, K; Kumar, R; Sahoo, S; Pais, RS; Chakrabarti, D; Chakraborti, N, Optimization of annealing cycle parameters of dual phase and interstitial free steels by multiobjective genetic algorithms, *MATERIALS AND MANUFACTURING PROCESSES*, Volume: 32, 2017, Pages: 1201-1208
3. Singh, RB; Mukhopadhyay, NK; Sastry, GVS; Manna, R, Development of High-Strength Bulk Ultrafine-Grained Low Carbon Steel Produced by Equal-Channel Angular Pressing, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 48A, 2017, 5449-5466
4. Koizumi, T., Kuroda, M. Grain size effects in aluminum processed by severe plastic deformation, 2018, *Materials Science and Engineering A*, 710, pp. 300-308
5. Simm, T.H., Sun, L., Galvin, D.R., Hill, P., Rawson, M., Biroasca, S., Gilbert, E.P., Bhadeshia, H., Perkins, K., The effect of a two-stage heat-treatment on the microstructural and mechanical properties of a maraging steel, *Materials*, Volume 10, Issue 12, 23 November 2017, Article number 1346
6. He, H., Yi, Y., Huang, S., Zhang, Y., Effects of deformation temperature on second-phase particles and mechanical properties of 2219 Al-Cu alloy, 2018, *Materials Science and Engineering A*, 712, pp. 414-423
7. Simm, T.H., Peak broadening anisotropy and the contrast factor in metal alloys, 2018, *Crystals*, 8(5),212
8. Zhang, J., Xie, H., Lu, Z., Ma, Y., Tao, S., Zhao, K., Microstructure evolution and mechanical properties of AZ80 magnesium alloy during high-pass multi-directional forging, *Results in Physics*, Volume 10, September 2018, Pages 967-972

G.G. Láng, M. Ujvári, S. Vesztergom, V. Kondratiev, J. Gubicza, K.J. Szekeres: The Electrochemical Degradation of Poly(3,4-ethylenedioxythiophene) Films Electrodeposited from Aqueous Solutions, *Zeitschrift für Physikalische Chemie* **230** (2016) 1281-1302.

1. Hui, Y., Bian, C., Wang, J., Tong, J., Xia, S., Comparison of two types of overoxidized PEDOT films and their application in sensor fabrication, *Sensors (Switzerland)*, Volume 17, Issue 3, 19 March 2017, Article number 628
2. Saborío, M.G., Zukić, Š., Lanzalaco, S., Casanovas, J., Puiggali, J., Estrany, F., Alemán, C., Prototyping flexible supercapacitors produced with biohydrogel, *Materials Today Communications* Volume 16, September 2018, Pages 60-70
3. Hui, Y; Bian, C; Xia, SH; Tong, JH; Wang, JF, Synthesis and electrochemical sensing application of poly(3,4-ethylenedioxythiophene)-based materials: A review, *ANALYTICA CHIMICA ACTA*, Volume: 1022, Pages: 1-19, 2018

G. Krállics, Z. Bezi, P. Bereczki, J. Gubicza: Modelling of warm caliber rolling of titanium rods, *Proceedings of 10th International Rolling Conference and 7th European Rolling Conference*, June 6-9, 2016, Graz, Austria, pp. 621-630. ISBN: 978-3-200-04613-9 (2016).

1. Rostami, P; Faraji, G; Sadeghi, A; Baghani, M, Microstructure and Mechanical Properties of CP-Titanium Processed by ECAP Followed by Warm Caliber Rolling, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS*, Volume: 71, Issue: 5, Pages: 1083-1090, 2018

T. Kolonits, P. Jenei, B.G Tóth, Z. Czigány, J. Gubicza, L. Péter, I. Bakonyi: Characterization of defect structure in electrodeposited nanocrystalline Ni films, *J. Electrochem. Soc.* **163** (2016) D107-D114.

1. Kaur, D., Pandya, D.K.: Hydrogen co-deposition induced phase and microstructure evolution of cobalt nanowires electrodeposited in acidic baths, *Journal of the Electrochemical Society* 163 (2016) D221-D229.
2. Fazli, Sara; Bahrololoom, M. E.: Electrodeposition of Nanostructured Permalloy and Permalloy-Magnetite Composite Coatings and Investigation of Their Magnetic Properties, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE* 47A (2016) 4316-4324.
3. Aghay Kharieky, Rezaee Ebrahim Saraee, K., Streck, W., The size effect on luminescence properties of praseodymium doped LuAG prepared by Pechini method, *Journal of Luminescence*, Volume 190, October 2017, Pages 443-450
4. Mamaghani, K.R., Naghib, S.M., The effect of stirring rate on electrodeposition of nanocrystalline nickel coatings and their corrosion behaviors and mechanical characteristics, *International Journal of Electrochemical Science*, 2017, 12(6), pp. 5023-5035
5. Kim, S.-M., Jin, S.-H., Lee, Y.-J., Lee, M.H., Design of Nickel Electrodes by Electrodeposition: Effect of Internal Stress on Hydrogen Evolution Reaction in Alkaline Solutions, *Electrochimica Acta*, 2017, 252, pp. 67-75
6. Hassan, AW; Noordin, MY; Izman, S; Denni, K, Effect of carburizing and annealing processes in improving the Ni/WC-Co adhesion strength, *PROCEEDINGS OF THE INSTITUTION OF MECHANICAL ENGINEERS PART E-JOURNAL OF PROCESS MECHANICAL ENGINEERING*, Volume: 232, Pages: 338-348, 2018

7. Ratajski, T., Kalembe-Rec, I., Indyka, P., Kaç, S., Kot, M., Dubiel, B., Microstructural characterization of SiO<sub>2</sub>/Ni nanocomposites electrodeposited from a sulphate bath modified by PEI, *Materials Characterization*, Volume 142, 2018, Pages 478-491

J. Gubicza, L. Farbaniec, G. Csiszár, T. Sadat, H. Couque, G. Dirras: Microstructure and strength of nickel subjected to large plastic deformation at very high strain rate, *Mater. Sci. Eng. A* **662** (2016) 9-15.

1. Chawake, N., Varanasi, R.S., Jaswanth, B., Pinto, L., Kashyap, S., Koundinya, N.T.B.N., Srivastav, A.K., Jain, A., Sundararaman, M., Kottada, R.S., Evolution of morphology and texture during high energy ball milling of Ni and Ni-5 wt%Cu powders, *Materials Characterization*, Volume 120, 1 October 2016, Pages 90-96
2. Ren, X.-P., Liu, Z.-Q., Microstructure refinement and work hardening in a machined surface layer induced by turning Inconel 718 super alloy, 2018, *International Journal of Minerals, Metallurgy and Materials*, 25(8), pp. 937-949

J. Gubicza, M. El-Tahawy, Y. Huang, H. Choi, H. Choe, J.L. Lábár, T.G. Langdon: Microstructure, phase composition and hardness evolution in 316L stainless steel processed by high-pressure torsion, *Mater. Sci. Eng. A* **657** (2016) 215-223.

1. Al-Joubori, A.A., Suryanarayana, C.: Synthesis and stability of the austenite phase in mechanically alloyed Fe–Cr–Ni alloys, *Materials Letters*, Volume 187, 15 January 2017, Pages 140-143
2. Chaudhari, G. P., Corrosion of nanostructured and ultrafine-grained metallic implant materials, *MATERIALS TECHNOLOGY* Volume: 31 Issue: 13 Pages: 812-817 Published: 2016
3. Farahany, S., Tat, L.H., Hamzah, E., Bakhsheshi-Rad, H.R., Cho, M.H., Microstructure development, phase reaction characteristics and properties of quaternary Zn-0.5Al-0.5Mg-xBi hot dipped coating alloy under slow and fast cooling rates, *Surface and Coatings Technology*, Volume 315, 15 April 2017, Pages 112-122
4. Sukwisute, P., Sakdanuphab, R., Sakulkalavek, A., Hardness and wear resistance improvement of ABS surface by CrN thin film, 2017, *Materials Today: Proceedings*, 4(5), pp. 6553-6561
5. Shi, S., Zhang, Z., Wang, X., Zhou, G., Xie, G., Wang, D., Chen, X., Ameyama, K., Microstructure evolution and enhanced mechanical properties in SUS316LN steel processed by high pressure torsion at room temperature, *Materials Science and Engineering A* Volume 711, 10 January 2018, Pages 476-483
6. Yuan, M., Han, Y., La, P., Wei, F., Ma, F., Rolling Temperature Tailoring of Nanocrystalline Phases and Tensile Properties of Exceptional Nanocrystalline/Microcrystalline 316L Stainless Steel, 2018, *Steel Research International*, 89(2),1700263
7. Li, JS; Cao, Y; Gao, B; Li, YS; Zhu, YT, Superior strength and ductility of 316L stainless steel with heterogeneous lamella structure, *JOURNAL OF MATERIALS SCIENCE*, Volume: 53, Issue: 14, Pages: 10442-10456, 2018
8. Mohd Yusuf, S., Nie, M., Chen, Y., Yang, S., Gao, N., Microstructure and corrosion performance of 316L stainless steel fabricated by Selective Laser Melting and processed through high-pressure torsion, 2018, *Journal of Alloys and Compounds*, 763, pp. 360-375

9. Yin, F., Cheng, G.J., Xu, R., Zhao, K., Li, Q., Jian, J., Hu, S., Sun, S., An, L., Han, Q., Ultrastrong nanocrystalline stainless steel and its Hall-Petch relationship in the nanoscale, *Scripta Materialia*, Volume 155, 2018, Pages 26-31

T. Berecz, P. Jenei, A. Csóré, J. Lábár, J. Gubicza, P.J. Szabó: Determination of dislocation density by electron backscatter diffraction and X-ray line profile analysis in ferrous lath martensite, *Materials Characterization* **113** (2016) 117-124.

1. Dai, KS; He, P; Zhu, L; Zhang, FJ; Chen, FY; Zhai, X; Xiao, WK, Effect of solution treatment on microstructure and cryogenic toughness of 316LN austenite stainless steel weld metal welded by NG-MAG arc welding, *FUSION ENGINEERING AND DESIGN*, 2017, Volume: 125, Pages: 178-188
2. Ruiz-Moreno, A., Hähner, P., Indentation size effects of ferritic/martensitic steels: A comparative experimental and modelling study, *Materials and Design*, 2018, 145, pp. 168-180
3. Nolze, G., Jürgens, M., Olbricht, J., Winkelmann, A., Improving the precision of orientation measurements from technical materials via EBSD pattern matching, 2018, *Acta Materialia*, 159, pp. 408-415

P. Jenei, H. Choi, A. Tóth, H. Choe, J. Gubicza: Mechanical behavior and microstructure of compressed Ti foams synthesized via freeze casting, *Journal of the Mechanical Behavior of Biomedical Materials* **63** (2016) 407-416.

1. Schwitalla, A.D., Zimmermann, T., Spintig, T., Kallage, I., Müller, W.-D., Fatigue limits of different PEEK materials for dental implants, *Journal of the Mechanical Behavior of Biomedical Materials*, Volume 69, 1 May 2017, Pages 163-168
2. Yan, L., Wu, J., Zhang, L., Liu, X., Zhou, K., Su, B.: Pore structures and mechanical properties of porous titanium scaffolds by bidirectional freeze casting, *Materials Science and Engineering C*, Volume 75, 1 June 2017, Pages 335-340
3. Zhang, L., Le Coz-Botrel, R., Beddoes, C., Sjöström, T., Su, B., Gelatin freeze casting of biomimetic titanium alloy with anisotropic and gradient pore structure, *Biomedical Materials (Bristol)*, Volume 12, Issue 1, February 2017, Article number 015014
4. Weaver, J.S., Kalidindi, S.R., Wegst, U.G.K., Structure-processing correlations and mechanical properties in freeze-cast Ti-6Al-4V with highly aligned porosity and a lightweight Ti-6Al-4V-PMMA composite with excellent energy absorption capability, *Acta Materialia*, Volume 132, 15 June 2017, Pages 182-192
5. Rao, X., Li, J., Feng, X., Chu, C., Bone-like apatite growth on controllable macroporous titanium scaffolds coated with microporous titania, *Journal of the Mechanical Behavior of Biomedical Materials*, 2018, 77, pp. 225-233
6. Shbeh, Mohammed Menhal; Goodall, Russell, Open Celled Porous Titanium, *ADVANCED ENGINEERING MATERIALS* Volume: 19 Issue: 11 Article Number: 1600664 Published: NOV 2017
7. Scotti, K.L., Dunand, D.C., Freeze casting – A review of processing, microstructure and properties via the open data repository, *FreezeCasting.net*, 2018, *Progress in Materials Science*, 94, pp. 243-305
8. Zhang, X., Liu, S., Xiao, H., Applying Freeze-casting Technique to the Fabrication of Nacre-like Lamellar Structured Ceramic Composites: A State-of-the-art Review, 2017, *Cailiao Daobao/Materials Review*, 31(7), pp. 99-112

9. Deville, Sylvain, The lure of ice-templating: Recent trends and opportunities for porous materials, *SCRIPTA MATERIALIA* Volume: 147 Pages: 119-124 Published: APR 1 2018
10. Fereshteh, Z., Freeze-drying technologies for 3D scaffold engineering (Book Chapter), 2017, *Functional 3D Tissue Engineering Scaffolds: Materials, Technologies, and Applications*, pp. 151-174
11. Mao, M., Tang, Y., Zhao, K., Duan, Z., Wu, C., Porous Titanium Scaffolds with Aligned Lamellar Pore Channels by Directional Freeze-Casting from Aqueous TiH<sub>2</sub> Slurries, 2018, *Metals and Materials International*
12. Rao, X., Yang, J., li, J., Feng, X., Chen, Z., Yuan, Y., Yong, B., Chu, C., Tan, X., Song, Q., Replication and bioactivation of Ti-based alloy scaffold macroscopically identical to cancellous bone from polymeric template with TiNbZr powders, *Journal of the Mechanical Behavior of Biomedical Materials*, Volume 88, December 2018, Pages 296-304

H. Choi, S. Shilko, J. Gubicza, H. Choe: Study of the solidification, compression, and wear-resistance properties of ice-templated Ti and Ti-5W alloy foams for biomedical applications, *Journal of the Mechanical Behavior of Biomedical Materials* **72** (2017) 66–73.

1. Scotti, K.L., Dunand, D.C., Freeze casting – A review of processing, microstructure and properties via the open data repository, *FreezeCasting.net*, 2018, *Progress in Materials Science*, 94, pp. 243-305

M. El-Tahawy, J. Gubicza, Y. Huang, H. Choi, H. Choe, J.L. Lábár, T.G. Langdon: The influence of plastic deformation on lattice defect structure and mechanical properties of 316L austenitic stainless steel, *Mater. Sci. Forum* **885** (2017) 13-18.

1. Esmaeilzadeh, R., Salimi, M., Zamani, C., Hadian, A.M., Hadian, A., Effects of milling time and temperature on phase evolution of AISI 316 stainless steel powder and subsequent sintering, 2018, *Journal of Alloys and Compounds*, 766, pp. 341-348

N.Q. Chinh, P. Jenei, J. Gubicza, E.V. Bobruk, R.Z. Valiev, T.G. Langdon: Influence of Zn content on the microstructure and mechanical performance of ultrafine-grained Al-Zn alloys processed by high-pressure torsion, *Materials Letters* **186** (2017) 334-337.

1. Manjunath, G. K.; Kumar, G. V. Preetham; Bhat, K. Udaya, Tensile Properties and Tensile Fracture Characteristics of Cast Al-Zn-Mg Alloys Processed by Equal Channel Angular Pressing, *TRANSACTIONS OF THE INDIAN INSTITUTE OF METALS* Volume: 70 Issue: 3 Special Issue: SI Pages: 833-842 Published: APR 2017
2. Nassef, A., El-Garaihy, W.H., El-Hadek, M., Mechanical and corrosion behavior of al-zn-cr family alloys, *Metals*, 2017, 7(5), 171
3. Zhou, WB; Teng, GB; Liu, CY; Qi, HQ; Huang, HF; Chen, Y; Jiang, HJ, Microstructures and Mechanical Properties of Binary Al-Zn Alloys Fabricated by Casting and Heat Treatment, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* Volume: 26 Issue: 8 Pages: 3977-3982 Published: AUG 2017

4. Sheikh, H., Ebrahimi, R., Modeling the effect of strain reversal on grain refinement and crystallographic texture during simple shear extrusion, 2017, *International Journal of Solids and Structures*, 126-127, pp. 175-186
5. Acer, E; Cadirli, E; Erol, H; Kaya, H; Gunduz, M, Effects of Growth Rates and Compositions on Dendrite Arm Spacings in Directionally Solidified Al-Zn Alloys, *METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE*, Volume: 48A, Issue: 12, Pages: 5911-5923, 2017

T. Krajnák, P. Minárik, J. Gubicza, K. Máthis, R. Kuzel, M. Janecek: Influence of equal channel angular pressing routes on texture, microstructure and mechanical properties of extruded AX41 magnesium alloy, *Materials Characterization* **123** (2017) 282-293.

1. Zhang, Y.B., Mishin, O.V., Stored energy and recrystallized microstructures in nickel processed by accumulative roll bonding to different strains, *Materials Characterization*, Volume 129, July 2017, Pages 323-328
2. Sheikh, H., Ebrahimi, R., Modeling the effect of strain reversal on grain refinement and crystallographic texture during simple shear extrusion, 2017, *International Journal of Solids and Structures*, 126-127, pp. 175-186
3. Koizumi, T., Kuroda, M. Grain size effects in aluminum processed by severe plastic deformation, 2018, *Materials Science and Engineering A*, 710, pp. 300-308
4. Bednarczyk, W., Kawałko, J., Wątroba, M., Bała, P., Achieving room temperature superplasticity in the Zn-0.5Cu alloy processed via equal channel angular pressing, 2018, *Materials Science and Engineering A*, 723, pp. 126-133
5. Su, Q., Xu, J., Li, Y., Yoon, J.I., Shan, D., Guo, B., Kim, H.S., Microstructural evolution and mechanical properties in superlight Mg-Li alloy processed by high-pressure torsion, *Materials*, Volume 11, Issue 4, 13 April 2018, Article number 598
6. Song, D., Zhou, T., Tu, J., Shi, L., Song, B., Hu, L., Yang, M., Chen, Q., Lu, L., Improved stretch formability of AZ31 sheet via texture control by introducing a continuous bending channel into equal channel angular rolling, *Journal of Materials Processing Technology*, Volume 259, September 2018, Pages 380-386
7. Xue, K.-M., Liu, M., Yan, S.-L., Wang, Z., Hua, Y.-L., Li, P., Synergic Improvement of Plasticity and Strength of Al–Zn–Mg–Cu Alloy by Grain Refinement and Precipitates Redistribution using Cyclic Extrusion Compression, *Advanced Engineering Materials*, Volume 20, Issue 8, August 2018, Article number 1800140
8. Khorasani, F., Pourbahari, B., Emamy, M., Malekan, M., Salehian, S., Effects of Ca/Al ratio and extrusion process on Mg–Al–Ca alloys to produce a high toughness in-situ composite, 2018, *Philosophical Magazine*
9. Kobune, S., Itoh, G., Tensile properties of AZX612 magnesium alloy sheets processed by friction-assisted extrusion, 2018, *Defect and Diffusion Forum*, 385 DDF, pp. 91-96

J. Gubicza: *Defect Structure and Properties of Nanomaterials*, 2nd and Extended Edition, Woodhead Publishing, an imprint of Elsevier, Duxford, UK, ISBN: 9780081019177 (2017).

1. Starink, M.J., Dislocation versus grain boundary strengthening in SPD processed metals: Non-causal relation between grain size and strength of deformed polycrystals, 2017, *Materials Science and Engineering A*, 705, pp. 42-45

2. Wiertel, M., Zaleski, K., Gorgol, M., Skoczylas, A., Zaleski, R., Impact of impulse shot peening parameters on properties of stainless steel surface, 2017, *Acta Physica Polonica A*, 132(5), pp. 1611-1615
3. Shangina, DV; Terent'ev, VF; Prosvirnin, DV; Antonova, OV; Bochvar, NR; Gorshenkov, MV; Raab, GI; Dobatkin, SV, Mechanical Properties, Fatigue Life, and Electrical Conductivity of Cu-Cr-Hf Alloy after Equal Channel Angular Pressing, *ADVANCED ENGINEERING MATERIALS*, Volume: 20, Article Number: 1700536, 2018
4. Chaudhari, A.K., Singh, V.B., A review of fundamental aspects, characterization and applications of electrodeposited nanocrystalline iron group metals, Ni-Fe alloy and oxide ceramics reinforced nanocomposite coatings, 2018, *Journal of Alloys and Compounds*, 751, pp. 194-214

M.K. Nezhad, M.H. Paydar, R. Ebrahimi, P. Jenei, P. Nagy, J. Gubicza: Microstructure and mechanical properties of ultrafine-grained aluminum consolidated by high-pressure torsion, *Mater. Sci. Eng. A* **682** (2017) 501-508.

1. Eftekhari, Meisam; Movahedi, Mojtaba; Kokabi, Amir Hossein, Microstructure, Strength, and Wear Behavior Relationship in Al-Fe<sub>3</sub>O<sub>4</sub> Nanocomposite Produced by Multi-pass Friction Stir Processing, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE* Volume: 26 Issue: 7 Pages: 3516-3530

G. Kapoor, Y. Huang, V. Subramanya Sarma, T.G. Langdon, J. Gubicza: Effect of Mo addition on the microstructure and hardness of ultrafine-grained Ni alloys processed by a combination of cryorolling and high-pressure torsion, *Mater. Sci. Eng. A* **688** (2017) 92-100.

1. Vijayalakshmi, K.; Jereil, S. David; Alagusundaram, K., Electron beam and spray technologies fabrication of hybrid MnO<sub>2</sub>/CNT/Ta nanocomposite for the electrochemical detection of H<sub>2</sub>O<sub>2</sub>, *CERAMICS INTERNATIONAL* Volume: 43 Issue: 16 Pages: 14464-14472 Published: NOV 2017
2. Kumar, N., Owolabi, G.M., Jayaganthan, R., Ajide, O.O., Plane stress fracture toughness of cryorolled 6082 Al alloy, 2018, *Theoretical and Applied Fracture Mechanics*, 95, pp. 28-41

T. Krajnák, P. Minárik, J. Stráska, J. Gubicza, K. Máthis, R. Kuzel, M. Janecek: Influence of equal channel angular pressing temperature on texture, microstructure and mechanical properties of extruded AX41 magnesium, *J. Alloys and Compounds* 705 (2017) 273-282.

1. Křivská, B., Šlapáková, M., Grydin, O., Cieslar, M., The microstructure evolution of Al-Mg-Sc-Zr alloy after deformation by equal channel angular pressing, 2017, *Manufacturing Technology*, 17(5), pp. 738-741
2. Han, T., Huang, G., Deng, Q., Wang, G., Jiang, B., Tang, A., Zhu, Y., Pan, F., Grain refining and mechanical properties of AZ31 alloy processed by accumulated extrusion bonding, *Journal of Alloys and Compounds* Volume 745, 15 May 2018, Pages 599-608
3. Bednarczyk, W., Kawałko, J., Wątroba, M., Bała, P., Achieving room temperature superplasticity in the Zn-0.5Cu alloy processed via equal channel angular pressing, 2018, *Materials Science and Engineering A*, 723, pp. 126-133

4. Zhou, PW; Wang, HX; Nie, HH; Cheng, WL; Niu, XF; Wang, ZW; Liang, W, Effect of ECAP temperature on precipitation and strengthening mechanisms of Mg-9Al-1Si alloys, JOURNAL OF MATERIALS RESEARCH, Volume: 33, Issue: 12, Pages: 1822-1829, 2018

M. El-Tahawy, Y. Huang, H. Choi, H. Choe, J.L. Lábár, T.G. Langdon, J. Gubicza: Stored energy in ultrafine-grained 316L stainless steel processed by high-pressure torsion, J. Mater. Res. Techn. **6**(4) (2017) 339-347.

1. Krawczynska, A.T., Chrominski, W., Ura-Binczyk, E., Kulczyk, M., Lewandowska, M., Mechanical properties and corrosion resistance of ultrafine grained austenitic stainless steel processed by hydrostatic extrusion, 2017, Materials and Design, 136, pp. 34-44
2. Shamsujjoha, M., Agnew, S.R., Fitz-Gerald, J.M., Moore, W.R., Newman, T.A., High Strength and Ductility of Additively Manufactured 316L Stainless Steel Explained, 2018, Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 49(7), pp. 3011-3027
3. Krawczynska, AT; Gierlotka, S; Suchecki, P; Setman, D; Adamczyk-Cieslak, B; Lewandowska, M; Zehetbauer, M, Recrystallization and grain growth of a nano/ultrafine structured austenitic stainless steel during annealing under high hydrostatic pressure, JOURNAL OF MATERIALS SCIENCE, Volume: 53, Pages: 11823-11836, 2018

M. El-Tahawy, Y. Huang, H. Choi, H. Choe, J.L. Lábár, T.G. Langdon, J. Gubicza: High temperature thermal stability of nanocrystalline microstructure in 316L stainless steel processed by high-pressure torsion, Mater. Sci. Eng. A **682** (2017) 323-331.

1. Pour-Ali, S., Kiani-Rashid, A.-R., Babakhani, A., Virtanen, S., Thermal stability of nanocrystalline surface layer of AISI 321 stainless steel, 2017, Vacuum, 146, pp. 297-303
2. Krawczynska, AT; Gierlotka, S; Suchecki, P; Setman, D; Adamczyk-Cieslak, B; Lewandowska, M; Zehetbauer, M, Recrystallization and grain growth of a nano/ultrafine structured austenitic stainless steel during annealing under high hydrostatic pressure, JOURNAL OF MATERIALS SCIENCE, Volume: 53, Pages: 11823-11836, 2018
3. Tikhonova, Marina; Kaibyshev, Rustam; Belyakov, Andrey, Microstructure and Mechanical Properties of Austenitic Stainless Steels after Dynamic and Post-Dynamic Recrystallization Treatment, ADVANCED ENGINEERING MATERIALS Volume: 20 Issue: 7 Article Number: 1700960 Published: JUL 2018

A. Heczal, M. Kawasaki, J.L. Lábár, J.-il Jang, T.G. Langdon, J. Gubicza: Defect structure and hardness in nanocrystalline CoCrFeMnNi High-Entropy Alloy processed by High-Pressure Torsion, J. Alloys and Compounds **711** (2017) 143-154.

1. Koch, Carl C., Nanocrystalline high-entropy alloys, JOURNAL OF MATERIALS RESEARCH Volume: 32 Pages: 3435-3444, 2017
2. Nene, SS; Liu, K; Frank, M; Mishra, RS; Brennan, RE; Cho, KC; Li, Z; Raabe, D, Enhanced strength and ductility in a friction stir processing engineered dual phase

- high entropy alloy, *SCIENTIFIC REPORTS*, Volume: 7, Article Number: 16167, 2017
3. Stepanov, N.D., Yurchenko, N.Y., Gridneva, A.O., Zharebtsov, S.V., Ivanisenko, Y.V., Salishchev, G.A., Structure and hardness of B2 ordered refractory AlNbTiVZr<sub>0.5</sub> high entropy alloy after high-pressure torsion, *Materials Science and Engineering A*, Volume 716, 14 February 2018, Pages 308-315
  4. Zharebtsov, S., Stepanov, N., Ivanisenko, Y., Shaysultanov, D., Yurchenko, N., Klimova, M., Salishchev, G., Evolution of microstructure and mechanical properties of a CoCrFeMnNi high-entropy alloy during high-pressure torsion at room and cryogenic temperatures, *Metals*, Volume 8, Issue 2, 10 February 2018, Article number 123
  5. Li, R., Niu, P., Yuan, T., Cao, P., Chen, C., Zhou, K., Selective laser melting of an equiatomic CoCrFeMnNi high-entropy alloy: Processability, non-equilibrium microstructure and mechanical property, *Journal of Alloys and Compounds* Volume 746, 25 May 2018, Pages 125-134
  6. Moon, J., Qi, Y., Tabachnikova, E., Estrin, Y., Choi, W.-M., Joo, S.-H., Lee, B.-J., Podolskiy, A., Tikhonovsky, M., Kim, H.S., Microstructure and Mechanical Properties of High-Entropy Alloy Co<sub>20</sub>Cr<sub>26</sub>Fe<sub>20</sub>Mn<sub>20</sub>Ni<sub>14</sub> Processed by High-Pressure Torsion at 77 K and 300 K, *Scientific Reports*, Volume 8, Issue 1, 1 December 2018, Article number 11074
  7. Čížek, J., Haušild, P., Cieslar, M., Melikhova, O., Vlasák, T., Janeček, M., Král, R., Harcuba, P., Lukáč, F., Zýka, J., Málek, J., Moon, J., Kim, H.S., Strength enhancement of high entropy alloy HfNbTaTiZr by severe plastic deformation, *Journal of Alloys and Compounds*, Volume 768, 5 November 2018, Pages 924-937
  8. Kilmametov, A., Kulagin, R., Mazilkin, A., Seils, S., Boll, T., Heilmaier, M., Hahn, H., High-pressure torsion driven mechanical alloying of CoCrFeMnNi high entropy alloy, *Scripta Materialia*, Volume 158, 1 January 2019, Pages 29-33

A. Heczal, L. Liliensten, J. Bourgon, L. Perrière, J.P. Couzinié, I. Guillot, G. Dirras, Y. Huang, T.G. Langdon, J. Gubicza: Influence of High-Pressure Torsion on the microstructure and the hardness of a Ti-rich High-Entropy Alloy, *Mater. Sci. Forum* **879** (2017) 732-737.

1. Čížek, J., Haušild, P., Cieslar, M., Melikhova, O., Vlasák, T., Janeček, M., Král, R., Harcuba, P., Lukáč, F., Zýka, J., Málek, J., Moon, J., Kim, H.S., Strength enhancement of high entropy alloy HfNbTaTiZr by severe plastic deformation, *Journal of Alloys and Compounds*, Volume 768, 5 November 2018, Pages 924-937

N.H. Luong, T.T. Trung, T.P. Loan, N.H. Nam, P. Jenei, J.L. Lábár, J. Gubicza: Structure and magnetic properties of nanocrystalline Fe<sub>55</sub>Pd<sub>45</sub> processed by sonoelectrodeposition, *J. Electronic Materials* **46** (2017) 3720-3725.

1. Li, C.-M., Hu, Y.-F., Composition-dependent properties and phase stability of Fe-Pd ferromagnetic shape memory alloys: A first-principles study, 2017, *Journal of Applied Physics*, 122(24),245101

C.N. Athreya, G. Kapoor, J. Gubicza, V. Subramanya Sarma: Influence of mode of plastic straining on the microstructure of Ni and Ti deformed through rolling and torsion, *Materials Characterization* **132** (2017) 205-214.

1. Chen, L., Ren, X., Zhou, W., Tong, Z., Adu-Gyamfi, S., Ye, Y., Ren, Y., Evolution of microstructure and grain refinement mechanism of pure nickel induced by laser shock peening, *Materials Science and Engineering A* Volume 728, 13 June 2018, Pages 20-29
2. He, W., Chapuis, A., Chen, X., Liu, Q., Effect of loading direction on the deformation and annealing behavior of a zirconium alloy, 2018, *Materials Science and Engineering A*, 734, pp. 364-373

Z. Bézi, G. Krállics, M. El-Tahawy, P. Pekker, J. Gubicza: Processing of ultrafine-grained titanium with high strength and good ductility by a combination of multiple forging and rolling, *Mater. Sci. Eng. A* **688** (2017) 210-217.

1. Yan, C., Feng, A., Qu, S., Sun, J.L., Shen, J., Hot deformation and grain refinement mechanisms of commercially pure titanium processed via three-directional cryo-compression, 2018, *Materials Science and Engineering A*, 731, pp. 266-277
2. Miura, H., Kobayashi, M., Aoba, T., Aoyama, H., Benjanarasuth, T., An approach for room-temperature multi-directional forging of pure titanium for strengthening, 2018, *Materials Science and Engineering A*, 731, pp. 603-608
3. Li, XF; Jia, GP; Qu, FS; Wu, HP; Chen, J, Ultrafine Grain Refinement and Superplasticity of Ti-55 Alloy Obtained by Hydrogen Absorption and Desorption, *JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE*, Volume: 27, Pages: 3472-3477, 2018

H. Choi, S. Shilko, J. Gubicza, H. Choe: Study of the solidification, compression, and wear-resistance properties of ice-templated Ti and Ti–5W alloy foams for biomedical applications, *Journal of the Mechanical Behavior of Biomedical Materials* **72** (2017) 66-73.

1. Shi, GP; Zhang, L; Wang, Z; Li, L; Zhai, P; Li, QG; Wu, JY, Effects of Nb doping on the mechanical properties and interfacial reactions of Ti/Al<sub>2</sub>O<sub>3</sub> composites, *CERAMICS INTERNATIONAL*, Volume: 44, Issue: 12, Pages: 14913-14919, 2018
2. Liang, S.X., Yin, L.X., Zheng, L.Y., Xie, H.L., Yao, J.X., Ma, M.Z., Liu, R.P., Tribological Behavior and Wear Mechanism of TZ20 Titanium Alloy After Various Treatments, *Journal of Materials Engineering and Performance*, 2018, Volume: 27 Issue: 9 Pages: 4645-4654

J. Gubicza, P.H.R. Pereira, G. Kapoor, Y. Huang, V. Subramanya Sarma, T.G. Langdon: Annealing-induced Hardening in Ultrafine-grained Ni-Mo Alloys, *Adv. Eng. Mater.* (2018) 1800184.

1. Praveen, S., Bae, J.W., Asghari-Rad, P., Park, J.M., Kim, H.S., Annealing-induced hardening in high-pressure torsion processed CoCrNi medium entropy alloy, 2018, *Materials Science and Engineering A*, 734, pp. 338-340

M. El-Tahawy, P.H.R. Pereira, Y. Huang, H. Park, H. Choe, T.G. Langdon, J. Gubicza: Exceptionally high strength and good ductility in an ultrafine-grained 316L steel processed by severe plastic deformation and subsequent annealing, *Mater. Letters* **214** (2018) 240-242.

1. Putra, D.P., Widiyantara, I.P., Yang, H.W., Kamil, M.P., Fatimah, S., Mahendradhany, A.P., Park, K.S., Ko, Y.G., Interface modification of tempered

martensite utilizing nano-scale transition carbide via isothermal sub-zero treatment,  
Materials Letters, Volume 231, 15 November 2018, Pages 175-178